

US00PP30358P3

(12) United States Plant Patent Ranney

(10) Patent No.: US PP30,358 P3 (45) Date of Patent: Apr. 9, 2019

(54) HYDRANGEA PLANT NAMED 'NCHA7'

(50) Latin Name: *Hydrangea arborescens*Varietal Denomination: **NCHA7**

(71) Applicant: North Carolina State University,

Raleigh, NC (US)

(72) Inventor: Thomas Green Ranney, Arden, NC

(US)

(73) Assignee: North Carolina State University,

Raleigh, NC (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 15/731,344

(22) Filed: May 30, 2017

(65) Prior Publication Data

US 2018/0352697 P1 Dec. 6, 2018

(51) Int. Cl.

A01H 5/02 (2018.01)

A01H 6/48 (2018.01)

(52) U.S. Cl.

(58) Field of Classification Search

Primary Examiner — Keith O. Robinson

(74) Attorney, Agent, or Firm — Cassandra Bright

(57) ABSTRACT

A new and distinct *Hydrangea* cultivar named 'NCHA7' is disclosed, characterized by large, mop-head inflorescences with reddish-purple sepals. Plants are compact and upright with strong stems. Plants are triploid. The new variety is a *Hydrangea* normally produced as an outdoor garden or container plant.

2 Drawing Sheets

1

Latin name of the genus and species: *Hydrangea arbo-* rescens.

Variety denomination: 'NCHA7'.

BACKGROUND OF THE INVENTION

The present invention comprises a new and distinct hydrangea cultivar hereinafter referred to by the cultivar name 'NCHA7'. This new hydrangea was developed 10 through a breeding program at North Carolina State University, Mills River, N.C. 'NCHA7' was selected from a population of seedlings that resulted from a cross of *Hydran*gea arborescens 'H2009-068-007' (unpatented pollen parent) and Hydrangea arborescens 'H2008-143-001' (un- 15 patented seed parent). See FIG. 1 for a complete pedigree. The first asexual propagation of 'NCHA7' was carried out in July 2012 by rooting stem cuttings at the North Carolina State University, Mountain Horticultural Crops Research Station, Mills River, N.C. and has been asexually reproduced repeatedly by vegetative cuttings over a two year period. 'NCHA7' roots readily from softwood cuttings treated with a basal dip of 2,500-5,000 ppm indole butyric

acid (potassium salt) in water. 'NCHA7' has been found to retain its distinctive characteristics through successive asexual propagations.

SUMMARY OF THE INVENTION

The following are the unique combination of characteristics of this new cultivar when grown under standard horticultural practices at North Carolina State University, Mountain Horticultural Crops Research Station, Mills River, N.C.

- 1. Large mop-head inflorescences with red-purple florets.
- 2. Triploid cytotype.
- 3. Upright, compact, rounded habit with strong stems.

COMPARISON WITH COMMERCIAL CULTIVARS

Table 1 shows distinguishing characteristics between 'NCHA7' and commercially available cultivars of *H. arborescens*. 'NCHA7' has a unique combination of traits including large inflorescences with reddish-purple sepals, a compact habit, and a triploid cytotype.

TABLE 1

Comparison to commercial cultivars.								
Γrait	Taxa							
	H. arborescens 'NCHA1' (USPP 20,765)	H. arborescens 'NCHA5' (15/731,346)	H. arborescens	'NCHA8'	H. arborescens 'PIIHA-I' (USPP 21,227)			
Ploidy level (genome size, og)	Diploid , (2.7) 35	Triploid (3.9)	Triploid (3.9)	Triploid (3.9)	Unknown			

3

TABLE 1-continued

	Comparison to commercial cultivars.							
Trait	Taxa							
	H. arborescens 'NCHA1' (USPP 20,765)	H. arborescens 'NCHA5' (15/731,346)	H. arborescens 'NCHA7'	H. arborescens 'NCHA8' (15/731,345)	H. arborescens 'PIIHA-I' (USPP 21,227)			
Growth habit	Rounded	Rounded, dwarf	Rounded	Rounded	Upright, spreading			
Height and width	100 cm × 100		80 cm × 80 cm	60 cm × 60 cm	90 cm × 90 cm			
Stem internode length Flower count	5 to 15 cm	Avg. 7 cm (4 to 10.5 cm)	Avg. 6 cm (4 to 7 cm)	Avg. 7 cm (3 to 10 cm)	About 6 cm			
Fertile Sterile Corymb diameter Sepal color	Approx. 600 Approx. 600 8-20 cm	Approx. 450 Approx. 900 Avg. 16 cm	Approx. 50 Approx. 200 Avg. 14 cm	Approx. 500 Approx. 300 Avg. 14 cm	Approx. 75 Approx. 300 Avg. 12.5 cm			
Above	Red-Purple (ranges from 68D/C to N66D/N66C)	White (155A) to White (N155D)	Red-Purple (60C)	Yellow-Green (145C) fading to Green- White (157C)	Close to Red- Purple (58A)			
Below	Red-Purple (ranges from 68D/C to N66D/N66C)	White (155A) to White (N155D)	Red-Purple (60A)	Yellow-Green (145D)	Close to Red- Purple (63A)			
Sepal	_							
Length Width	0.5-0.7 cm 0.3-0.5 cm	Avg. 0.5 cm Avg. 0.4 cm	Avg. 0.8 cm Avg. 0.8 cm	Avg. 0.5 cm Avg. 0.3 cm	0.7 cm 0.5 cm			

COMPARISON WITH COMMERCIAL CULTIVARS

The new variety is similar to the parent varieties in most horticultural aspects. The new variety differs from the seed parent in the following:

1. Sterile sepals of 'NCHA7' are colored near 60A, a darker red-purple color than the much lighter red- 40 purple sterile sepals of the seed parent.

The new variety is similar to the parent varieties in most horticultural aspects. The new variety differs from the pollen parent in the following:

1. Sterile sepals of 'NCHA7' are colored a darker red- 45 purple color than the lighter red-purple sepals of the pollen parent.

BRIEF DESCRIPTION OF THE DRAWINGS

This new *hydrangea* is illustrated by the accompanying photograph which show the plant's form, foliage and inflorescences. The colors shown are as true as can be reasonably obtained by conventional photographic procedures. Colors in the photographs may differ slightly from the color values 55 cited in the detailed botanical description, which accurately describe the colors of the new *hydrangea*.

FIG. 1 Shows the pedigree of 'NCHA7'.

FIG. 2 Shows the inflorescence and plant form of a two-year-old plant of 'NCHA7' growing in Mills River, 60 N.C.

DETAILED BOTANICAL DESCRIPTION

The following is a detailed description of the botanical 65 characteristics of the new and distinct *hydrangea* variety

plant known by the denomination 'NCHA7'. The detailed description was taken on a two-year-old field-grown plant in Mills River, N.C. in 2016. All colors cited herein refer to The Royal Horticultural Society Colour Chart (The Royal Horticultural Society (R.H.S.), London, Sixth Edition, 2015). Where specific dimensions, sizes, colors, and other characteristics are given, it is to be understood that such characteristics are approximations or averages set forth as accurately as practicable.

Classification:

Botanical name.—Hydrangea arborescens 'NCHA7'. Common name.—Smooth Hydrangea.

Parentage: 'NCHA7' originated as a seedling that resulted from a cross of *H. arborescens* 'H2009-068-007' and *H. arborescens* 'H2008-143-001'.

Plant:

Growth habit.—Compact, upright. Non-climbing. Height (from top of soil including inflorescences).— About 80 cm.

Width (including inflorescences).—About 80 cm. Shoot and stem:

Length.—80 cm (40 to 100 cm).

Diameter.—0.5 cm (0.3 to 0.6 cm).

Internode length.—6 cm (4 to 7 cm).

Immature shoot texture (current year).—Pubescent.
Immature shoot color (current year).—Purple (N77A).

Mature stem texture (from prior year).—Glabrous, exfoliating.

Mature stem color (from prior year).—Grey-Brown (199D).

Fasciation.—Absent.

Lenticels.—Absent.

Branching habit: Freely branching with 40-60 shoots.

1

5 0

Foliage:

Type.—Simple.

Persistence.—Deciduous.

Arrangement.—Opposite.

Shape.—Broadly ovate.

Lobing.—Absent.

Apex.—Acuminate.

Base.—Acute to rounded.

Venation.—Pinnate, opposite to subopposite.

Vein color.—Upper: Purple (N77B) fading to Yellow- 10 Green (148B). Lower: Purple (N77B) fading to Yellow-Green (148C).

Margins.—Dentate to serrate.

Texture.—Upper surface: Slightly pubescent. Lower surface: Slightly pubescent.

Emerging leaves.—Color: Upper and lower: Yellow-Green (146A).

Mature leaves during growing season.—Color: Upper: Yellow-Green (146A). Lower: Yellow-Green (146B). Length of lamina: Avg. 9 cm (6 to 12 cm). 20 Width: Avg. 6 cm (4.5 to 9 cm).

Leaf attachment.—Petiolate.

Petiole.—Length: Avg. 4 cm (2.5 to 5 cm). Diameter: Avg. 0.2 cm (0.15 to 0.3 cm). Color: Purple (N77A).

Inflorescence:

Description.—Fertile (approximately 50) and sterile (approximately 200) flowers arranged on individual hemispherical or dome-shaped terminal, compound corymbs.

Flowering season.—Early June to early July in Mills 30 River, N.C.

Corymb.—Shape: Globular. Diameter: Average 14 cm (12 to 16.5 cm). Height: Average 7 cm (5 to 8 cm). Quantity: About 50 corymbs per plant over the flowering season. Longevity: Showy for approxi- 35 plant named 'NCHA7' as illustrated and described herein. mately 4 weeks.

Sterile flowers.—Single flowers. Petals, pistils and stamens are greatly reduced (<0.5 mm). Inconspicuous. Buds: Shape: Oval. Diameter: 0.2 cm. Color: Red-Purple (59A). Sepals: Number: 2 to 4. Length: Avg. 0.8 cm (0.7 to 1.0 cm). Width: Avg. 0.8 cm (0.7 to 1.0 cm). Shape: Oval. Apex: Mucronate to rounded. Base: Rounded. Margin: Entire. Texture: Glabrous. Color: Upper: Red-Purple (60C). Lower: Red-Purple (60A).

Fertile flowers.—Sepals and petals are greatly reduced (<0.5 mm). Buds: Shape: Round. Diameter: 0.2 cm. Color: Red-Purple (59B to 69B). Width: 0.2 cm. Height: 0.2 cm.

Reproductive organs:

Gynoecium.—Pistil number: 2, fused. Pistil color: White (155C). Pistil length: 0.2 cm. Stigma shape: Blunt. Stigma diameter: 0.05 cm. Style length: 0.7 cm. Ovary shape: Rounded. Ovary diameter: 0.1 cm. Androecium.—Stamen number: 10. Anther: Shape: Rounded, fusiform. Length: 0.05 cm. Color: White (N155B). Filament: Length: 0.07 cm. Color: White

Other characteristics:

²⁵ Fruit/seed set: Seeds are minute, dust-like.

Disease and insect resistance: No significant resistance nor susceptibility to disease or insect pests have been observed.

(155B). Amount of pollen: None observed.

Cold hardiness: At least USDA zone 6b; testing has not been completed in colder zones.

What is claimed is:

1. A new and distinct cultivar of *Hydrangea arborescens*

Apr. 9, 2019



