



US00PP30665P3

(12) **United States Plant Patent**  
**Farrow**

(10) **Patent No.:** **US PP30,665 P3**  
(45) **Date of Patent:** **Jul. 9, 2019**

(54) **CHAMAECYPARIS PLANT NAMED**  
**‘FARROWCGMS’**

CPC ... A01H 7/00; A01H 5/00; A01H 5/02; A01H  
5/04; A01H 6/00  
See application file for complete search history.

(50) Latin Name: *Chamaecyparis pisifera*  
Varietal Denomination: **FARROWCGMS**

(56) **References Cited**

(71) Applicant: **Michael Wayne Farrow**, Warwick, MD  
(US)

**PUBLICATIONS**

(72) Inventor: **Michael Wayne Farrow**, Warwick, MD  
(US)

Spring Meadow Nursery Flowering Shrubs Starter Plants Catalog  
and Shrub Reference 2017-2018, retrieved on Oct. 11, 2018, retrieved  
from the Internet at [https://springmeadownursery.com/files/resource\\_](https://springmeadownursery.com/files/resource_files/2017-18_SMN_Catalog_1-50.pdf)  
[files/2017-18\\_SMN\\_Catalog\\_1-50.pdf](https://springmeadownursery.com/files/resource_files/2017-18_SMN_Catalog_1-50.pdf), pp. 1-9 and 37. (Year: 2017).\*  
Watson, L., and Dallwitz, M.J. Delta Intkey 2008 onwards. The  
families of gymnosperms. Version: Oct. 14, 2018. delta-intkey.com,  
retrieved on Oct. 15, 2018, one page. (Year: 2018).\*

(73) Assignee: **Spring Meadow Nursery, Inc.**, Grand  
Haven, MI (US)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

\* cited by examiner

(21) Appl. No.: **15/732,453**

*Primary Examiner* — June Hwu

(22) Filed: **Nov. 14, 2017**

(74) *Attorney, Agent, or Firm* — Cassandra Bright

(65) **Prior Publication Data**  
US 2019/0150341 P1 May 16, 2019

(57) **ABSTRACT**

(51) **Int. Cl.**  
**A01H 7/00** (2006.01)

A new and distinct *Chamaecyparis* cultivar named ‘FAR-  
ROWCGMS’ is disclosed, characterized by yellow, yellow  
green and green foliage. Plants are full and have a compact,  
semi-dwarf pyramidal habit. Foliage is arranged in tightly  
held scales, forming an attractive texture. Plants exhibit  
rapid growth. Foliage color is maintained throughout Winter.  
The new cultivar is a *Chamaecyparis*, suitable for ornamen-  
tal garden purposes.

(52) **U.S. Cl.**  
USPC ..... **Plt./213**

(58) **Field of Classification Search**  
USPC ..... **Plt./213**

**2 Drawing Sheets**

**1**

Latin name of the genus and species: *Chamaecyparis*  
*pisifera*.

Variety denomination: ‘FARROWCGMS’.

**BACKGROUND OF THE INVENTION**

The new cultivar is a product of chance discovery by the  
inventor, Michael W. Farrow. This new variety, hereinafter  
referred to as ‘FARROWCGMS’, was selected as a naturally  
occurring branch mutation from the parent *Chamaecyparis*  
*pisifera* ‘Golden Mop’, unpatented. The novel variety was  
discovered in a commercial nursery in Warwick, Md. during  
2010.

After identifying the new variety as a potentially inter-  
esting selection, first propagation of ‘FARROWCGMS’  
occurred by softwood cuttings at a commercial nursery in  
Warwick, Md. in 2012. The inventor continued controlled  
testing and propagation, assessing stability of the unique  
characteristics of this variety. Five generations have been  
reproduced and have shown that the unique features of this  
cultivar are stable and reproduced true to type.

**SUMMARY OF THE INVENTION**

The cultivar ‘FARROWCGMS’ has not been observed  
under all possible environmental conditions. The phenotype  
may vary somewhat with variations in environment such as  
temperature, day length, and light intensity, without, how-

**2**

ever, any variance in genotype. The following traits have  
been repeatedly observed and are determined to be the  
unique characteristics of ‘FARROWCGMS’ These charac-  
teristics in combination distinguish ‘FARROWCGMS’ as a  
new and distinct *Chamaecyparis* cultivar:

1. Very full plants.
2. Good Summer and Winter color.
3. Attractive foliage texture with tightly held scales.
4. Semi-dwarf plant with a compact, pyramidal shape.
5. Fast growth rate.

**COMMERCIAL COMPARISON**

‘FARROWCGMS’ can be compared to the commercial  
variety *Chamaecyparis pisifera* ‘RIKACPMC’ application  
Ser. No. 15/530,102. The varieties are similar in most  
horticultural characteristics, however, plants of ‘FARROW-  
CGMS’ differ in the following ways:

1. New cultivar yellow throughout; comparator has yel-  
low tips.
2. New cultivar is more upright growing; comparator  
grows outward.

**PARENTAL COMPARISON**

‘FARROWCGMS’ can be compared to the parent  
*Chamaecyparis pisifera* ‘Golden Mop’. The varieties are

similar in most horticultural characteristics, however, plants of 'FARROWCGMS' differ in the following ways:

1. New cultivar is more compact and triangular; parent is shaggier with a more spreading habit.

#### BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying photograph in FIG. 1 illustrates in full color a typical plant of 'FARROWCGMS' grown outdoors in Grand Haven, Mich. Plants in FIG. 1 are approximately 5 years old, and exhibit the characteristic full, compact and pyramidal growth.

FIG. 2 illustrates a close-up view of the foliage. The photographs were taken using conventional techniques and although colors may appear different from actual colors due to light reflectance it is as accurate as possible by conventional photographic techniques.

#### DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to The Royal Horticultural Society Colour Chart 2015 except where general terms of ordinary dictionary significance are used. The following observations and measurements describe 'FARROWCGMS' plants grown in a poly greenhouse during Summer, in Grand Haven, Mich. USA. The growing temperature ranged from 18° C. to 27° C. during the day and from 5° C. to 10° C. during the night. General light conditions are natural sunlight. Measurements and numerical values represent averages of typical plant types. Botanical classification: *Chamaecyparis pisifera* 'FARROWCGMS'.

#### PROPAGATION

Typical method: Softwood cuttings.  
Time to initiate rooting: 120 days at approximately 10° C.  
Time to produce a rooted young plant: 180 days at approximately 10° C. to 13° C.  
Root description: Fine and fleshy roots present. Moderately well branched. Colored light brown, not accurately measured with an R.H.S. chart.

#### PLANT

Age of plant described: 2 to 3 years.  
Container size of plant described: 3 gallon.  
Growth habit: Evergreen tree, slightly mounding in juvenility, then growing upright.  
Height: 87 cm.  
Plant spread: 79 cm.  
Typical growth rate: Rapid. Average growth per year ranges between 1.5 to 2.5 feet, depending upon environmental conditions.  
Branching characteristics: Upright and outwards.

Angle: 5 to 85°.

Quantity of lateral branches: 14.

Length of lateral branches: 46 cm.

Diameter of lateral branches: 1 cm.

5 Lateral branch shape: Round.

Stem strength: Strong.

Stem color: Greyed-Orange 177 C.

Internode length: Average 2 cm.

Trunk bark:

10 *Color*.—Near RHS Greyed-Orange 177A.

*Texture*.—Rough, scaly.

#### FOLIAGE

15 General description: Overlapping scales.

Leaf:

*Arrangement*.—Overlapping scales.

*Shape of blade*.—Scale-like.

*Apex*.—Acute.

20 *Base*.—Cuneate.

*Margin*.—Entire.

*Texture of top surface*.—Smooth, moderately glossy.

*Texture of bottom surface*.—Smooth, moderately glossy.

25 *Foliage color*.—Varies with light exposure along branch. Foliage on lower section of branch receives less light. Top of branch leaves, upper: Majority of surface Yellow 7A, small lower section near Yellow-Green N144C. Top of branch leaves, under: Majority of surface Yellow 7A, lower section near Yellow-Green N144C. Middle branch leaves, upper: Mostly Yellow-Green N144C, with some Yellow-Green 7A. Middle branch leaves, under: Yellow-Green 143C with some Yellow Green 145A at the tips. Lower, interior branch leaves, upper: Green 141B. Lower, interior branch leaves, under: Green 141B.

30 *Venation*.—Not observable.

*Fragrance*.—Not observed.

#### FLOWER

Flowering not observed.

#### OTHER CHARACTERISTICS

45 Disease and pest resistance: Neither resistance nor susceptibility observed.

Drought tolerance: No tolerance for drought.

Temperature tolerance: -32 to 36 degree C.

50 What is claimed is:

1. A new and distinct cultivar of *Chamaecyparis* plant named 'FARROWCGMS' as herein illustrated and described.

\* \* \* \* \*





FIG. 1





FIG. 2