

US00PP31099P2

(12) United States Plant Patent

Yamada

US PP31,099 P2 (10) Patent No.:

Nov. 19, 2019 (45) **Date of Patent:**

CALIBRACHOA PLANT NAMED 'SUNCAL 5101'

- (50)Latin Name: *Calibrachoa* sp. Varietal Denomination: Suncal 5101
- Applicant: Masahiro Yamada, Shiga (JP)
- Inventor: **Masahiro Yamada**, Shiga (JP)
- (73) Assignee: Suntory Flowers Limited, Tokyo (JP)
- Subject to any disclaimer, the term of this Notice:

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

- Appl. No.: 15/999,962
- Sep. 4, 2018 (22)Filed:
- Int. Cl. (51)(2018.01)A01H 5/02 A01H 6/82 (2018.01)

(52)	U.S. Cl.
	USPC
	CPC
(50)	Field of Classification Secueb

Field of Classification Search CPC A01H 6/821

See application file for complete search history.

Primary Examiner — Keith O. Robinson

(74) Attorney, Agent, or Firm—C. A. Whealy

(57)ABSTRACT

A new and distinct cultivar of *Calibrachoa* plant named 'Suncal 5101', characterized by its semi-upright and mounding plant habit; vigorous growth habit; freely branching habit; freely flowering habit; long flowering period; large red purple-colored flowers with white and yellow-colored centers; and good garden performance.

1 Drawing Sheet

Botanical designation: Calibrachoa sp. Cultivar denomination: 'SUNCAL 5101'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of Calibrachoa plant, botanically known as Calibrachoa sp. and hereinafter referred to by the name 'Suncal 5101'.

The new Calibrachoa plant is a product of a planned breeding program conducted by the Inventor in Higashiomi, ¹⁰ Shiga, Japan. The objective of the breeding program is to develop new vigorous, semi-upright, mounding and freely branching Calibrachoa plants with numerous large and attractive flowers with unique coloration.

The new Calibrachoa plant originated from a crosspollination conducted by the Inventor in Higashiomi, Shiga, Japan in September, 2012 of a proprietary selection of Calibrachoa sp. identified as code number C24F1-45, not patented, as the female, or seed, parent with a proprietary 20 selection of Calibrachoa sp. identified as code number C24-143-3, not patented, as the male, or pollen, parent. The new Calibrachoa plant was discovered and selected by the Inventor as a single flowering plant from within the progeny of the stated cross-pollination in a controlled greenhouse 25 environment in Higashiomi, Shiga, Japan in October, 2013.

Asexual reproduction of the new *Calibrachoa* plant by terminal vegetative cuttings in a controlled greenhouse environment in Higashiomi, Shiga, Japan since November, 2013 has shown that the unique features of this new Cali- 30 purple-colored flowers whereas plants of the male parent brachoa plant are stable and reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

Plants of the new Calibrachoa have not been observed under all possible combinations of environmental conditions and cultural practices. The phenotype may vary somewhat

with variations in environmental conditions such as temperature and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'Suncal 5101'. These characteristics in combination distinguish 'Suncal 5101' as a new and distinct Calibrachoa plant:

- 1. Semi-upright and mounding plant habit.
- 2. Vigorous growth habit.
- 3. Freely branching habit.
- 4. Freely flowering habit.
- 5. Long flowering period.
- 6. Large red purple-colored flowers with white and yellow-colored centers.
- 7. Good garden performance.

Plants of the new Calibrachoa can be compared to plants of the female parent selection. Plants of the new Calibrachoa differ primarily from plants of the female parent selection in flower color as plants of the new Calibrachoa have red purple-colored flowers whereas plants of the female parent selection have pink-colored flowers. In addition, plants of the new Calibrachoa have larger flowers than plants of the female parent selection.

Plants of the new Calibrachoa can be compared to plants of the male parent selection. Plants of the new Calibrachoa differ primarily from plants of the male parent selection in flower color as plants of the new Calibrachoa have red selection have rose pink-colored flowers. In addition, plants of the new Calibrachoa have larger flowers than plants of the male parent selection.

Plants of the new Calibrachoa can also be compared to ³⁵ plants of *Calibrachoa* sp. 'Sunbelflam', disclosed in U.S. Plant Pat. No. 17,588. In side-by-side comparisons, plants of the new Calibrachoa and 'Sunbelflam' differ primarily in the following characteristics:

- 1. Plants of the new Calibrachoa are more upright than and not as outwardly spreading as plants of 'Sunbelflam'.
- 2. Plants of the new *Calibrachoa* are larger than plants of 'Sunbelflam'.
- 3. Plants of the new *Calibrachoa* have larger flowers than plants of 'Sunbelflam'.
- 4. Plants of the new *Calibrachoa* and 'Sunbelflam' differ in flower color as plants of the new Calibrachoa have darker red purple-colored petals than plants of 'Sun- 10 belflam'.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the 15 overall appearance of the new Calibrachoa plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of 20 the new Calibrachoa plant.

The photograph at the top of the sheet comprises a side perspective view of a typical flowering plant of 'Suncal 5101' grown in a container.

The photograph at the bottom of the sheet is a close-up 25 view of a typical flowering plant of 'Suncal 5101'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observa- 30 Flower description: tions, measurements and values describe plants grown during the summer in 24-cm containers in an outdoor nursery in Higashiomi, Shiga, Japan and under cultural practices typical of commercial *Calibrachoa* production. During the production of the plants, day temperatures averaged 23° C. 35 and night temperatures averaged 13° C. Plants were four months old when the photographs and the description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2007 Edition, except where general terms of ordinary dictionary 40 significance are used.

Botanical classification: Calibrachoa sp. 'Suncal 5101'. Parentage:

Female, or seed, parent.—Proprietary selection of Calibrachoa sp. identified as code number C24F1- 45 45, not patented.

Male, or pollen, parent.—Proprietary selection of Calibrachoa sp. identified as code number C24-143-3, not patented.

Propagation:

Type.—By vegetative terminal cuttings.

Time to initiate roots, summer and winter.—About one week at temperatures about 15° C. to 20° C.

Time to produce a rooted young plant, summer and winter.—About three weeks at temperatures about 55 15° C. to 20° C.

Root description.—Fibrous; white in color.

Rooting habit.—Freely branching.

Plant description:

Plant and growth habit.—Semi-upright and mounding 60 plant habit; freely branching habit with numerous lateral branches developing per plant; pinching enhances lateral branch development; vigorous growth habit.

Plant height.—About 27 cm. Plant diameter.—About 78 cm. Lateral branch description:

Length.—About 32 cm.

Diameter.—About 1.6 mm.

Internode length.—About 1.9 cm.

Strength.—Strong.

Aspect.—Upright to outwardly.

Texture.—Densely pubescent; rough.

Color.—Close to 144B.

Leaf description:

Arrangement.—Alternate, simple.

Length.—About 3.5 cm.

Width.—About 1.6 cm.

Shape.—Elliptic.

Apex.—Broadly acute.

Base.—Attenuate.

Margin.—Entire.

Texture, upper and lower surfaces.—Densely pubescent; rough.

Venation pattern.—Pinnate; reticulate.

Color.—Developing leaves, upper surface: Close to 138A. Developing leaves, lower surface: Close to 138B. Fully expanded leaves, upper surface: Close to 137C; venation, close to 144C. Developing and fully expanded leaves, lower surface: Close to 138B; venation, close to 144D.

Petioles.—Length: About 5.1 mm. Diameter: About 2.2 mm. Texture, upper and lower surfaces: Pubescent. Color, upper and lower surfaces: Close to 144C.

50

Flower arrangement and habit.—Single salverform flowers arising from upper leaf axils; freely flowering habit with usually about 240 flowers developing per plant; flowers face upright to outwardly.

Fragrance.—None detected.

Natural flowering season.—Early flowering habit, plants of the new Calibrachoa initiate and develop flowers about three to four weeks after planting; long flowering period, flowering naturally commences during the spring and plants flower continuously throughout the summer until late autumn in Japan.

Flower longevity.—Individual flowers last about seven to ten days on the plant; flowers not persistent.

Flower diameter.—About 4.6 cm.

Flower length (depth).—About 1 cm.

Throat diameter.—About 9.2 mm.

Tube length.—About 1.9 cm.

Tube diameter, base.—About 3.1 mm.

Flower buds.—Length: About 2.8 cm. Diameter: About 9.3 mm. Shape: Cylindrical. Color: Close to 77A.

Corolla.—Arrangement: Five petals fused at the base and opening into a flared trumpet. Petal length from throat: About 1.9 cm. Petal width: About 2.1 cm. Petal shape: Roughly spatulate. Petal apex: Rounded with truncate tendencies. Petal margin: Entire; slightly undulate. Petal texture, upper and lower surfaces: Smooth, glabrous. Throat texture: Smooth, glabrous. Tube texture: Smooth, glabrous. Color: Petal, when opening, upper surface: Close to N74A. Petal, when opening, lower surface: Close to N78B. Petal, fully opened, upper surface: Close to N74A; venation, faint, close to N77C; color becoming closer to N74A to N74C and subsequently closer to N78B with development. Petal, fully opened, lower surface: Close to N74C; venation, close to N77C; color does not change with development. Throat:

5

Distally, close to NN155C; proximally, close to 5A; at the base, close to 1D; venation, faint, close to 144B. Tube: Close to 1D; venation, close to N199B and 144C.

Calyx.—Arrangement: Star-shaped tubular calyx tube 5 with five sepals in a single whorl and fused at the base. Sepal length: About 1.1 cm. Sepal width: About 3.9 mm. Sepal shape: Lanceolate. Sepal apex: Acute. Sepal margin: Entire. Sepal texture, upper and lower surfaces: Pubescent; rough. Sepal color: 10 Immature and mature, upper surface: Close to 138A. Immature and mature, lower surface: Close to 138A.

Peduncles.—Length: About 1.6 cm. Diameter: About 0.8 mm. Angle: Upright to outwardly. Strength: Strong. Texture: Pubescent; rough. Color: Close to 15 144A occasionally tinged with close to N77C.

Reproductive organs.—Stamens: Quantity: Five per flower. Filament length: About 1 cm. Filament color: Close to 145D. Anther shape: Ellipsoidal. Anther size: About 1.7 mm by 1.2 mm. Anther color: Close 20

6

to 4A. Pollen amount: Moderate. Pollen color: Close to 4A. Pistils: Quantity: One per flower. Pistil length: About 1.1 cm. Style color: Close to 144D. Stigma shape: Transversely ellipsoidal. Stigma color: Close to 144B. Ovary color: Close to 144A.

Seeds and fruits.—To date seed and fruit development have not been observed on plants of the new Calibrachoa.

Garden performance: Plants of the new *Calibrachoa* have been observed to have good garden performance and to tolerate wind, rain and temperatures ranging from about 5° C. to about 35° C.

Pathogen & pest resistance: To date, plants of the new *Calibrachoa* have not been observed to be resistant to pests and pathogens common to *Calibrachoa* plants.

It is claimed:

1. A new and distinct *Calibrachoa* plant named 'Suncal 5101' as illustrated and described.

* * * * *

