

US00PP32363P3

# (12) United States Plant Patent Stemkens

(10) Patent No.:

US PP32,363 P3

(45) **Date of Patent:** 

Oct. 20, 2020

## VERBENA PLANT NAMED 'VEAZ0059'

Latin Name: Verbena hybrida (50)Varietal Denomination: **VEAZ0059** 

Applicant: SYNGENTA CROP PROTECTION

**AG**, Basel (CH)

Henricus Godefridus Wilhelmus Inventor:

Stemkens, Andijk (NL)

Assignee: Syngenta Crop Protection AG, Basel (73)

(CH)

Subject to any disclaimer, the term of this Notice:

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

Appl. No.: 16/501,749

Jun. 3, 2019 (22)Filed:

(65)**Prior Publication Data** 

> US 2020/0170163 P1 May 28, 2020

Foreign Application Priority Data (30)

(QZ) ...... PBR 2018/3071 Nov. 23, 2018

Int. Cl.

A01H 5/02 (2018.01)A01H 6/86 (2018.01)

U.S. Cl. (52)

Field of Classification Search

CPC ...... A01H 6/86; A01H 5/02 See application file for complete search history.

Primary Examiner — Keith O. Robinson (74) Attorney, Agent, or Firm — Dale Skalla

#### ABSTRACT (57)

A new *Verbena* plant named 'VEAZ0059' particularly distinguished by medium sized inflorescences, medium sized flowers that are deep purple, medium green, undivided leaves, and an upright plant habit.

1 Drawing Sheet

Latin name of the genus and species of the plant claimed: Verbena hybrida.

Varietal denomination: 'VEAZ0059'.

# BACKGROUND OF THE NEW PLANT

The present invention comprises a new *Verbena*, botanically known as *Verbena hybrida*, and hereinafter referred to by the variety name 'VEAZ0059'.

'VEAZ0059' is a product of a planned breeding program. The new cultivar has medium sized inflorescences, medium sized flowers that are deep purple, medium green, undivided leaves, and an upright plant habit.

'VEAZ0059' originated from a cross made in September 2014 in the greenhouse in Enkhuizen, The Netherlands.

The female parent was an unpatented proprietary plant designated 'T0451-4', having bigger flowers, having a flower color that is red purple, medium sized leaves and an upright plant habit. The male parent is unknown because the 20 pollination was with a cloud of pollen of the whole population.

The resulting seed was sown in February 2015 in a greenhouse in Enkhuizen, The Netherlands, and 'VEAZ0059' was selected as one flowering plant within the 25 progeny of the stated cross in May 2015.

The first act of asexual reproduction of 'VEAZ0059' was accomplished when vegetative cuttings were propagated from the initial selection in June 2015 in a greenhouse in Enkhuizen, The Netherlands.

# BRIEF SUMMARY OF INVENTION

Horticultural examination of plants grown from cuttings of the plant initiated in the fall of 2015, and continuing

thereafter, has demonstrated that the combination of characteristics as herein disclosed for 'VEAZ0059' are firmly fixed and are retained through successive generations of asexual reproduction.

'VEAZ0059' has not been observed under all possible environmental conditions. The phenotype may vary significantly with variations in environment such as temperature, light intensity, and day length.

A Plant Breeder's Right for this cultivar was applied for in the European Union on Nov. 23, 2018, No. 2018/3071. 10 'VEAZ0059' has not been made publicly available prior to the effective filing date of this application, notwithstanding any disclosure that may have been made less than one year prior to the effective filing date of this application by the inventor or another who obtained 'VEAZ0059' directly from 15 the inventor.

The following traits have been repeatedly observed and are determined to be basic characteristics of the new variety. The combination of these characteristics distinguishes this Verbena as a new and distinct variety.

## BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying photographic drawings show typical flower and foliage characteristics of 'VEAZ0059' with colors being as true as possible with an illustration of this type. The photographic drawing in FIG. 1 shows a close view of an inflorescence of the new plant, and in FIG. 2 a whole flowering plant.

The aforementioned photographs were taken in late May 2018 in Andijk, The Netherlands. The plants were about 10 weeks old and were grown in 11 cm pots.

#### DETAILED BOTANICAL DESCRIPTION

Color references are made to The Royal Horticultural Society (R.H.S.) Colour Chart 2001.

3

TABLE 1				Number of inflorescences per plant.—36 to 38 at various stages.  Horizontal diameter of inflorescence.—About 4.6 cm.		
DIFFERENCES BETWEEN THE NEW VARIETY 'VEAZ0059' AND A MOST SIMILAR VARIETY			•			
	'VEAZ0059'	'VEAZ0026', not patented	5	Depth of inflorescence.—2.7 cm.  Number of florets per inflorescence (including any buds at the time).—16-25.		
Flower color: Eye: Leaf size:	Purple velvet Not present Smaller	Purple Present Larger		Bud (just when opening/showing color):  Color.—RHS N74D.		
			•	Length.—0.4 cm.		
Plant:			10	Width.—0.4 cm.		
Form, growth and habit.—Herbaceous, initially			,	Shape.—Tubular with a bulbous end.		
upright, then outwardly spreading; vigorous and free				Floret:		
branching.				Form.—Sessile; salver-shape, composed of 5 partly		
Plant height.—14 cm.			15	fused petals with a base of a narrow tube.		
Plant height (inflorescence included).—17.8 cm.				Immature color, upper surface.—RHS 83A.		
Plant width.—28.5 cm.				Immature color, lower surface.—RHS N88A.		
Roots:				Mature color, upper surface.—RHS 83A.		
Number of days to initiate and produce roots.—11-14			•	Mature color, lower surface.—RHS N88A.		
days at about 22 degrees C. <i>Type</i> .—Fine, fibrous, free branching.			20	Floret diameter.—2.4-2.6 cm.		
Color.—RHS N155B.				Floret length (depth).—2.1-2.4 cm. Number of petals.—Gamopetalous, 5 lobed.		
Foliage:				Petal length.—1.5 cm.		
Arrangement.—Opposite, simple.				Petal width.—1 cm.		
Immature, leaf color, upper surface.—RHS 137C.			25	Characa Observatore		
Immature, leaf color, lower surface.—RHS 137D.			23	Apex shape.—Emarginate.		
Mature, leaf color, upper surface.—RHS 137B.				Margin.—Entire.		
Mature, leaf color, lower surface.—RHS 137C.				Petal texture, upper surface.—Smooth.		
· ·	the leaf blade	—Lobed.		Petal texture, lower surface.—Papillose.		
Length.—3.2 cm.			30	Corolla tube length.—1.3 cm.		
Width.—2.2-2.4 cm.				Corolla tube width.—0.2 cm.		
Shape.—Ovate.				Corolla tube color inside.—RHS 75D.		
Base shape.—Cordate.				Tube color, outside.—RHS N74C. Corolla texture, inside.—Papillose.		
Apex shape.—Acute. Margin.—Entire.			2.5	Caralla tartura autaida Clobrona		
Texture, upper surface.—Hirsute.			35	Curvature of the longitudinal axis of the corolla lobe.—		
Texture, lower surface.—Hirsute.				Straight.		
Color of veins, upper surface.—RHS 138A.				Throat hair color.—RHS 155A.		
Color of veins, lower surface.—RHS 137A.				Calyx:		
Pattern of veining.—Pinnate.			40	Type.—Five sepals whose margins are fused to each		
Petiole color.—RHS 137A.				other along their length, with a transparent mem-		
Petiole length.—1 cm.				brane of less than 0.1 cm in width and with one		
Petiole width.—0.3 cm.				smaller sepal attached to the base of the calyx.		
Texture.—Hirsute.				Color of sepals.—RHS 138B. Length of sepals.—1.2 cm.		
Stem: Branching characteristics.—Makes branches on every			45	Width of sepals.—0.25 cm.		
node.	maracier istics.	Triancs of affect of Cvery		Sepal shape.—Linear, but fused.		
Quantity of main branches per plant.—28-32.				Apex shape.—Acute.		
Color of stem.—RHS 137B.				Margins.—Entire.		
Stem length.—About 12 to 15 cm.			50	Texture.—Densely covered with short hair.		
Stem width.—About 0.4 cm.				Reproductive organs:		
Anthocyanin of the stem.—Absent.				Gynoecium.—		
Length of internodes.—2-3 cm.				Pistil.—1.		
Texture.—Hirsute.				Pistil length.—1.3 cm.		
Color of peduncle.—RHS 137B.			55	Style color.—RHS N144C.		
Length of peduncle.—About 2-2.2 cm.  Peduncle diameter.—0.2 cm.				Stigma color DUS 144C		
Texture.—Canescent.				Stigma color.—RHS 144C. Ovary color.—RHS 144B.		
Inflorescence:				Ovary color.—KHS 144B.  Ovary length.—0.22 cm.		
Type.—Umbel-like, but actually a spike, umbrella-						
shaped, large.			OU	Androecium.—		
Blooming habit.—Flowers continuously through the			<b>;</b>	Stamens.—Anthers and filaments fused to upper half of		
summer months				corolla tube: four anthers with two nollen sacs ner		

summer months.

Fragrance.—None.

4 days in the greenhouse.

Lastingness of individual blooms on the plant.—About

anther.

Color of filaments.—RHS 151B.

Filament length.—0.25 cm.

corolla tube; four anthers with two pollen sacs per

5

Anther color.—RHS 151B. Anther length.—0.15 cm.
Pollen amount.—None observed.

Fertility/seed set: Neither seed nor fruit production has been observed.

Disease/pest resistance: Resistance to pathogens and pests common to *Verbena* has not been observed.

What is claimed is:

1. A new and distinct variety of Verbena plant named 'VEAZ0059' substantially as illustrated and described 5 herein.



FIG. 1



FIG. 2