



US00PP32447P3

(12) **United States Plant Patent**
Klemm et al.

(10) **Patent No.:** **US PP32,447 P3**
(45) **Date of Patent:** **Nov. 10, 2020**

(54) **DAHLIA PLANT NAMED ‘KLEDH18122’**

(50) Latin Name: *Dahlia x hybrida*
Varietal Denomination: **KLEDH18122**

(71) Applicant: **Klemm+Sohn GmbH & Co. KG,**
Stuttgart (DE)

(72) Inventors: **Nils Klemm,** Stuttgart (DE); **Maïke Boxriker,** Latina (IT)

(73) Assignee: **Klemm+Sohn GmbH & Co. KG.,**
Stuttgart (DE)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/602,789**

(22) Filed: **Dec. 3, 2019**

(65) **Prior Publication Data**
US 2020/0196508 P1 Jun. 18, 2020

Related U.S. Application Data
(60) Provisional application No. 62/917,614, filed on Dec. 17, 2018.

(51) **Int. Cl.**
A01H 5/02 (2018.01)
A01H 6/14 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./321**
CPC *A01H 6/144* (2018.05)

(58) **Field of Classification Search**
USPC **Plt./321**
CPC *A01H 5/02*
See application file for complete search history.

(56) **References Cited**

PUBLICATIONS

<http://www.who-sells-it.com/cy/ball-seed-6773/2019-selecta-63299/page-116.html>; Oct. 26, 2018; 1 page.*

* cited by examiner

Primary Examiner — Kent L Bell
(74) *Attorney, Agent, or Firm* — Weatherly IP Solutions, LLC; James Weatherly

(57) **ABSTRACT**

A new *Dahlia* plant designated ‘KLEDH18122’ particularly distinguished by yellow inflorescences, is disclosed.

1 Drawing Sheet

1

Genus and species: *Dahlia x hybrida*.
Variety denomination: ‘KLEDH18122’.

**BACKGROUND OF THE NEW PLANT
‘KLEDH18122’**

The present invention comprises a new and distinct variety of *Dahlia*, botanically known as *Dahlia x hybrida*, and hereinafter referred to by the variety name ‘KLEDH18122’. ‘KLEDH18122’ originated from an open pollination of the female *Dahlia* parent ‘DH-2014-1264’ (unpatented) in Stuttgart Germany in 2013.

In 2014 a seedling was selected and named ‘KLEDH18122’. In 2015, ‘KLEDH18122’ was first vegetatively propagated by vegetative stem cuttings. ‘KLEDH18122’ was found to reproduce true to type in successive generations of asexual propagation in Stuttgart, Germany and Latina, Italy via vegetative stem cuttings.

SUMMARY OF ‘KLEDH18122’

The following are the most outstanding and distinguishing characteristics of ‘KLEDH18122’ when grown under normal horticultural practices in Stuttgart, Germany.

1. Yellow inflorescences and dark foliage; and
2. A compact, semi-upright habit.

DESCRIPTION OF THE PHOTOGRAPH

This new *Dahlia* plant is illustrated by the accompanying photograph of the plant approximately 11 to 12 weeks old and grown in a greenhouse in Stuttgart, Germany. The

2

photograph shows the whole plant, unless otherwise noted, including the inflorescences and foliage and buds and was taken in May 2018 in Stuttgart, Germany. The colors shown are as true as can be reasonably obtained by conventional photographic procedures.

DESCRIPTION OF ‘KLEDH18122’

The following detailed descriptions set forth the distinctive characteristics of ‘KLEDH18122’. The data which define these characteristics were collected from asexual reproductions carried out in Stuttgart, Germany. Data was collected on plants potted the week of Jun. 11, 2018 and grown in a plastic greenhouse. Color references are to The R.H.S. Colour Chart of The Royal Horticultural Society of London (R.H.S.), 5th edition (2007).

Classification:

Family.—Asteraceae.

Botanical.—*Dahlia x hybrida*.

Designation.—‘KLEDH18122’.

Parentage:

Female parent.—‘DH-2014-1264’ (unpatented).

Male parent.—Unknown.

Plant:

Plant and growth habit.—Compact, semi-upright, free basal branching, and inflorescences held above the foliar plane.

Plant height.—40.0 cm.

Plant diameter or spread.—45.0 cm.

Propagation type.—Vegetative stem cuttings.

Time to produce a rooted young plant.—8 to 9 weeks.

Rooting habit.—Freely branching and moderately dense.

Root description.—Fine and white.

Lateral branches:
Length.—30.0 cm.
Diameter.—0.8 cm.
Internode length.—4.0 cm.
Aspect.—Outwardly spreading.
Strength.—Strong.
Texture.—Smooth.
Color.—RHS 148A.

Foliage:
Arrangement.—Opposite, pinnately compound.
Length.—9.0 cm.
Width.—5.0 cm.
Shape.—Pinnate.
Apex.—Acute.
Base.—Acute.
Margin.—Lobed.
Venation pattern.—Pinnate.
Venation color.—Upper surface: RHS 178B. Lower surface: RHS 177B.
Texture (both upper and lower surfaces).—Smooth.
Immature leaf color.—Upper surface: RHS N137A. Lower surface: RHS 148C.
Mature leaf color.—Upper surface: RHS 147A. Lower surface: RHS 148B.

Petioles:
Length.—1.5 cm.
Diameter.—0.5 cm.
Texture (both surfaces).—Smooth.
Color.—Upper surface: RHS 144C and RHS N77A. Lower surface: RHS 144C and RHS N77A.

Inflorescence:
Appearance and arrangement.—Daisy-eyed double inflorescences held above the foliage.
Fragrance.—Faint.
Time to flower.—In the winter about 3 months after planting; in the summer, about 2 months after planting.
Typical lastingness of the blooms.—150 days of blooming.
Post-production longevity.—Plants flower continuously from spring through autumn.
Diameter.—6.0 cm.
Depth.—4.0 cm.
Disc diameter.—2.0 cm.
Receptacle height.—0.5 cm.
Receptacle diameter.—1.5 cm.
Receptacle color.—RHS 143A.

Inflorescence bud:
Height.—0.5 cm.
Diameter.—3.0 cm.
Shape.—Circular.
Color.—RHS 137A.

Ray florets:
Quantity per inflorescence.—60 in about 3 to 4 whorls.
Length.—3.0 cm.
Width.—2.5 cm.
Shape.—Ovate.
Apex.—Rounded.
Base.—Rounded.
Margin.—Entire.
Aspect.—Semi-upright.
Texture (both surfaces).—Smooth.
Color, immature, both surfaces.—RHS 12A.
Color, mature, both surfaces.—RHS 13A.

Disc florets:
Quantity per inflorescence.—About 50.
Length.—1.0 cm.
Diameter.—0.2 cm.
Shape.—Tubular.

Texture (both inner and outer surfaces).—Smooth.
Color.—Immature (both inner and outer surfaces): RHS 13A. Mature (both inner and outer surfaces): RHS 12A.

5 Phyllaries:
Quantity per inflorescence.—10.
Length.—1.5 cm.
Width.—0.8 cm.
Shape.—Elliptic.
Apex.—Acute.
Base.—Acute.
Margin.—Entire.
Texture.—Upper surface: Smooth. Lower surface: Shiny.
15 Color.—Upper surface: RHS 146A. Lower surface: RHS 143A.

Peduncles:
Length, terminal peduncle.—Up to 15.0 cm.
Length, axillary peduncle.—5.0 cm to 15.0 cm.
20 Diameter.—0.4 cm.
Aspect.—Semi-upright.
Strength.—Strong.
Texture.—Smooth.
Color.—RHS N199A.

25 Reproductive organs:
Androecium.—Present on ray florets. Quantity per floret: 2. Filament length: 0.7 cm. Filament color: RHS 1B. Anther shape: Long lanceolate. Anther length: 0.3 cm. Anther color: RHS 13A. Pollen amount: Moderate. Pollen color: RHS 9A.
30 Gynoecium.—Present on both ray florets and disc florets. Quantity per floret: 1. Pistil length: 1.0 cm. Style length: 0.5 cm. Style color: RHS 14A. Stigma shape: Lanceolate pinnate. Stigma color: RHS 1B. Ovary color: RHS 1C.
35 Fruit and seed set: No fruit or seed set observed.
Disease and pest/insect resistance: Moderate mildew resistance is observed.

COMPARISON OF ‘KLEDH18122’ WITH PARENTAL LINE AND KNOWN VARIETY

‘KLEDH18122’ is distinguished from the female parent as described in Table 1.

TABLE 1

Comparison with Parental Line		
Characteristic	‘KLEDH18122’	Female Parent ‘DH-2014-1264’
Ray floret color	Yellow	Orange red

‘KLEDH18122’ can be compared to the commercial *Dahlia* variety ‘Corsica’, also known as ‘Kaseksogtyve’ (U.S. Plant Pat. No. 25,780). Differences between the varieties are described in Table 2.

TABLE 2

Comparison with Similar Variety		
Characteristic	‘KLEDH18122’	‘Corsica’
Mildew resistance	Moderate	Susceptible
Foliage	Dark green	Green

We claim:

1. A new and distinct cultivar of *Dahlia* Plant Named
'KLEDH18122' as described and illustrated herein.

* * * * *

