



(12) **United States Plant Patent**  
**Masor**

(10) **Patent No.:** **US PP32,450 P2**  
(45) **Date of Patent:** **Nov. 10, 2020**

(54) **CALIBRACHOA PLANT NAMED**  
**‘BALCHAFREM’**

(50) Latin Name: *Calibrachoa x hybrida*  
Varietal Denomination: **Balchafrem**

(71) Applicant: **Ball Horticultural Company**, West  
Chicago, IL (US)

(72) Inventor: **Laura L. Masor**, Grover Beach, CA  
(US)

(73) Assignee: **Ball Horticultural Company**, West  
Chicago, IL (US)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/873,288**

(22) Filed: **Mar. 11, 2020**

(51) **Int. Cl.**  
*A01H 5/02* (2018.01)  
*A01H 6/82* (2018.01)

(52) **U.S. Cl.**  
USPC ..... **Plt./413**

(58) **Field of Classification Search**  
USPC ..... Plt./413  
CPC ... A01H 5/02; A01H 5/00; A01H 5/12; A01H  
6/82; A01H 6/821; A01H 6/14  
See application file for complete search history.

Primary Examiner — June Hwu  
(74) Attorney, Agent, or Firm — Audrey Charles

(57) **ABSTRACT**  
A new and distinct cultivar of *Calibrachoa* plant named  
‘Balchafrem’, characterized by its white and bright yellow  
colored flowers, medium green-colored foliage, and vigor-  
ous, mounded-trailing growth habit, is disclosed.

**1 Drawing Sheet**

1

Latin name of genus and species of plant claimed: *Cali-  
brachoa x hybrida*.  
Variety denomination: ‘Balchafrem’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar  
of *Calibrachoa* plant botanically known as *Calibrachoa x  
hybrida* and hereinafter referred to by the cultivar name  
‘Balchafrem’.

The new cultivar originated in a controlled breeding  
program in Arroyo Grande, Calif. during October 2017. The  
objective of the breeding program was the development of  
*Calibrachoa* cultivars with attractive novelty flower color-  
ation, and a vigorous, mounded-trailing growth habit.

The new *Calibrachoa* cultivar is the result of cross-  
pollination. The female (seed) parent of the proprietary  
*Calibrachoa x hybrida* breeding selection coded CAL-  
15139-02, not patented, characterized by its light yellow-  
colored flowers, medium green-colored foliage, and moder-  
ately vigorous, mounded growth habit. The male (pollen)  
parent of the new cultivar is the proprietary *Calibrachoa x  
hybrida* breeding selection coded CAL-15055-02, not pat-  
ented, characterized by its medium yellow-colored flowers,  
medium green-colored foliage, low vigor, and semi-upright  
growth habit. The new cultivar was selected as a single  
flowering plant within the progeny of the above stated  
cross-pollination during February 2018 in a controlled envi-  
ronment in Arroyo Grande, Calif.

Asexual reproduction of the new cultivar by terminal stem  
cuttings since February 2018 in Arroyo Grande, Calif. and  
West Chicago, Ill. has demonstrated that the new cultivar  
reproduces true to type with all of the characteristics, as  
herein described, firmly fixed and retained through succes-  
sive generations of such asexual propagation.

SUMMARY OF THE INVENTION

The following characteristics of the new cultivar have  
been repeatedly observed and can be used to distinguish  
‘Balchafrem’ as a new and distinct cultivar of *Calibrachoa*  
plant:

2

1. White and bright yellow colored flowers; and  
2. Medium green-colored foliage; and  
3. Vigorous, mounded-trailing growth habit.  
Plants of the new cultivar differ from plants of the female  
and male parents primarily in having a different flower color,  
and increased growth vigor.

Of the many commercially available *Calibrachoa* culti-  
vars, the most similar in comparison to the new cultivar is  
CABARET Bright White ‘Balcabriw’, not patented. How-  
ever, in side-by-side comparisons, plants of the new cultivar  
differ from plants of ‘Balcabriw’ in at least the following  
characteristics:

1. Plants of the new cultivar have petal bases with more  
yellow coloration than plants of ‘Balcabriw’;  
2. Plants of the new cultivar have fewer flowers per plant  
than plants of ‘Balcabriw’; and  
3. Plants of the new cultivar have greater growth vigor  
than plants of ‘Balcabriw’.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying photographs show, as nearly true as it  
is reasonably possible to make the same in color illustrations  
of this type, typical flower and foliage characteristics of the  
new cultivar. Colors in the photographs may differ slightly  
from the color values cited in the detailed description, which  
accurately describes the colors of ‘Balchafrem’. The  
approximately 3-month-old plants were grown in 4.5-inch  
pots for 7 weeks in a greenhouse in West Chicago, Ill. Plants  
were given one pinch two weeks before transplant.

FIG. 1 illustrates a side view of the overall growth and  
flowering habit of ‘Balchafrem’.

FIG. 2 illustrates a close-up view of an individual flower  
of ‘Balchafrem’.

DETAILED BOTANICAL DESCRIPTION

The new cultivar has not been observed under all possible  
environmental conditions to date. Accordingly, it is possible



that the phenotype may vary somewhat with variations in the environment, such as temperature, light intensity, and day length, without, however, any variance in genotype.

The chart used in the identification of colors described herein is The R.H.S. Colour Chart of The Royal Horticultural Society, London, England, 2015 edition, except where general color terms of ordinary significance are used. The color values were determined in December 2019 under natural light conditions in West Chicago, Ill.

The following descriptions and measurements describe approximately 3-month-old plants produced from cuttings from stock plants and grown in a glass-covered greenhouse under conditions comparable to those used in commercial practice. The plants were grown in West Chicago, Ill. in 4.5-inch pots for 7 weeks utilizing a soilless growth medium. Plants were given one pinch two weeks before transplant. Greenhouse temperatures were maintained at approximately 67° F. to 72° F. (19° C. to 22° C.) during the day and approximately 64° F. to 66° F. (18° C. to 19° C.) during the night. Supplemental lighting was used. Measurements and numerical values represent averages of typical plants.

Botanical classification: *Calibrachoa* x *hybrida* 'Balchafrem'.

Parentage:

*Female parent*.—Proprietary *Calibrachoa* x *hybrida* breeding selection coded CAL-15139-02, not patented.

*Male parent*.—Proprietary *Calibrachoa* x *hybrida* breeding selection coded CAL-15055-02, not patented.

Propagation:

*Type cutting*.—Terminal stem.

*Time to initiate roots*.—Approximately 6 to 8 days.

*Time to produce a rooted cutting*.—Approximately 21 to 28 days.

*Root description*.—Fibrous.

*Rooting habit*.—Freely branching.

Plant description:

*Commercial crop time*.—Approximately 6 to 9 weeks from a rooted cutting to finish in a 10 cm pot.

*Growth habit and general appearance*.—Vigorous, mounded-trailing.

*Size*.—Height from soil level to top of plant plane: Approximately 16.5 cm. Width: Approximately 39.0 cm.

*Branching habit*.—Freely branching, pinching enhances basal branching. Quantity of main branches per plant: Approximately 7.

*Branch*.—Strength: Moderate. Length: Approximately 18.0 cm. Diameter: Approximately 3.0 mm. Length of central internode: Approximately 1.5 cm. Texture: Densely pubescent. Color of young stems: 146D. Color of mature stems: 146C.

Foliage description:

*General description*.—Fragrance: None detected. Form: Simple. Arrangement on flowering stem: Opposite.

*Leaves*.—Aspect: At acute angle to stem with tip turning downward. Shape: Elliptic. Margin: Entire. Apex: Broadly acute. Base: Attenuate. Venation pattern: Pinnate. Length of mature leaf: Approximately 4.0 cm. Width of mature leaf: Approximately 1.4 cm. Texture of upper and lower surfaces: Moderately glandular pubescent. Gland color: Colorless, trans-

parent. Color of upper surface of young and mature foliage: 137A with midvein of 146C. Color of lower surface of young and mature foliage: Closest to 138B with midvein of 146D.

*Petiole*.—Length: Approximately 4.0 mm. Diameter: Approximately 1.0 mm. Texture: Moderately glandular pubescent. Gland color: Colorless, transparent. Color: 146D.

Flowering description:

*Flowering habit*.—'Balchafrem' is freely flowering under outdoor growing conditions with substantially continuous blooming from spring through autumn and year-round in greenhouse environment.

*Lastingness of individual flower on the plant*.—Approximately 5 to 7 days.

Flower description:

*General description*.—Type: Single, salverform. Quantity per plant: Approximately 36. Fragrance: None detected.

*Bud*.—Rate of opening: Generally takes 3 to 4 days for bud to progress from first color to fully open flower. Quantity per plant: Approximately 22.

*Bud just before opening*.—Shape: Oblong. Length: Approximately 2.0 cm. Diameter: Approximately 5.0 mm. Texture: Densely glandular pubescent. Gland color: Colorless, transparent. Color: Petal portion 145D, tube portion 154C, venation of N144A.

*Corolla*.—Diameter: Approximately 3.5 cm.

*Petals*.—Quantity: 5, fused to form a tube. Shape: Obovate. Margin: Entire. Apex: Obtuse, occasionally shallowly notched. Length from tube: Approximately 1.5 cm. Length of free portion: Approximately 5.0 mm. Width: Approximately 1.8 cm. Texture of upper surface: Glabrous. Texture of lower surface: Glandular pubescent, dense along venation. Gland color: Colorless, transparent. Color of upper surface when first and fully open: NN155D with base of 7B to 7C most prominent on lower petals, midveins of 144A. Color of lower surface when first and fully open: NN155D with midveins of N144A.

*Corolla tube*.—Length: Approximately 1.8 cm. Diameter at distal end: Approximately 5.0 mm. Diameter at proximal end: Approximately 1.0 mm. Texture of inner surface: Glabrous. Texture of outer surface: Densely glandular pubescent. Gland color: Colorless, transparent. Color of inner surface: 150D transitioning to 7B at throat opening, venation of 144A. Color of outer surface: 154C, venation of N144A.

*Sepals*.—Quantity per flower: 5, fused along lower third. Shape: Lanceolate. Apex: Acute. Length: Approximately 1.3 cm. Width: Approximately 3.0 mm. Texture of upper and lower surfaces: Densely glandular pubescent. Gland color: Colorless, transparent. Color of upper surface: 137B. Color of lower surface: 138A with base of 144B.

*Peduncle*.—Strength: Strong, flexible. Aspect: Acute angle to stem. Length: Approximately 2.5 cm. Diameter: Approximately 1.0 mm. Texture: Densely glandular pubescent. Gland color: Colorless, transparent. Color: 144A.

*Reproductive organs*.—Androecium: Stamen quantity: 5, basifixed. Stamen length: Approximately 1.2 cm. Filament length of fixed portion: Approximately 5.0 mm. Filament color: 150D. Anther shape: Bilobed,

ovoid. Anther length: Approximately 1.0 mm. Anther color: 8A. Pollen amount: Abundant. Pollen color: 8C. Gynoecium: Pistil quantity: 1 per flower. Pistil length: Approximately 1.1 cm. Stigma shape: Funnel. Stigma length: Less than 1.0 mm. Stigma color: 145A. Style length: Approximately 9.0 mm. Style color: 145D. Ovary diameter: Approximately 2.0 mm. Ovary color: 144A.

Seed and fruit production: Neither seed nor fruit production has been observed.  
Disease and pest resistance: Resistance to pathogens and pests common to *Calibrachoa* has not been observed.  
What is claimed is:  
1. A new and distinct cultivar of *Calibrachoa* plant named ‘Balchafrem’, substantially as herein illustrated and described.

\* \* \* \* \*





FIG. 1



FIG. 2