



US00PP32806P3

(12) **United States Plant Patent**
Koot

(10) **Patent No.:** **US PP32,806 P3**
(45) **Date of Patent:** **Feb. 9, 2021**

(54) **DELOSPERMA PLANT NAMED**
‘DODELSOLPI’

(50) Latin Name: *Delosperma cooperi*
Varietal Denomination: **Dodelsolpi**

(71) Applicant: **DUMMEN GROUP B.V.**, De Lier
(NL)

(72) Inventor: **Arjan Koot**, Oeffelt (NL)

(73) Assignee: **Dümmen Group B.V.**, De Lier (NL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/873,419**

(22) Filed: **Apr. 9, 2020**

(65) **Prior Publication Data**
US 2020/0329612 P1 Oct. 15, 2020

(30) **Foreign Application Priority Data**
Apr. 11, 2019 (EP) 2019/2800

(51) **Int. Cl.**
A01H 5/02 (2018.01)
A01H 6/00 (2018.01)
A01H 6/24 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./422**
CPC *A01H 6/24* (2018.05)

(58) **Field of Classification Search**
USPC Plt./263.1, 422
See application file for complete search history.

Primary Examiner — Susan McCormick Ewoldt

Assistant Examiner — Karen M Redden

(74) *Attorney, Agent, or Firm* — C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Delosperma* plant named
‘Dodelsolpi’, characterized by its upright and outwardly
spreading plant habit; typically used as a groundcover;
moderately vigorous growth habit and rapid growth rate;
freely basal branching habit; dense and bushy habit; early
and freely flowering habit; large red purple-colored flowers
with yellow and white-colored centers; and good garden
performance.

2 Drawing Sheets

1

Botanical designation: *Delosperma cooperi*.
Cultivar denomination: ‘DODELSOLPI’.

**STATEMENT REGARDING PRIOR
DISCLOSURES BY THE APPLICANT**

The Applicant asserts that no publications nor advertise-
ments relating to sales, offers for sale or public distribution
occurred more than one year prior to the effective filing date
of this application. Any information about the claimed plant
would have been obtained from a direct or indirect disclo-
sure from the Inventor. Applicant claims a prior art exemp-
tion under 35 U.S.C. 102(b)(1) for disclosure and/or sales
prior to the filing date but less than one year prior to the
effective filing date. Disclosures include a reference to the
claimed plant on the website of Dümmen Orange B. V.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Delosperma* plant, botanically known as *Delosperma*
cooperi, commonly called Trailing Ice Plant and hereinafter
referred to by the name ‘Dodelsolpi’.

The new *Delosperma* plant is a product of a planned
breeding program conducted by the Inventor in Rheinberg,
Germany. The objective of the breeding program is to create
new early-flowering *Delosperma* plants with numerous
attractive flowers.

The new *Delosperma* plant originated from a self-pollina-
tion in July, 2016 of a proprietary selection of *Delosperma*
cooperi identified as code number DL-0011, not patented.
The new *Delosperma* plant was discovered and selected by
the Inventor as a single flowering plant from within the

2

progeny of the stated self-pollination in a controlled envi-
ronment in Rheinberg, Germany in May, 2019.

Asexual reproduction of the new *Delosperma* plant by
vegetative terminal cuttings in Rheinberg, Germany, since
5 June, 2019 has shown that the unique features of this new
Delosperma plant are stable and reproduced true to type in
successive generations.

SUMMARY OF THE INVENTION

10 Plants of the new *Delosperma* have not been observed
under all possible combinations of environmental conditions
and cultural practices. The phenotype may vary somewhat
with variations in environmental conditions such as tem-
15 perature and light intensity, without, however, any variance
in genotype.

The following traits have been repeatedly observed and
are determined to be the unique characteristics of ‘Dodel-
solpi’. These characteristics in combination distinguish
20 ‘Dodelsolpi’ as a new and distinct *Delosperma* plant:

1. Upright and outwardly spreading to trailing plant habit;
typically used as a groundcover.
2. Moderately vigorous growth habit and rapid growth
rate.
- 25 3. Freely basal branching habit; dense and bushy habit.
4. Early and freely flowering habit.
5. Large red purple-colored flowers with yellow and
white-colored centers.
6. Good garden performance.

30 Plants of the new *Delosperma* differ primarily from plants
of the parent selection in flower color as plants of the new
Delosperma have red purple-colored flowers whereas plants
of the parent selection have red-colored flowers.

Plants of the new *Delosperma* can be compared to plants of *Delosperma cooperi* 'Wheels of Wonder Orange', not patented. In side-by-side comparisons, plants of the new *Delosperma* differ from plants of 'Wheels of Wonder Orange' in the following characteristics:

1. Plants of the new *Delosperma* are more upright than and not as trailing as plants of 'Wheels of Wonder Orange'.
2. Plants of the new *Delosperma* have smaller leaves than plants of 'Wheels of Wonder Orange'.
3. Plants of the new *Delosperma* have larger flowers than plants of 'Wheels of Wonder Orange'.
4. Plants of the new *Delosperma* have red purple-colored flowers whereas plants of 'Wheels of Wonder Orange' have orange-colored flowers.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new *Delosperma* plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Delosperma* plant.

The photograph on the first sheet (FIG. 1 of 2) is a top perspective view of a typical flowering plant of 'Dodelsolpi' grown in a container.

The photograph on the second sheet (FIG. 2 of 2) is a close-up view of a typical flowering plant of 'Dodelsolpi'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observations and measurements describe plants grown in 22-cm containers during the spring in a glass-covered greenhouse in Rheinberg, Germany and under cultural practices typical of commercial *Delosperma* production. During the production of the plants, day and night temperatures averaged 18° C. and light levels averaged 4,500 lux. Plants were pinched once three weeks after planting and were three months old when the photographs and description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, Fifth Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Delosperma cooperi* 'Dodelsolpi'.
Parentage:

Female, or seed, parent.—Proprietary selection of *Delosperma cooperi* identified as code number DL-0011, not patented.

Male, or pollen, parent.—Proprietary selection of *Delosperma cooperi* identified as code number DL-0011, not patented.

Propagation:

Type.—Terminal vegetative cuttings.

Time to initiate roots, summer.—About five days at temperatures about 20° C.

Time to initiate roots, winter.—About one week at temperatures about 20° C.

Time to produce a rooted young plant, summer.—About three weeks at temperatures about 20° C.

Time to produce a rooted young plant, winter.—About four weeks at temperatures about 20° C.

Root description.—Fine, fibrous; typically white, close to 155D, in color, actual color of the roots is depen-

dent on substrate composition, water quality, fertilizer type and formulation, substrate temperature and physiological age of roots.

Rooting habit.—Freely branching, medium density.

Plant description:

Plant and growth habit.—Herbaceous perennial grown as a container and landscape plant and typically used as a groundcover; upright and outwardly spreading plant habit; freely flowering habit with numerous flowers positioned above the foliar plane; appropriate for 9 to 22-cm containers; moderately vigorous growth habit and rapid growth rate.

Plant height.—About 15 cm.

Plant diameter.—About 52 cm.

Branching habit.—Freely branching habit with about three primary lateral branches each with about six secondary lateral branches developing per plant; pinching (removal of the terminal apex) enhances lateral branch development.

Lateral branch description:

Length.—About 27 cm.

Diameter.—About 5 mm.

Internode length.—About 3.1 cm.

Strength.—Relatively weak.

Texture and luster.—Moderately pubescent; semi-glossy.

Color, developing.—Close to 144D.

Color, developed.—Close to 199B; at the internodes, close to 61A.

Leaf description:

Arrangement.—Decussate, simple; sessile.

Length.—About 2.5 cm.

Width.—About 3 mm.

Shape.—Ligulate, triangular in cross-section.

Apex.—Acute.

Base.—Cuneate.

Margin.—Entire, not undulate.

Texture and luster, upper and lower surfaces.—Moderately pubescent; semi-glossy; succulent.

Venation pattern.—Pinnate.

Color.—Developing and fully developed leaves, upper surface: Close to 146A; venation, close to 146A. Developing and fully developed leaves, lower surface: Close to 146A; venation, close to 146A.

Flower description:

Flower arrangement and habit.—Single rotate terminal flowers; freely flowering habit with about 270 flowers developing per plant during the flowering season; flowers face upright to outwardly.

Fragrance.—Faint, sweet and pleasant.

Natural flowering season.—Plants of the new *Delosperma* begin flowering about eight weeks after planting and flower from June to September in the landscape in Germany.

Flower longevity.—Flower last about five to six days; flowers not persistent.

Flower diameter.—About 2.6 cm.

Flower length (height).—About 1.6 cm.

Flower buds.—Length: About 1.2 cm. Diameter: About 5 mm. Shape: Ovate to oblong. Texture and luster: Moderately pubescent; semi-glossy. Color: Close to 144A.

Petals.—Arrangement: About 45 petals in about two whorls. Length: About 1.2 cm. Width: About 2 mm. Shape: Oblanceolate. Apex: Obtuse. Base: Truncate.

Margin: Entire, not undulate. Texture and luster, upper and lower surfaces: Smooth, glabrous; glossy. Color: When opening, upper and lower surfaces: Close to 75B and proximally, close to 155C. Fully opened, upper surface: Close to N74C; towards the base, close to 1C, at the base, close to 155C; venation, close to N74B; colors becoming closer to N80B and 1A with development. Fully opened, lower surface: Close to N74C and towards the base, close to 155C; venation, close to N74B; colors becoming closer to N80B and 155C with development.

Petaloids.—Arrangement: About 39 petaloids in about two whorls. Length: About 5 mm. Width: About 0.5 mm. Shape: Lanceolate. Apex: Acute. Base: Truncate. Margin: Entire, not undulate. Texture and luster, upper and lower surfaces: Smooth, glabrous; glossy. Color: When opening, upper and lower surfaces: Close to 155C. Fully opened, upper and lower surfaces: Close to 2A; venation, close to 2A; color becoming closer to 6A with development.

Sepals.—Appearance: Five in a single whorl forming a star-shaped calyx; about 7 mm in height and about 5 mm in diameter. Length: About 7 mm. Width: About 3 mm. Shape: Ovate. Apex: Acute. Base: Cuneate. Margin: Entire. Texture and luster, upper and lower surfaces: Smooth; glabrous; semi-glossy. Color: When opening and fully opened, upper surface: Close to 146A. When opening and fully opened, lower surface: Close to 146B.

Peduncles.—Length: About 1 cm. Diameter: About 2 mm. Strength: Relatively weak. Texture and luster: Moderately pubescent; semi-glossy. Color: Close to 145B.

Reproductive organs.—Androecium: Stamen number: About 61 per flower. Filament length: About 4 mm. Filament color: Close to 155C. Anther length: About 1 mm. Anther shape: Ellipsoidal. Anther color: Close to 13C. Amount of pollen: Moderate. Pollen color: Close to 9A. Gynoecium: Pistil number: About five. Pistil length: About 2 mm. Style length: About 1 mm. Style color: Close to 22A. Stigma diameter: About 1 mm. Stigma shape: Triangular, lobed. Stigma color: Close to 22A. Ovary color: Close to 143D.

Fruits.—Quantity: About 140 fruits develop per plant. Length: About 1.4 cm. Diameter: About 9 mm. Texture: Moderately pubescent. Color: Close to 161A.

Seeds.—Quantity: About 230 seeds develop per fruit. Length: About 1 mm. Diameter: About 1 mm. Texture: Rough, knobby. Color: Close to 166C.

Garden performance: Plants of the new *Delosperma* have been observed to have good garden performance and to tolerate temperatures from about 5° C. to about 40° C.

Pathogen & pest resistance: To date, plants of the new *Delosperma* have not been observed to be resistant to pathogens and pests common to *Delosperma* plants. It is claimed:

1. A new and distinct *Delosperma* plant named 'Dodelsolpi' as illustrated and described.

* * * * *

FIG. 2

