



US00PP32807P3

(12) **United States Plant Patent**
Koot

(10) **Patent No.:** **US PP32,807 P3**
(45) **Date of Patent:** **Feb. 9, 2021**

(54) **DELOSPERMA PLANT NAMED**
‘DODELROCHRYYE’

(50) Latin Name: *Delosperma cooperi*
Varietal Denomination: **Dodelrochryye**

(71) Applicant: **DUMMEN GROUP B.V.**, De Lier
(NL)

(72) Inventor: **Arjan Koot**, Oeffelt (NL)

(73) Assignee: **Dümmen Group B.V.**, De Lier (NL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/873,423**

(22) Filed: **Apr. 9, 2020**

(65) **Prior Publication Data**
US 2020/0329615 P1 Oct. 15, 2020

(51) **Int. Cl.**
A01H 5/02 (2018.01)
A01H 6/00 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./422**
CPC *A01H 6/00* (2018.05)

(58) **Field of Classification Search**

USPC Plt./422

CPC A01H 5/02

See application file for complete search history.

(56) **References Cited**

PUBLICATIONS

PLUTO UPOVROM Plant Variety Database Citation for
‘Dodelrochryye’ as per QZ PBR 20192799; Feb. 16, 2020; 1 page.*

* cited by examiner

Primary Examiner — Kent L Bell

(74) *Attorney, Agent, or Firm* — C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Delosperma* plant named
‘Dodelrochryye’, characterized by its upright and outwardly
spreading plant habit; typically used as a groundcover;
moderately vigorous growth habit and rapid growth rate;
freely basal branching habit; dense and bushy habit; early
and freely flowering habit; large bright yellow-colored flow-
ers with white-colored centers; and good garden perfor-
mance.

2 Drawing Sheets

1

Botanical designation: *Delosperma cooperi*.
Cultivar denomination: ‘DODELROCHRYYE’.

**CROSS-REFERENCED TO CLOSELY-RELATED
APPLICATIONS**

Title: *Delosperma* Plant Named ‘Dodelrochryne’

Inventor: Arjan Koot Filed: Concurrently with the instant
application U.S. Plant patent application Ser. No. 16/873,
418

**STATEMENT REGARDING PRIOR
DISCLOSURES BY THE APPLICANT**

The Applicant asserts that no publications nor advertise-
ments relating to sales, offers for sale or public distribution
occurred more than one year prior to the effective filing date
of this application. Any information about the claimed plant
would have been obtained from a direct or indirect disclo-
sure from the Inventor. Applicant claims a prior art exemp-
tion under 35 U.S.C. 102(b)(1) for disclosure and/or sales
prior to the filing date but less than one year prior to the
effective filing date. Disclosures include a reference to the
claimed plant on the website of Dümmen Orange B.V.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Delosperma* plant, botanically known as *Delosperma*

2

cooperi, commonly called Trailing Ice Plant and hereinafter
referred to by the name ‘Dodelrochryye’.

The new *Delosperma* plant is a product of a planned
breeding program conducted by the Inventor in Rheinberg,
Germany. The objective of the breeding program is to create
new early-flowering *Delosperma* plants with numerous
attractive flowers.

The new *Delosperma* plant originated from a self-pollina-
tion in July, 2016 of a proprietary selection of *Delosperma*
cooperi identified as code number DL-0003, not patented.
The new *Delosperma* plant was discovered and selected by
the Inventor as a single flowering plant from within the
progeny of the stated self-pollination in a controlled envi-
ronment in Rheinberg, Germany in May, 2019.

Asexual reproduction of the new *Delosperma* plant by
vegetative terminal cuttings in Rheinberg, Germany, since
June, 2019 has shown that the unique features of this new
Delosperma plant are stable and reproduced true to type in
successive generations.

SUMMARY OF THE INVENTION

Plants of the new *Delosperma* have not been observed
under all possible combinations of environmental conditions
and cultural practices. The phenotype may vary somewhat
with variations in environmental conditions such as tem-
perature and light intensity, without, however, any variance
in genotype.

The following traits have been repeatedly observed and
are determined to be the unique characteristics of ‘Dodel-

rochrye'. These characteristics in combination distinguish 'Dodelrochrye' as a new and distinct *Delosperma* plant:

1. Upright and outwardly spreading plant habit; typically used as a groundcover.
2. Moderately vigorous growth habit and rapid growth rate.
3. Freely basal branching habit; dense and bushy habit.
4. Early and freely flowering habit.
5. Large bright yellow-colored flowers with white-colored centers.
6. Good garden performance.

Plants of the new *Delosperma* differ primarily from plants of the parent selection in flower color as plants of the new *Delosperma* have bright yellow-colored flowers with white-colored centers whereas plants of the parent selection have red-colored flowers with pink-colored centers.

Plants of the new *Delosperma* can be compared to plants of *Delosperma cooperi* 'Dodelrochryne', disclosed in U.S. Plant patent application Ser. No. 16/873,418 filed concurrently. Plants of the new *Delosperma* differ primarily from plants of 'Dodelrochryne' in flower color as plants of the new *Delosperma* have bright yellow-colored flowers with white-colored centers whereas plants of 'Dodelrochryne' have intense red purple-colored flowers with light red purple-colored centers.

Plants of the new *Delosperma* can also be compared to plants of *Delosperma cooperi* 'Jewels of Desert Topaz', disclosed in U.S. Plant Pat. No. 23,492. In side-by-side comparisons, plants of the new *Delosperma* differ from plants of 'Jewels of Desert Topaz' in the following characteristics:

1. Plants of the new *Delosperma* are more compact than plants of 'Jewels of Desert Topaz'.
2. Plants of the new *Delosperma* have bright yellow-colored flowers with white-colored centers whereas plants of 'Jewels of Desert Topaz' have yellow orange-colored flowers with red-colored petal apices.
3. Plants of the new *Delosperma* have shorter peduncles than plants of 'Jewels of Desert Topaz'.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new *Delosperma* plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Delosperma* plant.

The photograph on the first sheet (FIG. 1 of 2) is a side perspective view of a typical flowering plant of 'Dodelrochrye' grown in a container.

The photograph on the second sheet (FIG. 2 of 2) is a close-up view of a typical flowering plant of 'Dodelrochrye'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observations and measurements describe plants grown in 22-cm containers during the spring in a glass-covered greenhouse in Rheinberg, Germany and under cultural practices typical of commercial *Delosperma* production. During the production of the plants, day and night temperatures averaged 18° C. and light levels averaged 4,500 lux. Plants were pinched once three weeks after planting and were three months old

when the photographs and description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, Fifth Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Delosperma cooperi* 'Dodelrochrye'.

Parentage:

Female, or seed, parent.—Proprietary selection of *Delosperma cooperi* identified as code number DL-0003, not patented.

Male, or pollen, parent.—Proprietary selection of *Delosperma cooperi* identified as code number DL-0003, not patented.

Propagation:

Type.—Terminal vegetative cuttings.

Time to initiate roots, summer.—About five days at temperatures about 20° C.

Time to initiate roots, winter.—About one week at temperatures about 20° C.

Time to produce a rooted young plant, summer.—About three weeks at temperatures about 20° C.

Time to produce a rooted young plant, winter.—About four weeks at temperatures about 20° C.

Root description.—Fine, fibrous; typically white, close to 155D, in color, actual color of the roots is dependent on substrate composition, water quality, fertilizer type and formulation, substrate temperature and physiological age of roots.

Rooting habit.—Freely branching, medium density.

Plant description:

Plant and growth habit.—Herbaceous perennial grown as a container and landscape plant and typically used as a groundcover; upright and outwardly spreading plant habit; freely flowering habit with numerous flowers positioned above the foliar plane; appropriate for 9 to 22-cm containers; moderately vigorous growth habit and rapid growth rate.

Plant height.—About 8 cm.

Plant diameter.—About 30 cm.

Branching habit.—Freely branching habit with about three primary lateral branches each with about six secondary lateral branches developing per plant; pinching (removal of the terminal apex) enhances lateral branch development.

Lateral branch description:

Length.—About 10 cm.

Diameter.—About 3 mm.

Internode length.—About 1 cm.

Strength.—Relatively weak.

Texture and luster.—Moderately pubescent; semi-glossy.

Color, developing.—Close to 145A.

Color, developed.—Close to 146D; at the internodes, close to 144D.

Leaf description:

Arrangement.—Decussate, simple; sessile.

Length.—About 3.4 cm.

Width.—About 4 mm.

Shape.—Ligulate, triangular in cross-section.

Apex.—Acute.

Base.—Cuneate.

Margin.—Entire, not undulate.

Texture and luster, upper and lower surfaces.—Moderately pubescent; semi-glossy; succulent.

Venation pattern.—Pinnate.

Color.—Developing leaves, upper and lower surfaces: Close to 146A. Fully developed leaves, upper and lower surfaces: Close to 146A; venation, close to 146A.

Flower description:

Flower arrangement and habit.—Single rotate terminal flowers; freely flowering habit with about 169 flowers developing per plant during the flowering season; flowers face upright to outwardly.

Fragrance.—Faint, sweet and pleasant.

Natural flowering season.—Plants of the new *Delosperma* begin flowering about eight weeks after planting and flower from June to September in the landscape in Germany.

Flower longevity.—Flower last about five to six days; flowers not persistent.

Flower diameter.—About 1.5 cm.

Flower length (height).—About 7 mm.

Flower buds.—Length: About 8 mm. Diameter: About 4 mm. Shape: Ovate to oblong. Texture and luster: Moderately pubescent; semi-glossy. Color: Close to 144A.

Petals.—Arrangement: About 37 petals in about two whorls. Length: About 7 mm. Width: About 1 mm. Shape: Oblanceolate. Apex: Obtuse. Base: Truncate. Margin: Entire, not undulate. Texture and luster, upper and lower surfaces: Smooth, glabrous; glossy. Color: When opening, upper and lower surfaces: Close to 9A; towards the base, close to 155C. Fully opened, upper and lower surfaces: Close to 9A; towards the base, close to 155C; venation, similar to lamina; colors becoming closer to 12A and 155C with development.

Petaloids.—Arrangement: About 33 petaloids in about two whorls. Length: About 5 mm. Width: About 0.5 mm. Shape: Lanceolate. Apex: Acute. Base: Truncate. Margin: Entire, not undulate. Texture and luster, upper and lower surfaces: Smooth, glabrous; glossy. Color: When opening, upper and lower surfaces: Close to 155C; towards the apex, close to 9D. Fully opened, upper and lower surfaces: Close to

155C; towards the apex, close to 9D; venation, similar to lamina; color does not change with development.

Sepals.—Appearance: Five in a single whorl forming a star-shaped calyx; about 6 mm in height and about 5 mm in diameter. Length: About 6 mm. Width: About 2 mm. Shape: Ovate. Apex: Acute. Base: Cuneate. Margin: Entire. Texture and luster, upper and lower surfaces: Smooth; glabrous; semi-glossy. Color: When opening and fully opened, upper surface: Close to 146A. When opening and fully opened, lower surface: Close to 146A.

Peduncles.—Length: About 1.7 cm. Diameter: About 2 mm. Strength: Relatively weak. Texture and luster: Moderately pubescent; semi-glossy. Color: Close to 145C.

Reproductive organs.—Androecium: Stamen number: About 65 per flower. Filament length: About 3 mm. Filament color: Close to 155C. Anther length: About 1 mm. Anther shape: Ellipsoidal. Anther color: Close to 13C. Amount of pollen: Moderate. Pollen color: Close to 3A. Gynoecium: Pistil number: About five. Pistil length: About 2 mm. Style length: About 1 mm. Style color: Close to 22A. Stigma diameter: About 1 mm. Stigma shape: Triangular, lobed. Stigma color: Close to 22A. Ovary color: Close to 143D.

Fruits.—Quantity: About 190 fruits develop per plant. Length: About 1.3 cm. Diameter: About 8 mm. Texture: Moderately pubescent. Color: Close to 161A.

Seeds.—Quantity: About 171 seeds develop per fruit. Length: About 1 mm. Diameter: About 1 mm. Texture: Rough, knobby. Color: Close to 166C.

Garden performance: Plants of the new *Delosperma* have been observed to have good garden performance and to tolerate temperatures from about 5° C. to about 40° C.

Pathogen & pest resistance: To date, plants of the new *Delosperma* have not been observed to be resistant to pathogens and pests common to *Delosperma* plants.

It is claimed:

1. A new and distinct *Delosperma* plant named 'Dodel-rochryye' as illustrated and described.

* * * * *

FIG. 1



FIG. 2

