



US00PP33128P2

(12) **United States Plant Patent**
Losert

(10) **Patent No.:** **US PP33,128 P2**
(45) **Date of Patent:** **Jun. 1, 2021**

(54) **CALIBRACHOA PLANT NAMED**
‘KLECA19545’

(50) Latin Name: *Calibrachoa* sp.
Varietal Denomination: **KLECA19545**

(71) Applicant: **Klemm+Sohn GmbH & Co. KG,**
Stuttgart (DE)

(72) Inventor: **Dominik Losert,** Aspach (DE)

(73) Assignee: **Klemm+Sohn GmbH & Co. KG,**
Stuttgart (DE)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/871,018**

(22) Filed: **May 10, 2020**

(51) **Int. Cl.**
A01H 5/02 (2018.01)
A01H 6/82 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./413**
CPC *A01H 6/821* (2018.05)

(58) **Field of Classification Search**
USPC Plt./413
CPC *A01H 6/821; A01H 5/02*
See application file for complete search history.

Primary Examiner — Keith O. Robinson

(74) *Attorney, Agent, or Firm* — Weatherly IP Solutions,
LLC; Barbara Campbell

(57) **ABSTRACT**

A new *Calibrachoa* plant designated ‘KLECA19545’ par-
ticularly distinguished by orange-reddish flowers and a
semi-upright habit, is disclosed.

1 Drawing Sheet

1

Genus and species: *Calibrachoa* sp.
Variety denomination: ‘KLECA19545’.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct vari-
ety of *Calibrachoa*, botanically known as *Calibrachoa* sp.,
and hereinafter referred to by the variety name
‘KLECA19545’. ‘KLECA19545’ originated from a con-
trolled cross in August 2016 in Stuttgart, Germany between
the proprietary female *Calibrachoa* parent ‘CA-2015-6388’,
(unpatented) and the proprietary male *Calibrachoa*
‘KLECA17003’, (unpatented). Progeny from the cross were
planted and a single plant was selected in May 2017 in
Stuttgart, Germany.

‘KLECA19545’ has been found to reproduce true to type
in successive generations of asexual propagation in Stutt-
gart, Germany via vegetative tip cuttings.

SUMMARY

The following are the most outstanding and distinguish-
ing characteristics of ‘KLECA19545’ when grown under
normal horticultural practices in Stuttgart, Germany.

1. Orange-reddish flowers; and
2. A semi-upright plant habit.

DESCRIPTION OF THE PHOTOGRAPH

This new *Calibrachoa* plant is illustrated by the accom-
panying photograph of a plant grown outdoors in Stuttgart,
Germany. The photograph shows the whole plant, including
the flowers and foliage and buds. The colors shown are as
true as can be reasonably obtained by conventional photo-
graphic procedures. The photograph is of a plant that is
14-weeks-old, taken outdoors on Jun. 4, 2019 in Stuttgart,
Germany.

DESCRIPTION OF THE NEW VARIETY

The following detailed descriptions set forth the distinc-
tive characteristics of ‘KLECA19545’. The data which

2

define these characteristics were collected from asexual
reproductions carried out in Stuttgart, Germany. Data was
collected on plants grown 18-weeks since potting in a
greenhouse with no pinching or growth regulators. Color
references are to The R.H.S. Colour Chart of The Royal
Horticultural Society of London (R.H.S.), 5th edition (2007).
Classification:

Family.—Solanaceae.

Botanical.—*Calibrachoa* sp.

Designation.—‘KLECA19545’.

Parentage:

Female parent.—‘CA-2015-6388’ (unpatented).

Male parent.—‘KLECA17003’ (unpatented).

Plant:

Life cycle.—Annual.

Form.—Short-lived subshrub.

Habit.—Semi-upright.

Height (from soil line to top of foliage).—13.6 cm.

Spread.—31.0 cm.

Propagation type.—Vegetative tip cuttings.

Time to produce a rooted cutting.—3 weeks.

Pests and disease resistance.—The new variety has not
been observed to be resistant to pathogens and pests
common to *Calibrachoa* plants.

Stems:

Stem color.—RHS 144B (Yellow-Green).

Pubescence.—Present.

Pubescence color.—RHS 155A (White).

Stem diameter.—0.25 cm.

Stem length.—From soil line to first node: 2.5 cm. Total
length: 20.5 cm.

Internode length.—0.5 cm.

Foliage:

Arrangement.—Alternate.

Shape.—Lanceolate.

Apex.—Obtuse.

Base.—Attenuate.

Margin.—Ciliate.

Variegation.—Absent.

Surface texture (both upper and lower surfaces).—
Pubescence present; puberulent.
*Pubescence color.—*RHS 155A (White).
*Venation.—*Arcuate.
*Venation color.—*Upper surface: RHS 137C (Green). 5
 Lower surface: RHS 1439D (Green).
*Length.—*2.1 cm to 3.9 cm.
*Width.—*0.9 cm to 1.5 cm.
*Color.—*Upper surface: RHS 137B (Green). Lower
 surface: RHS 147B (Yellow-Green). 10
*Fragrance.—*Absent.
*Petiole.—*Absent; sessile.

Inflorescence:
*Flowering type.—*Single flowers. 15
*Flowering requirements.—*A minimum of light sun is
 required.
*Flowering season.—*Continuous flowering from spring
 through autumn and all the time/year around in a
 greenhouse environment. 20
*Duration of flowers.—*6 days.
*Corolla texture.—*Smooth.
*Shape.—*Funnel form.
*Lobing of the flower.—*Weak.
*Fragrance.—*Absent. 25
*Flowers per plant.—*50.
*Flower depth.—*2.5 cm.
*Flower tube length.—*0.8 cm.
*Flower tube diameter.—*3.8 cm.
*Flower throat diameter.—*0.6 cm.
*Pedicel color.—*RHS 144B (Yellow-Green).
*Pedicel length.—*0.9 cm to 1.8 cm.

Flower bud:
*Surface texture.—*Smooth, pubescent on the petal ribs. 35
*Typical number of buds per plant.—*10.
*Length.—*1.8 cm.
*Diameter.—*0.5 cm.
*Shape.—*Irregular.
*Color.—*The throat is RHS 1C (Green-Yellow) and the 40
 limbs are RHS 166B (Greyed-Orange).

Peduncles:
*Length.—*0.9 cm to 1.8 cm.
*Diameter.—*0.1 cm.
*Color.—*RHS 144B (Yellow-Green). 45
*Texture.—*Puberulent.
*Anthocyanin color.—*Absent.

Sepals:
*Calyx.—*Funnel shaped, salver-form.
*Shape.—*Lanceolate. 50
Surface texture (both upper and lower surfaces).—
 Densely glandular pubescence.
*Quantity per flower.—*5.
*Apex.—*Narrowly acute.
*Margin.—*Ciliate. 55
*Length.—*1.5 cm.
*Diameter.—*0.35 cm.
*Sepal color.—*Upper surface: RHS 137B (Green).
 Lower surface: RHS 137C (Green).

Petals:
*Shape.—*Obcordate.
*Quantity per flower.—*5 petals/lobes.
*Length.—*1.85 cm.
*Apex.—*Emarginate.
*Margin.—*Entire.
*Base.—*Fused in the tube.
*Texture, upper surface.—*Glabrous.
*Texture, lower surface.—*Smooth but dense along vena-
 tion.
*Lobe length.—*0.8 cm.
*Lobe width.—*1.7 cm.
*Color.—*Lobe color: Upper surface: RHS 35A (Orange-
 Red) with RHS 30C (Orange-Red) veins and fading
 to RHS 26A (Orange) with RHS 47B (veins). Lower
 surface: RHS 180D (Greyed-Red) with RHS N186C
 (Greyed-Purple) veins and fading to RHS N34A
 (Orange-Red) with RHS 183B (Greyed-Purple)
 veins. Color of transition from petal/lobe to corolla
 tube (upper surface): RHS 34A (Orange-Red) and
 fading to RHS 47B (Red); transition lobe color size
 is small and star-shaped. Corolla tube color: Inner
 surface: RHS 2A (Yellow) with RHS 187A (Greyed-
 Purple) veins. Outer: RHS 1C (Yellow) with RHS
 N186C (Greyed-Purple).
*Fragrance.—*Absent. 25

Reproductive organs:
*Stamen number.—*5.
*Anther color.—*RHS 8A (Yellow).
*Anther shape.—*Bi-lobed, and ovoid.
*Anther length.—*0.1 cm.
*Filament color.—*RHS 154C (Yellow-Green).
*Filament length.—*0.9 cm to 1.2 cm.
*Pollen color.—*RHS 8B (Yellow).
*Pollen amount.—*Abundant.
*Placenta arrangement.—*Ovate.
*Pistil number.—*1.
*Pistil length.—*0.8 cm.
*Stigma color.—*RHS 139A (Green).
*Stigma shape.—*Funnel.
*Style length.—*0.75 cm.
*Style color.—*RHS 150B (Yellow-Green).
 Fruit and seed set: No fruit or seed set observed.

COMPARISON OF 'KLECA19545' WITH PARENTAL LINES AND KNOWN VARIETY

'KLECA19545' is distinguished from the parental lines as
 follows. While 'KLECA19545' has orange-reddish colored
 petals, both the female parent, 'CA-2015-6388' and the male
 parent, 'KLECA17003', have yellow colored petals.

'KLECA19545' can be compared to the commercial
Calibrachoa variety 'KLECA17328' (U.S. Plant application
 Ser. No. 16/350,101) as follows. 'KLECA19545' has very
 early flowering, strong vigor and weak conspicuousness of
 the veins, while 'KLECA17328' has early flowering,
 medium vigor, and no conspicuousness of the veins. 55

I claim:

1. A new and distinct variety of *Calibrachoa* plant des-
 ignated 'KLECA19545' as illustrated and described herein.

* * * * *

