

US00PP33572P2

(12) **United States Plant Patent**
Egger

(10) **Patent No.:** **US PP33,572 P2**
(45) **Date of Patent:** **Oct. 19, 2021**

(54) **HEUCHERA PLANT NAMED ‘RUBY TUESDAY’**

(50) Latin Name: *Heuchera* hybrid
Varietal Denomination: **Ruby Tuesday**

(71) Applicant: **Terra Nova Nurseries, Inc.**, Canby,
OR (US)

(72) Inventor: **Janet N. Egger**, Seattle, WA (US)

(73) Assignee: **Terra Nova Nurseries, Inc.**, Canby,
OR (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/212,170**

(22) Filed: **Mar. 25, 2021**

(51) **Int. Cl.**
A01H 6/80 (2018.01)
A01H 5/02 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./440**

(58) **Field of Classification Search**
USPC Plt./440
See application file for complete search history.

Primary Examiner — Annette H Para

(74) *Attorney, Agent, or Firm* — Klarquist Sparkman,
LLP

(57) **ABSTRACT**

A new and distinct *Heuchera* plant characterized by
medium, veiled, ruffled, red to bronze-green leaves, a
medium plant size, showy light pink flowers in spring
through summer, and excellent vigor.

2 Drawing Sheets

1

Botanical denomination: *Heuchera* hybrid.
Variety designation: ‘Ruby Tuesday’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Heuchera* and given the cultivar name of ‘Ruby Tuesday’.
Heuchera is in the family Saxifragaceae. *Heuchera* ‘Ruby
Tuesday’ originated from a cross of proprietary, unreleased
plants. Compared to *Heuchera* ‘Marmalade’ (U.S. Plant Pat.
No. 15,945), the new cultivar has a smaller habit, smaller
leaves that are veiled rather than unveiled and larger flowers
that are pale pink rather than green-white.

Compared to *Heuchera* ‘Lime Rickey’ (U.S. Plant Pat.
No. 16,210), the new cultivar has larger leaves which are
veiled, a larger, rounder habit and larger flowers.

This new *Heuchera* is distinguished by:

1. medium, veiled, ruffled, red to bronze-green leaves,
2. medium plant size,
3. showy pale pink flowers spring into summer, and
4. excellent vigor.

This new cultivar has been reproduced only by asexual
propagation (cuttings and tissue culture). Each of the prog-
eny exhibits identical characteristics to the original plant. Asexual
propagation by stem cuttings and tissue culture using standard
micropropagation techniques with terminal and lateral shoots,
as done in Canby, Oreg., shows that the foregoing characteris-
tics and distinctions come true to form and are established and
transmitted through succeeding propagations. The present inven-
tion has not been evaluated under all possible environmental con-
ditions. The phenotype may vary with variations in environ-
ment without a change in the genotype of the plant.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a 10 month-old *Heuchera* ‘Ruby Tuesday’
in a garden setting in Canby, Oreg.

2

FIG. 2 shows a group of 12 month-old *Heuchera* ‘Ruby
Tuesday’ in flower, greenhouse grown in a 1 gallon con-
tainer.

DETAILED PLANT DESCRIPTION

The following is a detailed description of the new *Heu-
chera* cultivar based on observations of 9 month-old speci-
mens grown in the ground in the trial bed in shade in October
in Canby, Oreg. Canby is Zone 8 on the USDA Hardiness
map. Temperatures range from a high of 95° F. in August to
an average of 32° F. in January. Normal rainfall in Canby is
42.8 inches per year. The color descriptions are all based on
The Royal Horticultural Society Colour Chart, 5th edition,
2007.

Plant:

Form.—Basal rosette, herbaceous perennial.

Hardiness.—USDA Zone 4 to 9.

Size.—22 cm tall from top of the foliage to the ground
and 36 cm wide.

Habit.—Mound.

Vigor.—Excellent.

Roots.—Fibrous, freely branching, fine, and white in
color; roots develop easily from stem cuttings.

Leaf:

Type.—Simple.

Arrangement.—Basal.

Shape.—Broadly ovate.

Lobing/division.—5 main lobes, with 2 to 3 shallow
secondary lobes.

Venation.—Palmate, veins topside young foliage,
N34A, bottom side Red 47A, older foliage, top side
Greyed Green 191A, bottom side, 194B.

Margins.—Crenate and undulate.

Apex.—Mucronulate.

Base.—Cordate, lobes overlapping at the base.

Blade size.—Grows to 8.5 cm long and 9.5 cm wide.

Surface texture.—Both sides glandular.

Petiole description.—Grows to 11.5 cm long and 2.5 mm wide, glandular, background, Yellow Green 152C, with sparse stippling 187C.

Leaf color.—Spring new growth topside 179A, with a white veil of N155C, bottom side Greyed Purple 183C; summer and winter topside Green N137A with the veil Greyed Green 193C, bottom side closest to Greyed Red 178A.

Inflorescence:

Size.—Grows to 7 cm wide and 17 cm long.

Type.—Thyrse.

Number of flowers per thyrse.—85 to 100 per thyrse.

Number of thyrse.—About 33 in spring bloom.

Peduncle.—Grows to 47 cm tall, 3 mm wide at base, Greyed Purple 186A at base blending to Greyed Purple 185A, glandular hairs, with 1 to 4 petiolate leaves (ovate, blades grow to 4.7 cm long and 3.5 cm wide, 3 lobed, margin biserrate, color the same as the leaves).

Pedice.—1 to 4 mm long, with glandular hairs, Greyed Purple 185A.

Bloom period.—May to October in Canby, Oreg.

Flower bud:

Size.—2.5 mm wide and 4 mm long.

Description.—Glandular puberulent, ovoid.

Color.—Top half White N155D, bottom half Greyed Purple 186D.

Flower:

Type.—Perfect.

Shape.—Campanulate.

Size.—5 mm long and 4.5 mm wide.

Petal description.—5 in number, 3 mm long and 1 mm wide, reflexed, tip acute, margin entire, glabrous on top and bottom sides, sometimes glandular, White NN155D on both sides.

Calyx description.—4 mm long and 4 mm wide, with 5 lobes, divided 1/2 way to the base, glandular hairs on outside, glabrous inside, tip obtuse, margin entire, both sides top half White N155D, bottom half White N155C.

Stamen description.—5 in number, each 3.5 mm long, White NN155C, anthers Yellow Orange 21C, pollen, Yellow-Orange 22A.

Pistil description.—One central two beaked pistil, 4 mm long, ovary 1 mm long and Green Yellow 2D, style 3 mm long, White NN155B.

Fragrance.—None.

Lastingness.—Each thyrse blooms for about 2 weeks on the plant.

Fruit:

Type.—Two-beaked ovoid capsule.

Fertility.—Low.

Color.—Greyed Brown 199C.

Seed:

Shape.—Linear.

Size.—2 mm long.

Color.—Black 203B.

Disease and pest tolerance: Pest and disease resistance are typical for this type of *Heuchera*. No known resistances.

I claim:

1. A new and distinct *Heuchera* plant as herein illustrated and described.

* * * * *



FIG. 1




FIG. 2