

US00PP34227P2

(12) **United States Plant Patent**
Shafer

(10) **Patent No.:** **US PP34,227 P2**
(45) **Date of Patent:** **May 10, 2022**

- (54) **PETUNIA PLANT NAMED ‘BALSURSITE’**
(50) Latin Name: *Petunia x hybrida*
Varietal Denomination: **Balsursite**
(71) Applicant: **Ball Horticultural Company**, West
Chicago, IL (US)
(72) Inventor: **Gail Shafer**, Santa Maria, CA (US)
(73) Assignee: **Ball Horticultural Company**, West
Chicago, IL (US)
(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.
(21) Appl. No.: **17/557,686**
(22) Filed: **Dec. 21, 2021**
(51) **Int. Cl.**
A01H 5/02 (2018.01)
A01H 6/82 (2018.01)

- (52) **U.S. Cl.**
USPC **Plt./356.15**
(58) **Field of Classification Search**
USPC Plt./356.15
CPC ... A01H 5/02; A01H 5/00; A01H 6/82; A01H
6/824
See application file for complete search history.

Primary Examiner — June Hwu
(74) *Attorney, Agent, or Firm* — Audrey Charles

(57) **ABSTRACT**

A new and distinct cultivar of *Petunia* plant named ‘Bal-
sursite’, characterized by its white-colored flowers, medium
green-colored foliage, and moderately vigorous, mounded-
trailing growth habit, is disclosed.

1 Drawing Sheet

1

Latin name of genus and species of plant claimed: *Petunia*
x hybrida.
Variety denomination: ‘Balsursite’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Petunia* plant botanically known as *Petunia x hybrida* and
hereinafter referred to by the cultivar name ‘Balsursite’.

The new cultivar originated in a controlled breeding
program in Arroyo Grande, Calif. during June 2016. The
objective of the breeding program was the development of
Petunia cultivars that have a mounded-trailing growth habit
suitable for hanging basket, pot plant, and landscape use.

The new *Petunia* cultivar is the result of cross-pollination.
The female (seed) parent of the new cultivar is ColorRush
White ‘Balcushite’, U.S. Plant Pat. No. 31,627, character-
ized by its white-colored flowers, dark green-colored foli-
age, and vigorous, mounded-spreading growth habit. The
male (pollen) parent of the new cultivar is the proprietary
Petunia x hybrida breeding selection coded PET-1321-03,
not patented, characterized by its white-colored flowers,
medium green-colored foliage, and vigorous, spreading
growth habit. The new cultivar was selected as a single
flowering plant within the progeny of the above stated
cross-pollination during March 2017 in a controlled envi-
ronment in Arroyo Grande, Calif.

Asexual reproduction of the new cultivar by terminal stem
cuttings since March 2017 in Arroyo Grande, Calif. and
West Chicago, Ill. has demonstrated that the new cultivar
reproduces true to type with all of the characteristics, as
herein described, firmly fixed and retained through succes-
sive generations of such asexual propagation.

SUMMARY OF THE INVENTION

The following characteristics of the new cultivar have
been repeatedly observed and can be used to distinguish
‘Balsursite’ as a new and distinct cultivar of *Petunia* plant:

1. White-colored flowers;
2. Medium green-colored foliage; and
3. Moderately vigorous, mounded-trailing growth habit.

2

Plants of the new cultivar differ from plants of the female
parent primarily in having lower growth vigor. Plants of the
new cultivar differ from plants of the male parent primarily
in having lower growth vigor and a more mounded growth
habit.

Of the many commercially available *Petunia* cultivars,
the most similar in comparison to the new cultivar is
ColorBlitz Snowy White ‘Flortunswh’, not patented. How-
ever, in side-by-side comparison, plants of the new cultivar
differ from plants of ‘Flortunswh’ in at least the following
characteristics:

1. Plants of the new cultivar are earlier to flower than
plants of ‘Flortunswh’;
2. Plants of the new cultivar have slightly more growth
vigor than plants of ‘Flortunswh’; and
3. Plants of the new cultivar have a more mounded growth
habit than plants of ‘Flortunswh’.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying photographs show, as nearly true as it
is reasonably possible to make the same in color illustrations
of this type, typical flower and foliage characteristics of the
new cultivar. Colors in the photographs may differ slightly
from the color values cited in the detailed description, which
accurately describes the colors of ‘Balsursbluv’. The plants
were approximately 11-weeks old. The plants were grown in
6-inch containers for approximately 7 weeks in a greenhouse
in West Chicago, Ill. Plants were given one pinch at trans-
plant.

FIG. 1 illustrates a side view of the overall growth and
flowering habit of ‘Balsursite’.

FIG. 2 illustrates a close-up view of an individual flower
of ‘Balsursite’.

DETAILED BOTANICAL DESCRIPTION

The new cultivar has not been observed under all possible
environmental conditions to date. Accordingly, it is possible
that the phenotype may vary somewhat with variations in the

environment, such as temperature, light intensity, and day length, without, however, any variance in genotype.

The chart used in the identification of colors described herein is The R.H.S. Colour Chart of The Royal Horticultural Society, London, England, 2015 edition, except where
5 general color terms of ordinary significance are used. The color values were determined in December 2021 under natural light conditions in Naperville, Ill.

The following descriptions and measurements describe
10 approximately 11-week-old plants produced from cuttings from stock plants and grown in a polycarbonate greenhouse under conditions comparable to those used in commercial practice. The plants were grown in West Chicago, Ill. in 6-inch containers for approximately 7 weeks utilizing a
15 soilless growth medium. Plants were given one pinch at transplant. Greenhouse temperatures were maintained at approximately 67° F. to 71° F. (19° C. to 22° C.) during the day and approximately 65° F. to 70° F. (18° C. to 21° C.) during the night. Supplemental lighting was used. Measure-
20 ments and numerical values represent averages of typical plants.

Botanical classification: *Petunia x hybrida* 'Balsursite'.

Parentage:

Female parent.—ColorRush White 'Balcushite', U.S.
25 Plant Pat. No. 31,627.

Male parent.—Proprietary *Petunia x hybrida* breeding selection coded PET-1321-03, not patented.

Propagation:

Type cutting.—Terminal stem.
30

Time to initiate roots.—Approximately 6 to 9 days.

Time to produce a rooted cutting.—Approximately 21
to 28 days.

Root description.—Fibrous.

Rooting habit.—Freely branching.
35

Plant description:

Commercial crop time.—Approximately 5 to 7 weeks from a rooted cutting to finish in a 10 cm pot.

Growth habit and general appearance.—Moderately
40 vigorous, mounded-trailing growth habit.

Size.—Height from soil level to top of plant plane:
Approximately 15.0 cm. Width: Approximately 36.0
cm.

Branching habit.—Freely branching, pinching
45 increases basal branching. Quantity of main branches per plant: Approximately 6.

Branch.—Strength: Moderate. Length: Approximately
16.0 cm. Diameter: Approximately 4.0 mm. Length
of central internode: Approximately 2.5 cm. Texture:
Densely glandular pubescent with a mixture of long
50 and short hairs. Gland color: Colorless, transparent.
Color of young stems: 144A. Color of mature stems:
146B.

Foliage description:

General description.—Quantity of leaves per main
55 branch: Approximately 8. Fragrance: Slight. Form:
Simple. Arrangement on flowering stem: Alternate.

Leaves.—Aspect: Acute angle to stem. Shape: Ovate.
Margin: Entire. Apex: Broadly acute. Base: Broadly
attenuate. Venation pattern: Pinnate. Length of
60 mature leaf: Approximately 5.3 cm. Width of mature
leaf: Approximately 2.9 cm. Texture of upper and
lower surfaces: Moderately glandular pubescent.
Gland color: Colorless, transparent. Color of upper
65 surface of young and mature foliage: 137A with
venation of 146C to indistinguishable. Color of

lower surface of young and mature foliage: Closest
to 146B with venation of 146D to indistinguishable.

Petiole.—Length: Approximately 1.0 cm. Width:
Approximately 3.0 mm. Texture: Moderately glandular
pubescent with a mixture of long and short
hairs. Gland color: Colorless, transparent. Color:
146D.

Flowering description:

Flowering habit.—'Balsursite' is freely flowering
under outdoor growing conditions with substantially
continuous blooming from spring through autumn
and year-round in greenhouse environment.

Lastingness of individual flower on the plant.—Ap-
proximately 10 to 12 days.

Flower description:

General description.—Type: Simple, salverform.
Quantity per plant: Approximately 8. Fragrance:
None detected.

Bud.—Rate of opening: Generally takes 2 to 3 days for
bud to progress from first color to fully open flower.
Quantity per plant: Approximately 7.

Bud just before opening.—Shape: Oblong. Length:
Approximately 4.5 cm. Diameter at apex: Approxi-
mately 8.0 mm. Diameter at base: Approximately 2.0
mm. Texture: Densely glandular pubescent. Gland
color: Colorless, transparent. Color of petal portion:
NN155A with midveins of 145A. Color of tube:
145D with venation of 145A.

Corolla.—Diameter: Approximately 6.0 cm.

Petals.—Quantity: 5, fused to form a tube. Shape:
Obovate. Appearance: Matte. Margin: Entire,
slightly wavy. Apex: Cuspidate to rounded. Length
from tube: Approximately 2.9 cm. Length of free
portion: Approximately 1.1 cm. Width: Approxi-
mately 3.0 cm. Texture of upper surface: Glabrous.
Texture of lower surface: Sparsely glandular pubes-
cent. Gland color: Colorless, transparent. Color of
upper surface when first and fully open: NN155D
with weak midveins of 144A. Color of lower surface
when first and fully open: NN155D with midveins of
145A.

Corolla tube.—Length: Approximately 3.3 cm. Diam-
eter at distal end: Approximately 9.0 mm. Diameter
at proximal end: Approximately 2.0 mm. Texture of
inner surface: Glabrous. Texture of outer surface:
Densely glandular pubescent. Gland color: Color-
less, transparent. Color of inner surface: NN155D
tinted with 145D and venation of 144A. Color of
outer surface: 145D with venation of 145A to 145B.

Sepals.—Quantity per flower: 5, fused at base. Shape:
Linear. Margin: Entire. Apex: Acute. Length:
Approximately 2.8 cm. Width: Approximately 5.0
mm. Texture of upper and lower surfaces: Densely
glandular pubescent. Gland color: Colorless, trans-
parent. Color of upper surface: 137A. Color of lower
surface: 138A with 144A at base.

Peduncle.—Strength: Strong, flexible. Aspect: Acute
angle to stem. Length: Approximately 3.0 cm. Diam-
eter: Approximately 2.0 mm. Texture: Densely glandular
pubescent with a mixture of long and short
hairs. Gland color: Colorless, transparent. Color:
146B.

Reproductive organs.—Androecium: Stamen quantity:
5, basifixed. Stamen length: Approximately 2.1 cm.
Filament length of fixed portion: Approximately 9.0

mm. Filament color: NN155D. Anther shape: Bilobed. Anther length: Approximately 1.0 mm. Anther color: NN155A. Pollen amount: Sparse. Pollen color: NN155D. Gynoecium: Pistil quantity: 1 per flower. Pistil length: Approximately 2.5 cm. Stigma shape: Funnel. Stigma length: Approximately 1.0 mm. Stigma color: 145C. Style length: Approximately 2.1 cm. Style color: 145D. Ovary length: Approximately 3.0 mm. Ovary color: 144A.

Seed and fruit production: Neither seed nor fruit production has been observed.

Disease and pest resistance: Resistance to pathogens and pests common to *Petunia* has not been observed.

What is claimed is:

1. A new and distinct cultivar of *Petunia* plant named ‘Balsursite’, substantially as herein illustrated and described.

* * * * *



FIG. 1




FIG. 2