

US00PP34274P2

(12) **United States Plant Patent**
Ferguson et al.

(10) **Patent No.:** **US PP34,274 P2**
(45) **Date of Patent:** **May 31, 2022**

(54) **STRAWBERRY PLANT NAMED ‘DRISSTRAWNINETYTWO’**

(50) Latin Name: *Fragaria x ananassa*
Varietal Denomination: **DrisStrawNinetyTwo**

(71) Applicant: **Driscoll’s, Inc.**, Watsonville, CA (US)

(72) Inventors: **Michael D. Ferguson**, Watsonville, CA (US); **Phuong Nguyen**, Watsonville, CA (US); **Kevin Coons**, Watsonville, CA (US)

(73) Assignee: **Driscoll’s, Inc.**, Watsonville, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/338,331**

(22) Filed: **Jun. 3, 2021**

(51) **Int. Cl.**
A01H 5/08 (2018.01)
A01H 6/74 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./209**

(58) **Field of Classification Search**
USPC Plt./208, 209
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

PP1,745 P	8/1958	Lang
PP3,981 P	11/1976	Bringhurst et al.
PP4,487 P	11/1979	Bringhurst et al.
PP4,538 P	5/1980	Bringhurst et al.
PP5,262 P	7/1984	Voth et al.
PP5,265 P	7/1984	Voth et al.
PP5,266 P	7/1984	Bringhurst et al.
PP5,300 P	10/1984	Johnson, Jr. et al.
PP5,840 P	12/1986	Johnson, Jr. et al.
PP6,191 P	5/1988	Johnson, Jr. et al.
PP6,231 P	7/1988	Johnson, Jr. et al.
PP6,578 P	1/1989	Voth et al.
PP6,579 P	1/1989	Bringhurst et al.
PP7,024 P	9/1989	Johnson, Jr. et al.
PP7,172 P	2/1990	Voth et al.
PP7,522 P	5/1991	Johnson, Jr. et al.
PP7,614 P	8/1991	Bringhurst et al.
PP7,615 P	8/1991	Bringhurst et al.
PP8,086 P	1/1993	Nelson et al.
PP8,205 P	4/1993	Nelson et al.
PP8,649 P	3/1994	Sjulin et al.
PP8,661 P	3/1994	Bringhurst et al.
PP8,708 P	5/1994	Voth et al.
PP8,745 P	5/1994	Sjulin et al.
PP9,130 P	5/1995	Sjulin et al.
PP9,909 P	6/1997	Ackerman et al.
PP10,221 P	2/1998	Sjulin et al.
PP10,534 P	8/1998	Sjulin et al.
PP10,642 P	10/1998	Amorao et al.
PP11,035 P	8/1999	Mowrey et al.
PP11,277 P	3/2000	Gilford et al.
PP11,279 P	3/2000	Gilford et al.
PP11,522 P	9/2000	Amorao et al.
PP11,548 P	10/2000	Amorao et al.

PP11,554 P	10/2000	Sjulin et al.
PP11,639 P	11/2000	Mowrey et al.
PP12,186 P2	11/2001	Gilford et al.
PP12,436 P2	3/2002	Amorao et al.
PP12,577 P2	4/2002	Amorao et al.
PP12,817 P2	7/2002	Gilford et al.
PP12,899 P2	9/2002	Mowrey et al.
PP13,386 P2	12/2002	Mowrey et al.
PP13,469 P3	1/2003	Larson et al.
PP14,005 P3	7/2003	Amorao et al.
PP14,062 P3	8/2003	Amorao et al.
PP14,109 P3	8/2003	Gilford et al.
PP14,771 P3	5/2004	Amorao et al.
PP15,145 P2	9/2004	Mowrey et al.
PP15,308 P2	11/2004	Sjulin et al.
PP15,375 P2	11/2004	Mowrey et al.
PP15,435 P2	12/2004	Sjulin et al.
PP15,596 P2	3/2005	Amorao et al.
PP15,731 P2	4/2005	Amorao et al.
PP15,752 P2	5/2005	Gilford et al.
PP16,070 P2	10/2005	Gilford et al.
PP16,238 P2	2/2006	Amorao et al.
PP16,241 P2	2/2006	Mowrey et al.
PP16,298 P2	2/2006	Gilford et al.
PP16,299 P2	2/2006	Gilford et al.
PP16,475 P2	4/2006	Gilford et al.
PP16,558 P3	5/2006	Lopez
PP18,000 P2	9/2007	Meulenbroek
PP18,040 P3	9/2007	Mowrey et al.
PP18,041 P3	9/2007	Gilford
PP18,458 P2	1/2008	Ferguson et al.
PP18,575 P3	3/2008	Amorao et al.
PP18,878 P2	6/2008	Mowrey et al.
PP19,240 P2	9/2008	Gilford et al.
PP19,673 P3	2/2009	Ferguson et al.
PP19,767 P2	2/2009	Shaw et al.
PP20,248 P3	9/2009	Rogers et al.
PP20,363 P2	9/2009	Chandler
PP20,701 P2	2/2010	Gilford et al.
PP20,731 P2	2/2010	Mowrey et al.
PP20,733 P2	2/2010	Mowrey et al.
PP20,735 P2	2/2010	Ferguson
PP20,775 P2	2/2010	Mowrey et al.
PP20,922 P2	4/2010	Gilford et al.
PP21,538 P2	11/2010	Gilford et al.
PP21,559 P2	12/2010	Ferguson et al.
PP21,762 P2	3/2011	Stewart et al.
PP22,040 P3	7/2011	Stewart et al.
PP22,218 P2	11/2011	Ferguson et al.
PP22,247 P2	11/2011	Ferguson
PP23,107 P2	10/2012	Ferguson et al.
PP23,148 P2	10/2012	Gilford et al.
PP23,377 P2	2/2013	Ferguson et al.
PP23,378 P2	2/2013	Pullen et al.
PP23,382 P2	2/2013	Ferguson et al.
PP23,383 P2	2/2013	Ferguson et al.
PP23,400 P2	2/2013	Ferguson et al.
PP23,401 P2	2/2013	Pullen et al.

(Continued)

Primary Examiner — Susan McCormick Ewoldt

(74) Attorney, Agent, or Firm — Morrison & Foerster LLP

(57) **ABSTRACT**

A new and distinct variety of strawberry plant named ‘DrisStrawNinetyTwo’, particularly selected for its fruit flavor, open plant canopy, and long fruit trusses, is disclosed.

(56)

References Cited

U.S. PATENT DOCUMENTS

PP23,459	P2	3/2013	Stewart et al.	PP29,730	P2	10/2018	Kibbe et al.
PP23,506	P3	4/2013	Ferguson et al.	PP29,731	P2	10/2018	Ferguson et al.
PP23,517	P3	4/2013	Ferguson et al.	PP29,747	P2	10/2018	Vitten et al.
PP24,096	P3	12/2013	Fear et al.	PP29,748	P2	10/2018	Vitten et al.
PP24,317	P3	3/2014	Ferguson et al.	PP29,749	P2	10/2018	Stewart et al.
PP24,333	P3	3/2014	Vitten et al.	PP30,775	P2	8/2019	Carrillo Mendoza et al.
PP24,395	P3	4/2014	Vitten et al.	PP30,789	P2	8/2019	Ferguson et al.
PP24,533	P3	6/2014	Ferguson et al.	PP30,818	P2	8/2019	Pakozdi et al.
PP24,745	P2	8/2014	Vitten et al.	PP30,851	P2	8/2019	Fear et al.
PP25,408	P3	4/2015	Vitten et al.	PP30,936	P2	10/2019	Stewart et al.
PP25,437	P3	4/2015	Vitten et al.	PP31,083	P2	11/2019	Carrillo Mendoza et al.
PP25,698	P3	7/2015	Ferguson et al.	PP31,233	P2	12/2019	Pakozdi et al.
PP25,699	P3	7/2015	Stewart et al.	PP31,527	P3	3/2020	Carrillo Mendoza et al.
PP25,747	P3	7/2015	Kibbe et al.	PP31,655	P2	4/2020	Carrillo Mendoza et al.
PP25,866	P3	9/2015	Ferguson et al.	PP31,703	P2	4/2020	Stewart et al.
PP26,800	P3	6/2016	Stewart et al.	PP31,827	P2	6/2020	Ferguson et al.
PP26,801	P3	6/2016	Stewart et al.	PP31,896	P2	6/2020	Pakozdi et al.
PP26,802	P3	6/2016	Rodriguez Alcazar et al.	PP31,935	P2	7/2020	Pakozdi et al.
PP27,442	P2	12/2016	Kibbe et al.	PP32,079	P2	8/2020	Carrillo Mendoza et al.
PP27,645	P3	2/2017	Vitten et al.	PP32,080	P2	8/2020	Ferguson et al.
PP27,682	P3	2/2017	Kibbe et al.	PP32,271	P2	10/2020	Ferguson et al.
PP27,711	P3	2/2017	Vitten et al.	PP32,305	P3	10/2020	Pakozdi et al.
PP27,813	P3	3/2017	Ferguson et al.	PP32,498	P2	11/2020	Mendoza et al.
PP29,289	P3	5/2018	Vitten et al.	PP32,499	P3	11/2020	Jacobs et al.
PP29,728	P2	10/2018	Stewart et al.	PP32,500	P3	11/2020	Stewart et al.
PP29,729	P2	10/2018	Kibbe et al.	PP32,801	P2	2/2021	Ferguson et al.
				PP32,814	P2	2/2021	Stewart et al.
				PP32,824	P2	2/2021	Stewart et al.
				PP33,070	P2	5/2021	Mendoza et al.
				PP33,090	P2	5/2021	Mendoza et al.
				2003/0079263	P1	4/2003	Gilford et al.
				2013/0276182	P1	10/2013	Fear et al.

1

STRAWBERRY PLANT NAMED
'DRISSTRAWNINETYTWO'

Latin name:

Botanical classification: *Fragaria* x *ananassa*.

Varietal denomination: The varietal denomination of the claimed variety of strawberry plant is 'DrisStrawNinetyTwo'.

BACKGROUND OF THE INVENTION

Cultivated strawberry is a hybrid species of the genus *Fragaria* that is grown worldwide for its fruit. Modern strawberry was first bred in Brittany, France, in the 18th century by crossing *Fragaria virginiana* with *Fragaria chiloensis*. Strawberry fruit is an aggregate accessory fruit, with the fleshy part of the fruit being derived from the receptacle that holds the ovaries.

Strawberry varieties vary widely in color, size, shape, flavor, season of ripening, degree of fertility, and susceptibility to disease. Certain varieties vary in foliage, and some vary in the relative development of their reproductive organs. Typically, strawberry flowers appear hermaphroditic in structure, but function as either male or female. Generally, commercial production of strawberry plants involves propagation from runners and distribution as either plugs or bare root plants. Cultivation is either perennial or annual plasticulture. During the off season, strawberries can also be produced in greenhouses.

Strawberry fruit is widely appreciated for its characteristic bright red color, aroma, juicy texture, and sweetness. Strawberry fruit is a popular fruit that is generally consumed either fresh or in prepared foods, such as preserves and baked goods.

Strawberry is an important and valuable fruit crop. Accordingly, there is a need for new varieties of strawberry plants. In particular, there is a need for improved varieties of strawberry plant that are stable, high yielding, and agronomically sound.

SUMMARY OF THE INVENTION

In order to meet these needs, the present invention is directed to an improved variety of strawberry plant. In particular, the invention relates to a new and distinct variety of strawberry plant (*Fragaria* x *ananassa*), which has been denominated as 'DrisStrawNinetyTwo'.

Strawberry plant variety 'DrisStrawNinetyTwo' originated from a cross between the proprietary female parent strawberry plant '605U 84' (unpatented) and the proprietary male parent strawberry plant '629T178' (unpatented). Progeny plants from this cross, including 'DrisStrawNinetyTwo', were asexually propagated via stolons in Shasta County, Calif. in April 2013. Strawberry plant variety 'DrisStrawNinetyTwo' was later specifically identified and selected in Ventura County, Calif. in October 2013.

'DrisStrawNinetyTwo' was subsequently asexually propagated via stolons, and has undergone testing in test plots in Ventura County, Calif. and Santa Barbara County, Calif. for seven years (2013 to 2020). The present variety has been found to be stable and reproduce true to type through successive asexual propagations via stolons and tissue culture.

'DrisStrawNinetyTwo' was particularly selected for its fruit flavor, open plant canopy, and long fruit trusses.

DESCRIPTION OF THE DRAWINGS

This new strawberry plant is illustrated by the accompanying photographs. The colors shown are as true as can be

2

reasonably obtained by conventional photographic procedures. Unless indicated otherwise, the photographs are of plants that are three months old.

FIG. 1 illustrates whole fruit of variety 'DrisStrawNinetyTwo'.

FIG. 2 illustrates longitudinal sections of fruit of variety 'DrisStrawNinetyTwo'.

FIG. 3 illustrates flowers of variety 'DrisStrawNinetyTwo'.

DETAILED BOTANICAL DESCRIPTION

The following detailed descriptions set forth the distinctive characteristics of 'DrisStrawNinetyTwo'. Unless indicated otherwise, the data which define these characteristics are based on observations taken from plants that were three months old grown in Ventura County, Calif. and Santa Barbara County, Calif. from 2013 to 2020. This description is in accordance with UPOV terminology. Color designations, color descriptions, and other phenotypical descriptions may deviate from the stated values and descriptions depending upon variation in environmental, seasonal, climatic, and cultural conditions. 'DrisStrawNinetyTwo' has not been observed under all possible environmental conditions. The indicated values represent averages calculated from measurements of several plants. Color references are primarily to The R.H.S. Colour Chart of The Royal Horticultural Society of London (R.H.S.) (2015 edition). Descriptive terminology follows the *Plant Identification Terminology, An Illustrated Glossary*, 2nd edition by James G. Harris and Melinda Woolf Harris, unless where otherwise defined. Classification:

Species.—*Fragaria* x *ananassa*.

Common name.—Strawberry.

Denomination.—'DrisStrawNinetyTwo'.

Parentage:

Female parent.—Proprietary strawberry plant '605U 84' (unpatented).

Male parent.—Proprietary strawberry plant '629T178' (unpatented).

Plant:

Height.—19.7 cm.

Diameter.—38.2 cm.

Height/width ratio.—0.5.

Number of crowns per plant.—4.6.

Growth habit.—Semi-upright.

Density of foliage.—Medium.

Vigor.—Medium.

Stolon:

Diameter at bract.—3.25 mm.

Length.—22.5 cm.

Density of pubescence.—Medium.

Fruiting truss:

Length.—17.27 cm.

Diameter.—2.48 mm.

Number of berries per fruiting truss.—2.9.

Attitude at first picking.—Semi-erect.

Truss color.—RHS 145B (Light yellow-green).

Leaf:

Number of leaflets.—Three only.

Color of leaf upper surface.—RHS 134B (Strong yellowish-green).

Color of leaf lower surface.—RHS 134D (Light yellowish-green).

Blistering.—Strong.

Glossiness.—Medium.

Variegation.—Present.

Terminal leaflet.—Length: 8.93 cm. Width: 8.17 cm. Length/width ratio: 1.1. Number of teeth per terminal leaflet: 22.7. Shape: Orbicular. Base: Obtuse. Apex: Complex. Margin: Serrate to crenate. Margin profile: Cupped. Shape in cross section: Concave. 5

Petiole.—Length: 17.75 cm. Diameter: 5.14 mm. Bract frequency (number present on each petiole): 0.5. Petiole color: RHS N144D (Strong yellow-green). Density of pubescence: Medium. Attitude of hairs: Upwards. 10

Petiolule.—Length: 8.88 mm. Diameter: 2.33 mm. Petiolule color: RHS 146D (Moderate yellow-green).

Stipule.—Length: 4.46 mm. Width: 5.52 mm. Density of pubescence: Medium. Stipule color: RHS N144A (Strong yellowish green). Anthocyanin color: RHS 60A (Deep red). 15

Inflorescence:

Position of inflorescence in relation to foliage.—Same level. 20

*Pedice*l.—Attitude of hairs: Upwards. Length: 1.5 cm. Diameter: 1.0 mm. Color: RHS 139C (Moderate yellow green).

Flower.—Flower diameter (petal tip to petal tip on non-flattened flower): 22.4 mm. Number of flowers per plant: 4.5. Arrangement of petals: Free. Size of calyx in relation to corolla: Larger. Receptacle color: RHS 2A (Vivid greenish yellow). Stamen: Present. Anther color: RHS 17B (Vivid yellow). 25

Petal.—Length: 9.2 mm. Width: 9.8 mm. Length/width ratio: 0.94. Number of petals per flower: 5. Color of petal upper surface: RHS 155A (Pale yellow-green). Color of petal lower surface: RHS 155A (Pale yellow-green). Shape: Oval. Apex: Convex. Margin: Entire. Base: Convex. 30

Sepal.—Length: 9.2 mm. Width: 5.2 mm. Number of sepals per flower: 10.6. Shape: Oval. Margin: Serrate. Upper surface color: RHS 139A (Darkish yellow green). Lower surface color: RHS 139C (Moderate yellow green). 40

Calyx.—Diameter (sepal tip to sepal tip, measured on back of flower): 26.5 mm.

Flowering.—Flowering interval: August to December.

Fruit:

Fruit size.—Length: 46.9 mm. Width: 36.7 mm. Length/width ratio: 1.3. 45

Achenes.—Achene color on the upper (sunward) side of berry: RHS N34A (Moderate red). Achene color on the lower (shaded) side of berry: RHS 151A (Strong greenish yellow). 50

Fruit weight.—22.2 g/fruit.

Fruit shape.—Conical.

Difference in shape of terminal and other fruits.—Large.

Fruit color.—RHS 45A (Vivid red). 55

Evenness of color.—Slightly uneven.

Glossiness.—Strong.

Evenness of surface.—Even or very slightly uneven.

Width of band without achenes.—Absent or very narrow.

Position of achenes.—Level with surface.

Position of calyx attachment.—Inserted.

Attitude of sepals.—Outwards.

Diameter of calyx in relation to diameter of fruit.—Slightly larger.

Adherence of calyx.—Strong.

Firmness.—Medium.

Color of flesh (excluding core).—RHS 38A (Strong yellowish pink).

Evenness of color of the flesh.—Slightly uneven.

Distribution of flesh color.—Only central.

Color of core.—RHS 38C (Light yellowish pink).

Texture when tasted.—Medium coarse.

Fruiting.—Harvest interval: Late July to mid-November. Type of bearing: Day neutral. Productivity: 21,927 pounds to 38,908 pounds of fruit per acre per season from 5-month-old plants when grown in Santa Maria, Santa Barbara County, Calif.

Resistance to abiotic stress, pests, and diseases:

Two-spotted spider mite (tetranychus urticae): Moderately resistant.

Botrytis fruit rot (botrytis cinerea): Moderately resistant.

Powdery mildew (podosphaera macularis): Moderately resistant.

Winter hardiness.—Moderate.

COMPARISON WITH PARENTAL AND REFERENCE VARIETIES

‘DrisStrawNinetyTwo’ differs from the female parent proprietary strawberry plant ‘605U 84’ (unpatented) in that ‘DrisStrawNinetyTwo’ has larger fruit trusses and sweeter fruit than ‘605U 84’.

‘DrisStrawNinetyTwo’ differs from the male parent proprietary strawberry plant ‘629T178’ (unpatented) in that ‘DrisStrawNinetyTwo’ has larger fruit trusses and sweeter fruit than ‘629T178’.

‘DrisStrawNinetyTwo’ differs from the reference variety ‘DrisStrawTwentyOne’ (U.S. Plant Pat. No. 23,506) in that ‘DrisStrawNinetyTwo’ has semi-upright plant growth habit, medium plant vigor, conical fruit shape, and strong fruit glossiness, whereas ‘DrisStrawTwentyOne’ has upright plant growth habit, strong plant vigor, bi-conical fruit shape, and medium fruit glossiness.

‘DrisStrawNinetyTwo’ differs from the reference variety ‘DrisStrawSixty’ (U.S. Plant Pat. No. 30,789) in that ‘DrisStrawNinetyTwo’ has strong leaf blistering, leaf variegation present, slightly uneven fruit color, and day neutral type of fruit bearing, whereas ‘DrisStrawSixty’ has absent or weak leaf blistering, leaf variegation absent, even or very slightly uneven fruit color, and fully remontant type of fruit bearing.

What is claimed is:

1. A new and distinct variety of strawberry plant named ‘DrisStrawNinetyTwo’ as shown and described herein.

* * * * *




FIG. 1



FIG. 2



FIG. 3