

US00PP35162P2

(12) **United States Plant Patent**
Van Dijk

(10) **Patent No.:** **US PP35,162 P2**
(45) **Date of Patent:** **May 9, 2023**

(54) **ANTHURIUM PLANT NAMED ‘AN2112420’**

(50) Latin Name: *Anthurium andraeanum* L.
Varietal Denomination: **AN2112420**

(71) Applicant: **ANTHURA B.V.**, Bleiswijk (NL)

(72) Inventor: **Jan Van Dijk**, Bleiswijk (NL)

(73) Assignee: **Anthura B.V.**, Bleiswijk (NL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/803,811**

(22) Filed: **Dec. 6, 2022**

(51) **Int. Cl.**
A01H 6/00 (2018.01)
A01H 5/02 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./365**

(58) **Field of Classification Search**
USPC Plt./365
CPC A01H 6/00; A01H 5/02
See application file for complete search history.

Primary Examiner — Keith O. Robinson

(74) *Attorney, Agent, or Firm* — Jondle & Associates, P.C.

(57) **ABSTRACT**

A new *Anthurium* plant named ‘AN2112420’ particularly distinguished by having weakly blistered and medium glossy, concave, pink with red tips and green lobes, cordate and durable spathes that retain the original color for a very long period of time, dark green, deltoid, durable leaves, dark red cataphylls, purplish-red spadices with reddish-orange tips, early and rich flowering continuously throughout the year, and a plant height of 24.0 cm to 27.0 cm is disclosed.

3 Drawing Sheets

1

Genus and species: *Anthurium andraeanum* L.
Variety denomination: ‘AN2112420’.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct variety of *Anthurium*, botanically known as *Anthurium andraeanum* L., and hereinafter referred to by the variety name ‘AN2112420’. The new *Anthurium* plant is a product of a planned breeding program conducted by the inventor in Bleiswijk, the Netherlands. The objective of this breeding program was to create a new plant with a height of 24.0 cm to 27.0 cm having weakly blistered and medium glossy, pink with red tips and green lobes, concave, cordate, and durable spathes.

The new variety originated from a cross-pollination made in February 2013 in Bleiswijk, the Netherlands. The female parent was a white *Anthurium* pot plant designated ‘25183-01’ (unpatented), and the male parent was a pink *Anthurium* pot plant designated ‘20116-011’ (unpatented).

A single plant was selected from the progeny of the stated cross in December 2014. Asexual reproduction of the new variety by tissue culture in 2018 in Bleiswijk, the Netherlands, has demonstrated that the new variety reproduces true to type with all of the characteristics, as herein described, firmly fixed and retained through successive generations.

Community Plant Variety Rights for this variety have been applied for in the European Union on Nov. 19, 2021 (Application no. 2021/2980), by Applicant who obtained the subject matter disclosed directly from the inventor. ‘AN2112420’ has not been made publicly available or sold anywhere in the world prior to the effective filing date of this application with the exception of sales or disclosures made one year or less before the effective filing date of this claimed invention by Applicant who obtained ‘AN2112420’ directly from the inventor.

2

SUMMARY OF THE INVENTION

The following are the most outstanding and distinguishing characteristics of this new variety when grown under normal horticultural practices in Bleiswijk, the Netherlands:

- 1) Weakly blistered and medium glossy, pink with red tips and green lobes, concave, cordate spathes;
- 2) Purplish-red with reddish-orange tips;
- 3) Green, deltoid leaves; and
- 4) Cataphyll color is dark red.

DESCRIPTION OF THE PHOTOGRAPHS

This new *Anthurium* plant is illustrated by the accompanying photographs which show the overall plant habit including blooms, buds, and foliage of the plant; the colors shown are as true as can be reasonably obtained by conventional photographic procedures. The photographs are of a 28-week-old plant grown in a greenhouse in Bleiswijk, the Netherlands, in August 2022. Colors in the photographs may differ from the color values cited in the detailed botanical description, which accurately describe the actual colors of the new variety.

FIG. 1 shows the overall plant habit, including blooms, buds, and foliage.

FIG. 2 shows a close-up of the mature spathe.

FIG. 3 shows a close-up of the upper leaf blade surface.

DESCRIPTION OF THE NEW VARIETY

The following detailed description sets forth the distinctive characteristics of ‘AN2112420’. The data which define these characteristics were collected from asexual reproductions carried out in Bleiswijk, the Netherlands. The plant history was taken on 28-week-old plants which were planted from tissue culture in 9-centimeter (diameter) pots and grown in a glass greenhouse between 19° C. and 24° C. Observations were made in August 2022. Color readings

were taken under 5000 lux natural light in the greenhouse. Color references are primarily to The R.H.S. Colour Chart of The Royal Horticultural Society of London (R.H.S.) (2015).

DETAILED BOTANICAL DESCRIPTION

Classification:

Family.—Araceae.

Botanical.—*Anthurium andraeanum* L.

Common name.—*Anthurium*.

Denomination.—‘AN2112420’.

Parentage:

Female parent.—*Anthurium* plant ‘25183-01’ (unpatented).

Male parent.—*Anthurium* plant ‘20116-011’ (unpatented).

Plant:

Propagation.—Tissue culture.

Root description.—Fleshy-creamy (RHS 158C) colored roots with a pink (RHS 48C) shade and small hairy lateral roots having yellow (RHS 13A) colored root tips.

Time to produce a finished flowering plant.—26 to 30 weeks after planting in a 9-cm (diameter) pot.

Growth habit.—Upright.

Height (measured from soil, including inflorescence).—24.0 cm to 27.0 cm.

Width (measured from leaf tips).—27.0 cm to 29.0 cm.

Leaves:

Immature leaves.—Length: 11.0 cm to 13.0 cm. Width: 7.0 cm to 8.0 cm. Color: Upper surface: RHS 146A. Lower surface: RHS 200D. Texture (both upper and lower surfaces): Glossy, leathery, and thin.

Mature leaves.—Length (fully expanded): 13.0 cm to 15.0 cm. Width: 8.5 cm to 9.5 cm. Shape: Deltoid. Apex: Acuminate. Base: Cordate. Leaf blade angle with the petiole: Between 130 degrees and 150 degrees. Leaf margin: Entire. Color: Upper surface: RHS 147A. Lower surface: RHS 146A. Texture (both upper and lower surfaces): Leathery, and thick. Venation: Pinnate veining; the mid-vein and primary veins (the veins that radiate out from the junction of petiole and leaf) protrude at the underside of the leaf blade. Venation color: Upper surface: RHS 144A. Lower surface: RHS 144B.

Lobes.—Present. Arrangement: Leaf blade has two lobes extending past the petiole. The lobes are non-touching. Length of lobes of mature leaf blades: 0.2 cm to 0.5 cm. Width of lobes of mature leaf blades: 2.0 cm to 2.5 cm. Distance from petiole/leaf junction to highest point on lobes of mature leaf blades: 1.0 cm to 2.0 cm.

Petiole.—Cross-section: Round. Diameter: 0.2 cm to 0.3 cm. Length: 16.0 cm to 19.0 cm for a mature leaf size. Color: Mature leaf: RHS 177B. Immature leaf: RHS 178B. Cataphyll color surrounding the petiole: Outside: RHS 183A. Inside: RHS 183B.

Geniculum.—Length: 1.5 cm to 2.0 cm. Width: 0.3 cm to 0.4 cm. Color: RHS 177A.

Inflorescence:

Arrangement.—Single.

Flowering habit (length of flowering season).—Continuous.

Number of inflorescences per plant.—4 to 5.

Fragrance.—Absent.

Longevity of inflorescence on plant.—Over a year.

Spathe:

Buds.—The spathe is tightly rolled around the spadix and extrudes from the peduncle sheath. After the spathe is fully opened, the peduncle elongates some extra centimeters.

Arrangement.—Spathe angle with the peduncle is between 110 degrees and 130 degrees; the spathe stands on a wiry peduncle about 1.0 cm to 3.0 cm above the foliage.

Shape.—Cordate.

Apex.—Mucronate.

Base.—Cordate.

Texture.—Weakly blistered and medium glossy.

Margin.—Undulated.

Size.—Length: 6.0 cm to 7.0 cm. Width: 8.0 cm to 9.0 cm.

Lobes.—Present. Arrangement: The spathe has two lobes extending past the peduncle. The lobes are non-touching. Length: 1.0 cm to 1.5 cm. Width: 3.5 cm to 4.5 cm.

Color.—Just fully open: Upper surface: RHS 48B with RHS 46B tips; RHS 144A lobes. Lower surface: RHS 158D and RHS N45C; RHS 144A lobes. This pink color remains for a very long period, at least more than 30 weeks after opening. The spathe turns green after some weeks.

Peduncle:

Shape.—Erect.

Cross-section.—Round.

Length.—16.0 cm to 19.0 cm.

Diameter.—0.3 cm to 0.4 cm.

Color.—RHS 174B.

Flowering time:

General.—One small, rooted, untreated tissue culture plant of 8.0 cm tall will flower, depending on the season, after 26 to 28 weeks and 3 to 4 blossoms appear. More blossoms appear after some additional weeks so that a full flowering and commercial plant will have 4 to 5 pink spathes. Smaller blossoms may occur on immature plants.

Spadix:

Size.—Length: 4.0 cm to 5.0 cm (depending on flower size). Width (at apex): 0.5 cm to 0.6 cm. Width (at base): 0.6 cm to 0.7 cm.

Shape.—Columnar.

Angle of spadix tip with peduncle.—150 degrees to 170 degrees.

Texture.—When the spathe is unfurling, the spadix is smooth. When the spadix matures, small stigmata protrude. The stigmata are evenly distributed around the spadix. The spadix matures from base to top, slowly giving the spadix a somewhat rough appearance.

Color.—Immature: RHS 42B. Mature: RHS 186A. Ages to: RHS 34C.

Flowers:

Quantity per spadix.—110 to 140.

Spadix flower arrangement.—Bisexual, rounded in cross-section.

Shape.—Rounded.

Size.—Length: 0.05 cm to 0.10 cm. Diameter (maximum): 0.10 cm.

Color.—RHS 186D.

Reproductive organs:

Stamens.—Not visible.

Pollen amount.—Absent.

Pistil.—Quantity: 110 to 140. Length: Less than 0.01 cm. Color: RHS 186D.

Style.—Not observed to date.

Stigma.—Shape: Ovoid. Diameter: Less than 0.01 cm. Color: RHS 186D.

Ovary.—Rarely visible.

Ovary color.—Not measured.

Fruit and seed set: None observed to date.

Disease and pest resistance: No specific resistance or susceptibility observed to pathogens or pests common to *Anthurium* under commercial conditions to date.

COMPARISON WITH PARENTAL AND SIMILAR COMMERCIAL VARIETIES

‘AN2112420’ differs from the female parent plant ‘25183-01’ (unpatented) in that ‘AN2112420’ has deltoid leaves, long spadix, and pink ground color of the upper side of spathes, whereas ‘25183-01’ has elliptical cordate leaves, very long spadix, and white ground color of upper side of spathes.

‘AN2112420’ differs from the male parent plant ‘20116-011’ (unpatented) in that ‘AN2112420’ has cordate spathes, the cross section of middle zone of spathes is concave, and the ground color of upper side of spathes is pink, whereas ‘20116-011’ has orbicular cordate spathes, the cross section of middle zone of spathes is straight, and the ground color of upper side of spathes is light pink.

‘AN2112420’ differs from the similar commercial variety ‘ANTHFOFUN’ (U.S. Plant Pat. No. 30,527) in that ‘AN2112420’ has light purplish-pink flowers, dark red cataphylls, and the spathe angle of distal part to the peduncle is approximately right angle, whereas ‘ANTHFOFUN’ has purplish-red flowers, green with red tips cataphylls, and spathe angle of distal part to peduncle is acute.

‘AN2112420’ differs from the similar commercial variety ‘ANTHFAXI’ (U.S. Plant Pat. No. 30,112) in that ‘AN2112420’ has deltoid leaves, dark red cataphylls, and purplish-red with reddish-orange tips of spadices, whereas ‘ANTHFAXI’ has ovate-cordate leaves, green with red tips cataphylls, and red with red tips spadices.

I claim:

1. A new and distinct variety of *Anthurium* plant named ‘AN2112420’, substantially as illustrated and described herein.

* * * * *



FIG. 1




FIG. 2




FIG. 3