



US00RE37149E

(19) **United States**
(12) **Reissued Patent**
Hartlohner et al.

(10) **Patent Number: US RE37,149 E**
(45) **Date of Reissued Patent: May 1, 2001**

(54) **CUTTING TOOL INSERTS**

(75) Inventors: **Rudi Hartlohner**, Tuchenbach; **Franz Havrda**, Grossenseebach, both of (DE)

(73) Assignee: **Kennametal Inc.**, Latrobe, PA (US)

(21) Appl. No.: **29/113,479**

(22) Filed: **Sep. 24, 1999**

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **Des. 40,963**
Issued: **May 11, 1999**
Appl. No.: **29/083,969**
Filed: **Feb. 20, 1998**

(30) **Foreign Application Priority Data**

Aug. 21, 1997 (DE) M 97 07 143

(51) **LOC (6) Cl.** **15-09**

(52) **U.S. Cl.** **D15/139**

(58) **Field of Search** **D15/139; 407/113-119**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 305,239 12/1989 Niebauer D15/139
D. 357,693 4/1995 Niebauer D15/139

Primary Examiner—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—John J. Prizzi

(57) **CLAIM**

The ornamental design for a cutting tool insert, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a cutting tool insert in accordance with a first embodiment of the subject invention; FIG. 2 is a top plan view of FIG. 1, wherein the bottom plan view is identical; FIG. 3 is a side elevation view from any side of the cutting tool insert in FIG. 2; FIG. 4 is a cross-sectional view taken along lines "4—4" in FIG. 1; FIG. 5 is an isometric view of a cutting tool insert in accordance with the second embodiment of the subject invention; FIG. 6 is a top plan view of FIG. 5, wherein the bottom plan view is identical; FIG. 7 is a side elevation view from any side of the cutting tool insert in FIG. 5;

FIG. 8 is a cross-section view taken along lines "8—8" in FIG. 5;

FIG. 9 is an isometric view of a cutting tool insert in accordance with a third embodiment of the subject invention;

FIG. 10 is a top plan view of FIG. 9, wherein the bottom plan view is identical;

FIG. 11 is a side elevation view looking at the right side of the cutting tool insert in FIG. 10;

FIG. 12 is a side elevation view looking at the cutting tool insert in FIG. 10 from the bottom of the page;

FIG. 13 is a cross-section view taken along lines "13—13" of FIG. 10;

FIG. 14 is a cross-section view taken along lines "14—14" of FIG. 10;

FIG. 15 is a cross-section view taken along lines "15—15" of FIG. 10;

FIG. 16 is an isometric view of a cutting insert in certain accordance with a fourth embodiment of the subject invention;

FIG. 17 is a top plan view of FIG. 16, wherein the bottom plan view is identical;

FIG. 18 is a side elevation view looking at the right side of the cutting tool insert in FIG. 17;

FIG. 19 is a side elevation view looking at the cutting tool insert in FIG. 17 from the bottom of the page;

FIG. 20 is a cross-section view taken along lines "20—20" of FIG. 17;

FIG. 21 is a cross-section view taken along lines "21—21" of FIG. 17;

FIG. 22 is a cross-section view taken along lines "22—22" of FIG. 17;

FIG. 23 is an isometric view of a cutting tool insert in accordance with a fifth embodiment of the subject invention;

FIG. 24 is a top plan view of FIG. 23, wherein the bottom plan view is identical;

FIG. 25 is a side elevation view looking at the right side of the cutting tool insert in FIG. 24;

FIG. 26 is a side elevation view looking at the cutting tool insert in FIG. 24 from the bottom of the page;


FIG. 27 is a cross-section view taken along lines "27—27" of FIG. 24;

FIG. 28 is a cross-section view taken along lines "28—28" of FIG. 24; and,

FIG. 29 is a cross-section view taken along lines "29—29" of FIG. 24.

1 Claim, 27 Drawing Sheets

Matter enclosed in heavy brackets [] appears in the original patent, but forms no part of this reissue; matter printed in italics indicates the additions made by reissue.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : RE 37,149 E
DATED : May 1, 2001
INVENTOR(S) : Rudi Hartlohner et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [63], **Related U.S. Patent Documents**, Patent No. "Des. 40,963" should read -- Des. 409,632 --.

Signed and Sealed this

Fifth Day of November, 2002

Attest:

A handwritten signature in black ink, appearing to read "James E. Rogan", written over a horizontal line.

Attesting Officer

JAMES E. ROGAN
Director of the United States Patent and Trademark Office