



US00RE37822E

(19) **United States**
(12) **Reissued Patent**
Anthonyson

(10) **Patent Number: US RE37,822 E**
(45) **Date of Reissued Patent: *Aug. 27, 2002**

(54) AUTOMATED VEHICLE PARKING SYSTEM FOR A PLURALITY OF REMOTE PARKING FACILITIES	4,739,328 A	4/1988	Koelle et al.	342/44
	4,774,571 A	9/1988	Mehdipour et al.	348/148
	4,782,345 A	11/1988	Landt	343/727
	4,786,907 A	11/1988	Koelle	342/51
	4,835,377 A	5/1989	Brown	235/492
(75) Inventor: Robert B. Anthonyson , Sunapee, NH (US)	4,876,540 A	10/1989	Berthon et al.	340/932.2
	4,958,064 A	9/1990	Kirkpatrick	235/384
	4,982,070 A	1/1991	Bezin et al.	235/378
(73) Assignee: TC (Bermuda) License, Ltd. , Hamilton (BM)	5,003,520 A	3/1991	Grieu et al.	368/90
	5,030,807 A	7/1991	Landt et al.	235/375
(*) Notice: This patent is subject to a terminal disclaimer.	5,072,380 A	12/1991	Randelman et al.	705/13
	5,086,389 A	2/1992	Hassett et al.	705/13
	5,311,186 A	5/1994	Utsu et al.	342/51
	5,339,000 A	8/1994	Bashan et al.	340/932.2
(21) Appl. No.: 09/545,298	5,414,624 A *	5/1995	Anthonyson	
	5,488,360 A *	1/1996	Ray	340/933
(22) Filed: Apr. 6, 2000	5,559,707 A	9/1996	DeLorme et al.	701/200
	5,602,375 A	2/1997	Sunahara et al.	235/384

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **5,737,710**
Issued: **Apr. 7, 1998**
Appl. No.: **08/554,849**
Filed: **Nov. 7, 1995**

(51) **Int. Cl.**⁷ **G06F 17/40**
(52) **U.S. Cl.** **701/1; 701/2; 701/117; 705/13; 340/928; 340/5.5; 340/5.7; 340/932.2; 235/378; 235/384**
(58) **Field of Search** **701/1, 2, 117, 701/118, 119; 705/13, 40, 41, 21; 340/928, 932.2, 825.31, 825.33, 825.34, 10.1, 10.52; 342/51, 69, 70, 53, 58**

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,484,586 A	12/1969	Wilson et al.	235/61.6
3,604,898 A	9/1971	Magnusson	235/378
3,815,718 A	6/1974	Singer	705/418
3,993,975 A	11/1976	Long, Jr. et al.	340/932.2
4,075,632 A	2/1978	Baldwin et al.	342/51
4,207,468 A	6/1980	Wilson	250/341
4,360,810 A	11/1982	Landt	342/44
4,587,410 A	5/1986	Milnes	235/382
4,603,390 A	7/1986	Mehdipour et al.	705/418
4,665,395 A	5/1987	Van Ness	340/825.31

OTHER PUBLICATIONS

ACI Networks Parking Systems Software, Undated.
Ollivier, "Tiris: A Vehicle Tracking System Using Passive Radio Transponders", IEEE, Jun. 1993, pp. 1-8.

* cited by examiner


Primary Examiner—Tan Nguyen


(74) *Attorney, Agent, or Firm*—Blank Rome Comisky & McCauley LLP

(57) **ABSTRACT**

An automated vehicle parking system for a plurality of remote parking facilities that communicates with a vehicle approaching or leaving the remote facility with RF signals, or the like, that identifies the vehicle and sends the vehicle identification number, time of day, and lane number to a first computer at the remote facility for calculating the parking cost of a given vehicle based on rates for said given individual vehicle stored in the first computer of each of the plurality of remote parking facilities and having a central computer coupled to each remote facility for providing a single bill to a user of several remote facilities and advising each remote facility first computer of the total fees due for all users of that remote facility during specified periods.

46 Claims, 3 Drawing Sheets








FIG. 2




FIG. 3




FIG. 4

AUTOMATED VEHICLE PARKING SYSTEM FOR A PLURALITY OF REMOTE PARKING FACILITIES

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates in general to vehicle parking systems and in particular to a parking system having a central facility coupled to and monitoring a plurality of satellite parking facilities in which each satellite parking facility automatically identifies a vehicle approaching the entrance or exit lanes to the parking facility and generates an appropriate set of responses such as opening the gate, illuminating a fee display or other sign information, posting accounting information and the like. A user of multiple satellite parking facilities receives one statement periodically from the central or clearinghouse facility. Each satellite parking facility may be independent from the other satellite parking facilities and each may set its own charges and fee schedules. The central facility simply keeps track of all parking in all the satellite parking facilities and sends the user one bill (or debits an account) for the total amount of the parking. A key feature of the central facility or clearinghouse concept is the use of a prepaid balance as opposed to being billed in arrears. When the prepaid balance falls below a predetermined level, the clearinghouse or central facility will either debit the user's bank account via ACH (automated clearinghouse) or electronic funds transfer, charge the user's credit card account, or issue an invoice. If the balance becomes negative, the system generally will not allow the user to enter the garage.

2. Description of Related Art

There are many different types of semiautomatic parking systems for vehicles such as motor vehicles including monthly pass cards, automatic ticket dispensers, and the like. In systems where time accounting is required for parking that is subject to charge periods, a card having an electronic memory is used where each memory location can be individually and irreversibly written in order to represent a time unit credit allocated to the holder of the card. Other systems use an electronic memory and a card reader, a portable terminal carried by a parking checker, a card having a magnetic track containing a confidential identification number, and a label for sticking to the windshield of a vehicle with the label bearing information that is unambiguously related to the information stored in the card. Still other systems use capacitive cards and reader systems. Some systems use an automatic fee determining system including means to totalize the amount of coins accepted by the system. Such system includes means for calculating the fee due from a parking ticket. The customer then inserts coins into a coin receptor and a "vend" is produced only when the total value of coins at least equals the calculated fee due. Other systems have an entrance station for dispensing a coded card and initiating opening of an entrance gate and an exit station for receiving the card, sensing any lapsed time, computing a toll at a predetermined time rate, collecting the correct toll, and initiating opening of the gate in response to the collection.

These systems all require the intervention of a human operator or an interaction between the vehicle occupant and a device such as a ticket dispenser and the like.

In commonly assigned U.S. Pat. No. 5,414,624 there is disclosed an automatic parking system that can identify a vehicle approaching an entrance or exit lane, and then, based on that identity, generate an appropriate set of responses such as opening a gate, illuminating a fee display, posting accounting information, preparing periodic statements to the owner of the vehicle, and the like. However, if the user goes to another parking facility, either a new membership in that facility will be required so that the user receives another monthly billing statement or the user will have to pay cash.

While in its broadest state, the aforesaid patent claims cover a central billing operation, the improvement disclosed herein specifically covers the use of multiple parking facilities that feed a central billing/credit system thereby permitting the user to use facilities that may be independently owned but for which proper debit of the user's account will be made as well as proper credit attributed to the specific facility as determined in advance.

SUMMARY OF THE INVENTION

The present invention overcomes the disadvantages of the prior art by providing a parking system having a central facility coupled to and monitoring a plurality of satellite parking facilities and in which each satellite parking facility may be a facility that operates individually and independent of the other satellite parking facilities. The central facility simply monitors all of the satellite parking facilities and generates one monthly parking fee statement for each user (or a company account, if appropriate) of the system even if the user has parked in each of the satellite parking systems.

In the present system, a vehicle will pull into an entrance lane in any satellite parking facility until it can go no further because the entrance gate is closed. If the vehicle is equipped with a compatible tag or transponder, a signal will return from the vehicle to the sensor. The sensor then relays that signal to the lane controller. The lane controller is a circuit that processes that signal and couples it to a host computer with specific information regarding the vehicle such as the identifier ID, the date and time of day, lane number, and the like.

When the host computer receives the identification signal, it compares it to a complete list of recognized identification numbers contained in a database. If the identification number is found, additional information will then be known about the vehicle including the parker identification and the parking product such as monthly parker, debit, charge, and the like that pertain to this particular vehicle. That information is used to maintain a billing account for that identified vehicle. If the parker is authorized to use a product that allows entry such as daytime usage, weekend usage, or both, for example, then the system will treat the attempted entry as valid. The system will create a partial transaction record that includes the parker identification number, the parking product that is being used, the billing account, and the time of entry into the system. The system will also instruct the lane controller to open the gate. In addition, on a periodic basis, the satellite parking facilities may initiate the transfer of data, if necessary, to the central facility or clearinghouse by communicating with the computer in the central facility in any well-known manner such as by dialing through a modem. It is also feasible for the computer in the central facility to communicate with each of the satellite parking facilities and the host computer therein will download stored financial and related data as regarding each user of the facility. If the user has parked in plural facilities, the data from each facility relating to that user will be used to create

a single billing statement. (If the billing is to a corporate or business account, multiple users may be tracked on a single billing statement.)

If the vehicle is not authorized to enter a parking facility because of no identification, no valid identification, not authorized to use a suitable product, or no credit in the account, and the like, the system will not permit entry. However, if the satellite facility also allows transient parkers, the vehicle operator can be issued a ticket in typical fashion which can be retrieved and the gate opened so that the vehicle can enter the satellite facility. This ticketed entry, however, will not be administered by the present system.

Alternatively, a parker who is not authorized to enter based on the present system may elect to pull a parking ticket to bypass the system.

As a vehicle approaches the exit lane, a detector, such as a loop detector, senses the vehicle's presence and notifies the exit lane controller. The exit lane controller activates a sensor to send a radio frequency signal to the vehicle. If the vehicle is equipped with a compatible tag or transponder, a signal will return from the vehicle to the sensor. The sensor then relays that signal to the lane controller processor. The lane controller processor again processes the signal and transmits it to the host computer along with specific information such as the vehicle identification number, the date and time of day, lane number, and the like.

When the host computer receives that information, it compares the vehicle identification number to the database that contains the complete list of recognized identification numbers. If that identification number is found, the partial transaction record is located and additional information will be known about the vehicle including when it entered the parking facility, the billing account, and the product that accounts for this visit. The system will then calculate the appropriate cost. This cost information and instructions to open the gate are then sent to the lane controller. The cost information is also posted to an accounts receivable submodule and is stored for relaying to the computer in the central facility when the satellite facility is polled.

In the normal case, the lane controller will display the parking cost on an appropriate display monitor and the gate will open. However, if the vehicle does not have an authorized identification number, the typical explanation is that the parker used a ticket on entry. This ticket will not be processed by the system but instead by a system for transient parkers that uses personnel at the gate to take the ticket, calculate a cost, and collect the parking fee.

Thus, it is an object of the present invention to provide an automated vehicle parking system in which a plurality of satellite parking facilities are coupled to a central facility for providing the user with a single billing statement regardless of the number of satellite facilities in which parking has occurred, and regardless of whether the satellite facilities are independently owned or operated.

It is also an object of the present invention to provide an automated vehicle parking system that senses a vehicle, transmits an interrogation signal to the vehicle and, if the vehicle has a compatible tag or transponder, receives from the vehicle an identification number for use in system computers for calculating costs for that particular vehicle and further storing those costs to be passed to the computer in the central facility when polled.

It is also an object of the present invention to provide an automated parking facility in which the gates are opened and closed according to a common transponder signal received from the vehicle when interrogated regardless of the par-

ticular one of a number of predetermined satellite parking facilities that have been used.

It is still another object of the present invention to provide an automated vehicle parking system in which various parking products such as by the hour, by the day, monthly parkers, daytime only, weekend only, and the like can be applied to a particular vehicle, and the costs automatically calculated on a real time basis and stored in an accounting system from which they can be transferred to a computer in a central facility that will issue periodic billings to the customer owning the vehicle regardless of the number of satellite systems used by the vehicle owner, and the central facility will also issue periodic accountings and credits to each facility operator.

BRIEF DESCRIPTION OF THE DRAWINGS

These and other objects of the invention will be more fully understood when taken in conjunction with the following DETAILED DESCRIPTION OF THE PRESENT INVENTION in which like numerals represent like elements and in which:

FIG. 1 is a general system overview diagram illustrating the detailed operation of one of the satellite parking facilities;

FIG. 2 is a diagrammatic representation of the host computer used in a satellite parking facility and its functions;

FIG. 3 is a flow chart illustrating the operation of a satellite parking facility as a vehicle approaches the entrance of the lane; and

FIG. 4 is a flow chart illustrating the operation of the satellite parking facility as a vehicle approaches the exit lane.

DETAILED DESCRIPTION OF THE PRESENT INVENTION

FIG. 1 is a block diagram illustrating the general system overview including a central facility computer **10** and nine satellite parking facilities **20, 30, 40, 50, 60, 70, 80, 90,** and **100**. The details of one of the satellite parking facilities **100** is shown and includes the host computer **112** that accomplishes the accounting, cost calculations, tag validation, and the like. The host computer **112** comprises a display screen **114**, a computer **116**, and a keyboard or other entry device **118** such as a mouse. The host computer **112** communicates with both the entrance lane controller computer **120** and the exit lane controller computer **124** through lines **122** and **126**, respectively. Further, when polled by the central facility computer **10**, all data regarding a user will be transferred to the central facilities computer **10**. The entrance lane controller is coupled to an entrance lane module **128** that includes a sensor **132**, a display **134**, a detector **136**, such as a loop detector, and an entrance gate **138**. In like manner, the exit lane controller communicates with an exit lane module **130**, that, again, includes a sensor **140**, a display **142**, a detector **144**, which again may be a loop detector, and an exit gate **146**.

The sensor **132, 140** in both the entrance lane module **128** and the exit lane module **130** may be a sensor of the type disclosed in U.S. Pat No. 5,030,807. It is an interrogator that sends a signal such as an RF signal to a remote transponder or tag, the signal including data intended to be received and/or stored in the tag. The tag or transponder modulates the received signal with data temporarily and/or permanently stored in the tag including data indicating the identity

of the object to which the tag is attached. The sensors **132** and **140** have the capability of recognizing the identity of the tagged object from the returned signal. Displays **134** and **142** are typical image displays such as a television set, an LCD display, or LED's, for example. The detectors **136** and **144** are a mini-type of detector, such as a loop detector, that can sense the approach of a vehicle. Gates **138** and **146** are typically electrically controlled gates that can respond to a signal from the lane controllers **120**, **124** to open the gates as signalled.

Thus the system uses off-the-shelf automatic vehicle identification equipment for access and revenue control.

As a vehicle approaches the entrance lane to any satellite parking facility, gate **138** is closed. At this point, loop detector **136** senses the presence of the vehicle and notifies the entrance lane controller computer **120**. The lane controller computer **120** activates sensor **132** through line **148** and causes sensor **132** to send a radio frequency signal to the vehicle. If the vehicle is equipped with a compatible automatic vehicle identifier tag or transponder, it will recognize the signal at any one of the satellite parking systems and will return an identifying signal from the vehicle to the sensor **132**. The sensor **132** then relays that signal to the lane controller computer **120**. The lane controller computer **120** processes the signal by removing duplicates and the like and passes the signal on to the host computer **112** along with specific information such as the vehicle identification number, date and time of day, and the lane number.

When the host computer **112** receives that information, it compares the vehicle identification number to a complete list of recognized identification numbers contained in database **215** (shown in FIG. 2). If the identification number is found, then additional information will be known about the vehicle including the parker identification and the parking product such as monthly, day, debit, charge, and the like. It also will know the billing account against which the parking activity should be charged. If an authorized vehicle ID is found, then it is determined if that vehicle has an authorized parking product. If it has, the system computer **112** will treat the attempted entry as valid. The system host **112** will create a partial transaction record that includes the parker identification number, the parking product being used, the billing account, and the time of day. The system host computer **112** will also instruct the lane controller **120** to open the gate **138**.

If the would-be-parker is properly authorized, the gate **138** will have opened and the parker can drive through the gate. If the parker is not authorized, for example, has no identification number, no valid identification number, insufficient credit in account, is not authorized to use an available or suitable product, and the like, the system will not permit entry. However, if the parking facility allows transient parkers, the parker can pull a ticket and enter the facility. However, this type of entry will not be administered by the present invention. Of course, a parker who is authorized to enter based on the present system may elect to pull a ticket to bypass the system if it is so desired.

The exit lane functions in a manner similar to the entrance lane. As the vehicle approaches the exit lane, the gate **146** is closed. At this point, the detector **144** which, again, may be a loop detector, senses the presence of the vehicle and signals the exit lane controller computer **124** on line **160**. The lane controller **124** activates the sensor **140** on line **156** and causes it to send a radio frequency signal towards the vehicle. Again, if the vehicle is equipped with a compatible vehicle identifier tag or transponder, the signal will return from the vehicle to the sensor **140**. The sensor **140** then

relays that signal to the lane controller computer **124** on line **156**. The lane controller computer **124** processes the signal and, again, passes it on to the host computer **112** along with the specific information such as the vehicle identifier number, date, time of day, and lane number. When the host computer **112** receives the vehicle identification number, it compares it to the database **215** (FIG. 2) that contains a complete list of recognized identification numbers. If the identification number is found, a partial transaction record can be located in the database and additional information will be known about the vehicle including the time it entered, the billing account, the parking product associated with that account, and the like. The system **112** will then calculate the appropriate costs. This cost information and instructions to open the gate **146** will be sent to the lane controller **124** on line **126**. This cost information will also be posted to an accounting system **210** (FIG. 2) and will be available for transfer to the central facility computer **10** at appropriate times.

Again, the lane controller computer **124** will cause the parking cost to be shown on display on **142** and the gate **146** will open. However, if the vehicle does not have an authorized identification number, it is presumed that the parker pulled a ticket on entry. This ticket will not be processed by the system but instead by a system for transient parkers that uses personnel such as cashiers at the gate to take the ticket, calculate a cost, and collect a parking fee. The host computer **112** will typically be a computer such as a 486/33 (or higher) running OS/2™ or other operating system, a keyboard, a mouse, and including a VGA monitor. It will typically be installed in the parking office. The lane controller computers will typically be 386/33 computers (or higher) with storage devices such as hard disk drives but without keyboards, monitors, or floppy drives. These computers may be installed near the lanes.

FIG. 2 is a block diagram of the details of the host computer **112**. This computer includes an accounting system **210** and data storage **212** that include a well-known Btrieve™ **213** database or other database manager or file system. It also includes a communications board **216** coupled to the lane controllers at line **234**. The host computer **112** may also include a report submodule **224**, a customer maintenance submodule **226**, and a parking administration submodule **228**. The host computer **112** will provide the lane controller computers **120** and **124** with a list of recognized tag or transponder ID numbers for use in an emergency condition only. In addition, a status code may supplement each recognized tag or transponder number so that the lane computers **120** and **124** can take the appropriate actions. There are several possible actions that can take place when a vehicle with a tag enters a lane. Some specialized actions are appropriate only at certain modules within the system. The description of each module will detail such specialized action. Thus the host computer **112** will provide standard actions such as recognizing the tag, providing the signal for opening the gate or changing and returning the tag status such as: tag not recognized, do not open gate; tag recognized, do not open gate, improper status received; tag recognized, do not open gate, deactivated tag; and tag recognized, do not open gate, stolen tag. These actions may also initiate various alarms, visual or otherwise, in the lane and in the parking facility office. A customer or user with a tag or transponder will not have the opportunity to override the tag or transponder other than by physically removing it, turning it off, or pulling a ticket at the time of entry.

Moreover, the lane computers **120** and **124** will transmit information about each attempted entrance or exit to the host

computer through the lane controller interface **214**. This information will include, for example only, a 26 character alphanumeric tag identifier, lane number, date, time of day, and action taken. The host computer **112** will then create a transaction record from the previous information to which it will add the name of the facility.

In addition, it could also add the name of the tag holder, the billing account, and the like and make all such stored data available to the central facility computer **10** at appropriate times.

Off-the-shelf tags or transponders provide for at least 26 characters of information on each tag since there will be an all-out attempt to have tag compatibility between regional toll-roads, bridges, tunnels, and multiple parking facilities. Most of the information will be for vehicle identification only. The tag will typically not contain any information that would associate it with a particular parking facility.

The host computer **112** provides a proper interface with the lane controllers through parking administration submodule **228**. The programs in such submodule **228** allows the operators to turn off lanes, control gates, initiate batch posting of invoices, activate displays, and other administrative functions. In addition, accounting module **210** includes the accounts receivable submodule **218**, a rates definition submodule **220**, and the rate calculation submodule **222**. The accounts receivable submodule **218** receives and posts the costs involved in each parking transaction. This submodule will generate periodic statements, such as on a monthly basis, and track the accounts receivable history.

The rates definition submodule **220** enables parking rates that are entered into the system to be modified as necessary. It allows the most complex rates to be easily input and changed. Moreover, the submodule **220** retains a history of all rates that were ever used and the system allows upcoming rates to be defined for any time in the future.

The rate calculation submodule **222** identifies the proper billing account and parking product to be identified for each parking visit. Then, at exit, the proper cost is calculated by the rate calculation submodule **222**.

In addition, a report module **224** is provided. This submodule provides a large set of standard reports. These reports show parking activity by time of day, length of stay, cost, and the like. This module also allows the easy creation of additional reports by the parking operator.

The customer maintenance submodule **226** receives input information from the operator about the customer such as address, billing information, and vehicle information.

All of these submodules and the information contained therein are utilized by an algorithm in the host computer **112** to calculate the parking cost for each tag identified customer. The rate schedules, as defined in submodule **220**, have a name, a grace period, and an ordered list of conditions and associated rate tables. The conditions define under what circumstances a rate table is applied. More than one rate table may be used in the calculation of the cost of a single garage entrance and exit. The conditions retained in the rates definition submodule **220** include entrance time interval such as, for example 6:00 a.m. to 8:00 a.m., and exit time interval which specifies the time of exit from the garage and the exit must occur in the specified interval, the duration interval that requires a length of stay that is between the minimum and maximum amounts of time set, the days of the week for the which the rates tables are valid, usually either Monday through Friday or Saturday and Sunday. The valid day of the week may be specified as a date rather than a specific day of the week. A calendar of holidays may be

specified as part of the maintenance of the system. Further, an exit time limit and duration limit can also be stored in the rates definition module. A duration limit is a period of time used to limit application of the rate table for the condition. The duration limit is not used to determine if the condition is satisfied. The duration limit is used to limit the duration for which the rate table is applied. Thus, the first half hour of parking may be at a first rate, the second half hour at a second rate, the next two hours at a third rate and any additional hours at a fourth rate.

A rate table is associated with each condition by specifying its name. A discount rate may also be associated with the rate table for this condition. This allows selected discounts to be easily applied for selected classes of accounts. The algorithm for applying the rate table is used to search the ordered list of conditions for the first condition which is satisfied and then adding the rate calculated from the rate table associated with the condition. The entrance time is then updated using the maximum duration as specified earlier. If the remaining duration is less than the grace period, the rate calculation is finished otherwise the limit of conditions is searched again from the beginning. The rate table consists of a list of rates specified such as period, repeat, and rate. The period designates the period for which to apply the rate, for example a one-half hour interval. The repeat allows a number of periods over which to use the rate, for example, the rate is to be used for the next 3½ hours. Finally the specified rate table establishes the rate for each of the periods. To calculate the total rate, the first rate is applied for the first repeat number of periods. Then the second rate is applied for the second repeat number of periods. As many of the rates are used as needed to calculate the rate for the entire duration. The actual calculation, of course, takes place in the rate calculation submodule **222**.

FIG. 3 is a flow chart illustrating the operation of the system as a vehicle approaches the entrance lane. At block **300**, the loop detector **136** in the entrance lane is activated and detects the vehicle and transmits that signal to the entrance lane controller computer **120**. At block **305** the automatic vehicle identification sensor **132** has transmitted an RF signal to the vehicle and from the return, or lack of return, of signal from the vehicle, a decision is made as to whether the sensor **132** can identify the vehicle. If not, the parker, at block **310**, pulls a ticket to enter the garage and the present invention system is bypassed.

If the sensor **132** can identify the vehicle, then a decision is made at block **315** by the entrance lane controller computer **120** as to whether the vehicle identification number is authorized by the system. If not, again the parker must pull a ticket, as indicated by block **310**, to enter the garage and the automatic vehicle identification system is bypassed. If yes, the host computer **112** at block **320** seeks the parking product that is to be used with this particular vehicle. That information is stored, as stated earlier, in the database **215** of the host computer **112**. At block **325** a decision is made by host computer **112** as to whether a permissible product is found in the database **215**. If not, again the parker would have to pull a ticket, as indicated at the block **310**, to enter the garage and the system would be bypassed. If a permissible product is found by host computer **112**, the gate opens as indicated at block **330**. At block **335**, if the parker wants to override the present system, he simply pulls a ticket to enter the garage. If the parker is using the system, at step **340**, the vehicle identification number, date, time, lane number, and product are stored in the host computer **112** where the calculations take place as described earlier.

FIG. 4 discloses the system process when a vehicle is operating in the exit lane. At block **400**, the exit lane loop

detector 144 detects an approaching vehicle and transmits the detection signal to the exit lane controller computer 124. At block 405, the sensor 140 decides whether it can identify the vehicle. If not, the parker has to pay the cashier as indicated at block 410. If the vehicle is identified, a decision is made as indicated at block 415 to see if the vehicle ID is authorized by the system. If not, again, the parker pays the cashier at block 410. If the vehicle is authorized, then, as indicated at block 420, the host computer 112 accesses the entry information stored in database 215 and calculates the cost with accounting system 210. Block 425 indicates that the cost of the parking visit is displayed and, as indicated, at block 430, the gate 146 opens. As indicated, at block 435, the identification number, date, time, lane number, and cost are stored in the host computer database 215.

At block 437, the data stored in the host computer database at step 435 may be transferred to the central facilities computer at step 437 upon appropriate communications being established. As indicated by the arrows entering step 437, all of the satellite systems may be in communication with the central facilities computer 10 shown at step 439. At step 441, the central facilities computer 10 may generate periodic consolidated billing statements for each customer using one or more of the satellite parking facilities, as well as statements for each of the independent satellite facilities.

Thus, there has been disclosed a novel automated parking system which enables a user to enter and leave one of a plurality of parking facilities in a unified system at any specified time with the use of a sensor at the appropriate gate and a tag or transponder on the vehicle that can communicate with the sensor. When a vehicle is detected, the sensor is activated to transmit an interrogation signal, such as an RF signal, toward the vehicle. If the vehicle does not have a tag, the operator of the vehicle can bypass the system by pulling a ticket. If the tag is valid, the gate automatically opens, the vehicle enters and the time of day, the lane number, and vehicle identification number are stored in a host computer. When the vehicle leaves the parking facility, again the vehicle is detected by a loop detector, the sensor is activated to transmit the interrogation signal, the tag on the vehicle responds, and the information is transmitted to the host computer which then calculates the cost of the parking and stores it in an accounting system module such that billing statements can be prepared at a later date. The rate schedule can vary for monthly parkers, duration intervals, days of the week, and duration limits. The rates can be defined however the parking facility desires. Reports are generated as needed on a daily, weekly, or monthly basis and an accurate record is kept for each user of the parking facility. These reports may be transferred to a central computer facility as appropriate so that the central computer may issue a consolidated billing statement for each user and each satellite facility, if desired. Clearly, the data stored at the satellite parking system could simply be time of entry and time of departure to and from the facility as well as the type of parker. The central computer could then store the rates for each parking facility and could calculate the fee at the central computer facility where the consolidated report is generated. If a central billing service is used, the user will be billed appropriately and the central facility may reimburse or credit each remote or satellite facility with its appropriate fee.

In summary, with the present invention, a fee calculation system is disclosed that is hands-free (automatic) and time-varied (time dependent) and unilocal (at one particular location). A vehicle reaches a location and is charged a fee based on time-of-day and/or day-of-week. Fee may also vary

by particular vehicle (allowing for high occupancy vehicles, volume discounts, et cetera). The entire transaction requires no interaction on the part of the driver or any other vehicle occupant; the process is hands-free and is accomplished through the "automatic" identification of the vehicle. The fee calculation is independent of the fee collection that can take place either before (in the case of debit accounts), after (in the case of charge accounts), or at the time of fee calculation. The fee data may be transferred to a central computer that generates a consolidated billing statement for each user (individual or corporate) of one or more satellite parking facilities and each of the remote or satellite parking facilities appropriately credited or advised of its share of fees due from individual users.

The foregoing specification describes only the embodiments of the invention shown and/or described. Other embodiments may be articulated as well. The terms and expressions used, therefore, serve only to describe the invention by example and not to limit the invention. It is expected that others will perceive differences which, while different from the foregoing, do not depart from the scope of the invention herein described and claimed. In particular, any of the specific constructional elements described may be replaced by any other known element having equivalent function.

I claim:

1. An automated vehicle parking system for access and revenue control of a plurality of remote parking facilities, each facility having controlled entrance lanes and controlled exit lanes, the system including:

- a vehicle detection device with each of the remote parking facilities for detecting a vehicle as the vehicle approaches the facility entrance lane;
- a lane controller system with each of the remote parking facilities coupled to the vehicle detection device for identifying the vehicle and generating a recognition signal;
- a computer database with each of the remote parking facilities for storing parking information concerning all vehicles that use the automated system;
- a first computer associated with each of the remote parking facilities and coupled to the lane controller and the database for receiving the recognition signal and generating appropriate parking response signals from the database to the lane controller system, said first computer calculating a parking fee for each vehicle;
- a central facility; and
- a communication system including a second computer in said central facility coupled to the first computer to enable the second computer to communicate with said first computer at each of the remote parking facilities and to periodically calculate a single parking fee statement for a given vehicle whether parked at one or more of the plurality of remote parking facilities and to advise each remote facility first computer of the total fees due to that remote facility for each vehicle during specified periods.

2. An automated vehicle parking system as in claim 1 wherein the vehicle detection device at each remote parking facility includes a magnetic loop detector that detects an approaching vehicle and identifies the lane number of the vehicle.

3. An automated vehicle parking system as in claim 1 wherein the lane controller system at each remote parking facility includes:

- a sensor for transmitting an interrogation signal to the approaching vehicle;

11

a tag associated with the vehicle for receiving the transmitted signal and returning a vehicle identification signal to the sensor; and

a lane controller processor coupled to the sensor and the vehicle detection device, said lane controller processor activating the sensor upon receipt of a signal representing a detected vehicle, receiving the vehicle identification number from the sensor, and passing the valid vehicle identification number, the lane number, and the time of day to the first computer.

4. An automated parking system as in claim 3 wherein the first computer database at each remote parking facility includes data representing:

- status of each vehicle tag identification number;
- rate schedule for each vehicle tag identification;
- entrance time and date;
- exit time and date;
- parking duration interval;
- maximum and minimum parking duration intervals;
- parking facility identification; and
- home parking facility identification.

5. An automated vehicle parking system as in claim 4 further comprising an accounting module associated with each of the remote parking facilities and coupled to the first computer and database, the accounting module including:

- an accounts receivable submodule for each of the vehicle tags for storing costs and generating periodic billing statements for parking of each identified vehicle;
- a rates definition table submodule for defining parameters for a rate calculation algorithm including parking rates for each identified vehicle; and
- a rate calculation submodule identifying rate schedules for each vehicle transponder account and calculating costs with the rate calculation algorithm based upon appropriate rates and parking times.

6. An automated vehicle parking system as in claim 5 further including:

- a data report module at each remote parking facility for generating reports showing parking activity by time of day, length of stay, cost, and the like;
- a customer maintenance file at each remote parking facility including address, billing information, and vehicle information; and
- a parking administration submodule at each remote parking facility for transmitting appropriate parking response signals to the lane controller modules for deactivating lanes, displaying cost, printing invoices, and the like.

7. An automated vehicle parking system as in claim 1 wherein said second computer credits each remote parking facility with its appropriate fees for parker use thereof.

8. An automated vehicle parking system as in claim 1 wherein said second computer advises each remote parking facility of its share of fees due from individual users.

9. An automated vehicle parking system including a plurality of remote parking facilities each of which has an entrance and an exit, the system including:

- a vehicle detector at each remote parking facility for generating a detector signal when a vehicle approaches the entrance to the facility;
- a lane controller coupled to the detector at each remote parking facility for receiving the detector signal and generating an identification request signal;
- a sensor at the entrance of each remote parking facility and coupled to the lane controller for transmitting the identification request as an RF signal to the detected vehicle;

12

a transponder in the vehicle for responding to the transmitted sensor identification request signal by returning an identification code to the sensor;

said lane controller receiving the identification code from the sensor, generating the time of day, and a signal representing the lane number;

a first computer at each remote parking facility that is coupled to the lane controller for receiving the vehicle identification code, the time of day, and lane number and generating an appropriate response to the lane controller, the lane controller automatically admitting the vehicle to the parking facility, or denying the vehicle admittance in accordance with the response from the first computer, said first computer calculating a parking fee for each vehicle using the facility; and

a second centralized computer coupled to the first computer at each of the remote parking facilities for communicating with each of the first computers and preparing a single periodic parking fee statement for each vehicle that uses one or more of the remote parking facilities.

10. An automatic vehicle parking system as in claim 9 wherein said second computer credits each remote parking facility with its appropriate fees for parker use thereof.

11. An automatic vehicle parking system as in claim 9 wherein said second computer advises each remote parking facility of its share of fees due from individual users.

12. A method for access and revenue control of a plurality of remote parking facilities, each having at least one controlled entrance lane and at least one controlled exit lane, the method comprising the steps of:

- generating a vehicle detection signal at each of the plurality of remote parking facilities with a detection device when a vehicle approaches the remote parking facility entrance;
- identifying vehicles authorized to use the remote parking facility with a lane controller system and generating an authorization signal;
- storing parking information in a first computer database concerning the vehicles authorized to use the remote parking facility;
- generating appropriate parking responses to the lane controller system upon receiving the authorization signal; and
- communicating with the database of the first computer in each of the remote parking facilities with a central computer and compiling a single parking fee statement with the central computer for a user of one or more of the remote parking facilities.

13. A method as in claim 12 further comprising the step of detecting an approaching vehicle at each of the remote parking facilities and identifying the lane number of the vehicle with a magnetic loop detector.

14. A method as in claim 13 further comprising the steps of:

- coupling a sensor to the vehicle detection system for transmitting an interrogation signal to the approaching vehicle;
- associating a transponder with the vehicle for receiving the transmitted signal and returning a vehicle identification signal to the sensor; and
- storing data representing current vehicle transponder identification signals and time of day in a lane controller processor and passing the vehicle identification number, the lane number, and the time of day to the first computer.

15. The method as in claim 14 further comprising the step of using said central computer to advise each remote facility computer of the total fees due the corresponding remote facility for all users of the respective remote facility during specified periods.

16. In an automated vehicle parking system for access and revenue control of a plurality of remote parking facilities, each facility having controlled entrance and exit lanes, a system comprising:

a communication system including a central computer at a central facility and coupled to remote computers that are associated with each of the remote parking facilities to enable the central computer to communicate with the remote computers,

wherein the remote computers automatically receive vehicle recognition signals from lane controller systems and generate appropriate parking response signals including a parking fee for each vehicle, and wherein the central computer receives the vehicle recognition and parking fee signals from each remote computer and periodically calculates a single parking fee statement for each vehicle whether parked at one or more of the plurality of remote parking facilities and to advise each remote facility remote computer of the total fees due to that remote facility for each vehicle during specified periods.

17. The system of claim 16 wherein each remote parking facility includes a sensor for transmitting an interrogation signal to the approaching vehicle, a tag associated with the vehicle for receiving the transmitted signal and returning a vehicle identification number to the sensor, and wherein the central computer receives the vehicle recognition signals from the remote computers where the vehicle recognition signals are associated with the vehicle identification number from the sensor, and include a time of day.

18. The system of claim 16 wherein the central computer is configured to credit each remote parking facility with its appropriate fees for each vehicle's use thereof.

19. The system of claim 16 wherein the central computer is configured to advise each remote parking facility of its share of fees due from individual users.

20. An automated vehicle system for access and revenue control of a plurality of remote parking facilities, each parking facility having controlled entrance and exit lanes, one of the plurality of remote parking facilities having a system comprising:

a lane controller system for identifying a vehicle at the remote parking facility and generating a recognition signal;

a computer database for storing information concerning vehicles that use the remote parking facility;

a first computer associated with the remote parking facility and coupled to the lane controller and the database for receiving the recognition signal and generating appropriate response signals from the database to the lane controller system, the first computer calculating a parking fee related signal for each recognized vehicle; and wherein the first computer is coupled to and provides the recognition signals and parking fee related signals to a central computer, wherein the central computer, in response thereto, periodically calculates a single fee statement for a given vehicle whether at one or more of the plurality of remote parking facilities.

21. The system of claim 20 wherein the recognition signals are identification signals associated with each rec-

ognized vehicle, wherein the recognition and response signals are stored in a database associated with each first computer, and wherein the central computer is configured to advise each remote facility first computer of the total parking fees due to that remote parking facility for each vehicle during specified periods.

22. The system of claim 20 wherein the central computer is configured to credit the remote parking facility with its appropriate parking fees for each vehicle's use thereof.

23. The system of claim 20 wherein the central computer is configured to advise each remote location of its share of parking fees due from individual users.

24. In an automated vehicle parking system for access and revenue control of a plurality of remote parking facilities, each facility having at least one controlled entrance and exit, an apparatus comprising:

a central computer coupled to receive signals from remote computers that are associated with each of the remote parking facilities, wherein the remote computers automatically receive recognition signals and generate appropriate parking response signals including a signal related to a parking fee, and

wherein the central computer is configured to receive the recognition and parking fee signals from each remote computer and to calculate parking fee statements for each vehicle whether parked at one or more of the plurality of remote parking facilities.

25. The apparatus of claim 24 wherein the each remote parking facility includes a sensor for transmitting an interrogation signal to the approaching vehicle, a tag associated with the vehicle for receiving the transmitted signal and returning a vehicle identification number to the sensor, and wherein the central computer receives the vehicle recognition signals from the remote computers where the vehicle recognition signals are associated with the vehicle identification number from the sensor, and including a time of day.

26. The apparatus of claim 24 wherein the recognition signals are for each vehicle, wherein the parking fees are for each vehicle, wherein the recognition and parking response signals are stored in a database associated with each remote computer, and wherein the central computer is configured to advise each remote facility remote computer of the total fees due to that remote facility for each vehicle during specified periods.

27. The apparatus of claim 24 wherein the central computer is configured to credit each remote parking facility with its appropriate fees for vehicle's use thereof.

28. The apparatus of claim 24 wherein the central computer is configured to advise each remote parking facility of its share of fees due from individual users.

29. The apparatus of claim 24 wherein each remote parking facility includes a sensor for transmitting an interrogation signal to the approaching vehicle, a tag associated with the vehicle for receiving the transmitted signal and returning a vehicle identification number to the sensor, wherein the recognition and parking response signals are stored in a database associated with each remote computer, and wherein the remote computer database at each remote parking facility further includes parking data representing:

status of each vehicle tag identification number;

rate schedule for each vehicle tag identification;

entrance time and date;

exit time and date;

parking duration interval;

maximum and minimum parking duration intervals;

parking facility identification; and

home parking facility identification, and wherein the central computer is configured to receive at least some of the parking data.

30. In an automated vehicle system for access and revenue control of a plurality of remote locations, each location having controlled entrance and exit, a system comprising:
 a lane controller with each of the remote locations for identifying a vehicle and generating a recognition signal;
 a computer database with each of the remote locations for storing information concerning all vehicles that use the automated system;
 a remote computer associated with each of the remote locations and coupled to the lane controller and the database for receiving the recognition signal and generating appropriate response signals from the database to the lane controller, the first computer calculating a fee for each vehicle; and wherein the first computer at each remote location is coupled to and provides recognition signals to a central computer, wherein the central computer, in response thereto, periodically calculates a single fee statement for a given vehicle whether at one or more of the plurality of remote locations.

31. The system of claim 30 wherein the recognition signals are identification signals associated with each vehicle, wherein the fees are parking fees for each identified vehicle, wherein the recognition and response signals are stored in a database associated with each remote computer, and wherein the central computer is configured to advise each remote facility remote computer of the total parking fees due to that remote facility for each vehicle during specified periods.

32. The system of claim 30 wherein the central computer is configured to credit each remote location with its appropriate parking fees for vehicle's use thereof.

33. The system of claim 30 wherein the central computer is configured to advise each remote location of its share of parking fees due from individual users.

34. A method for access and revenue control of a plurality of remote parking facilities, each having at least one controlled entrance and exit lane, the method comprising:

communicating between a remote computer in each of the remote parking facilities and a central computer and receiving parking information from the remote computer, wherein the parking information concerns and identifies a parking user authorized to use the remote parking facility; and

compiling a single parking fee statement with the central computer for a user of one or more of the remote parking facilities based on the received parking information.

35. The method of claim 34 wherein the received parking information includes a vehicle identification signal for a vehicle tag transponder associated with each vehicle and wherein the vehicle transponder is interrogated to receive the vehicle identification signal, and wherein the method includes:

storing data representing current vehicle identification signals, time of day, day of week and lane number.

36. The method of claim 34, further comprising using the central computer to advise each remote facility computer of the total fees due the corresponding remote facility for all users of the respective remote facility during specified periods.

37. In an automated vehicle parking system for access and revenue control of a plurality of remote parking facilities,

each facility having at least one controlled entrance and exit, a computer-readable medium providing instructions, when implemented by a computer, perform a method comprising:

under control of a central computer, receiving parking information from a remote computer in each of the remote parking facilities, wherein the parking information concerns and identifies a vehicle authorized to use the remote parking facility; and

under control of the central computer, compiling a single parking fee statement for a user of one or more of the remote parking facilities based on the received parking information.

38. The computer-readable medium of claim 37 wherein the received parking information includes a vehicle identification signal for a vehicle tag transponder associated with each vehicle and wherein the vehicle transponder is interrogated to receive the vehicle identification signal.

39. In an automated vehicle parking system for access and revenue control of a plurality of remote parking facilities, each facility having at least one controlled entrance and exit, a computer-readable medium storing data for use by a computer comprising:

vehicle identification provided to a central computer by a remote computer associated with each remote parking facility;

parking data provided to the central computer by the remote computer associated with each remote parking facility, wherein the parking data is for the remote parking facilities and associated with each vehicle identification number; and

wherein the central computer can compute single parking fee statements for users of one or more of the remote parking facilities based on the vehicle identifications and the parking data.

40. The computer-readable medium of claim 39 wherein the vehicle identifications are produced based on a vehicle tag transponder associated with each vehicle and wherein the vehicle transponder is interrogated to receive the vehicle identification.

41. In an automated vehicle parking system for access and revenue control of a plurality of remote parking facilities, each facility having at least one controlled entrance and exit, a transmitted data signal for use by a computer, comprising:

vehicle identifications provided to a central computer by a remote computer associated with each remote parking facility;

parking data provided to the central computer by the remote computer associated with each remote parking facility, wherein the parking data is for the remote parking facilities and associated with each vehicle identification number; and

wherein the central computer can compute single parking fee statements for users of one or more of the remote parking facilities based on the vehicle identifications and the parking data.

42. The transmitted data signal of claim 41 wherein the vehicle identifications are produced based on a vehicle tag transponder associated with each vehicle and wherein the vehicle transponder is interrogated to receive the vehicle identification.

43. A method for revenue control of a plurality of remote parking facilities, the method comprising:

communicating from a remote computer in each of the remote parking facilities to a central computer and

receiving parking information from the remote computer, wherein the parking information concerns and identifies a user authorized to access the remote parking facility; and

compiling a single parking fee statement with the central computer for a user of one or more of the remote parking facilities based on the received parking information.

44. The method of claim 43 wherein the received parking information includes a vehicle identification signal for a vehicle tag transponder associated with each vehicle and wherein the vehicle transponder is interrogated at each of the plurality of remote parking facilities to receive the vehicle identification signal, and wherein the method further includes:

storing data representing current vehicle identification signals, time of day, and day of week.

45. The method of claim 43 wherein the plurality of parking facilities include first and second remote parking facilities owned by respective first and second entities, and wherein the method includes providing separated statements to the first and second entities.

46. The method of claim 43, further comprising using the central computer to advise each remote facility computer of the total fees due the corresponding remote facility for all users of the respective remote facility during specified period.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : RE 37,822 E
APPLICATION NO. : 09/545298
DATED : August 27, 2002
INVENTOR(S) : Robert B. Anthonyson

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1 line 9 insert:

--Notice: More than one reissue application has been filed for the reissue of patent 5,737,710. The reissue applications are 09/545,298 and 10/132,222.--

Signed and Sealed this

Sixth Day of February, 2007

A handwritten signature in black ink on a dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office