



US00RE37873E

(19) **United States**
 (12) **Reissued Patent**
Bayer et al.

(10) **Patent Number: US RE37,873 E**
 (45) **Date of Reissued Patent: Oct. 8, 2002**

(54) **PHENYLACETIC ACID DERIVATIVES, PREPARATION THEREOF AND INTERMEDIATES THEREFOR, AND COMPOSITIONS CONTAINING THEM**

(75) Inventors: **Herbert Bayer; Hubert Sauter**, both of Mannheim; **Ruth Müller**, Andernach; **Wassilios Grammenos; Albrecht Harreus**, both of Ludwigshafen; **Reinhard Kirstgen**, Neustadt; **Franz Röhl**, Schifferstadt; **Eberhard Ammermann**, Heppenheim; **Gisela Lorenz**, Hambach, all of (DE)

(73) Assignee: **BASF Aktiengesellschaft**, Ludwigshafen (DE)

(21) Appl. No.: **09/834,711**

(22) Filed: **Apr. 16, 2001**

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **5,981,581**
 Issued: **Nov. 9, 1999**
 Appl. No.: **09/015,692**
 Filed: **Jan. 29, 1998**

U.S. Applications:

(62) Division of application No. 08/687,480, filed as application No. PCT/EP95/00007 on Jan. 3, 1995, now Pat. No. 5,889,059.

(30) **Foreign Application Priority Data**

Feb. 4, 1994 (DE) 44 03 448
 Jun. 17, 1994 (DE) 44 21 182

(51) **Int. Cl.⁷** **A01N 37/18; C07C 251/58**
 (52) **U.S. Cl.** **514/522; 514/542; 514/599; 514/616; 514/618; 514/620; 514/622; 558/414; 560/18; 560/35; 564/74; 564/153; 564/154; 564/162; 564/164; 564/165**
 (58) **Field of Search** **558/414; 560/18, 560/35; 564/74, 153, 154, 162, 164, 165; 514/522, 542, 599, 616, 618, 620, 622**

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,194,662 A	3/1993	Brand et al.	560/35
5,221,691 A	6/1993	Clough et al.	514/619
5,393,782 A	2/1995	Wingert et al.	514/599
5,756,426 A	5/1998	Ziegler et al.	504/312

FOREIGN PATENT DOCUMENTS

CA	2104806	3/1994
EP	398692	11/1990
EP	513580	11/1992
EP	528682	2/1993
EP	567828	11/1993
WO	94/26700	11/1994
WO	95/18789	7/1995

OTHER PUBLICATIONS

Pat. Abst. of Japan, vol. 17, No. 644 (C-1134); (JP 5201946, Aug. 10, 1993).


Pat. Abst. of Japan, vol. 18, No. 19 (C-1152); (JP 5255012, May 10, 1993).

Pat. Abst. of Japan, vol. 18, No. 93 (C-1166); (JP 5294948, Sep. 11, 1993).

Primary Examiner—Richard L. Raymond
 (74) *Attorney, Agent, or Firm*—Keil & Weinkauff

(57) **ABSTRACT**

Phenylacetic acid derivatives of the formula I




9 Claims, No Drawings

**PHENYLACETIC ACID DERIVATIVES,
PREPARATION THEREOF AND
INTERMEDIATES THEREFOR, AND
COMPOSITIONS CONTAINING THEM**

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.

[This] *This patent is a reissue of U.S. Pat. No. 5,981,581, issued Nov. 9, 1999, which is a Divisional Application of application Ser. No. 08/687,480, filed on Aug. 05, 1996, now U.S. Pat. No. 5,889,059, which is a National Stage Application under 35 U.S.C. 371, based on on International Application No. PCT/EP 95/000,007, filed on Jan. 3, 1995.*

The present invention relates to phenylacetic acid derivatives of the formula I



where the substituents and the index have the following meanings:

X is oxygen or sulfur;

R is hydrogen [and [sic]] or C₁-C₄-alkyl;

R¹ is hydrogen [and [sic]] or C₁-C₄-alkyl;

R² is cyano, nitro, trifluoromethyl, halogen, C₁-C₄-alkyl [and [sic]] or C₁-C₄-alkoxy;

m is 0, 1 or 2, it being possible for the R² radicals to be different if m is 2;

R³ is hydrogen, cyano, nitro, hydroxyl, amino, cyclopropyl, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylamino or di-C₁-C₄-alkylamino;

R⁴ is hydrogen, cyano, nitro, hydroxyl, amino, halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, C₂-C₆-alkenylthio, C₂-C₆-alkenylamino, N-C₂-C₆-alkenyl-N-C₁-C₆-alkylamino, C₂-C₆-alkynyl, C₂-C₆-alkynyloxy, C₂-C₆-alkynylthio, C₂-C₆-alkynylamino, N-C₂-C₆-alkynyl-N-C₁-C₆-alkylamino, it being possible for the hydrocarbon radicals of these groups to be partly or completely halogenated or to carry one to three of the following radicals; cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxy, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₂-C₆-alkenyloxy, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkoxy, heterocyclyl, heterocyclyloxy, aryl, aryloxy, aryl-C₁-C₄-alkoxy, arylthio, aryl-C₁-C₄-alkylthio, hetaryl, hetaryloxy, hetaryl-C₁-C₄-alkoxy, hetarylthio, hetaryl-C₁-C₄-alkylthio, it being possible for the cyclic radicals in turn to be partly or completely halogenated and/or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino,

carboxyl, aminocarbonyl, aminothiocarbonyl, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxy, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, arylthio, hetaryl, hetaryloxy, hetarylthio and C(=NOR⁶)-A_n-R⁷;

C₃-C₆-cycloalkyl, C₃-C₆-cycloalkoxy, C₃-C₆-cycloalkylthio, C₃-C₆-cycloalkylamino, N-C₃-C₆-cycloalkyl-N-C₁-C₆-alkylamino, C₃-C₆-cycloalkenyl, C₃-C₆-cycloalkenyloxy, C₃-C₆-cycloalkenylthio, C₃-C₆-cycloalkenylamino, N-C₃-C₆-cycloalkenyl-N-C₁-C₆-alkylamino, heterocyclyl, heterocyclyloxy, heterocyclylthio, heterocyclylamino, N-heterocyclyl-N-C₁-C₆-alkylamino, aryl, aryloxy, arylthio, arylamino, N-aryl-N-C₁-C₆-alkylamino, hetaryl, hetaryloxy, hetarylthio, hetarylamino, N-hetaryl-N-C₁-C₆-alkylamino, it being possible for the cyclic radicals to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxy, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, hetaryl and hetaryloxy;

R⁵ is hydrogen, C₁-C₁₀-alkyl, C₃-C₆-cycloalkyl, C₂-C₁₀-alkenyl, C₂-C₁₀-alkynyl, C₁-C₁₀-alkylcarbonyl, C₂-C₁₀-alkenylcarbonyl, C₃-C₁₀-alkynylcarbonyl or C₁-C₁₀-alkylsulfonyl, it being possible for these radicals to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxy, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkoxy, heterocyclyl, heterocyclyloxy, benzyl, benzyloxy, aryl, aryloxy, arylthio, hetaryl, hetaryloxy and hetarylthio, it being possible for the cyclic groups in turn to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxy, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkyl, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, arylthio, hetaryl, hetaryloxy, hetarylthio or C(=NOR⁶)-A_n-R⁷;

3

aryl, arylcarbonyl, arylsulfonyl, hetaryl, hetarylcarbonyl or hetarylsulfonyl, it being possible for these radicals to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carbonyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylcarbonyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxy, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, hetaryl, hetaryloxy or C(=NOR⁶)-A_n-R⁷;

where

A is oxygen, sulfur or nitrogen and where the nitrogen carries hydrogen or C₁-C₆-alkyl;

n is 0 or 1;

R⁶ is hydrogen or C₁-C₆-alkyl and

R⁷ is hydrogen or C₁-C₆-alkyl,

and their salts.

The invention additionally relates to processes and intermediates for preparing these compounds and compositions containing them for controlling animals pests and harmful fungi.

Phenylacetic acid derivatives for pest control are disclosed in the literature (EP-A 398 692, EP-A 477 631, EP-A 513 580, EP-A 567 828, EP-A 528 682, EP-A 463 488, WO-A 92/13,830).

It is an object of the present invention to provide novel compounds having improved action.

We have found that this object is achieved by the phenylacetic acid derivatives I defined at the outset. We have additionally found processes and intermediates for their preparation and compositions containing them for controlling animal pests and harmful fungi and their use within this context.


The compounds I are obtainable in various ways by processes known per se in the literature.

Fundamentally, it is insignificant in the synthesis of the compounds I where the group [⊖]C(NOCH₃)-CONRR¹ or the group -CH₂ON=C(R³)-C(R⁴)=NOR⁵ is constructed first.

The construction of the group -C(NOCH₃)-CONRR¹ is disclosed, for example, in the literature cited at the outset.


The manner of the synthesis of the -CH₂ON=C(R³)-C(R⁴)=NOR⁵ side chain essentially depends on the nature of the substituents R³ and R⁴.

1. In the case in which R³ and R⁴ are not halogen, the construction of the group -CH₂ON=C(R³)-C(R⁴)=NOR⁵ in general proceeds by reacting a benzyl derivative of the formula II with a hydroxyimine of the formula III.



4


-continued



L¹ in the formula II is a nucleophilically replaceable leaving group, eg. halogen or sulfonate groups, preferably chlorine, bromine, iodine, mesylate, tosylate or triflate.

The reaction is carried out in a manner known per se in an inert organic solvent in the presence of a base, eg. sodium hydride, potassium hydroxide, potassium carbonate or triethylamine according to the methods described in Houben-Weyl, Vol. E 14b, p. 370 ff and Houben-Weyl, Vol. 10/1, p. 1189 ff.


The hydroxyimine III required is obtained, for example, by reaction of a corresponding dihydroxyimine IV with a nucleophilically substituted reagent VI.




L² in the formula VI is a nucleophilically replaceable leaving group, eg. halogen or sulfonate groups, preferably chlorine, bromine, iodine, mesylate, tosylate or triflate.

The reaction is carried out in a manner known per se in an inert organic solvent in the presence of a base, eg. potassium carbonate, potassium hydroxide, sodium hydride, pyridine or triethylamine according to the methods described in Houben-Weyl, Vol. E 14b, p. 307 ff, p. 370 ff and p. 385 ff; Houben-Weyl, Vol. 10/4, p. 55 ff, p. 180 ff and p. 217 ff; Houben-Weyl, Vol. E5, p. 780 ff.


1.1 Alternatively, the compounds I can also be obtained by converting the benzyl derivative II first to a corresponding benzyl oxime of the formula V using the dihydroxyimine IV. V then being reacted with the nucleophilically substituted reagent VI to give I.





The reaction is carried out in a manner known per se in an inert organic solvent in the presence of a base, eg. potassium carbonate, potassium hydroxide, sodium hydride, pyridine or triethylamine according to the methods described in Houben-Weyl, Vol. 10/1, p. 1189 ff; Houben-Weyl, Vol. E 14b, p. 307 ff. p. 370 ff and p. 385 ff; Houben-Weyl, Vol. 10/4, p. 55 ff, p. 180 ff and p. 217 ff; Houben-Weyl, Vol. E5, p. 780 ff.



1.2 In a similar manner, it is also possible to prepare the required hydroxyimine of the formula III from a carbonylhydroxyimine VII by reaction with a hydroxylamine IXa or its salt IXb.



Q^- in the formula IXb is the anion of an acid, in particular of an inorganic acid, eg. halide such as chloride.


The reaction is carried out in a manner known per se in an inert organic solvent according to the methods described in EP-A 513 580; Houben-Weyl, Volume 10/4, p. 73 ff; Houben-Weyl, Vol. E14b, p. 369 ff and p. 385 ff.

1.3 Alternatively, the compounds I can also be obtained by converting the benzyl derivative II first to a corresponding benzylketoxyimine of the formula VIII using the carbonylhydroxyimine VII. VIII then being reacted with the hydroxylamine IXa or its salt IXb to give I.




The reaction is carried out in a manner known per se in an inert organic solvent according to the methods described in Houben-Weyl, Vol. E14b, p. 369 ff; Houben-Weyl, Vol. 10/1, p. 1189 ff and Houben-Weyl, Vol. 10/4, p. 73 ff or EP-A 513 580.

1.4 another possibility for preparing the compounds I is the reaction of the benzyl derivative II with N-hydroxyphthalimide and subsequent hydrazinolysis to the benzylhydroxylamine IIa and the further reaction of IIa with a carbonyl compound X.




7

-continued




The reaction is carried out in a manner known per se in an inert organic solvent according to the methods described in EP-A 463 488 and German Appl. No. 42 28 867.3.

The carbonyl compound X required is obtained, for example, by reaction of a corresponding hydroxyiminocarbonyl VIIa with a nucleophilically substituted reagent VI




or by reaction of a corresponding dicarbonyl XI with a hydroxylamine IXa or its salt IXb




The reactions are carried out in a manner known per se in an inert organic solvent according to the methods described in EP-A 513 580, Houben-Weyl, Vol. 10/4, p. 55 ff, p. 73 ff, p. 180 ff and p. 217 ff, Houben-Weyl, Vol. E14b, p. 307 ff and 369 ff. Houben-Weyl, Vol. E5, p. 780 ff.

1.5 Correspondingly, the compounds I can also be obtained by converting the benzylhydroxylamine IIa first to the corresponding benzyloxyimine of the formula V using the hydroxyiminocarbonyl VIIa. V then being reacted with the nucleophilically substituted reagent VI to give I as described above.




8

-continued



1.6 In a similar manner, the compounds I can also be prepared by converting the benzylhydroxylamine IIa first to the benzyloxyimine VIII using the dicarbonyl of the formula XI and then reacting VIII with the hydroxylamine IXa or its salt IXb to give I as described above.



2. Compounds in which R³ and/or R⁴ are a halogen atom are obtained by methods known per se from the corresponding precursors in which the radical concerned is a hydroxyl group (cf. Houben-Weyl, Vol. E5, p. 631; J. Org. Chem. 36 (1971), 233; J. Org. Chem. 57 (1992), 3245). Preferably, the corresponding reactions to give the halogen derivative are performed in stages I and VIII.


3. Compounds in which R³ and/or R⁴ are bonded to the structure via an O, S or N atom are obtained by methods known per se from the corresponding precursors in which the radical concerned is a halogen atom (cf. Houben-Weyl, Vol. E5, p. 826 ff and 1280 ff. J. Org. Chem. 36 (1971), 233, J. Org. Chem. 46 (1981), 3623). Preferably, the corresponding conversions of the halogen derivative are performed in stages I and VIII.

4. Compounds in which R³ and/or R⁴ are bonded to the structure via an oxygen atom are in some cases also obtained

9


by methods known per se from the corresponding precursors in which the radical concerned is a hydroxyl group (cf. Houben-Weyl, Vol. E5, p. 826-829, Aust. J. Chem. 27 give the alkoxy derivatives are performed in stages I and VIII.

5. Compounds in which R³ is not halogen are preferably obtained by first converting a compound X to the corresponding benzoic acid XIII according to the methods described in EP-A 493 711 using a lactone XII and converting XIII via the corresponding halides to the cyanocarboxylic acids XIV, which are then converted by way of the Pinner reaction (Angew. Chem. 94 (1982). 1) to the α-keto esters XV. The corresponding carboxamides, which are subsequently converted to the compounds I, are obtained from the derivatives XV by amidation.




10


-continued



6. The compounds XVI in which R is hydrogen can also be obtained directly from the carbonyl halides by reaction with isocyanates and subsequent hydrolysis by modifying the process described in 5. (EP 547 825).




7. In another variant, compounds XVI are obtained by converting an ortho halogen compound, after metallation with oxalyl chloride, to the corresponding keto acid chloride, which is subsequently converted with an amine to the corresponding amide XVI (cf. J. Org. Chem. 46 (1981), 46, 212 ff; DE-A 40 42 280; Houben-Weyl, Vol. E5, p. 972 ff).




8. In another variant, the compounds I in which X is oxygen are obtained, starting from the keto esters XV, by first converting the keto function to the oxime [ether [sic] ester and converting the oxime ester thus obtained to I using an appropriate amine (Houben-Weyl, Vol. E5, p. 941 ff).

11



9. The compounds I in which X is sulfur are obtained from the corresponding amides I by reaction with a sulfurizing reagent (eg. phosphorus sulfide or [Zawesson's [sic] Lawesson's reagent; cf. Houben-Weyl, Vol. IX, 764 ff).



The compounds II are known (EP-A 477 631, EP-A 463 488) or can be prepared by the methods described there.

On account of their C=C and C=N double bonds, the compounds I can be obtained during preparation as E/Z isomer mixtures which can be separated into the individual compounds in a customary manner, eg. by crystallization or chromatography.

If isomer mixtures are obtained during the synthesis, in general, however, a separation is not absolutely necessary, as the individual isomers can in some cases be converted to one another during preparation for application or during application (eg. under the action of light, acid or base). Corresponding conversions can also take place after application,

12

for example during the treatment of plants in the treated plant or in the harmful fungus or animal pest to be controlled.

With reference to the C=NOCH₃ double bond, the cis isomers of the compounds I are preferred with respect to their activity (configuration based on the —OCH₃ group in relation to the —CXNRR¹ group).

With reference to the —C(R³)=NOCH₂— double bond, the Z isomers of the compounds I are preferred with respect to their activity (configuration based on the radical R³ in relation to the —OCH₂— group).

In the definitions of the compounds I given at the outset, collective terms were used which are generally representative of the following groups:

halogen: fluorine, chlorine, bromine and iodine;

alkyl: straight-chain or branched alkyl groups having 1 to 4, 6 or 10 carbon atoms, eg. C₁–C₆-alkyl such as methyl, ethyl, propyl, 1-methylethyl, butyl, 1-methylpropyl, 2-methylpropyl, 1,1-dimethylethyl, pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 2,2-dimethylpropyl, 1-ethylpropyl, hexyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, 1-methylpentyl, 2-methylpentyl, 3-methylpentyl, 4-methylpentyl, 1,1-dimethylbutyl, 1,2-dimethylbutyl, 1,3-dimethylbutyl, 2,2-dimethylbutyl, 2,3-dimethylbutyl, 3,3-dimethylbutyl, 1-ethylbutyl, 2-ethylbutyl, 1,1,2-trimethylpropyl, 1,2,2-trimethylpropyl, 1-ethyl-1-methylpropyl and 1-ethyl-2-methylpropyl;

alkylamino: an amino group which carries a straight-chain or branched alkyl group having 1 to 6 carbon atoms as mentioned above;

dialkylamino: an amino group which carries two straight-chain or branched alkyl groups which are independent of one another and each have 1 to 6 carbon atoms as mentioned above;

alkylcarbonyl: straight-chain or branched alkyl groups having 1 to 10 carbon atoms, which are bonded to the structure via a carbonyl group (—CO—);

alkylsulfonyl: straight-chain or branched alkyl groups having 1 to 6 or 10 carbon atoms, which are bonded to the structure via a sulfonyl group (—S(=O)₂—);

alkylsulfoxyl: straight-chain or branched alkyl groups having 1 to 6 carbon atoms, which are bonded to the structure via a sulfoxyl group (—S(=O)—);

alkylaminocarbonyl: alkylamino groups having 1 to 6 carbon atoms as mentioned above, which are bonded to the structure via a carbonyl group (—CO—);

dialkylaminocarbonyl: dialkylamino groups in each case having 1 to 6 carbon atoms per alkyl radical as mentioned above, which are bonded to the structure via a carbonyl group (—CO—);

alkylaminothiocarbonyl: alkylamino groups having 1 to 6 carbon atoms as mentioned above, which are bonded to the structure via a thiocarbonyl group (—CS—);

dialkylaminothiocarbonyl: dialkylamino groups in each case having 1 to 6 carbon atoms per alkyl radical as mentioned above, which are bonded to the structure via a thiocarbonyl group (—CS—);

haloalkyl: straight-chain or branched alkyl groups having 1 to 6 carbon atoms, it being possible for the hydrogen atoms in these groups to be partly or completely replaced by halogen atoms as mentioned above, eg. C₁–C₂-haloalkyl such as chloromethyl, dichloromethyl, trichloromethyl, fluoromethyl, difluoromethyl, trifluoromethyl, chlorofluoromethyl,

dichlorofluoromethyl, chlorodifluoromethyl, 1-fluoroethyl, 2-fluoroethyl, 2,2-difluoroethyl, 2,2,2-trifluoroethyl, 2-chloro-2-fluoroethyl, 2-chloro-2,2-difluoroethyl, 2,2-dichloro-2-fluoroethyl, 2,2,2-trichloroethyl and pentafluoroethyl; alkoxy: straight-chain or branched alkyl groups having 1 to 4 or 6 carbon atoms as mentioned above, which are bonded to the structure via an oxygen atom (—O—), eg. $\text{C}_1\text{—C}_6$ -alkoxy such as methoxy, ethoxy, propoxy, 1-methylethoxy, butoxy, 1-methylpropoxy, 2-methylpropoxy, 1,1-dimethylethoxy, pentoxy, 1-methylbutoxy, 2-methylbutoxy, 3-methylbutoxy, 2,2-dimethylpropoxy, 1-ethylpropoxy, hexyloxy, 1,1-dimethylpropoxy, 1,2-dimethylpropoxy, 1-methylpentoxy, 2-methylpentoxy, 3-methylpentoxy, 4-methylpentoxy, 1,1-dimethylbutoxy, 1,2-dimethylbutoxy, 1,3-dimethylbutoxy, 2,2-dimethylbutoxy, 2,3-dimethylbutoxy, 3,3-dimethylbutoxy, 1-ethylbutoxy, 2-ethylbutoxy, 1,1,2-trimethylpropoxy, 1,2,2-trimethylpropoxy, 1-ethyl-1-methylpropoxy and 1-ethyl-2-methylpropoxy;

alkoxycarbonyl: straight-chain or branched alkyl groups having 1 to 6 carbon atoms, which are bonded to the structure via an oxycarbonyl group (—OC(=O)—);

haloalkoxy: straight-chain or branched alkyl groups having 1 to 6 carbon atoms, it being possible for the hydrogen atoms in these groups to be partly or completely replaced by halogen atoms as mentioned above, and these groups being bonded to the structure via an oxygen atom;

alkylthio: straight-chain or branched alkyl groups having 1 to 4 or 6 carbon atoms as mentioned above, which are bonded to the structure via a sulfur atom (—S—), eg. $\text{C}_1\text{—C}_6$ -alkylthio such as methylthio, ethylthio, propylthio, 1-methylethylthio, butylthio, 1-methylpropylthio, 2-methylpropylthio, 1,1-dimethylethylthio, pentylthio, 1-methylbutylthio, 2-methylbutylthio, 3-methylbutylthio, 2,2-dimethylpropylthio, 1-ethylpropylthio, hexylthio, 1,1-dimethylpropylthio, 1,2-dimethylpropylthio, 1-methylpentylthio, 2-methylpentylthio, 3-methylpentylthio, 4-methylpentylthio, 1,1-dimethylbutylthio, 1,2-dimethylbutylthio, 1,3-dimethylbutylthio, 2,2-dimethylbutylthio, 2,3-dimethylbutylthio, 3,3-dimethylbutylthio, 1-ethylbutylthio, 2-ethylbutylthio, 1,1,2-trimethylpropylthio, 1,2,2-trimethylpropylthio, 1-ethyl-1-methylpropylthio and 1-ethyl-2-methylpropylthio;

cycloalkyl: monocyclic alkyl groups having 3 to 6 carbon ring members, eg. cyclopropyl, cyclobutyl, cyclopentyl and cyclohexyl;

alkenyl: straight-chain or branched alkenyl groups having 2 to 6 or 10 carbon atoms and a double bond in any desired position, eg. $\text{C}_2\text{—C}_6$ -alkenyl such as ethenyl, 1-propenyl, 2-propenyl, 1-methylethenyl, 1-butenyl, 2-butenyl, 3-butenyl, 1-methyl-1-propenyl, 2-methyl-1-propenyl, 1-methyl-2-propenyl, 2-methyl-2-propenyl, 1-pentenyl, 2-pentenyl, 3-pentenyl, 4-pentenyl, 1-methyl-1-butenyl, 2-methyl-1-butenyl, 3-methyl-1-butenyl, 1-methyl-2-butenyl, 2-methyl-2-butenyl, 3-methyl-2-butenyl, 1-methyl-3-butenyl, 2-methyl-3-butenyl, 3-methyl-3-butenyl, 1,1-dimethyl-2-propenyl, 1,2-dimethyl-1-propenyl, 1,2-dimethyl-2-propenyl, 1-ethyl-1-propenyl, 1-ethyl-2-propenyl, 1-hexenyl, 2-hexenyl, 3-hexenyl, 4-hexenyl, 5-hexenyl, 1-methyl-1-pentenyl, 2-methyl-1-pentenyl, 3-methyl-1-pentenyl, 4-methyl-1-pentenyl, 1-methyl-2-pentenyl, 2-methyl-2-pentenyl, 3-methyl-2-pentenyl, 4-methyl-2-pentenyl, 1-methyl-3-pentenyl, 2-methyl-3-pentenyl, 3-methyl-3-pentenyl, 4-methyl-3-pentenyl,

1-methyl-4-pentenyl, 2-methyl-4-pentenyl, 3-methyl-4-pentenyl, 4-methyl-4-pentenyl, 1,1-dimethyl-2-butenyl, 1,1-dimethyl-3-butenyl, 1,2-dimethyl-1-butenyl, 1,2-dimethyl-2-butenyl, 1,2-dimethyl-3-butenyl, 1,3-dimethyl-1-butenyl, 1,3-dimethyl-2-butenyl, 1,3-dimethyl-3-butenyl, 2,2-dimethyl-3-butenyl, 2,3-dimethyl-1-butenyl, 2,3-dimethyl-2-butenyl, 2,3-dimethyl-3-butenyl, 3,3-dimethyl-1-butenyl, 3,3-dimethyl-2-butenyl, 1-ethyl-1-butenyl, 1-ethyl-2-butenyl, 1-ethyl-3-butenyl, 2-ethyl-1-butenyl, 2-ethyl-2-butenyl, 2-ethyl-3-butenyl, 1,1,2-trimethyl-2-propenyl, 1-ethyl-1-methyl-2-propenyl, 1-ethyl-2-methyl-1-propenyl and 1-ethyl-2-methyl-2-propenyl;

alkenyloxy: straight-chain or branched alkenyl groups having 2 to 6 carbon atoms and a double bond in any desired position, which are bonded to the structure via an oxygen atom (—O—);

alkenylcarbonyl: straight-chain or branched alkenyl groups having 2 to 10 carbon atoms and a double bond in any desired position, which are bonded to the structure via a carbonyl group (—CO—);

alkenylthio or alkenylamino: straight-chain or branched alkenyl groups having 2 to 6 carbon atoms and a double bond in any desired position, which are bonded to the structure (alkenylthio) via a sulfur atom or (alkenylamino) a nitrogen atom;

alkynyl: straight-chain or branched alkynyl groups having 2 to 10 carbon atoms and a triple bond in any desired position, eg. $\text{C}_2\text{—C}_6$ -alkynyl such as ethynyl, 2-propynyl, 2-butylnyl, 3-butylnyl, 1-methyl-2-propynyl, 2-pentylnyl, 3-pentylnyl, 4-pentylnyl, 1-methyl-2-butylnyl, 1-methyl-3-butylnyl, 2-methyl-3-butylnyl, 1,1-dimethyl-2-propynyl, 1-ethyl-2-propynyl, 2-hexynyl, 3-hexynyl, 4-hexynyl, 5-hexynyl, 1-methyl-2-pentylnyl, 1-methyl-3-pentylnyl, 1-methyl-4-pentylnyl, 2-methyl-3-pentylnyl, 2-methyl-4-pentylnyl, 3-methyl-4-pentylnyl, 4-methyl-2-pentylnyl, 1,1-dimethyl-2-butylnyl, 1,1-dimethyl-3-butylnyl, 1,2-dimethyl-3-butylnyl, 2,2-dimethyl-3-butylnyl, 1-ethyl-2-butylnyl, 1-ethyl-3-butylnyl, 2-ethyl-3-butylnyl and 1-ethyl-1-methyl-2-propynyl;

alkynylcarbonyl: straight-chain or branched alkynyl groups having 3 to 10 carbon atoms and a triple bond in any desired position, which are bonded to the structure via a carbonyl group (—CO—);

alkynyloxy or alkynylthio and alkynylamino: straight-chain or branched alkynyl groups having 2 to 6 carbon atoms and a triple bond in any desired position, which are bonded to the structure (alkynyloxy) via an oxygen atom or (alkynylthio) via a sulfur atom or (alkynylamino) via a nitrogen atom;

cycloalkenyl or cycloalkenyloxy, cycloalkenylthio and cycloalkylamino [sic]: monocyclic alkenyl groups having 3 to 6 carbon ring members, which are bonded to the structure directly or (cycloalkenyloxy) via an oxygen atom or (cycloalkenylthio) a sulfur atom or (cycloalkenylamino) via a nitrogen atom, eg. cyclopropenyl, cyclobutenyl, cyclopentenyl or cyclohexenyl;

cycloalkoxy or cycloalkylthio and cycloalkylamino: monocyclic alkenyl groups having 3 to 6 carbon ring members, which are bonded to the structure (cycloalkoxy) via an oxygen atom or (cycloalkylthio) a sulfur atom or (cycloalkylamino) via a nitrogen atom, eg. cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl;

heterocyclyl or heterocyclyloxy, heterocyclythio and heterocyclylamino: three- to six-membered, saturated or partly unsaturated mono- or polycyclic heterocycles, which contain one to three heteroatoms selected from a group consisting of oxygen, nitrogen and sulfur, and which are bonded to the structure directly or (heterocyclyloxy) via an oxygen

atom or (heterocyclylthio) via a sulfur atom or (heterocyclylamino) via a nitrogen atom, such as eg. 2-tetrahydrofuranyl, oxiranyl, 3-tetrahydrofuranyl, 2-tetrahydrothienyl, 3-tetrahydrothienyl, 2-pyrrolidinyl, 3-pyrrolidinyl, 3-isoxazolidinyl [sic], 4-isoxazolidinyl, 5-isoxazolidinyl, 3-isothiazolidinyl, 4-isothiazolidinyl, 5-isothiazolidinyl, 3-pyrazolidinyl, 4-pyrazolidinyl, 5-pyrazolidinyl, 2-oxazolidinyl, 4-oxazolidinyl, 5-oxazolidinyl, 2-thiazolidinyl, 4-thiazolidinyl, 5-thiazolidinyl, 2-imidazolidinyl, 4-imidazolidinyl, 1,2,4-oxadiazolidin-3-yl, 1,2,4-oxadiazolidin-5-yl, 1,2,4-thiadiazolidin-3-yl, 1,2,4-thiadiazolidin-5-yl, 1,2,4-triazolidin-3-yl, 1,3,4-oxadiazolidin-2-yl, 1,3,4-thiadiazolidin-2-yl, 1,3,4-triazolidin-2-yl, 2,3-dihydrofur-2-yl, 2,3-dihydrofur-3-yl, 2,3-dihydrofur-4-yl, 2,3-dihydrofur-5-yl, 2,5-dihydrofur-2-yl, 2,5-dihydrofur-3-yl, 2,3-dihydrothien-2-yl, 2,3-dihydrothien-3-yl, 2,3-dihydrothien-4-yl, 2,3-dihydrothien-5-yl, 2,5-dihydrothien-2-yl, 2,5-dihydrothien-3-yl, 2,3-dihydropyrrol-2-yl, 2,3-dihydropyrrol-3-yl, 2,3-dihydropyrrol-4-yl, 2,3-dihydropyrrol-5-yl, 2,5-dihydropyrrol-2-yl, 2,5-dihydropyrrol-3-yl, 2,3-dihydroisoxazol-3-yl, 2,3-dihydroisoxazol-4-yl, 2,3-dihydroisoxazol-5-yl, 4,5-dihydroisoxazol-3-yl, 4,5-dihydroisoxazol-4-yl, 4,5-dihydroisoxazol-5-yl, 2,5-dihydroisothiazol-3-yl, 2,5-dihydroisothiazol-4-yl, 2,5-dihydroisothiazol-5-yl, 2,3-dihydroisopyrazol-3-yl, 2,3-dihydroisopyrazol-4-yl, 2,3-dihydroisopyrazol-5-yl, 4,5-dihydroisopyrazol-3-yl, 4,5-dihydroisopyrazol-4-yl, 4,5-dihydroisopyrazol-5-yl, 2,5-dihydroisopyrazol-3-yl, 2,5-dihydroisopyrazol-4-yl, 2,5-dihydroisopyrazol-5-yl, 2,3-dihydrooxazol-3-yl, 2,3-dihydrooxazol-4-yl, 2,3-dihydrooxazol-5-yl, 4,5-dihydrooxazol-3-yl, 4,5-dihydrooxazol-4-yl, 4,5-dihydrooxazol-5-yl, 2,5-dihydrooxazol-3-yl, 2,5-dihydrooxazol-4-yl, 2,5-dihydrooxazol, 5-yl, 2,3-dihydrothiazol-2-yl, 2,3-dihydrothiazol-4-yl, 2,3-dihydrothiazol-5-yl, 4,5-dihydrothiazol-2-yl, 4,5-dihydrothiazol-4-yl, 4,5-dihydrothiazol-5-yl, 2,5-dihydrothiazol-2-yl, 2,5-dihydrothiazol-4-yl, 2,5-dihydrothiazol-5-yl, 2,3-dihydroimidazol-2-yl, 2,3-dihydroimidazol-4-yl, 2,3-dihydroimidazol-5-yl, 4,5-dihydroimidazol-2-yl, 4,5-dihydroimidazol-4-yl, 4,5-dihydroimidazol-5-yl, 2,5-dihydroimidazol-2-yl, 2,5-dihydroimidazol-4-yl, 2,5-dihydroimidazol-5-yl, 2-morpholinyl, 3-morpholinyl, 2-piperidinyl, 3-piperidinyl, 4-piperidinyl, 3-tetrahydropyridazinyl, 4-tetrahydropyridazinyl, 2-tetrahydropyrimidinyl, 4-tetrahydropyrimidinyl, 5-tetrahydropyrimidinyl, 2-tetrahydropyridazinyl, 1,3,5-tetrahydrotriazin-2-yl, 1,2,4-tetrahydrotriazin-3-yl, 1,3-dihydrooxazin-2-yl, 1,3-dithian-2-yl, 2-tetrahydropyranyl, 1,3-dioxolan-2-yl, 3,4,5,6-tetrahydropyridin-2-yl, 4H-1,3-thiazin-2-yl, 4H-3,1-benzothiazin-2-yl, 1,1-dioxo-2,3,4,5-tetrahydrothien-2-yl, 2H-1,4-benzothiazin-3-yl, 2H,1,4-benzoxazin-3-yl, 1,3-dihydrooxazin-2-yl, 1,3-dithian-2-yl;

aryl or aryloxy, arylthio, arylcarbonyl and arylsulfonyl: aromatic mono- or polycyclic hydrocarbon radicals which are bonded to the structure directly or (aryloxy) via an oxygen atom (—O—) or (arylthio) a sulfur atom (—S—), (arylcarbonyl) via a carbonyl group (—CO—) or (arylsulfonyl) via a sulfonyl group ($\text{—SO}_2\text{—}$), eg. phenyl, naphthyl and phenanthrenyl or phenoxy, naphthyloxy and phenanthrenyloxy and the corresponding carbonyl and sulfonyl radicals;

arylamino: aromatic mono- or polycyclic hydrocarbon radicals which are bonded to the structure via nitrogen atom;

hetaryl or hetaryloxy, hetarylthio, hetarylcarbonyl and hetar-

ylsulfonyl: aromatic mono- or polycyclic radicals which, in addition to carbon ring members, additionally can contain one to four nitrogen atoms or one to three nitrogen atoms and an oxygen or a sulfur atom or an oxygen or a sulfur atom and which are bonded to the structure directly or (hetaryloxy) via an oxygen atom (—O—) or (hetarylthio) a sulfur atom [—s—] [sic] (—S—), (hetarylcarbonyl) via a carbonyl group (—CO—) or (getarylsulfonyl) via a sulfonyl group [—SO—] [sic] ($\text{—SO}_2\text{—}$), eg.

5 5-membered heteroaryl, containing one to three nitrogen atoms: 5-membered ring heteroaryl groups which, in addition to carbon atoms, can contain one to three nitrogen atoms as ring members, eg. 2-pyrrolyl, 3-pyrrolyl, 3-pyrazolyl, 4-pyrazolyl, 5-pyrazolyl, 2-imidazolyl, 4-imidazolyl, 1,2,4-triazol-3-yl and 1,3,4-triazol-2-yl;

5-membered heteroaryl, containing one to four nitrogen atoms or one to three nitrogen atoms and a sulfur or oxygen atom or an oxygen or a sulfur atom: 5-membered ring heteroaryl groups which, in addition to carbon atoms, can contain one to four nitrogen atoms or one to three nitrogen atoms and a sulfur or oxygen atom or an oxygen or sulfur atom as ring members, eg. 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, 2-pyrrolyl, 3-pyrrolyl, 3-isoxazolyl, 4-isoxazolyl, 5-isoxazolyl, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-pyrazolyl, 5-pyrazolyl, 5-pyrazolyl, 4-oxazolyl, 4-oxazolyl, 5-oxazolyl, 2-thiazolyl, 4-thiazolyl, 5-thiazolyl, 2-imidazolyl, 4-imidazolyl, 1,2,4-oxadiazol-3-yl, 1,2,4-oxadiazol-5-yl, 1,2,4-thiadiazol-3-yl, 1,2,4-thiadiazol-5-yl, 1,3,4-thiazol-2-yl;

benzo-fused 5-membered heteroaryl, containing one to three nitrogen atoms or one nitrogen atom and/or an oxygen or sulfur atom: 5-membered ring heteroaryl groups which, in addition to carbon atoms, can contain one to four nitrogen atoms or one to three nitrogen atoms and a sulfur or oxygen atom or an oxygen or a sulfur atoms as ring members, and in which two adjacent carbon ring members or a nitrogen and an adjacent carbon ring member can be bridged by a buta-1,3-diene-1,4-diyl group;

40 5-membered heteroaryl bonded via nitrogen, containing one to four nitrogen atoms, or benzo-fused 5-membered heteroaryl bonded via nitrogen, containing one to three nitrogen atoms: 5-membered ring heteroaryl groups which, in addition to carbon atoms, can contain one to four nitrogen atoms or one to three nitrogen atoms as ring members, and in which two adjacent carbon ring members or a nitrogen and an adjacent carbon ring member can be bridged by a buta-1,3-diene-1,4-diyl group, these rings being bonded to the structure via one of the nitrogen ring members;

6-membered heteroaryl, containing one to three or one to four nitrogen atoms: 6-membered ring heteroaryl groups which, in addition to carbon atoms, can contain one to three or one to four nitrogen atoms as ring members, eg. 2-pyridinyl, 3-pyridinyl, 4-pyridinyl, 3-pyridazinyl, 4-pyridazinyl, 2-pyrimidinyl, 4-pyrimidinyl, 5-pyrimidinyl, 2-pyrazinyl, 1,3,5-triazin-2-yl, 1,2,4-triazin-3-yl and 1,2,4,5-tetrazinyl;

benzo-fused 6-membered heteroaryl, containing one to four nitrogen atoms: 6-membered ring heteroaryl groups in which two adjacent carbon ring members can be bridged by a buta-1,3-diene-1,4-diyl group, eg. quinoline, isoquinoline, quinazoline and quinoxaline, or the corresponding oxy, thio, carbonyl or sulfonyl groups;

65 hetarylamino: aromatic mono- or polycyclic radicals which, in addition to carbon ring members, can additionally contain one to four nitrogen atoms or one to three nitrogen atoms

and any oxygen or a sulfur atom or an oxygen or a sulfur atom and which are bonded to the structure via a nitrogen atom.

The statement partly or completely halogenated is intended to express that in the groups characterized in this way the hydrogen atoms can be partly or completely replaced by identical or different halogen atoms as mentioned above.

With respect to their biological action, compounds of the formula I are preferred in which m is 0.

Equally preferred are compounds of the formula I in which R is hydrogen or methyl.

Equally preferred are compounds of the formula I in which R^1 is hydrogen or methyl.

Compounds of the formula I are particularly preferred in which R is hydrogen and R^1 is hydrogen or methyl.

Compounds of the formula I are particularly preferred in which R and R^1 are simultaneously hydrogen or methyl.

In addition, compounds I are preferred in which R^3 is hydrogen, hydroxyl, cyclopropyl, chlorine, methyl, methoxy, methylthio or phenyl.

Compounds I are additionally preferred in which R^3 is methyl.

In addition, compounds I are preferred in which R^3 is methoxy.

Compounds I are additionally preferred in which R^3 is hydroxyl.

In addition, compounds I are preferred in which R^3 is chlorine.

In addition, compounds I are preferred in which R^4 is hydrogen, hydroxyl, cyclopropyl, chlorine, methyl, ethyl, isopropyl, methoxy or methylthio.

Compounds I are additionally preferred in which R^4 is methyl.

In addition, compounds I are preferred in which R^4 is methoxy.

Compounds I are additionally preferred in which R^4 is hydroxyl.

In addition, compounds I are preferred in which R^4 is ethyl.

Compounds I are additionally preferred in which R^4 is isopropyl.

Compounds I are additionally preferred in which R^4 is cyclopropyl.

In addition, compounds I are preferred in which R^4 is unsubstituted or substituted aryl or hetaryl.

In addition, compounds I are preferred in which R^4 is unsubstituted or substituted pyridyl, pyrimidyl, pyrazinyl, pyridazinyl or triazinyl.

In addition, compounds I are preferred in which R^4 is unsubstituted or substituted furyl, thienyl or pyrrolyl.

In addition, compounds I are preferred in which R^4 is unsubstituted or substituted oxazolyl, thiazolyl, isoxazolyl, isothiazolyl, pyrazolyl or imidazolyl.

In addition, compounds I are preferred in which R^4 is unsubstituted or substituted [oxidiazolyl [sic]] *oxadiazolyl*, thiadiazolyl or triazolyl.

Compounds I are additionally preferred in which R^4 is phenyl, which is unsubstituted or carries one or two of the following groups: nitro, cyano, hydroxyl, amino, aminocarbonyl, aminothiocarbonyl, halogen, C_1 - C_4 -alkyl, C_1 - C_4 -haloalkyl, C_1 - C_4 -alkoxy, C_1 - C_4 -haloalkoxy, C_1 - C_4 -alkylamino, di- C_1 - C_4 -alkylamino, C_1 - C_4 -alkylsulfonyl, C_1 - C_4 -alkoxycarbonyl, C_1 - C_4 -alkylaminocarbonyl or di- C_1 - C_4 -alkylaminocarbonyl.

Compounds I are additionally preferred in which R^5 is hydrogen, C_1 - C_6 -alkyl, arylalkyl, heterarylalkyl, aryloxyalkyl, hetaryloxyalkyl, aryl or hetaryl.

In addition, compounds I are preferred in which R^5 is C_1 - C_6 -alkyl.

Compounds I are additionally preferred in which R^5 is methyl or ethyl.

In addition, compounds I are preferred in which R^5 is arylalkyl or heterarylalkyl.

Compounds I are additionally preferred in which R^5 is aryloxyalkyl or hetaryloxyalkyl.

Compounds I are additionally preferred in which R^5 is aryl or hetaryl.

In addition, compounds of the formula I are preferred in which X is O.

In addition, compounds of the formula I are preferred in which X is S.

The compounds I compiled in the following tables are particularly preferred with respect to their use.

TABLE 1

Compounds of the general formula 1.1 in which $(R^2)_m$ is hydrogen and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A




TABLE 2

Compounds of the general formula I.1 in which $(R^2)_m$ is chlorine and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A.

TABLE 3

Compounds of the general formula 1.2 in which $(R^2)_m$ is hydrogen and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A




TABLE 4

Compounds of the general formula I.2 in which $(R^2)_m$ is chlorine and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A.

19

TABLE 5

Compounds of the general formula 1.3 in which $(R^2)_m$ is hydrogen and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A




TABLE 6

Compounds of the general formula 1.3 in which $(R^2)_m$ is chlorine and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case correspond to one line of Table A.

TABLE 7

Compounds of the general formula 1.4 in which $(R^2)_m$ is hydrogen and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A




TABLE 8

Compounds of the general formula 1.4 in which $(R^2)_m$ is chlorine and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A.

TABLE 9

Compounds of the general formula 1.5 in which $(R^2)_m$ is hydrogen and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A




TABLE 10

Compounds of the general formula 1.5 in which $(R^2)_m$ is chlorine and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A.

20

TABLE 11

Compounds of the general formula 1.6 in which $(R^2)_m$ is hydrogen and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A




TABLE 12

Compounds of the general formula 1.6 in which $(R^2)_m$ is a chlorine and the combination of the substituents R^3 , R^4 and R^5 for a compound in each case corresponds to one line of Table A.

TABLE A

No.	R^3	R^4	R^5
1	CH ₃	CH ₃	H
2	CH ₃	CH ₃	CH ₃
3	CH ₃	CH ₃	C ₂ H ₅
4	CH ₃	CH ₃	n-C ₃ H ₇
5	CH ₃	CH ₃	i-C ₃ H ₇
6	CH ₃	CH ₃	Cyclopropyl
7	CH ₃	CH ₃	n-C ₄ H ₉
8	CH ₃	CH ₃	s-C ₄ H ₉
9	CH ₃	CH ₃	i-C ₄ H ₉
10	CH ₃	CH ₃	t-C ₄ H ₉
11	CH ₃	CH ₃	n-C ₅ H ₁₁
12	CH ₃	CH ₃	i-C ₅ H ₁₁
13	CH ₃	CH ₃	neo-C ₅ H ₁₁
14	CH ₃	CH ₃	Cyclopentyl
15	CH ₃	CH ₃	n-C ₆ H ₁₃
16	CH ₃	CH ₃	Cyclohexyl
17	CH ₃	CH ₃	n-C ₈ H ₁₇
18	CH ₃	CH ₃	CH ₂ CH ₂ Cl
19	CH ₃	CH ₃	(CH ₂) ₄ Cl
20	CH ₃	CH ₃	CH ₂ CN
21	CH ₃	CH ₃	CH ₂ CH ₂ CN
22	CH ₃	CH ₃	(CH ₂) ₃ CN
23	CH ₃	CH ₃	(CH ₂) ₄ CN
24	CH ₃	CH ₃	(CH ₂) ₆ CN
25	CH ₃	CH ₃	Cyclohexylmethyl
26	CH ₃	CH ₃	2-Cyclohexyleth-1-yl
27	CH ₃	CH ₃	Cyclopropylmethyl
28	CH ₃	CH ₃	2-Cyclopropyleth-1-yl
29	CH ₃	CH ₃	2-Methoxyeth-1-yl
30	CH ₃	CH ₃	2-Ethoxyeth-1-yl
31	CH ₃	CH ₃	2-Isopropoxyeth-1-yl
32	CH ₃	CH ₃	3-Methoxyprop-1-yl
33	CH ₃	CH ₃	3-Ethoxyprop-1-yl
34	CH ₃	CH ₃	3-Isopropoxyprop-1-yl
35	CH ₃	CH ₃	4-Methoxybut-1-yl
36	CH ₃	CH ₃	4-Isopropoxybut-1-yl
37	CH ₃	CH ₃	Propen-3-yl
38	CH ₃	CH ₃	But-2-en-1-yl
39	CH ₃	CH ₃	3-Methylbut-2-en-1-yl
40	CH ₃	CH ₃	2-Vinyloxyeth-1-yl
41	CH ₃	CH ₃	Allyloxyeth-1-yl
42	CH ₃	CH ₃	2-Trifluoromethoxyeth-1-yl
43	CH ₃	CH ₃	3-Trifluoromethoxyprop-1-yl
44	CH ₃	CH ₃	4-Difluoromethoxybut-1-yl
45	CH ₃	CH ₃	Hydroxycarbonylmethyl
46	CH ₃	CH ₃	Methoxycarbonylmethyl
47	CH ₃	CH ₃	Aminocarbonylmethyl
48	CH ₃	CH ₃	N-Methylaminocarbonylmethyl
49	CH ₃	CH ₃	N,N-Dimethylaminocarbonylmethyl

TABLE A-continued

No.	R ³	R ⁴	R ⁵
50	CH ₃	CH ₃	2-Hydroxycarbonyleth-1-yl
51	CH ₃	CH ₃	2-Methoxycarbonyleth-1-yl
52	CH ₃	CH ₃	2-Aminocarbonyleth-1-yl
53	CH ₃	CH ₃	2-N-Methylaminocarbonyleth-1-yl
54	CH ₃	CH ₃	2-Dimethylaminocarbonyleth-1-yl
55	CH ₃	CH ₃	2-Aminoeth-1-yl
56	CH ₃	CH ₃	2-Aminoprop-1-yl
57	CH ₃	CH ₃	4-Aminobut-1-yl
58	CH ₃	CH ₃	3-Dimethylaminoprop-1-yl
59	CH ₃	CH ₃	4-Aminothiocabonylbut-1-yl
60	CH ₃	CH ₃	2-Oxopropyl
61	CH ₃	CH ₃	Cyclohexyl
62	CH ₃	CH ₃	Cyclopropyl
63	CH ₃	CH ₃	Cyclopentyl
64	CH ₃	CH ₃	2-Methoxyiminoprop-1-yl
65	CH ₃	CH ₃	2-Methoxyiminoeth-1-yl
66	CH ₃	CH ₃	6-Aminocarbonylhex-1-yl
67	CH ₃	CH ₃	3-Aminothiocabonylprop-1-yl
68	CH ₃	CH ₃	2-Aminothiocabonyleth-1-yl
69	CH ₃	CH ₃	Aminothiocabonylmethyl
70	CH ₃	CH ₃	4-(N,N-Dimethylamino)but-1-yl
71	CH ₃	CH ₃	2-(Methylthio)eth-1-yl
72	CH ₃	CH ₃	2-(Methylsulfonyl)eth-1-yl
73	CH ₃	CH ₃	4-(Methylthio)prop-1-yl
74	CH ₃	CH ₃	4-(Methylsulfonyl)prop-1-yl
75	CH ₃	CH ₃	Benzyl
76	CH ₃	CH ₃	2-F-C ₆ H ₄ -CH ₂
77	CH ₃	CH ₃	3-F-C ₆ H ₄ -CH ₂
78	CH ₃	CH ₃	4-F-C ₆ H ₄ -CH ₂
79	CH ₃	CH ₃	2,3-F ₂ -C ₆ H ₃ -CH ₂
80	CH ₃	CH ₃	2,4-F ₂ -C ₆ H ₃ -CH ₂
81	CH ₃	CH ₃	2,5-F ₂ -C ₆ H ₃ -CH ₂
82	CH ₃	CH ₃	2,6-F ₂ -C ₆ H ₃ -CH ₂
83	CH ₃	CH ₃	3,4-F ₂ -C ₆ H ₃ -CH ₂
84	CH ₃	CH ₃	3,5-F ₂ -C ₆ H ₃ -CH ₂
85	CH ₃	CH ₃	2-Cl-C ₆ H ₄ -CH ₂
86	CH ₃	CH ₃	3-Cl-C ₆ H ₄ -CH ₂
87	CH ₃	CH ₃	4-Cl-C ₆ H ₄ -CH ₂
88	CH ₃	CH ₃	2,3-Cl ₂ -C ₆ H ₃ -CH ₂
89	CH ₃	CH ₃	2,4-Cl ₂ -C ₆ H ₃ -CH ₂
90	CH ₃	CH ₃	2,5-Cl ₂ -C ₆ H ₃ -CH ₂
91	CH ₃	CH ₃	2,6-Cl ₂ -C ₆ H ₃ -CH ₂
92	CH ₃	CH ₃	3,4-Cl ₂ -C ₆ H ₃ -CH ₂
93	CH ₃	CH ₃	3,5-Cl ₂ -C ₆ H ₃ -CH ₂
94	CH ₃	CH ₃	2,3,4-Cl ₃ -C ₆ H ₂ -CH ₂
95	CH ₃	CH ₃	2,3,5-Cl ₃ -C ₆ H ₂ -CH ₂
96	CH ₃	CH ₃	2,3,6-Cl ₃ -C ₆ H ₂ -CH ₂
97	CH ₃	CH ₃	2,4,5-Cl ₃ -C ₆ H ₂ -CH ₂
98	CH ₃	CH ₃	2,4,6-Cl ₃ -C ₆ H ₂ -CH ₂
99	CH ₃	CH ₃	3,4,5-Cl ₃ -C ₆ H ₂ -CH ₂
100	CH ₃	CH ₃	2-Br-C ₆ H ₄ -CH ₂
101	CH ₃	CH ₃	3-Br-C ₆ H ₄ -CH ₂
102	CH ₃	CH ₃	4-Br-C ₆ H ₄ -CH ₂
103	CH ₃	CH ₃	2,3-Br ₂ -C ₆ H ₃ -CH ₂
104	CH ₃	CH ₃	2,4-Br ₂ -C ₆ H ₃ -CH ₂
105	CH ₃	CH ₃	2,5-Br ₂ -C ₆ H ₃ -CH ₂
106	CH ₃	CH ₃	2,6-Br ₂ -C ₆ H ₃ -CH ₂
107	CH ₃	CH ₃	3,4-Br ₂ -C ₆ H ₃ -CH ₂
108	CH ₃	CH ₃	3,5-Br ₂ -C ₆ H ₃ -CH ₂
109	CH ₃	CH ₃	2-F, 3-Cl-C ₆ H ₃ -CH ₂
110	CH ₃	CH ₃	2-F, 4-Cl-C ₆ H ₃ -CH ₂
111	CH ₃	CH ₃	2-F, 5-Cl-C ₆ H ₃ -CH ₂
112	CH ₃	CH ₃	2-F, 3-Br-C ₆ H ₃ -CH ₂
113	CH ₃	CH ₃	2-F, 4-Br-C ₆ H ₃ -CH ₂
114	CH ₃	CH ₃	2-F, 5-Br-C ₆ H ₃ -CH ₂
115	CH ₃	CH ₃	2-Cl, 3-Br-C ₆ H ₃ -CH ₂
116	CH ₃	CH ₃	2-Cl, 4-Br-C ₆ H ₃ -CH ₂
117	CH ₃	CH ₃	2-Cl, 5-Br-C ₆ H ₃ -CH ₂
118	CH ₃	CH ₃	3-F, 4-Cl-C ₆ H ₃ -CH ₂
119	CH ₃	CH ₃	3-F, 5-Cl-C ₆ H ₃ -CH ₂
120	CH ₃	CH ₃	3-F, 6-Cl-C ₆ H ₃ -CH ₂
121	CH ₃	CH ₃	3-F, 4-Br-C ₆ H ₃ -CH ₂
122	CH ₃	CH ₃	3-F, 5-Br-C ₆ H ₃ -CH ₂

TABLE A-continued

No.	R ³	R ⁴	R ⁵
123	CH ₃	CH ₃	3-F, 6-Br-C ₆ H ₃ -CH ₂
124	CH ₃	CH ₃	3-Cl, 4-Br-C ₆ H ₃ -CH ₂
125	CH ₃	CH ₃	3-Cl, 5-Br-C ₆ H ₃ -CH ₂
126	CH ₃	CH ₃	3-Cl, 6-Br-C ₆ H ₃ -CH ₂
127	CH ₃	CH ₃	4-F, 5-Cl-C ₆ H ₃ -CH ₂
128	CH ₃	CH ₃	4-F, 6-Cl-C ₆ H ₃ -CH ₂
129	CH ₃	CH ₃	4-F, 5-Br-C ₆ H ₃ -CH ₂
130	CH ₃	CH ₃	4-F, 6-Br-C ₆ H ₃ -CH ₂
131	CH ₃	CH ₃	4-Cl, 5-Br-C ₆ H ₃ -CH ₂
132	CH ₃	CH ₃	5-F, 6-Cl-C ₆ H ₃ -CH ₂
133	CH ₃	CH ₃	5-F, 6-Br-C ₆ H ₃ -CH ₂
134	CH ₃	CH ₃	5-Cl, 6-Br-C ₆ H ₃ -CH ₂
135	CH ₃	CH ₃	3-Br, 4-Cl, 5-Br-C ₆ H ₂ -CH ₂
136	CH ₃	CH ₃	2-CN-C ₆ H ₄ -CH ₂
137	CH ₃	CH ₃	3-CN-C ₆ H ₄ -CH ₂
138	CH ₃	CH ₃	4-CN-C ₆ H ₄ -CH ₂
139	CH ₃	CH ₃	2-NO ₂ -C ₆ H ₄ -CH ₂
140	CH ₃	CH ₃	3-NO ₂ -C ₆ H ₄ -CH ₂
141	CH ₃	CH ₃	4-NO ₂ -C ₆ H ₄ -CH ₂
142	CH ₃	CH ₃	2-CH ₃ -C ₆ H ₄ -CH ₂
143	CH ₃	CH ₃	3-CH ₃ -C ₆ H ₄ -CH ₂
144	CH ₃	CH ₃	4-CH ₃ -C ₆ H ₄ -CH ₂
145	CH ₃	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃ -CH ₂
146	CH ₃	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃ -CH ₂
147	CH ₃	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃ -CH ₂
148	CH ₃	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃ -CH ₂
149	CH ₃	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃ -CH ₂
150	CH ₃	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃ -CH ₂
151	CH ₃	CH ₃	2-C ₂ H ₅ -C ₆ H ₄ -CH ₂
152	CH ₃	CH ₃	3-C ₂ H ₅ -C ₆ H ₄ -CH ₂
153	CH ₃	CH ₃	4-C ₂ H ₅ -C ₆ H ₄ -CH ₂
154	CH ₃	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄ -CH ₂
155	CH ₃	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄ -CH ₂
156	CH ₃	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄ -CH ₂
157	CH ₃	CH ₃	2-Cyclohexyl-C ₆ H ₄ -CH ₂
158	CH ₃	CH ₃	3-Cyclohexyl-C ₆ H ₄ -CH ₂
159	CH ₃	CH ₃	4-Cyclohexyl-C ₆ H ₄ -CH ₂
160	CH ₃	CH ₃	2-Vinyl-C ₆ H ₄ -CH ₂
161	CH ₃	CH ₃	3-Vinyl-C ₆ H ₄ -CH ₂
162	CH ₃	CH ₃	4-Vinyl-C ₆ H ₄ -CH ₂
163	CH ₃	CH ₃	2-Allyl-C ₆ H ₄ -CH ₂
164	CH ₃	CH ₃	3-Allyl-C ₆ H ₄ -CH ₂
165	CH ₃	CH ₃	4-Allyl-C ₆ H ₄ -CH ₂
166	CH ₃	CH ₃	2-C ₆ H ₅ -C ₆ H ₄ -CH ₂
167	CH ₃	CH ₃	3-C ₆ H ₅ -C ₆ H ₄ -CH ₂
168	CH ₃	CH ₃	4-C ₆ H ₅ -C ₆ H ₄ -CH ₂
169	CH ₃	CH ₃	3-CH ₃ , 5-i-C ₄ H ₉ -C ₆ H ₃ -CH ₂
170	CH ₃	CH ₃	2-OH-C ₆ H ₄ -CH ₂
171	CH ₃	CH ₃	3-OH-C ₆ H ₄ -CH ₂
172	CH ₃	CH ₃	4-OH-C ₆ H ₄ -CH ₂
173	CH ₃	CH ₃	2-OCH ₃ -C ₆ H ₄ -CH ₂
174	CH ₃	CH ₃	3-OCH ₃ -C ₆ H ₄ -CH ₂
175	CH ₃	CH ₃	4-OCH ₃ -C ₆ H ₄ -CH ₂
176	CH ₃	CH ₃	2,3-(OCH ₃) ₂ -C ₆ H ₃ -CH ₂
177	CH ₃	CH ₃	2,4-(OCH ₃) ₂ -C ₆ H ₃ -CH ₂
178	CH ₃	CH ₃	2,5-(OCH ₃) ₂ -C ₆ H ₃ -CH ₂
179	CH ₃	CH ₃	3,4-(OCH ₃) ₂ -C ₆ H ₃ -CH ₂
180	CH ₃	CH ₃	3,5-(OCH ₃) ₂ -C ₆ H ₃ -CH ₂
181	CH ₃	CH ₃	3,4,5-(OCH ₃) ₃ -C ₆ H ₂ -CH ₂
182	CH ₃	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄ -CH ₂
183	CH ₃	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄ -CH ₂
184	CH ₃	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄ -CH ₂
185	CH ₃	CH ₃	2-O-(n-C ₃ H ₇)-C ₆ H ₄ -CH ₂
186	CH ₃	CH ₃	3-O-(n-C ₃ H ₇)-C ₆ H ₄ -CH ₂
187	CH ₃	CH ₃	4-O-(n-C ₃ H ₇)-C ₆ H ₄ -CH ₂
188	CH ₃	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄ -CH ₂
189	CH ₃	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄ -CH ₂
190	CH ₃	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄ -CH ₂
191	CH ₃	CH ₃	4-O-(n-C ₄ H ₉)-C ₆ H ₄ -CH ₂
192	CH ₃	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄ -CH ₂
193	CH ₃	CH ₃	4-O-(n-C ₆ H ₁₃)-C ₆ H ₄ -CH ₂
194	CH ₃	CH ₃	2-O-Allyl-C ₆ H ₄ -CH ₂
195	CH ₃	CH ₃	3-O-Allyl-C ₆ H ₄ -CH ₂
196	CH ₃	CH ₃	4-O-Allyl-C ₆ H ₄ -CH ₂
197	CH ₃	CH ₃	2-CF ₃ -C ₆ H ₄ -CH ₂
198	CH ₃	CH ₃	3-CF ₃ -C ₆ H ₄ -CH ₂
199	CH ₃	CH ₃	4-CF ₃ -C ₆ H ₄ -CH ₂

TABLE A-continued

No.	R ³	R ⁴	R ⁵
200	CH ₃	CH ₃	2-Acetyl-C ₆ H ₄ -CH ₂
201	CH ₃	CH ₃	3-Acetyl-C ₆ H ₄ -CH ₂
202	CH ₃	CH ₃	4-Acetyl-C ₆ H ₄ -CH ₂
203	CH ₃	CH ₃	2-Methoxycarbonyl-C ₆ H ₄ -CH ₂
204	CH ₃	CH ₃	3-Methoxycarbonyl-C ₆ H ₄ -CH ₂
205	CH ₃	CH ₃	4-Methoxycarbonyl-C ₆ H ₄ -CH ₂
206	CH ₃	CH ₃	2-Aminocarbonyl-C ₆ H ₄ -CH ₂
207	CH ₃	CH ₃	3-Aminocarbonyl-C ₆ H ₄ -CH ₂
208	CH ₃	CH ₃	4-Aminocarbonyl-C ₆ H ₄ -CH ₂
209	CH ₃	CH ₃	2-Dimethylaminocarbo- nyl-C ₆ H ₄ -CH ₂
210	CH ₃	CH ₃	3-Dimethylaminocarbo- nyl-C ₆ H ₄ -CH ₂
211	CH ₃	CH ₃	4-Dimethylaminocarbo- nyl-C ₆ H ₄ -CH ₂
212	CH ₃	CH ₃	2-(N-Methylaminocarbo- nyl)-C ₆ H ₄ -CH ₂
213	CH ₃	CH ₃	3-(N-Methylaminocarbo- nyl)-C ₆ H ₄ -CH ₂
214	CH ₃	CH ₃	4-(N-Methylaminocarbo- nyl)-C ₆ H ₄ -CH ₂
215	CH ₃	CH ₃	2-H ₂ N-C ₆ H ₄ -CH ₂
216	CH ₃	CH ₃	3-H ₂ N-C ₆ H ₄ -CH ₂
217	CH ₃	CH ₃	4-H ₂ N-C ₆ H ₄ -CH ₂
218	CH ₃	CH ₃	2-Amino- thiocarbonyl-C ₆ H ₄ -CH ₂
219	CH ₃	CH ₃	3-Amino- thiocarbonyl-C ₆ H ₄ -CH ₂
220	CH ₃	CH ₃	4-Amino- thiocarbonyl-C ₆ H ₄ -CH ₂
221	CH ₃	CH ₃	2-Methoxyiminomethyl- C ₆ H ₄ -CH ₂
222	CH ₃	CH ₃	3-Methoxyiminomethyl- C ₆ H ₄ -CH ₂
223	CH ₃	CH ₃	4-Methoxyiminomethyl- C ₆ H ₄ -CH ₂
224	CH ₃	CH ₃	2-Formyl-C ₆ H ₄ -CH ₂
225	CH ₃	CH ₃	3-Formyl-C ₆ H ₄ -CH ₂
226	CH ₃	CH ₃	4-Formyl-C ₆ H ₄ -CH ₂
227	CH ₃	CH ₃	2-(1'-Methoxyiminoeth- 1'-yl)-C ₆ H ₄ -CH ₂
228	CH ₃	CH ₃	3-(1'-Methoxyiminoeth- 1'-yl)-C ₆ H ₄ -CH ₂
229	CH ₃	CH ₃	4-(1'-Methoxyiminoeth- 1'-yl)-C ₆ H ₄ -CH ₂
230	CH ₃	CH ₃	2-SCH ₃ -C ₆ H ₄ -CH ₂
231	CH ₃	CH ₃	3-SCH ₃ -C ₆ H ₄ -CH ₂
232	CH ₃	CH ₃	4-SCH ₃ -C ₆ H ₄ -CH ₂
233	CH ₃	CH ₃	2-SO ₂ CH ₃ -C ₆ H ₄ -CH ₂
234	CH ₃	CH ₃	3-SO ₂ CH ₃ -C ₆ H ₄ -CH ₂
235	CH ₃	CH ₃	4-SO ₂ CH ₃ -C ₆ H ₄ -CH ₂
236	CH ₃	CH ₃	2-OCF ₃ -C ₆ H ₄ -CH ₂
237	CH ₃	CH ₃	3-OCF ₃ -C ₆ H ₄ -CH ₂
238	CH ₃	CH ₃	4-OCF ₃ -C ₆ H ₄ -CH ₂
239	CH ₃	CH ₃	2-OCHF ₂ -C ₆ H ₄ -CH ₂
240	CH ₃	CH ₃	3-OCHF ₂ -C ₆ H ₄ -CH ₂
241	CH ₃	CH ₃	4-OCHF ₂ -C ₆ H ₄ -CH ₂
242	CH ₃	CH ₃	3-CF ₃ , 4-OCF ₃ -C ₆ H ₃ -CH ₂
243	CH ₃	CH ₃	1-Naphthyl-CH ₂
244	CH ₃	CH ₃	2-Naphthyl-CH ₂
245	CH ₃	CH ₃	2-Phenoxyeth-1-yl
246	CH ₃	CH ₃	2-(2'-Chlorophenoxy)eth-1- yl
247	CH ₃	CH ₃	3-(2'-Chlorophenoxy)eth-1- yl
248	CH ₃	CH ₃	2-(4'-Chlorophenoxy)eth-1- yl
249	CH ₃	CH ₃	2-(3',5'-Dichlorophenoxy)- eth-1-yl
250	CH ₃	CH ₃	2-(2'-Cyanophenoxy)eth-1-yl
251	CH ₃	CH ₃	2-(3'-Cyanophenoxy)eth-1-yl
252	CH ₃	CH ₃	2-(4'-Cyanophenoxy)eth-1-yl
253	CH ₃	CH ₃	2-(2'-Methyl- phenoxy)eth-1-yl
254	CH ₃	CH ₃	2-(3'-Methyl- phenoxy)eth-1-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵
5	255	CH ₃	2-(4'-Methyl- phenoxy)eth-1-yl
256	CH ₃	CH ₃	2-(3'-t-Butylphe- noxy)eth-1-yl
257	CH ₃	CH ₃	2-(4'-t-Butylphe- noxy)eth-1-yl
10	258	CH ₃	2-(2'-Nitrophenoxy)eth-1-yl
259	CH ₃	CH ₃	2-(3'-Nitrophenoxy)eth-1-yl
260	CH ₃	CH ₃	2-(4'-Nitrophenoxy)eth-1-yl
261	CH ₃	CH ₃	2-(2'-Methoxyphen- oxy)eth-1-yl
262	CH ₃	CH ₃	2-(3'-Methoxyphen- oxy)eth-1-yl
15	263	CH ₃	2-(4'-Methoxyphen- oxy)eth-1-yl
264	CH ₃	CH ₃	2-(2'-Trifluoromethylphen- oxy)eth-1-yl
265	CH ₃	CH ₃	2-(3'-Trifluoromethylphen- oxy)eth-1-yl
20	266	CH ₃	2-(4'-Trifluoromethylphen- oxy)eth-1-yl
267	CH ₃	CH ₃	2-(2'-Acetylphenoxy)- eth-1-yl
268	CH ₃	CH ₃	3-(2'-Acetylphenoxy)- eth-1-yl
25	269	CH ₃	4-(2'-Acetylphenoxy)- eth-1-yl
270	CH ₃	CH ₃	2-(2'-Methoxy- carbonyl)eth-1-yl
271	CH ₃	CH ₃	2-(3'-Methoxy- carbonyl)eth-1-yl
30	272	CH ₃	2-(4'-Methoxy- carbonyl)eth-1-yl
273	CH ₃	CH ₃	2-(2'-Dimethylamino- carbonyl)eth-1-yl
274	CH ₃	CH ₃	2-(3'-Dimethylamino- carbonyl)eth-1-yl
35	275	CH ₃	2-(3'-Dimethylamino- carbonyl)eth-1-yl
276	CH ₃	CH ₃	2-(2'-Aminothiocarbo- nyl)eth-1-yl
277	CH ₃	CH ₃	2-(3'-Aminothiocarbo- nyl)eth-1-yl
40	278	CH ₃	2-(4'-Aminothiocarbo- nyl)eth-1-yl
279	CH ₃	CH ₃	2-(2'-Methyl- sulfonyl)eth-1-yl
280	CH ₃	CH ₃	2-(3'-Methyl- sulfonyl)eth-1-yl
45	281	CH ₃	2-(4'-Methyl- sulfonyl)eth-1-yl
282	CH ₃	CH ₃	3-Phenoxyprop-1-yl
283	CH ₃	CH ₃	3-(2'-Chlorophenoxy)prop-1- yl
284	CH ₃	CH ₃	3-(3'-Chlorophenoxy)prop-1- yl
50	285	CH ₃	3-(4'-Chlorophenoxy)prop-1- yl
286	CH ₃	CH ₃	3-(3',5'-Dichlorophenoxy)- prop-1-yl
287	CH ₃	CH ₃	3-(2'-Cyanophen- oxy)prop-1-yl
55	288	CH ₃	3-(3'-Cyanophen- oxy)prop-1-yl
289	CH ₃	CH ₃	3-(4'-Cyanophen- oxy)prop-1-yl
290	CH ₃	CH ₃	3-(2'-Methyl- phenoxy)prop-1-yl
60	291	CH ₃	3-(3'-Methyl- phenoxy)prop-1-yl
292	CH ₃	CH ₃	3-(4'-Methyl- phenoxy)prop-1-yl
293	CH ₃	CH ₃	3-(2'-Methoxyphenoxy)prop- 1-yl
65	294	CH ₃	3-(3'-Methoxyphenoxy)prop- 1-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵
295	CH ₃	CH ₃	3-(4'-Methoxyphenoxy)prop-1-yl
296	CH ₃	CH ₃	3-(2'-Trifluoromethylphenoxy)prop-1-yl
297	CH ₃	CH ₃	3-(3'-Trifluoromethylphenoxy)prop-1-yl
298	CH ₃	CH ₃	3-(4'-Trifluoromethylphenoxy)prop-1-yl
299	CH ₃	CH ₃	4-Phenoxybut-1-yl
300	CH ₃	CH ₃	2-Phenyleth-1-yl
301	CH ₃	CH ₃	2-(2'-Chlorophenyl)eth-1-yl
302	CH ₃	CH ₃	2-(3'-Chlorophenyl)eth-1-yl
303	CH ₃	CH ₃	2-(4'-Chlorophenyl)eth-1-yl
304	CH ₃	CH ₃	2-(3',5'-Dichlorophenyl)eth-1-yl
305	CH ₃	CH ₃	2-(2'-Cyanophenyl)eth-1-yl
306	CH ₃	CH ₃	2-(3'-Cyanophenyl)eth-1-yl
307	CH ₃	CH ₃	2-(4'-Cyanophenyl)eth-1-yl
308	CH ₃	CH ₃	2-(2'-Methylphenyl)eth-1-yl
309	CH ₃	CH ₃	2-(3'-Methylphenyl)eth-1-yl
310	CH ₃	CH ₃	2-(4'-Methylphenyl)eth-1-yl
311	CH ₃	CH ₃	2-(2'-Methoxyphenyl)eth-1-yl
312	CH ₃	CH ₃	2-(3'-Methoxyphenyl)eth-1-yl
313	CH ₃	CH ₃	2-(4'-Methoxyphenyl)eth-1-yl
314	CH ₃	CH ₃	2-(2'-Trifluoromethylphenyl)eth-1-yl
315	CH ₃	CH ₃	2-(3'-Trifluoromethylphenyl)eth-1-yl
316	CH ₃	CH ₃	2-(4'-Trifluoromethylphenyl)eth-1-yl
317	CH ₃	CH ₃	3-Phenylprop-1-yl
318	CH ₃	CH ₃	3-(2'-Chlorophenyl)prop-1-yl
319	CH ₃	CH ₃	3-(3'-Chlorophenyl)prop-1-yl
320	CH ₃	CH ₃	3-(4'-Chlorophenyl)prop-1-yl
321	CH ₃	CH ₃	3-(2'-Cyanophenyl)prop-1-yl
322	CH ₃	CH ₃	3-(3'-Cyanophenyl)prop-1-yl
323	CH ₃	CH ₃	3-(4'-Cyanophenyl)prop-1-yl
324	CH ₃	CH ₃	3-(2'-Trifluoromethylphenyl)prop-1-yl
325	CH ₃	CH ₃	4-Phenylbut-1-yl
326	CH ₃	CH ₃	4-(4'-Chlorophenyl)but-1-yl
327	CH ₃	CH ₃	6-(4'-Chlorophenyl)hex-1-yl
328	CH ₃	CH ₃	2-Pyridylmethyl
329	CH ₃	CH ₃	3-Pyridylmethyl
330	CH ₃	CH ₃	4-Pyridylmethyl
331	CH ₃	CH ₃	4-Chloropyridin-2-ylmethyl
332	CH ₃	CH ₃	5-Chloropyridin-2-ylmethyl
333	CH ₃	CH ₃	6-Chloropyridin-2-ylmethyl
334	CH ₃	CH ₃	5-Chloropyridin-3-ylmethyl
335	CH ₃	CH ₃	6-Chloropyridin-3-ylmethyl
336	CH ₃	CH ₃	2-Chloropyridin-4-ylmethyl
337	CH ₃	CH ₃	2-Pyrimidinylmethyl
338	CH ₃	CH ₃	4-Chloropyrimidin-2-ylmethyl
339	CH ₃	CH ₃	5-Chloropyrimidin-2-ylmethyl
340	CH ₃	CH ₃	6-Chloropyrimidin-4-ylmethyl
341	CH ₃	CH ₃	6-Chloropyrimidin-5-ylmethyl
342	CH ₃	CH ₃	2-Chloropyrimidin-5-ylmethyl
343	CH ₃	CH ₃	4-Pyridazinylmethyl
344	CH ₃	CH ₃	2-Pyrazinylmethyl
345	CH ₃	CH ₃	5-Chloropyrazin-2-ylmethyl
346	CH ₃	CH ₃	6-Chloropyrazin-2-ylmethyl
347	CH ₃	CH ₃	3-Pyridazinylmethyl
348	CH ₃	CH ₃	6-Chloropyridazin-3-ylmethyl
349	CH ₃	CH ₃	1,3,5-Triazinylmethyl
350	CH ₃	CH ₃	2-Furylmethyl

TABLE A-continued

No.	R ³	R ⁴	R ⁵	
5	351	CH ₃	CH ₃	3-Furylmethyl
	352	CH ₃	CH ₃	4-Bromofur-2-ylmethyl
	353	CH ₃	CH ₃	5-Chlorofur-2-ylmethyl
	354	CH ₃	CH ₃	2-Thienylmethyl
	355	CH ₃	CH ₃	3-Thienylmethyl
	356	CH ₃	CH ₃	5-Methylthien-3-ylmethyl
10	357	CH ₃	CH ₃	5-Chlorothien-2-ylmethyl
	358	CH ₃	CH ₃	2-Chlorothien-4-ylmethyl
	359	CH ₃	CH ₃	2-Pyrrolylmethyl
	360	CH ₃	CH ₃	3-Pyrrolylmethyl
	361	CH ₃	CH ₃	2-Oxazolylmethyl
	362	CH ₃	CH ₃	4-Methyloxazol-2-ylmethyl
15	363	CH ₃	CH ₃	5-Methyloxazol-2-ylmethyl
	364	CH ₃	CH ₃	4-Chlorooxazol-2-ylmethyl
	365	CH ₃	CH ₃	5-Chlorooxazol-2-ylmethyl
	366	CH ₃	CH ₃	4-Oxazolylmethyl
	367	CH ₃	CH ₃	2-Methyloxazol-4-ylmethyl
	368	CH ₃	CH ₃	5-Methyloxazol-4-ylmethyl
20	369	CH ₃	CH ₃	2-Chlorooxazol-4-ylmethyl
	370	CH ₃	CH ₃	5-Chlorooxazol-4-ylmethyl
	371	CH ₃	CH ₃	5-Oxazolylmethyl
	372	CH ₃	CH ₃	2-Methyloxazol-5-ylmethyl
	373	CH ₃	CH ₃	4-Methyloxazol-5-ylmethyl
	374	CH ₃	CH ₃	2-Chlorooxazol-5-ylmethyl
25	375	CH ₃	CH ₃	4-Chlorooxazol-5-ylmethyl
	376	CH ₃	CH ₃	2-Thiazolylmethyl
	377	CH ₃	CH ₃	4-Methylthiazol-2-ylmethyl
	378	CH ₃	CH ₃	5-Methylthiazol-2-ylmethyl
	379	CH ₃	CH ₃	4-Chlorothiazol-2-ylmethyl
	380	CH ₃	CH ₃	5-Chlorothiazol-2-ylmethyl
	381	CH ₃	CH ₃	4-Thiazolylmethyl
30	382	CH ₃	CH ₃	2-Methylthiazol-4-ylmethyl
	383	CH ₃	CH ₃	5-Methylthiazol-4-ylmethyl
	384	CH ₃	CH ₃	2-Chlorothiazol-4-ylmethyl
	385	CH ₃	CH ₃	5-Chlorothiazol-4-ylmethyl
	386	CH ₃	CH ₃	5-Thiazolylmethyl
	387	CH ₃	CH ₃	2-Methylthiazol-5-ylmethyl
35	388	CH ₃	CH ₃	4-Methylthiazol-5-ylmethyl
	389	CH ₃	CH ₃	2-Chlorothiazol-5-ylmethyl
	390	CH ₃	CH ₃	4-Chlorothiazol-5-ylmethyl
	391	CH ₃	CH ₃	3-Isoxazolylmethyl
	392	CH ₃	CH ₃	4-Methylisoxazol-3-ylmethyl
	393	CH ₃	CH ₃	5-Methylisoxazol-3-ylmethyl
40	394	CH ₃	CH ₃	4-Chloroisoxazol-3-ylmethyl
	395	CH ₃	CH ₃	5-Chloroisoxazol-3-ylmethyl
	396	CH ₃	CH ₃	4-Isoxazolylmethyl
	397	CH ₃	CH ₃	3-Methylisoxazol-4-ylmethyl
	398	CH ₃	CH ₃	5-Methylisoxazol-4-ylmethyl
	399	CH ₃	CH ₃	3-Chloroisoxazol-4-ylmethyl
45	400	CH ₃	CH ₃	5-Chloroisoxazol-4-ylmethyl
	401	CH ₃	CH ₃	5-Isoxazolylmethyl
	402	CH ₃	CH ₃	3-Methylisoxazol-5-ylmethyl
	403	CH ₃	CH ₃	4-Methylisoxazol-5-ylmethyl
	404	CH ₃	CH ₃	3-Chloroisoxazol-5-ylmethyl
	405	CH ₃	CH ₃	4-Chloroisoxazol-5-ylmethyl
	406	CH ₃	CH ₃	3-Isothiazolylmethyl
50	407	CH ₃	CH ₃	4-Methylisothiazol-3-ylmethyl
	408	CH ₃	CH ₃	5-Methylisothiazol-3-ylmethyl
	409	CH ₃	CH ₃	4-Chloroisothiazol-3-ylmethyl
55	410	CH ₃	CH ₃	5-Chloroisothiazol-3-ylmethyl
	411	CH ₃	CH ₃	4-Isothiazolylmethyl
	412	CH ₃	CH ₃	3-Methylisothiazol-4-ylmethyl
60	413	CH ₃	CH ₃	5-Methylisothiazol-4-ylmethyl
	414	CH ₃	CH ₃	3-Chloroisothiazol-4-ylmethyl
	415	CH ₃	CH ₃	5-Chloroisothiazol-4-ylmethyl
	416	CH ₃	CH ₃	5-Isothiazolylmethyl
65	417	CH ₃	CH ₃	3-Methylisothiazol-5-ylmethyl

TABLE A-continued

No.	R ³	R ⁴	R ⁵
418	CH ₃	CH ₃	4-Methylisothiazol-5-yl-methyl
419	CH ₃	CH ₃	3-Chloroisothiazol-5-yl-methyl
420	CH ₃	CH ₃	4-Chloroisothiazol-5-yl-methyl
421	CH ₃	CH ₃	4-Imidazolylmethyl
422	CH ₃	CH ₃	1-Phenylpyrazol-3-ylmethyl
423	CH ₃	CH ₃	1-Methylimidazol-4-ylmethyl
424	CH ₃	CH ₃	1-Phenyl-1,2,4-triazol-3-ylmethyl
425	CH ₃	CH ₃	1,2,4-Oxadiazol-3-ylmethyl
426	CH ₃	CH ₃	5-Chloro-1,2,4-oxadiazol-3-ylmethyl
427	CH ₃	CH ₃	5-Methyl-1,2,4-oxadiazol-3-ylmethyl
428	CH ₃	CH ₃	5-Trifluoromethyl-1,2,4-oxadiazol-3-ylmethyl
429	CH ₃	CH ₃	1,3,4-Oxadiazol-2-ylmethyl
430	CH ₃	CH ₃	5-Chloro-1,3,4-oxadiazol-2-ylmethyl
431	CH ₃	CH ₃	5-Methyl-1,3,4-oxadiazol-2-ylmethyl
432	CH ₃	CH ₃	5-Methoxy-1,3,4-oxadiazol-2-ylmethyl
433	CH ₃	CH ₃	1,2,4-Thiadiazol-3-ylmethyl
434	CH ₃	CH ₃	5-Chloro-1,2,4-thiadiazol-3-ylmethyl
435	CH ₃	CH ₃	5-Methyl-1,2,4-thiadiazol-3-ylmethyl
436	CH ₃	CH ₃	1,3,4-Thiadiazol-2-ylmethyl
437	CH ₃	CH ₃	5-Chloro-1,3,4-thiadiazol-2-ylmethyl
438	CH ₃	CH ₃	5-Methyl-1,3,4-thiadiazol-2-ylmethyl
439	CH ₃	CH ₃	5-Cyano-1,3,4-thiadiazol-2-ylmethyl
440	CH ₃	CH ₃	2-(2'-Pyridinyloxy)eth-1-yl
441	CH ₃	CH ₃	2-(3'-Pyridinyloxy)eth-1-yl
442	CH ₃	CH ₃	2-(4'-Pyridinyloxy)eth-1-yl
443	CH ₃	CH ₃	2-(2'-Pyrimidinyl-oxo)eth-1-yl
444	CH ₃	CH ₃	2-(4'-Pyrimidinyl-oxo)eth-1-yl
445	CH ₃	CH ₃	2-(5'-Pyrimidinyl-oxo)eth-1-yl
446	CH ₃	CH ₃	2-(2'-Pyrazinyloxy)eth-1-yl
447	CH ₃	CH ₃	2-(2'-Pyridazinyloxy)eth-1-yl
448	CH ₃	CH ₃	2-(3'-Pyridazinyloxy)eth-1-yl
449	CH ₃	CH ₃	2-(1',3',5'-Triazin-yl-oxo)eth-1-yl
450	CH ₃	CH ₃	2-(5'-Methylisoxazol-3'-yl-oxo)eth-1-yl
451	CH ₃	CH ₃	2-(5'-Chloroisoxazol-3'-yl-oxo)eth-1-yl
452	CH ₃	CH ₃	2-(2'-Methoxythiazol-4'-yl-oxo)eth-1-yl
453	CH ₃	CH ₃	2-(4'-Chlomoxazol-2'-yl-oxo)eth-1-yl
454	CH ₃	CH ₃	2-(1'-Phenyl-1'H-1',2',4'-triazol-3'-yl-oxo)eth-1-yl
455	CH ₃	CH ₃	2-(1'-Phenylpyrazol-3'-yl-oxo)eth-1-yl
456	CH ₃	CH ₃	C ₆ H ₅
457	CH ₃	CH ₃	2-Cl—C ₆ H ₄
458	CH ₃	CH ₃	3-Cl—C ₆ H ₄
459	CH ₃	CH ₃	4-Cl—C ₆ H ₄
460	CH ₃	CH ₃	2,3-Cl ₂ —C ₆ H ₃
461	CH ₃	CH ₃	2,4-Cl ₂ —C ₆ H ₃
462	CH ₃	CH ₃	2,5-Cl ₂ —C ₆ H ₃
463	CH ₃	CH ₃	3,4-Cl ₂ —C ₆ H ₃
464	CH ₃	CH ₃	3,5-Cl ₂ —C ₆ H ₃
465	CH ₃	CH ₃	4-CN—C ₆ H ₄
466	CH ₃	CH ₃	2-NO ₂ —C ₆ H ₄
467	CH ₃	CH ₃	3-NO ₂ —C ₆ H ₄

TABLE A-continued

No.	R ³	R ⁴	R ⁵
5	468	CH ₃	4-NO ₂ —C ₆ H ₄
	469	CH ₃	2,4-(NO ₂) ₂ —C ₆ H ₃
	470	CH ₃	2-CH ₃ —C ₆ H ₄
	471	CH ₃	3-CH ₃ —C ₆ H ₄
	472	CH ₃	4-CH ₃ —C ₆ H ₃
	473	CH ₃	2,3-(CH ₃) ₂ —C ₆ H ₃
10	474	CH ₃	2,4-(CH ₃) ₂ —C ₆ H ₃
	435	CH ₃	2,5-(CH ₃) ₂ —C ₆ H ₃
	476	CH ₃	2,6-(CH ₃) ₂ —C ₆ H ₃
	477	CH ₃	2-C ₆ H ₅ —C ₆ H ₄
	478	CH ₃	3-C ₆ H ₅ —C ₆ H ₄
	479	CH ₃	4-C ₆ H ₅ —C ₆ H ₄
15	480	CH ₃	3-OCH ₃ —C ₆ H ₄
	481	CH ₃	4-OCH ₃ —C ₆ H ₄
	482	CH ₃	3-Acetyl—C ₆ H ₄
	483	CH ₃	4-Acetyl—C ₆ H ₄
	484	CH ₃	3-Methoxycarbonyl—C ₆ H ₄
	485	CH ₃	4-Methoxycarbonyl—C ₆ H ₄
20	486	CH ₃	3-CF ₃ —C ₆ H ₄
	487	CH ₃	4-CF ₃ —C ₆ H ₄
	488	CH ₃	2-Naphthyl
	489	CH ₃	6-Chloropyridazin-3-yl
	490	CH ₃	5-Chloropyrazin-2-yl
	491	CH ₃	Quinotin-2-yl
	492	CH ₃	2,5-Dimethylpyrazin-3-yl
25	493	CH ₃	Pyrazin-2-yl
	494	CH ₃	3-Chloropyrid-2-yl
	495	CH ₃	6-Chloropyrid-2-yl
	496	CH ₃	4-Trifluoromethyl [sic], 6-Chloropyrid-2-yl
	497	CH ₃	4-Trifluoromethylpyrid-2-yl
30	498	CH ₃	6-Trifluoromethylpyrid-2-yl
	499	CH ₃	6-Methoxypyrid-2-yl
	500	CH ₃	5-Chloropyrid-2-yl
	501	CH ₃	Pyrid-2-yl
	502	CH ₃	Benzothiazol-2-yl
	503	CH ₃	7-Chloroquinolin-4-yl
35	504	CH ₃	3-Nitropyrid-2-yl
	505	CH ₃	Pyrrol-3-yl
	506	CH ₃	Pyrrol-2-yl
	507	CH ₃	2,6-Dioctylpyrid-4-yl
	508	CH ₃	5-Nitropyrid-2-yl
	509	CH ₃	Pyrid-4-yl
40	510	CH ₃	Pyrid-3-yl
	511	CH ₃	Pyrimidin-2-yl
	512	CH ₃	Pyrimidin-4-yl
	513	CH ₃	Quinazolin-4-yl
	514	CH ₃	6-Chloropyrimidin-4-yl
	515	CH ₃	6-Methoxypyrimidin-4-yl
45	516	CH ₃	2,5,6-Trichloropyrimidin-4-yl
	517	CH ₃	2,6-Dimethylpyrimidin-4-yl
	518	CH ₃	2-Methyl, 6-Chloropyrimidin-4-yl
	519	CH ₃	2-Methyl, 6-Ethoxypyrimidin-4-yl
50	520	CH ₃	4,5,6-Trichloropyrimidin-2-yl
	521	CH ₃	4,6-Dimethoxypyrimidin-2-yl
	522	CH ₃	4,6-Dimethylpyrimidin-2-yl
	523	CH ₃	4,6-Dichloropyrimidin-2-yl
	524	CH ₃	4-Methyl, 6-methoxypyrimidin-2-yl
55	525	CH ₃	4-Chloro, 6-methoxypyrimidin-2-yl
	526	CH ₃	6-Chloroquinoxalin-2-yl
	527	CH ₃	3,6-Dichloro-1,2,4-triazin-5-yl
60	528	CH ₃	4-Methoxy-1,3,5-triazin-2-yl
	529	CH ₃	3-Ethoxy-1,3,5-triazin-2-yl
	530	CH ₃	4,6-Dichloro-1,3,5-triazin-2-yl
	531	CH ₃	4-Ethoxy, 6-Chloro-1,3,5-triazin-2-yl
65	532	CH ₃	Isoxazol-3-yl
	533	CH ₃	Thien-2-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵
534	CH ₃	CH ₃	Fur-2-yl
535	CH ₃	CH ₃	Thiatriazol-5-yl
536	CH ₃	CH ₃	(E)-1-Chloropropen-3-yl
537	CH ₃	CH ₃	(E)-4-(4'-Chlorophenyl)but-2-en-1-yl
538	CH ₃	CH ₃	Propyn-3-yl
539	CH ₃	CH ₃	Methylcarbonyl
540	CH ₃	CH ₃	Ethylcarbonyl
541	CH ₃	CH ₃	n-Propylcarbonyl
542	CH ₃	CH ₃	i-Propylcarbonyl
543	CH ₃	CH ₃	n-Butylcarbonyl
544	CH ₃	CH ₃	s-Butylcarbonyl
545	CH ₃	CH ₃	i-Butylcarbonyl
546	CH ₃	CH ₃	i-Butylcarbonyl
547	CH ₃	CH ₃	n-Pentylcarbonyl
548	CH ₃	CH ₃	i-Pentylcarbonyl
549	CH ₃	CH ₃	neo-Pentylcarbonyl
550	CH ₃	CH ₃	n-Hexylcarbonyl
551	CH ₃	CH ₃	n-Octylcarbonyl
552	CH ₃	CH ₃	1-Propenylcarbonyl
553	CH ₃	CH ₃	2-Penten-1-yl-carbonyl
554	CH ₃	CH ₃	2,5-Heptadien-1-yl-carbonyl
555	CH ₃	CH ₃	Benzoyl
556	CH ₃	CH ₃	2-Chlorobenzoyl
557	CH ₃	CH ₃	3-Chlorobenzoyl
558	CH ₃	CH ₃	4-Chlorobenzoyl
559	CH ₃	CH ₃	2-Cyanobenzoyl
560	CH ₃	CH ₃	3-Cyanobenzoyl
561	CH ₃	CH ₃	4-Cyanobenzoyl
562	CH ₃	CH ₃	4-Methoxybenzoyl
563	CH ₃	CH ₃	2-Pyridylcarbonyl
564	CH ₃	CH ₃	3-Pyridylcarbonyl
565	CH ₃	CH ₃	4-Pyridylcarbonyl
566	CH ₃	CH ₃	2-Pyrimidinylcarbonyl
567	CH ₃	CH ₃	2-Oxazolylcarbonyl
568	CH ₃	CH ₃	4-Methylisoxazol-5-yl-carbonyl
569	CH ₃	CH ₃	Methylsulfonyl
570	CH ₃	CH ₃	Ethylsulfonyl
571	CH ₃	CH ₃	n-Propylsulfonyl
572	CH ₃	CH ₃	i-Propylsulfonyl
573	CH ₃	CH ₃	n-Butylsulfonyl
574	CH ₃	CH ₃	t-Butylsulfonyl
575	CH ₃	CH ₃	n-Pentylsulfonyl
576	CH ₃	CH ₃	neo-Pentylsulfonyl
577	CH ₃	CH ₃	n-Hexylsulfonyl
578	CH ₃	CH ₃	n-Octylsulfonyl
579	CH ₃	CH ₃	Phenylsulfonyl
580	CH ₃	CH ₃	2-Chlorophenylsulfonyl
581	CH ₃	CH ₃	3-Chlorophenylsulfonyl
582	CH ₃	CH ₃	4-Chlorophenylsulfonyl
583	CH ₃	CH ₃	2-Cyanophenylsulfonyl
584	CH ₃	CH ₃	3-Cyanophenylsulfonyl
585	CH ₃	CH ₃	4-Cyanophenylsulfonyl
586	CH ₃	CH ₃	2-Pyridylsulfonyl
587	CH ₃	CH ₃	3-Pyridylsulfonyl
588	CH ₃	CH ₃	4-Pyridylsulfonyl
589	CH ₃	CH ₃	2-Pyrimidinylsulfonyl
590	CH ₃	CH ₃	4-Oxazolylsulfonyl
591	CH ₃	CH ₃	5-Chlorothiazol-2-yl-sulfonyl
592	CH ₃	CH ₃	2-t-C ₄ H ₉ -C ₆ H ₄ -CH ₂
593	CH ₃	CH ₃	3-t-C ₄ H ₉ -C ₆ H ₄ -CH ₂
594	CH ₃	CH ₃	4-t-C ₄ H ₉ -C ₆ H ₄ -CH ₂
595	CH ₃	CH ₃	2-(4'-Chlorothiazol-2'-yl-oxy)3th-1-yl
596	CH ₃	CH ₃	2-(1'-Methylpyrazo-4'-yl-oxy)eth-1-yl
597	CH ₃	CH ₃	4-Br-C ₆ H ₄
598	CH ₃	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃
599	CH ₃	CH ₃	4-C ₂ H ₅ -C ₆ H ₄
600	CH ₃	CH ₃	3-Dimethylaminocarbonyl-C ₆ H ₄
601	CH ₃	CH ₃	4-Dimethylaminocarbonyl-C ₆ H ₄
602	CH ₃	CH ₃	2-Hydroxyprop-1-yl
603	CH ₃	CH ₃	6-Hydroxy-2-methyl-pyrimidin-4-ylmethyl

TABLE A-continued

No.	R ³	R ⁴	R ⁵
5	604	CH ₃	[6-OH,2-CH(CH ₂) ₂ -pyrimidin-4-yl]-CH ₂
605	CH ₃	CH ₃	[6-OH,2-CH(CH ₂) ₂ -pyrimidin-4-yl]-CH ₂
606	CH ₃	CH ₃	5-(2'-Furan)-pent-1-yl
607	CH ₃	CH ₃	5-(2'-N-Methylpyrrol)-pent-1-yl
608	CH ₃	CH ₃	[2-(4-Cl-C ₆ H ₄)-oxazol-4-yl]-CH ₂
609	CH ₃	CH ₃	3-CF ₃ -pyridin-2-yl
610	CH ₃	CH ₃	5-CF ₃ -pyridin-2-yl
611	CH ₃	CH ₃	6-(2'-Thienyl)hex-1-yl
612	CH ₃	t-C ₄ H ₉	H
613	CH ₃	t-C ₄ H ₉	CH ₃
614	CH ₃	t-C ₄ H ₉	C ₂ H ₅
615	CH ₃	t-C ₄ H ₉	n-C ₃ H ₇
616	CH ₃	t-C ₄ H ₉	i-C ₃ H ₇
617	CH ₃	t-C ₄ H ₉	Cyclopropyl
618	CH ₃	t-C ₄ H ₉	n-C ₄ H ₉
619	CH ₃	t-C ₄ H ₉	t-C ₄ H ₉
620	CH ₃	t-C ₄ H ₉	n-C ₆ H ₁₃
621	CH ₃	t-C ₄ H ₉	(E)-1-Chloropropen-3-yl
622	CH ₃	t-C ₄ H ₉	Propyn-3-yl
623	CH ₃	t-C ₄ H ₉	3-Methylbut-2-en-1-yl
624	CH ₃	t-C ₄ H ₉	2-Naphthyl-CH ₂
625	CH ₃	t-C ₄ H ₉	4-Cl-C ₆ H ₄ -CH ₂
626	CH ₃	t-C ₄ H ₉	(E)-4-(4'-Chlorophenyl)but-2-en-1-yl
627	CH ₃	t-C ₄ H ₉	6-(4'-Chlorophenyl)hex-1-yl
628	CH ₃	t-C ₄ H ₉	3-CF ₃ -C ₆ H ₄
629	CH ₃	C ₆ H ₅	H
630	CH ₃	C ₆ H ₅	CH ₃
631	CH ₃	C ₆ H ₅	C ₂ H ₅
632	CH ₃	C ₆ H ₅	n-C ₃ H ₇
633	CH ₃	C ₆ H ₅	i-C ₃ H ₇
634	CH ₃	C ₆ H ₅	Cyclopropyl
635	CH ₃	C ₆ H ₅	n-C ₄ H ₉
636	CH ₃	C ₆ H ₅	t-C ₄ H ₉
637	CH ₃	C ₆ H ₅	n-C ₆ H ₁₃
638	CH ₃	C ₆ H ₅	4-Cl-C ₆ H ₄ -CH ₂
639	CH ₃	C ₆ H ₅	3-CF ₃ -C ₆ H ₄
640	CH ₃	C ₆ H ₅	6-(4'-Chlorophenyl)hex-1-yl
641	CH ₃	C ₆ H ₅	(E)-4-(4'-Chlorophenyl)but-2-en-1-yl
642	CH ₃	H	H
643	CH ₃	H	CH ₃
644	CH ₃	H	C ₂ H ₅
645	CH ₃	H	n-C ₃ H ₇
646	CH ₃	H	C ₃ H ₇
647	CH ₃	OH	H
648	CH ₃	OH	CH ₃
649	CH ₃	OH	C ₂ H ₅
650	CH ₃	OH	n-C ₃ H ₇
651	CH ₃	OH	t-C ₃ H ₇
652	CH ₃	Cl	CH ₃
653	CH ₃	Cl	C ₂ H ₅
654	CH ₃	Cl	n-C ₃ H ₇
655	CH ₃	Cl	i-C ₃ H ₇
656	CH ₃	OCH ₃	H
657	CH ₃	OCH ₃	CH ₃
658	CH ₃	OCH ₃	C ₂ H ₅
659	CH ₃	OCH ₃	n-C ₃ H ₇
660	CH ₃	OCH ₃	i-C ₃ H ₇
661	CH ₃	SCH ₃	H
662	CH ₃	SCH ₃	CH ₃
663	CH ₃	SCH ₃	C ₂ H ₅
664	CH ₃	SCH ₃	n-C ₃ H ₇
665	CH ₃	SCH ₃	i-C ₃ H ₇
666	CH ₃	Cyclopropyl	H
667	CH ₃	Cyclopropyl	CH ₃
668	CH ₃	Cyclopropyl	C ₂ H ₅
669	CH ₃	Cyclopropyl	n-C ₃ H ₇
670	CH ₃	Cyclopropyl	i-C ₃ H ₇
671	CH ₃	2-Pyridyl	H
672	CH ₃	2-Pyridyl	CH ₃
673	CH ₃	2-Pyridyl	C ₂ H ₅
674	CH ₃	2-Pyridyl	n-C ₃ H ₇

TABLE A-continued

No.	R ³	R ⁴	R ⁵
675	CH ₃	2-Pyridyl	i-C ₃ H ₇
676	CH ₃	3-Pyridyl	H
677	CH ₃	3-Pyridyl	CH ₃
678	CH ₃	3-Pyridyl	C ₂ H ₅
679	CH ₃	3-Pyridyl	n-C ₃ H ₇
680	CH ₃	3-Pyridyl	i-C ₃ H ₇
681	CH ₃	4-Pyridyl	H
682	CH ₃	4-Pyridyl	CH ₃
683	CH ₃	4-Pyridyl	C ₂ H ₅
684	CH ₃	4-Pyridyl	n-C ₃ H ₇
685	CH ₃	4-Pyridyl	i-C ₃ H ₇
686	CH ₃	2-Pyridimidyl	H
687	CH ₃	2-Pyridimidyl	CH ₃
688	CH ₃	2-Pyridimidyl	C ₂ H ₅
689	CH ₃	2-Pyridimidyl	n-C ₃ H ₇
690	CH ₃	2-Pyridimidyl	i-C ₃ H ₇
691	CH ₃	4-Pyridimidyl	H
692	CH ₃	4-Pyridimidyl	CH ₃
693	CH ₃	4-Pyridimidyl	C ₂ H ₅
694	CH ₃	4-Pyridimidyl	n-C ₃ H ₇
695	CH ₃	4-Pyridimidyl	i-C ₃ H ₇
696	CH ₃	5-Pyridimidyl	H
697	CH ₃	5-Pyridimidyl	CH ₃
698	CH ₃	5-Pyridimidyl	C ₂ H ₅
699	CH ₃	5-Pyridimidyl	n-C ₃ H ₇
700	CH ₃	5-Pyridimidyl	i-C ₃ H ₇
701	CH ₃	1,3,5-Triazinyl	H
702	CH ₃	1,3,5-Triazinyl	CH ₃
703	CH ₃	1,3,5-Triazinyl	C ₂ H ₅
704	CH ₃	1,3,5-Triazinyl	n-C ₃ H ₇
705	CH ₃	1,3,5-Triazinyl	i-C ₃ H ₇
706	CH ₃	2-Furyl	H
707	CH ₃	2-Furyl	CH ₃
708	CH ₃	2-Furyl	C ₂ H ₅
709	CH ₃	2-Furyl	n-C ₃ H ₇
710	CH ₃	2-Furyl	i-C ₃ H ₇
711	CH ₃	3-Furyl	H
712	CH ₃	3-Furyl	CH ₃
713	CH ₃	3-Furyl	C ₂ H ₅
714	CH ₃	3-Furyl	n-C ₃ H ₇
715	CH ₃	3-Furyl	i-C ₃ H ₇
716	CH ₃	2-Thienyl	H
717	CH ₃	2-Thienyl	CH ₃
718	CH ₃	2-Thienyl	C ₂ H ₅
719	CH ₃	2-Thienyl	n-C ₃ H ₇
720	CH ₃	2-Thienyl	i-C ₃ H ₇
721	CH ₃	3-Thienyl	H
722	CH ₃	3-Thienyl	CH ₃
723	CH ₃	3-Thienyl	C ₂ H ₅
724	CH ₃	3-Thienyl	n-C ₃ H ₇
725	CH ₃	3-Thienyl	i-C ₃ H ₇
726	CH ₃	2-Oxazolyl	H
727	CH ₃	2-Oxazolyl	CH ₃
728	CH ₃	2-Oxazolyl	C ₂ H ₅
729	CH ₃	2-Oxazolyl	n-C ₃ H ₇
730	CH ₃	2-Oxazolyl	i-C ₃ H ₇
731	CH ₃	4-Oxazolyl	H
732	CH ₃	4-Oxazolyl	CH ₃
733	CH ₃	4-Oxazolyl	C ₂ H ₅
734	CH ₃	4-Oxazolyl	n-C ₃ H ₇
735	CH ₃	4-Oxazolyl	i-C ₃ H ₇
736	CH ₃	2-Thiazolyl	H
737	CH ₃	2-Thiazolyl	CH ₃
738	CH ₃	2-Thiazolyl	C ₂ H ₅
739	CH ₃	2-Thiazolyl	n-C ₃ H ₇
740	CH ₃	2-Thiazolyl	i-C ₃ H ₇
741	CH ₃	4-Thiazolyl	H
742	CH ₃	4-Thiazolyl	CH ₃
743	CH ₃	4-Thiazolyl	C ₂ H ₅
744	CH ₃	4-Thiazolyl	n-C ₃ H ₇
745	CH ₃	4-Thiazolyl	i-C ₃ H ₇
746	CH ₃	3-Isoxazolyl	H
747	CH ₃	3-Isoxazolyl	CH ₃
748	CH ₃	3-Isoxazolyl	C ₂ H ₅
749	CH ₃	3-Isoxazolyl	n-C ₃ H ₇
750	CH ₃	3-Isoxazolyl	i-C ₃ H ₇
751	CH ₃	5-Isoxazolyl	H

TABLE A-continued

No.	R ³	R ⁴	R ⁵	
5	752	CH ₃	5-Isoxazolyl	CH ₃
	753	CH ₃	5-Isoxazolyl	C ₂ H ₅
	754	CH ₃	5-Isoxazolyl	n-C ₃ H ₇
	755	CH ₃	5-Isoxazolyl	i-C ₃ H ₇
	756	CH ₃	2-Imidazolyl	H
	757	CH ₃	2-Imidazolyl	CH ₃
10	758	CH ₃	2-Imidazolyl	C ₂ H ₅
	759	CH ₃	2-Imidazolyl	n-C ₃ H ₇
	760	CH ₃	2-Imidazolyl	i-C ₃ H ₇
	761	CH ₃	3-Pyrazolyl	H
	762	CH ₃	3-Pyrazolyl	CH ₃
	763	CH ₃	3-Pyrazolyl	C ₂ H ₅
15	764	CH ₃	3-Pyrazolyl	n-C ₃ H ₇
	765	CH ₃	3-Pyrazolyl	i-C ₃ H ₇
	766	CH ₃	4-Pyrazolyl	H
	767	CH ₃	4-Pyrazolyl	CH ₃
	768	CH ₃	4-Pyrazolyl	C ₂ H ₅
	769	CH ₃	4-Pyrazolyl	n-C ₃ H ₇
20	770	CH ₃	4-Pyrazolyl	i-C ₃ H ₇
	771	OCH ₃	H	H
	772	OCH ₃	H	CH ₃
	773	OCH ₃	H	C ₂ H ₅
	774	OCH ₃	H	n-C ₃ H ₇
	775	OCH ₃	H	i-C ₃ H ₇
	776	OCH ₃	OH	H
25	777	OCH ₃	OH	CH ₃
	778	OCH ₃	OH	C ₂ H ₅
	779	OCH ₃	OH	n-C ₃ H ₇
	780	OCH ₃	OH	i-C ₃ H ₇
	781	OCH ₃	Cl	n-C ₄ H ₉
	782	OCH ₃	Cl	CH ₃
30	783	OCH ₃	Cl	C ₂ H ₅
	784	OCH ₃	Cl	n-C ₃ H ₇
	785	OCH ₃	Cl	i-C ₃ H ₇
	786	OCH ₃	OCH ₃	H
	787	OCH ₃	OCH ₃	CH ₃
	788	OCH ₃	OCH ₃	C ₂ H ₅
35	789	OCH ₃	OCH ₃	n-C ₃ H ₇
	790	OCH ₃	OCH ₃	i-C ₃ H ₇
	791	OCH ₃	SCH ₃	H
	792	OCH ₃	SCH ₃	CH ₃
	793	OCH ₃	SCH ₃	C ₂ H ₅
	794	OCH ₃	SCH ₃	n-C ₃ H ₇
40	795	OCH ₃	SCH ₃	i-C ₃ H ₇
	796	OCH ₃	CH ₃	H
	797	OCH ₃	CH ₃	CH ₃
	798	OCH ₃	CH ₃	C ₂ H ₅
	799	OCH ₃	CH ₃	n-C ₃ H ₇
	800	OCH ₃	CH ₃	i-C ₃ H ₇
45	801	OCH ₃	Cyclopropyl	H
	802	OCH ₃	Cyclopropyl	CH ₃
	803	OCH ₃	Cyclopropyl	C ₂ H ₅
	804	OCH ₃	Cyclopropyl	n-C ₃ H ₇
	805	OCH ₃	Cyclopropyl	i-C ₃ H ₇
	806	OCH ₃	2-Pyridyl	H
	807	OCH ₃	2-Pyridyl	CH ₃
50	808	OCH ₃	2-Pyridyl	C ₂ H ₅
	809	OCH ₃	2-Pyridyl	n-C ₃ H ₇
	810	OCH ₃	2-Pyridyl	i-C ₃ H ₇
	811	OCH ₃	3-Pyridyl	H
	812	OCH ₃	3-Pyridyl	CH ₃
	813	OCH ₃	3-Pyridyl	C ₂ H ₅
55	814	OCH ₃	3-Pyridyl	n-C ₃ H ₇
	815	OCH ₃	3-Pyridyl	i-C ₃ H ₇
	816	OCH ₃	4-Pyridyl	H
	817	OCH ₃	4-Pyridyl	CH ₃
	818	OCH ₃	4-Pyridyl	C ₂ H ₅
	819	OCH ₃	4-Pyridyl	n-C ₃ H ₇
60	820	OCH ₃	4-Pyrimidyl	i-C ₃ H ₇
	821	OCH ₃	2-Pyrimidyl	H
	822	OCH ₃	2-Pyrimidyl	CH ₃
	823	OCH ₃	2-Pyrimidyl	C ₂ H ₅
	824	OCH ₃	2-Pyrimidyl	n-C ₃ H ₇
	825	OCH ₃	2-Pyrimidyl	i-C ₃ H ₇
65	826	OCH ₃	4-Pyrimidyl	H
	827	OCH ₃	4-Pyrimidyl	CH ₃
	828	OCH ₃	4-Pyrimidyl	C ₂ H ₅

TABLE A-continued

No.	R ³	R ⁴	R ⁵
829	OCH ₃	4-Pyrimidyl	n-C ₃ H ₇
830	OCH ₃	4-Pyrimidyl	i-C ₃ H ₇
831	OCH ₃	5-Pyrimidyl	H
832	OCH ₃	5-Pyrimidyl	CH ₃
833	OCH ₃	5-Pyrimidyl	C ₂ H ₅
834	OCH ₃	5-Pyrimidyl	n-C ₃ H ₇
835	OCH ₃	5-Pyrimidyl	i-C ₃ H ₇
836	OCH ₃	1,3,5-Triazinyl	H
837	OCH ₃	1,3,5-Triazinyl	CH ₃
838	OCH ₃	1,3,5-Triazinyl	C ₂ H ₅
839	OCH ₃	1,3,5-Triazinyl	n-C ₃ H ₇
840	OCH ₃	1,3,5-Triazinyl	i-C ₃ H ₇
841	OCH ₃	2-Furyl	H
842	OCH ₃	2-Furyl	CH ₃
843	OCH ₃	2-Furyl	C ₂ H ₅
844	OCH ₃	2-Furyl	n-C ₃ H ₇
845	OCH ₃	2-Furyl	i-C ₃ H ₇
846	OCH ₃	3-Furyl	H
847	OCH ₃	3-Furyl	CH ₃
848	OCH ₃	3-Furyl	C ₂ H ₅
849	OCH ₃	3-Furyl	n-C ₃ H ₇
850	OCH ₃	3-Furyl	i-C ₃ H ₇
851	OCH ₃	2-Thienyl	H
852	OCH ₃	2-Thienyl	CH ₃
853	OCH ₃	2-Thienyl	C ₂ H ₅
854	OCH ₃	2-Thienyl	n-C ₃ H ₇
855	OCH ₃	2-Thienyl	i-C ₃ H ₇
856	OCH ₃	3-Thienyl	H
857	OCH ₃	3-Thienyl	CH ₃
858	OCH ₃	3-Thienyl	C ₂ H ₅
859	OCH ₃	3-Thienyl	n-C ₃ H ₇
860	OCH ₃	3-Thienyl	i-C ₃ H ₇
861	OCH ₃	2-Oxazolyl	H
862	OCH ₃	2-Oxazolyl	CH ₃
863	OCH ₃	2-Oxazolyl	C ₂ H ₅
864	OCH ₃	2-Oxazolyl	n-C ₃ H ₇
865	OCH ₃	2-Oxazolyl	i-C ₃ H ₇
866	OCH ₃	4-Oxazolyl	H
867	OCH ₃	4-Oxazolyl	CH ₃
868	OCH ₃	4-Oxazolyl	C ₂ H ₅
869	OCH ₃	4-Oxazolyl	n-C ₃ H ₇
870	OCH ₃	4-Oxazolyl	i-C ₃ H ₇
871	OCH ₃	2-Thiazolyl	H
872	OCH ₃	2-Thiazolyl	CH ₃
873	OCH ₃	2-Thiazolyl	C ₂ H ₅
874	OCH ₃	2-Thiazolyl	n-C ₃ H ₇
875	OCH ₃	2-Thiazolyl	i-C ₃ H ₇
876	OCH ₃	4-Thiazolyl	H
877	OCH ₃	4-Thiazolyl	CH ₃
878	OCH ₃	4-Thiazolyl	C ₂ H ₅
879	OCH ₃	4-Thiazolyl	n-C ₃ H ₇
880	OCH ₃	4-Thiazolyl	i-C ₃ H ₇
881	OCH ₃	3-Isloxazolyl	H
882	OCH ₃	3-Isloxazolyl	CH ₃
883	OCH ₃	3-Isloxazolyl	C ₂ H ₅
884	OCH ₃	3-Isloxazolyl	n-C ₃ H ₇
885	OCH ₃	3-Isloxazolyl	i-C ₃ H ₇
886	OCH ₃	5-Isloxazolyl	H
887	OCH ₃	5-Isloxazolyl	CH ₃
888	OCH ₃	5-Isloxazolyl	C ₂ H ₅
889	OCH ₃	5-Isloxazolyl	n-C ₃ H ₇
890	OCH ₃	5-Isloxazolyl	i-C ₃ H ₇
891	OCH ₃	2-Imidazolyl	H
892	OCH ₃	2-Imidazolyl	CH ₃
893	OCH ₃	2-Imidazolyl	C ₂ H ₅
894	OCH ₃	2-Imidazolyl	n-C ₃ H ₇
895	OCH ₃	2-Imidazolyl	i-C ₃ H ₇
896	OCH ₃	3-Pyrazolyl	H
897	OCH ₃	3-Pyrazolyl	CH ₃
898	OCH ₃	3-Pyrazolyl	C ₂ H ₅
899	OCH ₃	3-Pyrazolyl	n-C ₃ H ₇
900	OCH ₃	3-Pyrazolyl	i-C ₃ H ₇
901	OCH ₃	4-Pyrazolyl	H
902	OCH ₃	4-Pyrazolyl	CH ₃
903	OCH ₃	4-Pyrazolyl	C ₂ H ₅
904	OCH ₃	4-Pyrazolyl	n-C ₃ H ₇
905	OCH ₃	4-Pyrazolyl	i-C ₃ H ₇

TABLE A-continued

No.	R ³	R ⁴	R ⁵
5	906	OH	H
	907	OH	H
	908	OH	H
	909	OH	H
	910	OH	H
	911	OH	OH
10	912	OH	OH
	913	OH	OH
	914	OH	OH
	915	OH	OH
	916	OH	Cl
	917	OH	Cl
15	918	OH	Cl
	919	OH	Cl
	920	OH	Cl
	921	OH	OCH ₃
	922	OH	OCH ₃
	923	OH	OCH ₃
20	924	OH	OCH ₃
	925	OH	OCH ₃
	926	OH	SCH ₃
	927	OH	SCH ₃
	928	OH	SCH ₃
	929	OH	SCH ₃
25	930	OH	SCH ₃
	931	OH	CH ₃
	932	OH	CH ₃
	933	OH	CH ₃
	934	OH	CH ₃
	935	OH	CH ₃
	936	OH	Cyclopropyl
30	937	OH	Cyclopropyl
	938	OH	Cyclopropyl
	939	OH	Cyclopropyl
	940	OH	Cyclopropyl
	941	OH	2-Pyridyl
	942	OH	2-Pyridyl
35	943	OH	2-Pyridyl
	944	OH	2-Pyridyl
	945	OH	2-Pyridyl
	946	OH	3-Pyridyl
	947	OH	3-Pyridyl
	948	OH	3-Pyridyl
40	949	OH	3-Pyridyl
	950	OH	3-Pyridyl
	951	OH	4-Pyridyl
	952	OH	4-Pyridyl
	953	OH	4-Pyridyl
	954	OH	4-Pyridyl
	955	OH	4-Pyridyl
45	956	OH	2-Pyrimidyl
	957	OH	2-Pyrimidyl
	958	OH	2-Pyrimidyl
	959	OH	2-Pyrimidyl
	960	OH	2-Pyrimidyl
	961	OH	4-Pyrimidyl
50	962	OH	4-Pyrimidyl
	963	OH	4-Pyrimidyl
	964	OH	4-Pyrimidyl
	965	OH	4-Pyrimidyl
	966	OH	5-Pyrimidyl
	967	OH	5-Pyrimidyl
55	968	OH	5-Pyrimidyl
	969	OH	5-Pyrimidyl
	970	OH	5-Pyrimidyl
	971	OH	1,3,5-Triazinyl
	972	OH	1,3,5-Triazinyl
	973	OH	1,3,5-Triazinyl
60	974	OH	1,3,5-Triazinyl
	975	OH	1,3,5-Triazinyl
	976	OH	2-Furyl
	977	OH	2-Furyl
	978	OH	2-Furyl
	979	OH	2-Furyl
65	980	OH	2-Furyl
	981	OH	3-Furyl
	982	OH	3-Furyl

TABLE A-continued

No.	R ³	R ⁴	R ⁵
983	OH	3-Furyl	C ₂ H ₅
984	OH	3-Furyl	n-C ₃ H ₇
985	OH	3-Furyl	i-C ₃ H ₇
986	OH	2-Thienyl	H
987	OH	2-Thienyl	CH ₃
988	OH	2-Thienyl	C ₂ H ₅
989	OH	2-Thienyl	n-C ₃ H ₇
990	OH	2-Thienyl	i-C ₃ H ₇
991	OH	3-Thienyl	H
992	OH	3-Thienyl	CH ₃
993	OH	3-Thienyl	C ₂ H ₅
994	OH	3-Thienyl	n-C ₃ H ₇
995	OH	3-Thienyl	i-C ₃ H ₇
996	OH	2-Oxazolyl	H
997	OH	2-Oxazolyl	CH ₃
998	OH	2-Oxazolyl	C ₂ H ₅
999	OH	2-Oxazolyl	n-C ₃ H ₇
1000	OH	2-Oxazolyl	i-C ₃ H ₇
1001	OH	4-Oxazolyl	H
1002	OH	4-Oxazolyl	CH ₃
1003	OH	4-Oxazolyl	C ₂ H ₅
1004	OH	4-Oxazolyl	n-C ₃ H ₇
1005	OH	2-Thiazolyl	i-C ₃ H ₇
1006	OH	2-Thiazolyl	H
1007	OH	2-Thiazolyl	CH ₃
1008	OH	2-Thiazolyl	C ₂ H ₅
1009	OH	2-Thiazolyl	n-C ₃ H ₇
1010	OH	2-Thiazolyl	i-C ₃ H ₇
1011	OH	4-Thiazolyl	H
1012	OH	4-Thiazolyl	CH ₃
1013	OH	4-Thiazolyl	C ₂ H ₅
1014	OH	4-Isloxazolyl	n-C ₃ H ₇
1015	OH	4-Isloxazolyl	i-C ₃ H ₇
1016	OH	3-Isloxazolyl	H
1017	OH	3-Isloxazolyl	CH ₃
1018	OH	3-Isloxazolyl	C ₂ H ₅
1019	OH	3-Isloxazolyl	n-C ₃ H ₇
1020	OH	3-Isloxazolyl	i-C ₃ H ₇
1021	OH	5-Isloxazolyl	H
1022	OH	5-Isloxazolyl	CH ₃
1023	OH	5-Isloxazolyl	C ₂ H ₅
1024	OH	5-Isloxazolyl	n-C ₃ H ₇
1025	OH	5-Isloxazolyl	i-C ₃ H ₇
1026	OH	2-Imidazolyl	H
1027	OH	2-Imidazolyl	CH ₃
1028	OH	2-Imidazolyl	C ₂ H ₅
1029	OH	2-Imidazolyl	n-C ₃ H ₇
1030	OH	2-Imidazolyl	i-C ₃ H ₇
1031	OH	3-Pyrazolyl	H
1032	OH	3-Pyrazolyl	CH ₃
1033	OH	3-Pyrazolyl	C ₂ H ₅
1034	OH	3-Pyrazolyl	n-C ₃ H ₇
1035	OH	3-Pyrazolyl	i-C ₃ H ₇
1036	OH	4-Pyrazolyl	H
1037	OH	4-Pyrazolyl	CH ₃
1038	OH	4-Pyrazolyl	C ₂ H ₅
1039	OH	4-Pyrazolyl	n-C ₃ H ₇
1040	OH	4-Pyrazolyl	i-C ₃ H ₇
1041	H	H	H
1042	H	H	CH ₃
1043	H	H	C ₂ H ₅
1044	H	H	n-C ₃ H ₇
1045	H	H	i-C ₃ H ₇
1046	H	OH	H
1047	H	OH	CH ₃
1048	H	OH	C ₂ H ₅
1049	H	OH	n-C ₃ H ₇
1050	H	OH	i-C ₃ H ₇
1051	H	Cl	n-C ₄ H ₉
1052	H	Cl	CH ₃
1053	H	Cl	C ₂ H ₅
1054	H	Cl	n-C ₃ H ₇
1055	H	Cl	i-C ₃ H ₇
1056	H	OCH ₃	H
1057	H	OCH ₃	CH ₃
1058	H	OCH ₃	C ₂ H ₅
1059	H	OCH ₃	n-C ₃ H ₇

TABLE A-continued

No.	R ³	R ⁴	R ⁵
5	1060	H	OCH ₃
	1061	H	CH ₃
	1062	H	CH ₃
	1063	H	CH ₃
	1064	H	CH ₃
	1065	H	CH ₃
10	1066	H	Cyclopropyl
	1067	H	Cyclopropyl
	1068	H	Cyclopropyl
	1069	H	Cyclopropyl
	1070	H	Cyclopropyl
	1071	Cl	H
15	1072	Cl	H
	1073	Cl	H
	1074	Cl	H
	1075	Cl	H
	1076	Cl	OH
	1077	Cl	OH
20	1078	Cl	OH
	1079	Cl	OH
	1080	Cl	OH
	1081	Cl	Cl
	1082	Cl	Cl
	1083	Cl	Cl
25	1084	Cl	Cl
	1085	Cl	Cl
	1086	Cl	OCH ₃
	1087	Cl	OCH ₃
	1088	Cl	OCH ₃
	1089	Cl	OCH ₃
	1090	Cl	OCH ₃
30	1091	Cl	CH ₃
	1092	Cl	CH ₃
	1093	Cl	CH ₃
	1094	Cl	CH ₃
	1095	Cl	CH ₃
	1096	Cl	Cyclopropyl
35	1097	Cl	Cyclopropyl
	1098	Cl	Cyclopropyl
	1099	Cl	Cyclopropyl
	1100	Cl	Cyclopropyl
	1101	SCH ₃	H
	1102	SCH ₃	H
40	1103	SCH ₃	H
	1104	SCH ₃	H
	1105	SCH ₃	H
	1106	SCH ₃	OH
	1107	SCH ₃	OH
	1108	SCH ₃	OH
45	1109	SCH ₃	OH
	1110	SCH ₃	OH
	1111	SCH ₃	CH ₃
	1112	SCH ₃	CH ₃
	1113	SCH ₃	CH ₃
	1114	SCH ₃	CH ₃
	1115	SCH ₃	CH ₃
50	1116	SCH ₃	SCH ₃
	1117	SCH ₃	SCH ₃
	1118	SCH ₃	SCH ₃
	1119	SCH ₃	SCH ₃
	1120	SCH ₃	SCH ₃
55	1121	SCH ₃	Cyclopropyl
	1122	SCH ₃	Cyclopropyl
	1123	SCH ₃	Cyclopropyl
	1124	SCH ₃	Cyclopropyl
	1125	SCH ₃	Cyclopropyl
	1126	Cyclopropyl	H
60	1127	Cyclopropyl	H
	1128	Cyclopropyl	H
	1129	Cyclopropyl	H
65	1130	Cyclopropyl	H

TABLE A-continued

No.	R ³	R ⁴	R ⁵
1131	Cyclopropyl	OH	H
1132	Cyclopropyl	OH	CH ₃
1133	Cyclopropyl	OH	C ₂ H ₅
1134	Cyclopropyl	OH	n-C ₃ H ₇
1135	Cyclopropyl	OH	i-C ₃ H ₇
1136	Cyclopropyl	Cl	n-C ₄ H ₉
1137	Cyclopropyl	Cl	CH ₃
1138	Cyclopropyl	Cl	C ₂ H ₅
1139	Cyclopropyl	Cl	n-C ₃ H ₇
1140	Cyclopropyl	Cl	i-C ₃ H ₇
1141	Cyclopropyl	OCH ₃	H
1142	Cyclopropyl	OCH ₃	CH ₃
1143	Cyclopropyl	OCH ₃	C ₂ H ₅
1144	Cyclopropyl	OCH ₃	n-C ₃ H ₇
1145	Cyclopropyl	OCH ₃	i-C ₃ H ₇
1146	Cyclopropyl	SCH ₃	H
1147	Cyclopropyl	SCH ₃	CH ₃
1148	Cyclopropyl	SCH ₃	C ₂ H ₅
1149	Cyclopropyl	SCH ₃	n-C ₃ H ₇
1150	Cyclopropyl	SCH ₃	i-C ₃ H ₇
1151	Cyclopropyl	CH ₃	H
1152	Cyclopropyl	CH ₃	CH ₃
1153	Cyclopropyl	CH ₃	C ₂ H ₅
1154	Cyclopropyl	CH ₃	n-C ₃ H ₇
1155	Cyclopropyl	CH ₃	i-C ₃ H ₇
1156	CH ₃	2-F-C ₆ H ₄	CH ₃
1157	CH ₃	2-F-C ₆ H ₄	C ₂ H ₅
1158	CH ₃	2-F-C ₆ H ₄	n-C ₃ H ₇
1159	CH ₃	2-F-C ₆ H ₄	i-C ₃ H ₇
1160	CH ₃	2-F-C ₆ H ₄	n-C ₄ H ₉
1161	CH ₃	2-F-C ₆ H ₄	t-C ₄ H ₉
1162	CH ₃	2-F-C ₆ H ₄	n-C ₆ H ₁₃
1163	CH ₃	2-F-C ₆ H ₄	Prop-1-en-3-yl
1164	CH ₃	2-F-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1165	CH ₃	2-F-C ₆ H ₄	Propyn-3-yl
1166	CH ₃	2-F-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1167	CH ₃	3-F-C ₆ H ₄	H
1168	CH ₃	3-F-C ₆ H ₄	CH ₃
1169	CH ₃	3-F-C ₆ H ₄	C ₂ H ₅
1170	CH ₃	3-F-C ₆ H ₄	n-C ₃ H ₇
1171	CH ₃	3-F-C ₆ H ₄	i-C ₃ H ₇
1172	CH ₃	3-F-C ₆ H ₄	n-C ₄ H ₉
1173	CH ₃	3-F-C ₆ H ₄	t-C ₄ H ₉
1174	CH ₃	3-F-C ₆ H ₄	n-C ₆ H ₁₃
1175	CH ₃	3-F-C ₆ H ₄	Prop-1-en-3-yl
1176	CH ₃	3-F-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1177	CH ₃	3-F-C ₆ H ₄	Propyn-3-yl
1178	CH ₃	3-F-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1179	CH ₃	4-F-C ₆ H ₄	H
1180	CH ₃	4-F-C ₆ H ₄	CH ₃
1181	CH ₃	4-F-C ₆ H ₄	C ₂ H ₅
1182	CH ₃	4-F-C ₆ H ₄	n-C ₃ H ₇

TABLE A-continued

No.	R ³	R ⁴	R ⁵
5	1183	CH ₃ 4-F-C ₆ H ₄	i-C ₃ H ₇
	1184	CH ₃ 4-F-C ₆ H ₄	n-C ₄ H ₉
	1185	CH ₃ 4-F-C ₆ H ₄	t-C ₄ H ₉
	1186	CH ₃ 4-F-C ₆ H ₄	n-C ₆ H ₁₃
	1187	CH ₃ 4-F-C ₆ H ₄	Prop-1-en-3-yl
	1188	CH ₃ 4-F-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
10	1189	CH ₃ 4-F-C ₆ H ₄	Propyn-3-yl
	1190	CH ₃ 4-F-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1191	CH ₃ 2-Cl-C ₆ H ₄	H
	1192	CH ₃ 2-Cl-C ₆ H ₄	CH ₃
	1193	CH ₃ 2-Cl-C ₆ H ₄	C ₂ H ₅
	1194	CH ₃ 2-Cl-C ₆ H ₄	n-C ₃ H ₇
15	1195	CH ₃ 2-Cl-C ₆ H ₄	i-C ₃ H ₇
	1196	CH ₃ 2-Cl-C ₆ H ₄	n-C ₄ H ₉
	1197	CH ₃ 2-Cl-C ₆ H ₄	t-C ₄ H ₉
	1198	CH ₃ 2-Cl-C ₆ H ₄	n-C ₆ H ₁₃
	1199	CH ₃ 2-Cl-C ₆ H ₄	Prop-1-en-3-yl
	1200	CH ₃ 2-Cl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
20	1201	CH ₃ 2-Cl-C ₆ H ₄	Propyn-3-yl
	1202	CH ₃ 2-Cl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1203	CH ₃ 3-Cl-C ₆ H ₄	H
	1204	CH ₃ 3-Cl-C ₆ H ₄	CH ₃
	1205	CH ₃ 3-Cl-C ₆ H ₄	C ₂ H ₅
	1206	CH ₃ 3-Cl-C ₆ H ₄	n-C ₃ H ₇
25	1207	CH ₃ 3-Cl-C ₆ H ₄	i-C ₃ H ₇
	1208	CH ₃ 3-Cl-C ₆ H ₄	n-C ₄ H ₉
	1209	CH ₃ 3-Cl-C ₆ H ₄	t-C ₄ H ₉
	1210	CH ₃ 3-Cl-C ₆ H ₄	n-C ₆ H ₁₃
	1211	CH ₃ 3-Cl-C ₆ H ₄	Prop-1-en-3-yl
	1212	CH ₃ 3-Cl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1213	CH ₃ 3-Cl-C ₆ H ₄	Propyn-3-yl
30	1214	CH ₃ 3-Cl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1215	CH ₃ 4-Cl-C ₆ H ₄	H
	1216	CH ₃ 4-Cl-C ₆ H ₄	CH ₃
	1217	CH ₃ 4-Cl-C ₆ H ₄	C ₂ H ₅
	1218	CH ₃ 4-Cl-C ₆ H ₄	n-C ₃ H ₇
	1219	CH ₃ 4-Cl-C ₆ H ₄	i-C ₃ H ₇
35	1220	CH ₃ 4-Cl-C ₆ H ₄	n-C ₄ H ₉
	1221	CH ₃ 4-Cl-C ₆ H ₄	t-C ₄ H ₉
	1222	CH ₃ 4-Cl-C ₆ H ₄	n-C ₆ H ₁₃
	1223	CH ₃ 4-Cl-C ₆ H ₄	Prop-1-en-3-yl
	1224	CH ₃ 4-Cl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1225	CH ₃ 4-Cl-C ₆ H ₄	Propyn-3-yl
40	1226	CH ₃ 4-Cl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1227	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	H
	1228	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	CH ₃
	1229	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	C ₂ H ₅
	1230	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	n-C ₃ H ₇
	1231	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	i-C ₃ H ₇
	1232	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	n-C ₄ H ₉
45	1233	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	t-C ₄ H ₉
	1234	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	n-C ₆ H ₁₃
	1235	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	Prop-1-en-3-yl
	1236	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
	1237	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	Propyn-3-yl
	1238	CH ₃ 2,3-Cl ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
50	1239	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	H
	1240	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	CH ₃
	1241	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	C ₂ H ₅
	1242	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	n-C ₃ H ₇
	1243	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	i-C ₃ H ₇
	1244	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	n-C ₄ H ₉
55	1245	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	t-C ₄ H ₉
	1246	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	n-C ₆ H ₁₃
	1247	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	Prop-1-en-3-yl
	1248	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
	1249	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	Propyn-3-yl
	1250	CH ₃ 2,4-Cl ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
60	1251	CH ₃ 2,5-Cl ₂ -C ₆ H ₃	H
	1252	CH ₃ 2,5-Cl ₂ -C ₆ H ₃	CH ₃
	1253	CH ₃ 2,5-Cl ₂ -C ₆ H ₃	C ₂ H ₅
	1254	CH ₃ 2,5-Cl ₂ -C ₆ H ₃	n-C ₃ H ₇
	1255	CH ₃ 2,5-Cl ₂ -C ₆ H ₃	i-C ₃ H ₇
	1256	CH ₃ 2,5-Cl ₂ -C ₆ H ₃	n-C ₄ H ₉
65	1257	CH ₃ 2,5-Cl ₂ -C ₆ H ₃	t-C ₄ H ₉
	1258	CH ₃ 2,5-Cl ₂ -C ₆ H ₃	n-C ₆ H ₁₃
	1259	CH ₃ 2,5-Cl ₂ -C ₆ H ₃	Prop-1-en-3-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵
1260	CH ₃	2,5-Cl ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
1261	CH ₃	2,5-Cl ₂ -C ₆ H ₃	Propyn-3-yl
1262	CH ₃	2,5-Cl ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
1263	CH ₃	2,6-Cl ₂ -C ₆ H ₃	H
1264	CH ₃	2,6-Cl ₂ -C ₆ H ₃	CH ₃
1265	CH ₃	2,6-Cl ₂ -C ₆ H ₃	C ₂ H ₅
1266	CH ₃	2,6-Cl ₂ -C ₆ H ₃	n-C ₃ H ₇
1267	CH ₃	2,6-Cl ₂ -C ₆ H ₃	i-C ₃ H ₇
1268	CH ₃	2,6-Cl ₂ -C ₆ H ₃	n-C ₄ H ₉
1269	CH ₃	2,6-Cl ₂ -C ₆ H ₃	t-C ₄ H ₉
1270	CH ₃	2,6-Cl ₂ -C ₆ H ₃	n-C ₆ H ₁₃
1271	CH ₃	2,6-Cl ₂ -C ₆ H ₃	Prop-1-en-3-yl
1272	CH ₃	2,6-Cl ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
1273	CH ₃	2,6-Cl ₂ -C ₆ H ₃	Propyn-3-yl
1274	CH ₃	2,6-Cl ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
1275	CH ₃	3,4-Cl ₂ -C ₆ H ₃	H
1276	CH ₃	3,4-Cl ₂ -C ₆ H ₃	CH ₃
1277	CH ₃	3,4-Cl ₂ -C ₆ H ₃	C ₂ H ₅
1278	CH ₃	3,4-Cl ₂ -C ₆ H ₃	n-C ₃ H ₇
1279	CH ₃	3,4-Cl ₂ -C ₆ H ₃	i-C ₃ H ₇
1280	CH ₃	3,4-Cl ₂ -C ₆ H ₃	n-C ₄ H ₉
1281	CH ₃	3,4-Cl ₂ -C ₆ H ₃	t-C ₄ H ₉
1282	CH ₃	3,4-Cl ₂ -C ₆ H ₃	n-C ₆ H ₁₃
1283	CH ₃	3,4-Cl ₂ -C ₆ H ₃	Prop-1-en-3-yl
1284	CH ₃	3,4-Cl ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
1285	CH ₃	3,4-Cl ₂ -C ₆ H ₃	Propyn-3-yl
1286	CH ₃	3,4-Cl ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
1287	CH ₃	3,5-Cl ₂ -C ₆ H ₃	H
1288	CH ₃	3,5-Cl ₂ -C ₆ H ₃	CH ₃
1289	CH ₃	3,5-Cl ₂ -C ₆ H ₃	C ₂ H ₅
1290	CH ₃	3,5-Cl ₂ -C ₆ H ₃	n-C ₃ H ₇
1291	CH ₃	3,5-Cl ₂ -C ₆ H ₃	i-C ₃ H ₇
1292	CH ₃	3,5-Cl ₂ -C ₆ H ₃	n-C ₄ H ₉
1293	CH ₃	3,5-Cl ₂ -C ₆ H ₃	t-C ₄ H ₉
1294	CH ₃	3,5-Cl ₂ -C ₆ H ₃	n-C ₆ H ₁₃
1295	CH ₃	3,5-Cl ₂ -C ₆ H ₃	Prop-1-en-3-yl
1296	CH ₃	3,5-Cl ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
1297	CH ₃	3,5-Cl ₂ -C ₆ H ₃	Propyn-3-yl
1298	CH ₃	3,5-Cl ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
1299	CH ₃	2-Br-C ₆ H ₄	H
1300	CH ₃	2-Br-C ₆ H ₄	CH ₃
1301	CH ₃	2-Br-C ₆ H ₄	C ₂ H ₅
1302	CH ₃	2-Br-C ₆ H ₄	n-C ₃ H ₇
1303	CH ₃	2-Br-C ₆ H ₄	i-C ₃ H ₇
1304	CH ₃	2-Br-C ₆ H ₄	n-C ₄ H ₉
1305	CH ₃	2-Br-C ₆ H ₄	t-C ₄ H ₉
1306	CH ₃	2-Br-C ₆ H ₄	n-C ₆ H ₁₃
1307	CH ₃	2-Br-C ₆ H ₄	Prop-1-en-3-yl
1308	CH ₃	2-Br-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1309	CH ₃	2-Br-C ₆ H ₄	Propyn-3-yl
1310	CH ₃	2-Br-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1311	CH ₃	3-Br-C ₆ H ₄	H
1312	CH ₃	3-Br-C ₆ H ₄	CH ₃
1313	CH ₃	3-Br-C ₆ H ₄	C ₂ H ₅
1314	CH ₃	3-Br-C ₆ H ₄	n-C ₃ H ₇
1315	CH ₃	3-Br-C ₆ H ₄	i-C ₃ H ₇
1316	CH ₃	3-Br-C ₆ H ₄	n-C ₄ H ₉
1317	CH ₃	3-Br-C ₆ H ₄	t-C ₄ H ₉
1318	CH ₃	3-Br-C ₆ H ₄	n-C ₆ H ₁₃
1319	CH ₃	3-Br-C ₆ H ₄	Prop-1-en-3-yl
1320	CH ₃	3-Br-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1321	CH ₃	3-Br-C ₆ H ₄	Propyn-3-yl
1322	CH ₃	3-Br-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1323	CH ₃	4-Br-C ₆ H ₄	H
1324	CH ₃	4-Br-C ₆ H ₄	CH ₃
1325	CH ₃	4-Br-C ₆ H ₄	C ₂ H ₅
1326	CH ₃	4-Br-C ₆ H ₄	n-C ₃ H ₇
1327	CH ₃	4-Br-C ₆ H ₄	i-C ₃ H ₇
1328	CH ₃	4-Br-C ₆ H ₄	n-C ₄ H ₉
1329	CH ₃	4-Br-C ₆ H ₄	t-C ₄ H ₉
1330	CH ₃	4-Br-C ₆ H ₄	n-C ₆ H ₁₃
1331	CH ₃	4-Br-C ₆ H ₄	Prop-1-en-3-yl
1332	CH ₃	4-Br-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1333	CH ₃	4-Br-C ₆ H ₄	Propyn-3-yl
1334	CH ₃	4-Br-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1335	CH ₃	2-I-C ₆ H ₄	H
1336	CH ₃	2-I-C ₆ H ₄	CH ₃

TABLE A-continued

No.	R ³	R ⁴	R ⁵
1337	CH ₃	2-I-C ₆ H ₄	C ₂ H ₅
1338	CH ₃	2-I-C ₆ H ₄	n-C ₃ H ₇
1339	CH ₃	2-I-C ₆ H ₄	i-C ₃ H ₇
1340	CH ₃	2-I-C ₆ H ₄	n-C ₄ H ₉
1341	CH ₃	2-I-C ₆ H ₄	t-C ₄ H ₉
1342	CH ₃	2-I-C ₆ H ₄	n-C ₆ H ₁₃
1343	CH ₃	2-I-C ₆ H ₄	Prop-1-en-3-yl
1344	CH ₃	2-I-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1345	CH ₃	2-I-C ₆ H ₄	Propyn-3-yl
1346	CH ₃	2-I-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1347	CH ₃	3-I-C ₆ H ₄	H
1348	CH ₃	3-I-C ₆ H ₄	CH ₃
1349	CH ₃	3-I-C ₆ H ₄	C ₂ H ₅
1350	CH ₃	3-I-C ₆ H ₄	n-C ₃ H ₇
1351	CH ₃	3-I-C ₆ H ₄	i-C ₃ H ₇
1352	CH ₃	3-I-C ₆ H ₄	n-C ₄ H ₉
1353	CH ₃	3-I-C ₆ H ₄	t-C ₄ H ₉
1354	CH ₃	3-I-C ₆ H ₄	n-C ₆ H ₁₃
1355	CH ₃	3-I-C ₆ H ₄	Prop-1-en-3-yl
1356	CH ₃	3-I-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1357	CH ₃	3-I-C ₆ H ₄	Propyn-3-yl
1358	CH ₃	3-I-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1359	CH ₃	4-I-C ₆ H ₄	H
1360	CH ₃	4-I-C ₆ H ₄	CH ₃
1361	CH ₃	4-I-C ₆ H ₄	C ₂ H ₅
1362	CH ₃	4-I-C ₆ H ₄	n-C ₃ H ₇
1363	CH ₃	4-I-C ₆ H ₄	i-C ₃ H ₇
1364	CH ₃	4-I-C ₆ H ₄	n-C ₄ H ₉
1365	CH ₃	4-I-C ₆ H ₄	t-C ₄ H ₉
1366	CH ₃	4-I-C ₆ H ₄	n-C ₆ H ₁₃
1367	CH ₃	4-I-C ₆ H ₄	Prop-1-en-3-yl
1368	CH ₃	4-I-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1369	CH ₃	4-I-C ₆ H ₄	Propyn-3-yl
1370	CH ₃	4-I-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1371	CH ₃	2-CN-C ₆ H ₄	H
1372	CH ₃	2-CN-C ₆ H ₄	CH ₃
1373	CH ₃	2-CN-C ₆ H ₄	C ₂ H ₅
1374	CH ₃	2-CN-C ₆ H ₄	n-C ₃ H ₇
1375	CH ₃	2-CN-C ₆ H ₄	i-C ₃ H ₇
1376	CH ₃	2-CN-C ₆ H ₄	n-C ₄ H ₉
1377	CH ₃	2-CN-C ₆ H ₄	t-C ₄ H ₉
1378	CH ₃	2-CN-C ₆ H ₄	n-C ₆ H ₁₃
1379	CH ₃	2-CN-C ₆ H ₄	Prop-1-en-3-yl
1380	CH ₃	2-CN-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1381	CH ₃	2-CN-C ₆ H ₄	Propyn-3-yl
1382	CH ₃	2-CN-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1383	CH ₃	3-CN-C ₆ H ₄	H
1384	CH ₃	3-CN-C ₆ H ₄	CH ₃
1385	CH ₃	3-CN-C ₆ H ₄	C ₂ H ₅
1386	CH ₃	3-CN-C ₆ H ₄	n-C ₃ H ₇
1387	CH ₃	3-CN-C ₆ H ₄	i-C ₃ H ₇
1388	CH ₃	3-CN-C ₆ H ₄	n-C ₄ H ₉
1389	CH ₃	3-CN-C ₆ H ₄	t-C ₄ H ₉
1390	CH ₃	3-CN-C ₆ H ₄	n-C ₆ H ₁₃
1391	CH ₃	3-CN-C ₆ H ₄	Prop-1-en-3-yl
1392	CH ₃	3-CN-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1393	CH ₃	3-CN-C ₆ H ₄	Propyn-3-yl
1394	CH ₃	3-CN-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1395	CH ₃	4-CN-C ₆ H ₄	H
1396	CH ₃	4-CN-C ₆ H ₄	CH ₃
1397	CH ₃	4-CN-C ₆ H ₄	C ₂ H ₅
1398	CH ₃	4-CN-C ₆ H ₄	n-C ₃ H ₇
1399	CH ₃	4-CN-C ₆ H ₄	i-C ₃ H ₇
1400	CH ₃	4-CN-C ₆ H ₄	n-C ₄ H ₉
1401	CH ₃	4-CN-C ₆ H ₄	t-C ₄ H ₉
1402	CH ₃	4-CN-C ₆ H ₄	n-C ₆ H ₁₃
1403	CH ₃	4-CN-C ₆ H ₄	Prop-1-en-3-yl
1404	CH ₃	4-CN-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1405	CH ₃	4-CN-C ₆ H ₄	Propyn-3-yl
1406	CH ₃	4-CN-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1407	CH ₃	4-NO ₂ -C ₆ H ₄	H
1408	CH ₃	4-NO ₂ -C ₆ H ₄	CH ₃
1409	CH ₃	4-NO ₂ -C ₆ H ₄	C ₂ H ₅
1410	CH ₃	4-NO ₂ -C ₆ H ₄	n-C ₃ H ₇
1411	CH ₃	4-NO ₂ -C ₆ H ₄	i-C ₃ H ₇
1412	CH ₃	4-NO ₂ -C ₆ H ₄	n-C ₄ H ₉
1413	CH ₃	4-NO ₂ -C ₆ H ₄	t-C ₄ H ₉

TABLE A-continued

No.	R ³	R ⁴	R ⁵
1414	CH ₃	4-NO ₂ -C ₆ H ₄	n-C ₆ H ₁₃
1415	CH ₃	4-NO ₂ -C ₆ H ₄	Prop-1-en-3-yl
1416	CH ₃	4-NO ₂ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1417	CH ₃	4-NO ₂ -C ₆ H ₄	Propyn-3-yl
1418	CH ₃	4-NO ₂ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1419	CH ₃	3-NO ₂ -C ₆ H ₄	H
1420	CH ₃	3-NO ₂ -C ₆ H ₄	CH ₃
1421	CH ₃	3-NO ₂ -C ₆ H ₄	C ₂ H ₅
1422	CH ₃	3-NO ₂ -C ₆ H ₄	n-C ₃ H ₇
1423	CH ₃	3-NO ₂ -C ₆ H ₄	i-C ₃ H ₇
1424	CH ₃	3-NO ₂ -C ₆ H ₄	n-C ₄ H ₉
1425	CH ₃	3-NO ₂ -C ₆ H ₄	t-C ₄ H ₉
1426	CH ₃	3-NO ₂ -C ₆ H ₄	n-C ₆ H ₁₃
1427	CH ₃	3-NO ₂ -C ₆ H ₄	Prop-1-en-3-yl
1428	CH ₃	3-NO ₂ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1429	CH ₃	3-NO ₂ -C ₆ H ₄	Propyn-3-yl
1430	CH ₃	3-NO ₂ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1431	CH ₃	4-NO ₂ -C ₆ H ₄	H
1432	CH ₃	4-NO ₂ -C ₆ H ₄	CH ₃
1433	CH ₃	4-NO ₂ -C ₆ H ₄	C ₂ H ₅
1434	CH ₃	4-NO ₂ -C ₆ H ₄	n-C ₃ H ₇
1435	CH ₃	4-NO ₂ -C ₆ H ₄	i-C ₃ H ₇
1436	CH ₃	4-NO ₂ -C ₆ H ₄	n-C ₄ H ₉
1437	CH ₃	4-NO ₂ -C ₆ H ₄	t-C ₄ H ₉
1438	CH ₃	4-NO ₂ -C ₆ H ₄	n-C ₆ H ₁₃
1439	CH ₃	4-NO ₂ -C ₆ H ₄	Prop-1-en-3-yl
1440	CH ₃	4-NO ₂ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1441	CH ₃	4-NO ₂ -C ₆ H ₄	Propyn-3-yl
1442	CH ₃	4-NO ₂ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1443	CH ₃	2-CH ₃ -C ₆ H ₄	H
1444	CH ₃	2-CH ₃ -C ₆ H ₄	CH ₃
1445	CH ₃	2-CH ₃ -C ₆ H ₄	C ₂ H ₅
1446	CH ₃	2-CH ₃ -C ₆ H ₄	n-C ₃ H ₇
1447	CH ₃	2-CH ₃ -C ₆ H ₄	i-C ₃ H ₇
1448	CH ₃	2-CH ₃ -C ₆ H ₄	n-C ₄ H ₉
1449	CH ₃	2-CH ₃ -C ₆ H ₄	t-C ₄ H ₉
1450	CH ₃	2-CH ₃ -C ₆ H ₄	n-C ₆ H ₁₃
1451	CH ₃	2-CH ₃ -C ₆ H ₄	Prop-1-en-3-yl
1452	CH ₃	2-CH ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1453	CH ₃	2-CH ₃ -C ₆ H ₄	Propyn-3-yl
1454	CH ₃	2-CH ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1455	CH ₃	3-CH ₃ -C ₆ H ₄	H
1456	CH ₃	3-CH ₃ -C ₆ H ₄	CH ₃
1457	CH ₃	3-CH ₃ -C ₆ H ₄	C ₂ H ₅
1458	CH ₃	3-CH ₃ -C ₆ H ₄	n-C ₃ H ₇
1459	CH ₃	3-CH ₃ -C ₆ H ₄	i-C ₃ H ₇
1460	CH ₃	3-CH ₃ -C ₆ H ₄	n-C ₄ H ₉
1461	CH ₃	3-CH ₃ -C ₆ H ₄	t-C ₄ H ₉
1462	CH ₃	3-CH ₃ -C ₆ H ₄	n-C ₆ H ₁₃
1463	CH ₃	3-CH ₃ -C ₆ H ₄	Prop-1-en-3-yl
1464	CH ₃	3-CH ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1465	CH ₃	3-CH ₃ -C ₆ H ₄	Propyn-3-yl
1466	CH ₃	3-CH ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1467	CH ₃	4-CH ₃ -C ₆ H ₄	H
1468	CH ₃	4-CH ₃ -C ₆ H ₄	CH ₃
1469	CH ₃	4-CH ₃ -C ₆ H ₄	C ₂ H ₅
1470	CH ₃	4-CH ₃ -C ₆ H ₄	n-C ₃ H ₇
1471	CH ₃	4-CH ₃ -C ₆ H ₄	i-C ₃ H ₇
1472	CH ₃	4-CH ₃ -C ₆ H ₄	n-C ₄ H ₉
1473	CH ₃	4-CH ₃ -C ₆ H ₄	t-C ₄ H ₉
1474	CH ₃	4-CH ₃ -C ₆ H ₄	n-C ₆ H ₁₃
1475	CH ₃	4-CH ₃ -C ₆ H ₄	Prop-1-en-3-yl
1476	CH ₃	4-CH ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1477	CH ₃	4-CH ₃ -C ₆ H ₄	Propyn-3-yl
1478	CH ₃	4-CH ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1479	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	H
1480	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	CH ₃
1481	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	C ₂ H ₅
1482	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	n-C ₃ H ₇
1483	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	i-C ₃ H ₇
1484	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	n-C ₄ H ₉
1485	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	t-C ₄ H ₉
1486	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	n-C ₆ H ₁₃
1487	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	Prop-1-en-3-yl
1488	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
1489	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	Propyn-3-yl
1490	CH ₃	2,3-(CH ₃) ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵	
5	1491	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	H
	1492	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	CH ₃
	1493	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	C ₂ H ₅
	1494	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	n-C ₃ H ₇
	1495	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	i-C ₃ H ₇
	1496	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	n-C ₄ H ₉
10	1497	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	t-C ₄ H ₉
	1498	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	n-C ₆ H ₁₃
	1499	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	Prop-1-en-3-yl
	1500	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
	1501	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	Propyn-3-yl
	1502	CH ₃	2,4-(CH ₃) ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
15	1503	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	H
	1504	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	CH ₃
	1505	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	C ₂ H ₅
	1506	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	n-C ₃ H ₇
	1507	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	i-C ₃ H ₇
	1508	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	n-C ₄ H ₉
20	1509	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	t-C ₄ H ₉
	1510	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	n-C ₆ H ₁₃
	1511	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	Prop-1-en-3-yl
	1512	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
	1513	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	Propyn-3-yl
	1514	CH ₃	2,5-(CH ₃) ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
25	1515	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	H
	1516	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	CH ₃
	1517	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	C ₂ H ₅
	1518	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	n-C ₃ H ₇
	1519	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	i-C ₃ H ₇
	1520	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	n-C ₄ H ₉
	1521	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	t-C ₄ H ₉
30	1522	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	n-C ₆ H ₁₃
	1523	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	Prop-1-en-3-yl
	1524	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
	1525	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	Propyn-3-yl
	1526	CH ₃	2,6-(CH ₃) ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
	1527	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	H
35	1528	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	CH ₃
	1529	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	C ₂ H ₅
	1530	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	n-C ₃ H ₇
	1531	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	i-C ₃ H ₇
	1532	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	n-C ₄ H ₉
	1533	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	t-C ₄ H ₉
40	1534	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	n-C ₆ H ₁₃
	1535	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	Prop-1-en-3-yl
	1536	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
	1537	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	Propyn-3-yl
	1538	CH ₃	3,4-(CH ₃) ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
	1539	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	H
45	1540	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	CH ₃
	1541	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	C ₂ H ₅
	1542	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	n-C ₃ H ₇
	1543	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	i-C ₃ H ₇
	1544	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	n-C ₄ H ₉
	1545	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	t-C ₄ H ₉
	1546	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	n-C ₆ H ₁₃
50	1547	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	Prop-1-en-3-yl
	1548	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	(E)-1-Chloroprop-1-en-3-yl
	1549	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	Propyn-3-yl
	1550	CH ₃	3,5-(CH ₃) ₂ -C ₆ H ₃	3-Methyl-but-2-en-1-yl
	1551	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	H
	1552	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	CH ₃
55	1553	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	C ₂ H ₅
	1554	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	n-C ₃ H ₇
	1555	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	t-C ₄ H ₉
	1556	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	n-C ₆ H ₁₃
	1557	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	Prop-1-en-3-yl
	1558	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
60	1559	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	Propyn-3-yl
	1560	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1561	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	H
	1562	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	CH ₃
	1563	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	C ₂ H ₅
	1564	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	n-C ₃ H ₇
	1565	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	i-C ₃ H ₇
65	1566	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	n-C ₄ H ₉
	1567	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	t-C ₄ H ₉

TABLE A-continued

No.	R ³	R ⁴	R ⁵
1568	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	n-C ₆ H ₁₃
1569	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	Prop-1-en-3-yl
1570	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1571	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	Propyn-3-yl
1572	CH ₃	3-C ₂ H ₅ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1573	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	H
1574	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	CH ₃
1575	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	C ₂ H ₅
1576	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	n-C ₃ H ₇
1577	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	i-C ₃ H ₇
1578	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	n-C ₄ H ₉
1579	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	t-C ₄ H ₉
1580	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	n-C ₆ H ₁₃
1581	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	Prop-1-en-3-yl
1582	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1583	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	Propyn-3-yl
1584	CH ₃	4-C ₂ H ₅ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1585	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	H
1586	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	CH ₃
1587	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	C ₂ H ₅
1588	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	n-C ₃ H ₇
1589	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	i-C ₃ H ₇
1590	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	n-C ₄ H ₉
1591	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	t-C ₄ H ₉
1592	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	n-C ₆ H ₁₃
1593	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	Prop-1-en-3-yl
1594	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1595	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	Propyn-3-yl
1596	CH ₃	2-i-C ₃ H ₇ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1597	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	H
1598	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	CH ₃
1599	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	C ₂ H ₅
1600	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	n-C ₃ H ₇
1601	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	i-C ₃ H ₇
1602	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	n-C ₄ H ₉
1603	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	t-C ₄ H ₉
1604	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	n-C ₆ H ₁₃
1605	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	Prop-1-en-3-yl
1606	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1607	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	Propyn-3-yl
1608	CH ₃	3-i-C ₃ H ₇ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1609	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	H
1610	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	CH ₃
1611	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	C ₂ H ₅
1612	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	n-C ₃ H ₇
1613	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	i-C ₃ H ₇
1614	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	n-C ₄ H ₉
1615	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	t-C ₄ H ₉
1616	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	n-C ₆ H ₁₃
1617	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	Prop-1-en-3-yl
1618	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1619	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	Propyn-3-yl
1620	CH ₃	4-i-C ₃ H ₇ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1621	CH ₃	2-OH-C ₆ H ₄	H
1622	CH ₃	2-OH-C ₆ H ₄	CH ₃
1623	CH ₃	2-OH-C ₆ H ₄	C ₂ H ₅
1624	CH ₃	2-OH-C ₆ H ₄	n-C ₃ H ₇
1625	CH ₃	2-OH-C ₆ H ₄	i-C ₃ H ₇
1626	CH ₃	2-OH-C ₆ H ₄	n-C ₄ H ₉
1627	CH ₃	2-OH-C ₆ H ₄	t-C ₄ H ₉
1628	CH ₃	2-OH-C ₆ H ₄	n-C ₆ H ₁₃
1629	CH ₃	2-OH-C ₆ H ₄	Prop-1-en-3-yl
1630	CH ₃	2-OH-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1631	CH ₃	2-OH-C ₆ H ₄	Propyn-3-yl
1632	CH ₃	2-OH-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1633	CH ₃	3-OH-C ₆ H ₄	H
1634	CH ₃	3-OH-C ₆ H ₄	CH ₃
1635	CH ₃	3-OH-C ₆ H ₄	C ₂ H ₅
1636	CH ₃	3-OH-C ₆ H ₄	n-C ₃ H ₇
1637	CH ₃	3-OH-C ₆ H ₄	i-C ₃ H ₇
1638	CH ₃	3-OH-C ₆ H ₄	n-C ₄ H ₉
1639	CH ₃	3-OH-C ₆ H ₄	t-C ₄ H ₉
1640	CH ₃	3-OH-C ₆ H ₄	n-C ₆ H ₁₃
1641	CH ₃	3-OH-C ₆ H ₄	Prop-1-en-3-yl
1642	CH ₃	3-OH-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1643	CH ₃	3-OH-C ₆ H ₄	Propyn-3-yl
1644	CH ₃	3-OH-C ₆ H ₄	3-Methyl-but-2-en-1-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵	
5	1645	CH ₃	4-OH-C ₆ H ₄	H
	1646	CH ₃	4-OH-C ₆ H ₄	CH ₃
	1647	CH ₃	4-OH-C ₆ H ₄	C ₂ H ₅
	1648	CH ₃	4-OH-C ₆ H ₄	n-C ₃ H ₇
	1649	CH ₃	4-OH-C ₆ H ₄	i-C ₃ H ₇
	1650	CH ₃	4-OH-C ₆ H ₄	n-C ₄ H ₉
10	1651	CH ₃	4-OH-C ₆ H ₄	t-C ₄ H ₉
	1652	CH ₃	4-OH-C ₆ H ₄	n-C ₆ H ₁₃
	1653	CH ₃	4-OH-C ₆ H ₄	Prop-1-en-3-yl
	1654	CH ₃	4-OH-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1655	CH ₃	4-OH-C ₆ H ₄	Propyn-3-yl
	1656	CH ₃	4-OH-C ₆ H ₄	3-Methyl-but-2-en-1-yl
15	1657	CH ₃	2-OCH ₃ -C ₆ H ₄	H
	1658	CH ₃	2-OCH ₃ -C ₆ H ₄	CH ₃
	1659	CH ₃	2-OCH ₃ -C ₆ H ₄	C ₂ H ₅
	1660	CH ₃	2-OCH ₃ -C ₆ H ₄	n-C ₃ H ₇
	1661	CH ₃	2-OCH ₃ -C ₆ H ₄	i-C ₃ H ₇
	1662	CH ₃	2-OCH ₃ -C ₆ H ₄	n-C ₄ H ₉
20	1663	CH ₃	2-OCH ₃ -C ₆ H ₄	t-C ₄ H ₉
	1664	CH ₃	2-OCH ₃ -C ₆ H ₄	n-C ₆ H ₁₃
	1665	CH ₃	2-OCH ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1666	CH ₃	2-OCH ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1667	CH ₃	2-OCH ₃ -C ₆ H ₄	Propyn-3-yl
	1668	CH ₃	2-OCH ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
25	1669	CH ₃	3-OCH ₃ -C ₆ H ₄	H
	1670	CH ₃	3-OCH ₃ -C ₆ H ₄	CH ₃
	1671	CH ₃	3-OCH ₃ -C ₆ H ₄	C ₂ H ₅
	1672	CH ₃	3-OCH ₃ -C ₆ H ₄	n-C ₃ H ₇
	1673	CH ₃	3-OCH ₃ -C ₆ H ₄	i-C ₃ H ₇
	1674	CH ₃	3-OCH ₃ -C ₆ H ₄	n-C ₄ H ₉
	1675	CH ₃	3-OCH ₃ -C ₆ H ₄	t-C ₄ H ₉
30	1676	CH ₃	3-OCH ₃ -C ₆ H ₄	n-C ₆ H ₁₃
	1677	CH ₃	3-OCH ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1678	CH ₃	3-OCH ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1679	CH ₃	3-OCH ₃ -C ₆ H ₄	Propyn-3-yl
	1680	CH ₃	3-OCH ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
35	1681	CH ₃	4-OCH ₃ -C ₆ H ₄	H
	1682	CH ₃	4-OCH ₃ -C ₆ H ₄	CH ₃
	1683	CH ₃	4-OCH ₃ -C ₆ H ₄	C ₂ H ₅
	1684	CH ₃	4-OCH ₃ -C ₆ H ₄	n-C ₃ H ₇
	1685	CH ₃	4-OCH ₃ -C ₆ H ₄	i-C ₃ H ₇
	1686	CH ₃	4-OCH ₃ -C ₆ H ₄	n-C ₄ H ₉
	1687	CH ₃	4-OCH ₃ -C ₆ H ₄	t-C ₄ H ₉
40	1688	CH ₃	4-OCH ₃ -C ₆ H ₄	n-C ₆ H ₁₃
	1689	CH ₃	4-OCH ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1690	CH ₃	4-OCH ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1691	CH ₃	4-OCH ₃ -C ₆ H ₄	Propyn-3-yl
	1692	CH ₃	4-OCH ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1693	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	H
45	1694	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	CH ₃
	1695	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	C ₂ H ₅
	1696	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	n-C ₃ H ₇
	1697	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	i-C ₃ H ₇
	1698	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	n-C ₄ H ₉
	1699	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	t-C ₄ H ₉
50	1700	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	n-C ₆ H ₁₃
	1701	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	Prop-1-en-3-yl
	1702	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1703	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	Propyn-3-yl
	1704	CH ₃	2-OC ₂ H ₅ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1705	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	H
	1706	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	CH ₃
55	1707	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	C ₂ H ₅
	1708	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	n-C ₃ H ₇
	1709	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	i-C ₃ H ₇
	1710	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	n-C ₄ H ₉
	1711	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	t-C ₄ H ₉
	1712	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	n-C ₆ H ₁₃
60	1713	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	Prop-1-en-3-yl
	1714	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1715	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	Propyn-3-yl
	1716	CH ₃	3-OC ₂ H ₅ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1717	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	H
	1718	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	CH ₃
	1719	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	C ₂ H ₅
65	1720	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	n-C ₃ H ₇
	1721	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	i-C ₃ H ₇

TABLE A-continued

No.	R ³	R ⁴	R ⁵
1722	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	n-C ₄ H ₉
1723	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	t-C ₄ H ₉
1724	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	n-C ₆ H ₁₃
1725	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	Prop-1-en-3-yl
1726	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1727	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	Propyn-3-yl
1728	CH ₃	4-OC ₂ H ₅ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1729	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	H
1730	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	CH ₃
1731	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	C ₂ H ₅
1732	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	n-C ₃ H ₇
1733	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	i-C ₃ H ₇
1734	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	n-C ₄ H ₉
1735	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	t-C ₄ H ₉
1736	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	n-C ₆ H ₁₃
1737	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	Prop-1-en-3-yl
1738	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1739	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	Propyn-3-yl
1740	CH ₃	2-O-(i-C ₃ H ₇)-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1741	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	H
1742	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	CH ₃
1743	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	C ₂ H ₅
1744	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	n-C ₃ H ₇
1745	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	i-C ₃ H ₇
1746	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	n-C ₄ H ₉
1747	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	t-C ₄ H ₉
1748	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	n-C ₆ H ₁₃
1749	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	Prop-1-en-3-yl
1750	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1751	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	Propyn-3-yl
1752	CH ₃	3-O-(i-C ₃ H ₇)-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1753	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	H
1754	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	CH ₃
1755	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	C ₂ H ₅
1756	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	n-C ₃ H ₇
1757	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	i-C ₃ H ₇
1758	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	n-C ₄ H ₉
1759	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	t-C ₄ H ₉
1760	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	n-C ₆ H ₁₃
1761	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	Prop-1-en-3-yl
1762	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1763	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	Propyn-3-yl
1764	CH ₃	4-O-(i-C ₃ H ₇)-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1765	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	H
1766	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	CH ₃
1767	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	C ₂ H ₅
1768	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	n-C ₃ H ₇
1769	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	i-C ₃ H ₇
1770	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	n-C ₄ H ₉
1771	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	t-C ₄ H ₉
1772	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	n-C ₆ H ₁₃
1773	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	Prop-1-en-3-yl
1774	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1775	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	Propyn-3-yl
1776	CH ₃	2-O-(t-C ₄ H ₉)-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1777	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	H
1778	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	CH ₃
1779	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	C ₂ H ₅
1780	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	n-C ₃ H ₇
1781	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	i-C ₃ H ₇
1782	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	n-C ₄ H ₉
1783	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	t-C ₄ H ₉
1784	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	n-C ₆ H ₁₃
1785	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	Prop-1-en-3-yl
1786	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1787	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	Propyn-3-yl
1788	CH ₃	3-O-(t-C ₄ H ₉)-C ₆ H ₄	3-Methyl-but-2-en-1-yl
1789	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	H
1790	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	CH ₃
1791	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	C ₂ H ₅
1792	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	n-C ₃ H ₇
1793	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	i-C ₃ H ₇
1794	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	n-C ₄ H ₉
1795	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	t-C ₄ H ₉
1796	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	n-C ₆ H ₁₃
1797	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	Prop-1-en-3-yl
1798	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵	
5	1799	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	Propyn-3-yl
	1800	CH ₃	4-O-(t-C ₄ H ₉)-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1801	CH ₃	2-CF ₃ -C ₆ H ₄	H
	1802	CH ₃	2-CF ₃ -C ₆ H ₄	CH ₃
	1803	CH ₃	2-CF ₃ -C ₆ H ₄	C ₂ H ₅
	1804	CH ₃	2-CF ₃ -C ₆ H ₄	n-C ₃ H ₇
	1805	CH ₃	2-CF ₃ -C ₆ H ₄	i-C ₃ H ₇
	1806	CH ₃	2-CF ₃ -C ₆ H ₄	n-C ₄ H ₉
	1807	CH ₃	2-CF ₃ -C ₆ H ₄	t-C ₄ H ₉
	1808	CH ₃	2-CF ₃ -C ₆ H ₄	n-C ₆ H ₁₃
	1809	CH ₃	2-CF ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1810	CH ₃	2-CF ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1811	CH ₃	2-CF ₃ -C ₆ H ₄	Propyn-3-yl
	1812	CH ₃	2-CF ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1813	CH ₃	3-CF ₃ -C ₆ H ₄	H
	1814	CH ₃	3-CF ₃ -C ₆ H ₄	CH ₃
	1815	CH ₃	3-CF ₃ -C ₆ H ₄	C ₂ H ₅
	1816	CH ₃	3-CF ₃ -C ₆ H ₄	n-C ₃ H ₇
	1817	CH ₃	3-CF ₃ -C ₆ H ₄	i-C ₃ H ₇
	1818	CH ₃	3-CF ₃ -C ₆ H ₄	n-C ₄ H ₉
	1819	CH ₃	3-CF ₃ -C ₆ H ₄	t-C ₄ H ₉
	1820	CH ₃	3-CF ₃ -C ₆ H ₄	n-C ₆ H ₁₃
	1821	CH ₃	3-CF ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1822	CH ₃	3-CF ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1823	CH ₃	3-CF ₃ -C ₆ H ₄	Propyn-3-yl
	1824	CH ₃	3-CF ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1825	CH ₃	4-CF ₃ -C ₆ H ₄	H
	1826	CH ₃	4-CF ₃ -C ₆ H ₄	CH ₃
	1827	CH ₃	4-CF ₃ -C ₆ H ₄	C ₂ H ₅
	1828	CH ₃	4-CF ₃ -C ₆ H ₄	n-C ₃ H ₇
	1829	CH ₃	4-CF ₃ -C ₆ H ₄	i-C ₃ H ₇
	1830	CH ₃	4-CF ₃ -C ₆ H ₄	n-C ₄ H ₉
	1831	CH ₃	4-CF ₃ -C ₆ H ₄	t-C ₄ H ₉
	1832	CH ₃	4-CF ₃ -C ₆ H ₄	n-C ₆ H ₁₃
	1833	CH ₃	4-CF ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1834	CH ₃	4-CF ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1835	CH ₃	4-CF ₃ -C ₆ H ₄	Propyn-3-yl
	1836	CH ₃	4-CF ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1837	CH ₃	2-NH ₂ -C ₆ H ₄	H
	1838	CH ₃	2-NH ₂ -C ₆ H ₄	CH ₃
	1839	CH ₃	2-NH ₂ -C ₆ H ₄	C ₂ H ₅
	1840	CH ₃	2-NH ₂ -C ₆ H ₄	n-C ₃ H ₇
	1841	CH ₃	2-NH ₂ -C ₆ H ₄	i-C ₃ H ₇
	1842	CH ₃	2-NH ₂ -C ₆ H ₄	n-C ₄ H ₉
	1843	CH ₃	2-NH ₂ -C ₆ H ₄	t-C ₄ H ₉
	1844	CH ₃	2-NH ₂ -C ₆ H ₄	n-C ₆ H ₁₃
	1845	CH ₃	2-NH ₂ -C ₆ H ₄	Prop-1-en-3-yl
	1846	CH ₃	2-NH ₂ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1847	CH ₃	2-NH ₂ -C ₆ H ₄	Propyn-3-yl
	1848	CH ₃	2-NH ₂ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1849	CH ₃	3-NH ₂ -C ₆ H ₄	H
	1850	CH ₃	3-NH ₂ -C ₆ H ₄	CH ₃
	1851	CH ₃	3-NH ₂ -C ₆ H ₄	C ₂ H ₅
	1852	CH ₃	3-NH ₂ -C ₆ H ₄	n-C ₃ H ₇
	1853	CH ₃	3-NH ₂ -C ₆ H ₄	i-C ₃ H ₇
	1854	CH ₃	3-NH ₂ -C ₆ H ₄	n-C ₄ H ₉
	1855	CH ₃	3-NH ₂ -C ₆ H ₄	t-C ₄ H ₉
	1856	CH ₃	3-NH ₂ -C ₆ H ₄	n-C ₆ H ₁₃
	1857	CH ₃	3-NH ₂ -C ₆ H ₄	Prop-1-en-3-yl
	1858	CH ₃	3-NH ₂ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1859	CH ₃	3-NH ₂ -C ₆ H ₄	Propyn-3-yl
	1860	CH ₃	3-NH ₂ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1861	CH ₃	4-NH ₂ -C ₆ H ₄	H
	1862	CH ₃	4-NH ₂ -C ₆ H ₄	CH ₃
	1863	CH ₃	4-NH ₂ -C ₆ H ₄	C ₂ H ₅
	1864	CH ₃	4-NH ₂ -C ₆ H ₄	n-C ₃ H ₇
	1865	CH ₃	4-NH ₂ -C ₆ H ₄	i-C ₃ H ₇
	1866	CH ₃	4-NH ₂ -C ₆ H ₄	n-C ₄ H ₉
	1867	CH ₃	4-NH ₂ -C ₆ H ₄	t-C ₄ H ₉
	1868	CH ₃	4-NH ₂ -C ₆ H ₄	n-C ₆ H ₁₃
	1869	CH ₃	4-NH ₂ -C ₆ H ₄	Prop-1-en-3-yl
	1870	CH ₃	4-NH ₂ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1871	CH ₃	4-NH ₂ -C ₆ H ₄	Propyn-3-yl
	1872	CH ₃	4-NH ₂ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1873	CH ₃	2-NMe ₂ -C ₆ H ₄	H
	1874	CH ₃	2-NMe ₂ -C ₆ H ₄	CH ₃
	1875	CH ₃	2-NMe ₂ -C ₆ H ₄	C ₂ H ₅

TABLE A-continued

No.	R ³	R ⁴	R ⁵
1876	CH ₃	2-NMe ₂ -C ₆ H ₄	n-C ₃ H ₇
1877	CH ₃	2-NMe ₂ -C ₆ H ₄	i-C ₃ H ₇
1878	CH ₃	2-NMe ₂ -C ₆ H ₄	n-C ₄ H ₉
1879	CH ₃	2-NMe ₂ -C ₆ H ₄	t-C ₄ H ₉
1880	CH ₃	2-NMe ₂ -C ₆ H ₄	n-C ₆ H ₁₃
1881	CH ₃	2-NMe ₂ -C ₆ H ₄	Prop-1-en-3-yl
1882	CH ₃	2-NMe ₂ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1883	CH ₃	2-NMe ₂ -C ₆ H ₄	Propyn-3-yl
1884	CH ₃	2-NMe ₂ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1885	CH ₃	3-NMe ₂ -C ₆ H ₄	H
1886	CH ₃	3-NMe ₂ -C ₆ H ₄	CH ₃
1887	CH ₃	3-NMe ₂ -C ₆ H ₄	C ₂ H ₅
1888	CH ₃	3-NMe ₂ -C ₆ H ₄	n-C ₃ H ₇
1889	CH ₃	3-NMe ₂ -C ₆ H ₄	i-C ₃ H ₇
1890	CH ₃	3-NMe ₂ -C ₆ H ₄	n-C ₄ H ₉
1891	CH ₃	3-NMe ₂ -C ₆ H ₄	t-C ₄ H ₉
1892	CH ₃	3-NMe ₂ -C ₆ H ₄	n-C ₆ H ₁₃
1893	CH ₃	3-NMe ₂ -C ₆ H ₄	Prop-1-en-3-yl
1894	CH ₃	3-NMe ₂ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1895	CH ₃	3-NMe ₂ -C ₆ H ₄	Propyn-3-yl
1896	CH ₃	3-NMe ₂ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1897	CH ₃	4-NMe ₂ -C ₆ H ₄	H
1898	CH ₃	4-NMe ₂ -C ₆ H ₄	CH ₃
1899	CH ₃	4-NMe ₂ -C ₆ H ₄	C ₂ H ₅
1900	CH ₃	4-NMe ₂ -C ₆ H ₄	n-C ₃ H ₇
1901	CH ₃	4-NMe ₂ -C ₆ H ₄	i-C ₃ H ₇
1902	CH ₃	4-NMe ₂ -C ₆ H ₄	n-C ₄ H ₉
1903	CH ₃	4-NMe ₂ -C ₆ H ₄	t-C ₄ H ₉
1904	CH ₃	4-NMe ₂ -C ₆ H ₄	n-C ₆ H ₁₃
1905	CH ₃	4-NMe ₂ -C ₆ H ₄	Prop-1-en-3-yl
1906	CH ₃	4-NMe ₂ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1907	CH ₃	4-NMe ₂ -C ₆ H ₄	Propyn-3-yl
1908	CH ₃	4-NMe ₂ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1909	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	H
1910	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	CH ₃
1911	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	C ₂ H ₅
1912	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	n-C ₃ H ₇
1913	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	i-C ₃ H ₇
1914	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	n-C ₄ H ₉
1915	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	t-C ₄ H ₉
1916	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	n-C ₆ H ₁₃
1917	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	Prop-1-en-3-yl
1918	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
1919	CH ₃	2-Aminothiocarbo- nyl-C ₆ H ₄	Propyn-3-yl
1920	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	3-Methyl-but-2-en-yl
1921	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	H
1922	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	CH ₃
1923	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	C ₂ H ₅
1924	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	n-C ₃ H ₇
1925	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	i-C ₃ H ₇
1926	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	n-C ₄ H ₉
1927	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	t-C ₄ H ₉
1928	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	n-C ₆ H ₁₃
1929	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	Prop-1-en-3-yl
1930	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵	
5	1931	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	Propyn-3-yl
	1932	CH ₃	3-Aminothiocarbo- nyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1933	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	H
10	1934	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	CH ₃
	1935	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	C ₂ H ₅
	1936	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	n-C ₃ H ₇
15	1937	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	i-C ₃ H ₇
	1938	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	n-C ₄ H ₉
	1939	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	t-C ₄ H ₉
20	1940	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	n-C ₆ H ₁₃
	1941	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	Prop-1-en-3-yl
	1942	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
25	1943	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	Propyn-3-yl
	1944	CH ₃	4-Aminothiocarbo- nyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1945	CH ₃	2-OCF ₃ -C ₆ H ₄	H
	1946	CH ₃	2-OCF ₃ -C ₆ H ₄	CH ₃
	1947	CH ₃	2-OCF ₃ -C ₆ H ₄	C ₂ H ₅
	1948	CH ₃	2-OCF ₃ -C ₆ H ₄	n-C ₃ H ₇
	1949	CH ₃	2-OCF ₃ -C ₆ H ₄	i-C ₃ H ₇
	1950	CH ₃	2-OCF ₃ -C ₆ H ₄	n-C ₄ H ₉
	1951	CH ₃	2-OCF ₃ -C ₆ H ₄	t-C ₄ H ₉
	1952	CH ₃	2-OCF ₃ -C ₆ H ₄	n-C ₆ H ₁₃
	1953	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	i-C ₃ H ₇
	1954	CH ₃	2-C ₂ H ₅ -C ₆ H ₄	n-C ₄ H ₉
35	1955	CH ₃	2-OCF ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1956	CH ₃	2-OCF ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1957	CH ₃	2-OCF ₃ -C ₆ H ₄	Propyn-3-yl
	1958	CH ₃	2-OCF ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1959	CH ₃	3-OCF ₃ -C ₆ H ₄	H
40	1960	CH ₃	3-OCF ₃ -C ₆ H ₄	CH ₃
	1961	CH ₃	3-OCF ₃ -C ₆ H ₄	C ₂ H ₅
	1962	CH ₃	3-OCF ₃ -C ₆ H ₄	n-C ₃ H ₇
	1963	CH ₃	3-OCF ₃ -C ₆ H ₄	i-C ₃ H ₇
	1964	CH ₃	3-OCF ₃ -C ₆ H ₄	n-C ₄ H ₉
	1965	CH ₃	3-OCF ₃ -C ₆ H ₄	t-C ₄ H ₉
	1966	CH ₃	3-OCF ₃ -C ₆ H ₄	n-C ₆ H ₁₃
45	1967	CH ₃	3-OCF ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1968	CH ₃	3-OCF ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1969	CH ₃	3-OCF ₃ -C ₆ H ₄	Propyn-3-yl
	1970	CH ₃	3-OCF ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1971	CH ₃	4-OCF ₃ -C ₆ H ₄	H
50	1972	CH ₃	4-OCF ₃ -C ₆ H ₄	CH ₃
	1973	CH ₃	4-OCF ₃ -C ₆ H ₄	C ₂ H ₅
	1974	CH ₃	4-OCF ₃ -C ₆ H ₄	n-C ₃ H ₇
	1975	CH ₃	4-OCF ₃ -C ₆ H ₄	i-C ₃ H ₇
	1976	CH ₃	4-OCF ₃ -C ₆ H ₄	n-C ₄ H ₉
	1977	CH ₃	4-OCF ₃ -C ₆ H ₄	t-C ₄ H ₉
	1978	CH ₃	4-OCF ₃ -C ₆ H ₄	n-C ₆ H ₁₃
55	1979	CH ₃	4-OCF ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1980	CH ₃	4-OCF ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1981	CH ₃	4-OCF ₃ -C ₆ H ₄	Propyn-3-yl
	1982	CH ₃	4-OCF ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
	1983	CH ₃	2-SCH ₃ -C ₆ H ₄	H
	1984	CH ₃	2-SCH ₃ -C ₆ H ₄	CH ₃
	1985	CH ₃	2-SCH ₃ -C ₆ H ₄	C ₂ H ₅
60	1986	CH ₃	2-SCH ₃ -C ₆ H ₄	n-C ₃ H ₇
	1987	CH ₃	2-SCH ₃ -C ₆ H ₄	i-C ₃ H ₇
	1988	CH ₃	2-SCH ₃ -C ₆ H ₄	n-C ₄ H ₉
	1989	CH ₃	2-SCH ₃ -C ₆ H ₄	t-C ₄ H ₉
	1990	CH ₃	2-SCH ₃ -C ₆ H ₄	n-C ₆ H ₁₃
65	1991	CH ₃	2-SCH ₃ -C ₆ H ₄	Prop-1-en-3-yl
	1992	CH ₃	2-SCH ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	1993	CH ₃	2-SCH ₃ -C ₆ H ₄	Propyn-3-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵
1994	CH ₃	2-SCH ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
1995	CH ₃	3-SCH ₃ -C ₆ H ₄	H
1996	CH ₃	3-SCH ₃ -C ₆ H ₄	CH ₃
1997	CH ₃	3-SCH ₃ -C ₆ H ₄	C ₂ H ₅
1998	CH ₃	3-SCH ₃ -C ₆ H ₄	n-C ₃ H ₇
1999	CH ₃	3-SCH ₃ -C ₆ H ₄	i-C ₃ H ₇
2000	CH ₃	3-SCH ₃ -C ₆ H ₄	n-C ₄ H ₉
2001	CH ₃	3-SCH ₃ -C ₆ H ₄	t-C ₄ H ₉
2002	CH ₃	3-SCH ₃ -C ₆ H ₄	n-C ₆ H ₁₃
2003	CH ₃	3-SCH ₃ -C ₆ H ₄	Prop-1-en-3-yl
2004	CH ₃	3-SCH ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2005	CH ₃	3-SCH ₃ -C ₆ H ₄	Propyn-3-yl
2006	CH ₃	3-SCH ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
2007	CH ₃	4-SCH ₃ -C ₆ H ₄	H
2008	CH ₃	4-SCH ₃ -C ₆ H ₄	CH ₃
2009	CH ₃	4-SCH ₃ -C ₆ H ₄	C ₂ H ₅
2010	CH ₃	4-SCH ₃ -C ₆ H ₄	n-C ₃ H ₇
2011	CH ₃	4-SCH ₃ -C ₆ H ₄	i-C ₃ H ₇
2012	CH ₃	4-SCH ₃ -C ₆ H ₄	n-C ₄ H ₉
2013	CH ₃	4-SCH ₃ -C ₆ H ₄	t-C ₄ H ₉
2014	CH ₃	4-SCH ₃ -C ₆ H ₄	n-C ₆ H ₁₃
2015	CH ₃	4-SCH ₃ -C ₆ H ₄	Prop-1-en-3-yl
2016	CH ₃	4-SCH ₃ -C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2017	CH ₃	4-SCH ₃ -C ₆ H ₄	Propyn-3-yl
2018	CH ₃	4-SCH ₃ -C ₆ H ₄	3-Methyl-but-2-en-1-yl
2019	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	H
2020	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	CH ₃
2021	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	C ₂ H ₅
2022	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	n-C ₃ H ₇
2023	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	i-C ₃ H ₇
2024	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	n-C ₄ H ₉
1025	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	t-C ₄ H ₉
2026	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	n-C ₆ H ₁₃
2027	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	Prop-1-en-3-yl
2028	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2029	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	Propyn-3-yl
2030	CH ₃	2-Methyl-sulfonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
2031	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	H
2032	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	CH ₃
2033	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	C ₂ H ₅
2034	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	n-C ₃ H ₇
2035	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	i-C ₃ H ₇
2036	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	n-C ₄ H ₉
2037	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	t-C ₄ H ₉
2038	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	n-C ₆ H ₁₃
2039	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	Prop-1-en-3-yl
2040	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2041	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	Propyn-3-yl
2042	CH ₃	3-Methyl-sulfonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
2043	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	H
2044	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	CH ₃

TABLE A-continued

No.	R ³	R ⁴	R ⁵	
5	2045	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	C ₂ H ₅
	2046	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	n-C ₃ H ₇
	2047	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	i-C ₃ H ₇
10	2048	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	n-C ₄ H ₉
	2049	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	t-C ₄ H ₉
	2050	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	n-C ₆ H ₁₃
15	2051	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	Prop-1-en-3-yl
	2052	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	2053	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	Propyn-3-yl
20	2054	CH ₃	4-Methyl-sulfonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	2055	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	H
	2056	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	CH ₃
	2057	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	C ₂ H ₅
25	2058	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	n-C ₃ H ₇
	2059	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	i-C ₃ H ₇
	2060	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	n-C ₄ H ₉
30	2061	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	t-C ₄ H ₉
	2062	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	n-C ₆ H ₁₃
	2063	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	Prop-1-en-3-yl
35	2064	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	2065	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	Propyn-3-yl
	2066	CH ₃	2-Methoxycarbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
40	2067	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	H
	2068	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	CH ₃
	2069	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	C ₂ H ₅
45	2070	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	n-C ₃ H ₇
	2071	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	i-C ₃ H ₇
	2072	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	n-C ₄ H ₉
50	2073	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	t-C ₄ H ₉
	2074	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	n-C ₆ H ₁₃
	2075	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	Prop-1-en-3-yl
55	2076	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	2077	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	Propyn-3-yl
	2078	CH ₃	3-Methoxycarbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
60	2079	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	H
	2080	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	CH ₃
	2081	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	C ₂ H ₅
65	2082	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	n-C ₃ H ₇

TABLE A-continued

No.	R ³	R ⁴	R ⁵
2083	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	i-C ₃ H ₇
2084	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	n-C ₄ H ₉
2085	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	t-C ₄ H ₉
2086	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	n-C ₆ H ₁₃
2087	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	Prop-1-en-3-yl
2088	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2089	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	Propyn-3-yl
2090	CH ₃	4-Methoxycarbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
2091	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	H
2092	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	CH ₃
2093	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	C ₂ H ₅
2094	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	n-C ₃ H ₇
2095	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	i-C ₃ H ₇
2096	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	n-C ₄ H ₉
2097	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	t-C ₄ H ₉
2098	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	n-C ₆ H ₁₃
2099	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	Prop-1-en-3-yl
2100	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2101	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	Propyn-3-yl
2102	CH ₃	2-Ethoxycarbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
2103	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	H
2104	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	CH ₃
2105	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	C ₂ H ₅
2106	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	n-C ₃ H ₇
2107	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	i-C ₃ H ₇
2108	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	n-C ₄ H ₉
2109	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	t-C ₄ H ₉
2110	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	n-C ₆ H ₁₃
2111	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	Prop-1-en-3-yl
2112	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2113	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	Propyn-3-yl
2114	CH ₃	3-Ethoxycarbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
2115	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	H
2116	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	CH ₃
2117	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	C ₂ H ₅
2118	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	n-C ₃ H ₇
2119	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	i-C ₃ H ₇
2120	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	n-C ₄ H ₉

TABLE A-continued

No.	R ³	R ⁴	R ⁵	
5	2121	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	t-C ₄ H ₉
	2122	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	n-C ₆ H ₁₃
	2123	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	Prop-1-en-3-yl
10	2124	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	2125	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	Propyn-3-yl
	2126	CH ₃	4-Ethoxycarbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
15	2127	CH ₃	2-Aminocarbonyl-C ₆ H ₄	H
	2128	CH ₃	2-Aminocarbonyl-C ₆ H ₄	CH ₃
	2129	CH ₃	2-Aminocarbonyl-C ₆ H ₄	C ₂ H ₅
20	2130	CH ₃	2-Aminocarbonyl-C ₆ H ₄	n-C ₃ H ₇
	2131	CH ₃	2-Aminocarbonyl-C ₆ H ₄	i-C ₃ H ₇
	2132	CH ₃	2-Aminocarbonyl-C ₆ H ₄	n-C ₄ H ₉
25	2133	CH ₃	2-Aminocarbonyl-C ₆ H ₄	t-C ₄ H ₉
	2134	CH ₃	2-Aminocarbonyl-C ₆ H ₄	n-C ₆ H ₁₃
	2135	CH ₃	2-Aminocarbonyl-C ₆ H ₄	Prop-1-en-3-yl
	2136	CH ₃	2-Aminocarbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
30	2137	CH ₃	2-Aminocarbonyl-C ₆ H ₄	Propyn-3-yl
	2138	CH ₃	2-Aminocarbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	2139	CH ₃	3-Aminocarbonyl-C ₆ H ₄	H
35	2140	CH ₃	3-Aminocarbonyl-C ₆ H ₄	CH ₃
	2141	CH ₃	3-Aminocarbonyl-C ₆ H ₄	C ₂ H ₅
	2142	CH ₃	3-Aminocarbonyl-C ₆ H ₄	n-C ₃ H ₇
40	2143	CH ₃	3-Aminocarbonyl-C ₆ H ₄	i-C ₃ H ₇
	2144	CH ₃	3-Aminocarbonyl-C ₆ H ₄	n-C ₄ H ₉
	2145	CH ₃	3-Aminocarbonyl-C ₆ H ₄	t-C ₄ H ₉
45	2146	CH ₃	3-Aminocarbonyl-C ₆ H ₄	n-C ₆ H ₁₃
	2147	CH ₃	3-Aminocarbonyl-C ₆ H ₄	Prop-1-en-3-yl
	2148	CH ₃	3-Aminocarbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
50	2149	CH ₃	3-Aminocarbonyl-C ₆ H ₄	Propyn-3-yl
	2150	CH ₃	4-Aminocarbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	2151	CH ₃	4-Aminocarbonyl-C ₆ H ₄	H
55	2152	CH ₃	4-Aminocarbonyl-C ₆ H ₄	CH ₃
	2153	CH ₃	4-Aminocarbonyl-C ₆ H ₄	C ₂ H ₅
	2154	CH ₃	4-Aminocarbonyl-C ₆ H ₄	n-C ₃ H ₇
60	2155	CH ₃	4-Aminocarbonyl-C ₆ H ₄	i-C ₃ H ₇
	2156	CH ₃	4-Aminocarbonyl-C ₆ H ₄	n-C ₄ H ₉
	2157	CH ₃	4-Aminocarbonyl-C ₆ H ₄	t-C ₄ H ₉
65	2158	CH ₃	4-Aminocarbonyl-C ₆ H ₄	n-C ₆ H ₁₃

TABLE A-continued

No.	R ³	R ⁴	R ⁵
2159	CH ₃	4-Amino-carbonyl-C ₆ H ₄	Prop-1-en-3-yl
2160	CH ₃	4-Amino-carbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2161	CH ₃	4-Amino-carbonyl-C ₆ H ₄	Propyn-3-yl
2162	CH ₃	4-Amino-carbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
2163	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	H
2164	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	CH ₃
2165	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	C ₂ H ₅
2166	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	n-C ₃ H ₇
2167	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	i-C ₃ H ₇
2168	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	n-C ₄ H ₉
2169	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	t-C ₄ H ₉
2170	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	n-C ₆ H ₁₃
2171	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	Prop-1-en-3-yl
2172	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2173	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	Propyn-3-yl
2174	CH ₃	2-(N-Methylamino-carbonyl)-C ₆ H ₄	3-Methyl-but-2-en-1-yl
2175	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	H
2176	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	CH ₃
2177	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	C ₂ H ₅
2178	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	n-C ₃ H ₇
2179	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	i-C ₃ H ₇
2180	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	n-C ₄ H ₉
2181	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	t-C ₄ H ₉
2182	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	n-C ₆ H ₁₃
2183	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	Prop-1-en-3-yl
2184	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
2185	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	Propyn-3-yl
2186	CH ₃	3-(N-Methylamino-carbonyl)-C ₆ H ₄	3-Methyl-but-2-en-1-yl
2187	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	H
2188	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	CH ₃
2189	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	C ₂ H ₅
2190	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	n-C ₃ H ₇
2191	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	i-C ₃ H ₇
2192	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	n-C ₄ H ₉
2193	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	t-C ₄ H ₉
2194	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	n-C ₆ H ₁₃
2195	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	Prop-1-en-3-yl
2196	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl

TABLE A-continued

No.	R ³	R ⁴	R ⁵	
5	2197	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	Propyn-3-yl
	2198	CH ₃	4-(N-Methylamino-carbonyl)-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	2199	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	H
10	2200	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	CH ₃
	2201	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	C ₂ H ₅
	2202	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	n-C ₃ H ₇
15	2203	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	i-C ₃ H ₇
	2204	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	n-C ₄ H ₉
	2205	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	t-C ₄ H ₉
20	2206	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	n-C ₆ H ₁₃
	2207	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	Prop-1-en-3-yl
	2208	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
25	2209	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	Propyn-3-yl
	2210	CH ₃	2-Dimethylamino-carbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	2211	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	H
	2212	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	CH ₃
30	2213	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	C ₂ H ₅
	2214	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	n-C ₃ H ₇
	2215	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	i-C ₃ H ₇
35	2216	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	n-C ₄ H ₉
	2217	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	t-C ₄ H ₉
	2218	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	n-C ₆ H ₁₃
40	2219	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	Prop-1-en-3-yl
	2220	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	2221	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	Propyn-3-yl
45	2222	CH ₃	3-Dimethylamino-carbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl
	2223	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	H
	2224	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	CH ₃
50	2223	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	C ₂ H ₅
	2226	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	n-C ₃ H ₇
	2227	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	i-C ₃ H ₇
55	2228	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	n-C ₄ H ₉
	2229	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	t-C ₄ H ₉
	2230	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	n-C ₆ H ₁₃
60	2231	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	Prop-1-en-3-yl
	2232	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	(E)-1-Chloroprop-1-en-3-yl
	2233	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	Propyn-3-yl
65	2234	CH ₃	4-Dimethylamino-carbonyl-C ₆ H ₄	3-Methyl-but-2-en-1-yl

The compounds I are suitable as fungicides.

The compounds I are distinguished by an outstanding activity against a broad spectrum of phytopathogenic fungi, in particular from the class of the Ascomycetes and Basidiomycetes. They are systemically active in some cases and can be employed as foliar and soil fungicides.

They are of particular importance for the control of a multiplicity of fungi on various crop plants such as wheat, rye, barley, oats, rice, corn, grass, cotton, soybean, coffee, sugar cane, grapes, fruit and decorative plants and vegetable plants such as cucumbers, beans and cucurbits, and on the seeds of these plants.

They are specifically suitable for the control of the following plant diseases: *Erysiphe graminis* (powdery mildew) in cereals, *Erysiphe cichoracearum* and *Sphaerotheca fuliginea* on cucurbits, *Podasphaera leucotricha* on apples, *Uncinula necator* on vines, *Puccinia* species on cereals, *Rhizoctonia* species on cotton and lawns, *Ustilago* species on cereals and sugar cane, *Venturia inaequalis* (scab) on apples, *Helminthosporium* species on cereals, *Septoria nodorum* on wheat, *Botrytis cinerea* (gray mold) on strawberries, vines, *Cercospora arachidicola* on groundnuts, *Pseudocercospora herpotrichoides* on wheat, barley, *Pyricularia oryzae* on rice, *Phytophthora infestans* on potatoes and tomatoes, [*Fusa7-rium* [sic]] *Fusarium* and *Verticillium* species on various plants, *Plasmopara viticola* on vines, *Alternaria* species on vegetables and fruit.

The compounds I are applied by treating the fungi or the plants, seeds, materials or the soil to be protected from fungal attack with a fungicidally effective amount of the active compounds. They are applied before or after the infection of the materials, plants or seeds by the fungi.

They can be converted into the customary formulations, such as solutions, emulsions, suspensions, dusts, powders, pastes and granules. The application form depends on the particular intended use; it should in any case guarantee a fine and uniform dispersion of the [ortho-substituted benzyl ester of a cyclopropanecarboxylic acid [sic]] *phenylacetic acid derivative*. The formulations are prepared in a known manner, eg. by extending the active compound with solvents and/or carriers, if desired using emulsifiers and dispersants, it also being possible to use other organic solvents as auxiliary solvents when water is used as a diluent. Suitable auxiliary substances for this purpose are essentially: solvents such as aromatics (eg. xylene), chlorinated aromatics (eg. chlorobenzenes), paraffins (eg. petroleum fractions), alcohols (eg. methanol, butanol), ketones (eg. cyclohexanone), amines (eg. ethanolamine, dimethylformamide) and water; carriers such as ground natural minerals (eg. kaolins, clays, talc, chalk) and ground synthetic minerals (eg. highly disperse silicic acid, silicates); emulsifiers such as nonionic and anionic emulsifiers (eg. polyoxyethylene fatty alcohol ethers, alkylsulfonates and arylsulfonates) and dispersants such as lignin-sulfite waste liquors and methylcellulose.

The fungicidal compositions in general contain from 0.1 to 95, preferably from 0.5 to 90, % by weight of active compound.

Depending on the type of effect desired, the application rates are from 0.01 to 2.0 kg of active compound per ha.

In seed treatment, active compound amounts of from 0.001 to 0.1 g, preferably from 0.01 to 0.05 g, per kilogram of seed are in general needed.

The compositions according to the invention can also be present in the application form as fungicides together with other active compounds, [the [sic]] eg. with herbicides, insecticides, growth regulators, fungicides or alternatively with fertilizers.

On mixing with fungicides, in many cases an increase in the fungicidal spectrum of action is obtained here.

The following list of fungicides with which the compounds according to the invention can be applied together is intended to illustrate the combination possibilities, but not restrict them:

sulfur, dithiocarbamates and their derivatives, such as ferric dimethyldithiocarbamate, zinc dimethyldithiocarbamate, zinc ethylenebisdithiocarbamate, manganese ethylenebisdithiocarbamate, manganese zinc ethylenediamine bisdithiocarbamate, tetramethylthiuram [disulfides [sic]] *disulfide*, ammonia complex of zinc (N,N'-ethylenebisdithiocarbamate), ammonia complex of zinc (N,N'-propylenebisdithiocarbamate), zinc (N,N'-propylenebisdithiocarbamate), N,N'-polypropylenebis (thiocarbamoyl) disulfide;

nitro derivatives, such as dinitro(1-methylheptyl)phenyl crotonate, 2-sec-butyl-4,6-dinitrophenyl 3,3-dimethylacrylate, 2-sec-butyl-4,6-dinitrophenyl isopropylcarbonate, diisopropyl 5-nitroisophthalate;

heterocyclic substances, such as 2-heptadecyl-2-imidazoline acetate, 2,4-dichloro-6(o-chloroanilino)-s-triazine, O,O-diethyl phthalimidophosphonothioate, 5-amino-1-[bis (dimethylamino)-phosphinyl]-3-phenyl-1,2,4-triazole, 2,3-dicyano-1,4-dithioanthraquinone, 2-thio-1,3-dithiolo [4,5-b] quinoxaline, methyl 1-(butylcarbamoyle)-2-benzimidazole carbamate, 2-methoxycarbonylaminobenzimidazole, 2-(fur-2-yl) benzimidazole, 2-(thiazol-4-yl)benzimidazole, N-(1,1,2,2-tetrachloroethylthio)tetrahydrophthalimide, N-trichloromethylthiotetrahydrophthalimide, N-trichloromethylthiophthalimide;

N-dichlorofluoromethylthio-N',N'-dimethyl-N-phenylsulfamide, 5-ethoxy-3-trichloromethyl-1,2,3-thiadiazole, 2-thiocyanatomethylthiobenzothiazole, 1,4-dichloro-2,5-dimethoxybenzene, 4-(2-chlorophenylhydrazono)-3-methyl-5-isoxazolone, [pyridine-2-thio-1-oxide [sic]] *2-thiopyridine-1-oxide*, 8-hydroxyquinoline or its copper salt, 2,3-dihydro-5-carboxanilido-6-methyl-1,4-oxathiin, 2,3-dihydro-5-carboxanilido-6-methyl-1,4-oxathiin-4,4-dioxide, 2-methyl-5,6-dihydro-4H-pyran-3-carboxanilide, 2-methylfuran-3-carboxanilide, 2,5-dimethylfuran-3-carboxanilide, 2,4,5-trimethylfuran-3-carboxanilide, N-cyclohexyl-2,5-dimethylfuran-3-carboxamide, N-cyclohexyl-N-methoxy-2,5-dimethylfuran-3-carboxamide, 2-methylbenzanilide, 2-iodobenzanilide, N-formyl-N-morpholine-2,2,2-trichloroethyl acetal, piperazine-1,4-diylbis(1-(2,2,2-trichloroethyl) formamide, 1-(3,4-dichloroanilino)-1-formylamino-2,2,2-trichloroethane, 2,6-dimethyl-N-tridecylmorpholine or its salts, 2,6-dimethyl-N-cyclododecylmorpholine or its salts, N-[3-(p-tert-butylphenyl)-2-methylpropyl]-cis-2,6-dimethylmorpholine, N-[3-(p-tert-butylphenyl)-2-methylpropyl]piperidine, 1-[2-(2,4-dichlorophenyl)-4-ethyl-1,3-dioxolan-2-ylethyl]-1H-1,2,4-triazol, 1-[2-(2,4-dichlorophenyl)-4-n-propyl-1,3-dioxolan-2-yl-ethyl]-1H-1,2,4-triazole, N-(n-propyl)-N-(2,4,6-trichlorophenoxyethyl)-N'-imidazolylurea, 1-(4-chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazole-1-yl)-2-butanone, 1-(4-chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazole-1-yl)-2-butanone, α -(2-chlorophenyl)-5-pyrimidinemethanol, 5-butyl-2-dimethylamino-4-hydroxy-6-methylpyrimidine, bis(p-chlorophenyl)-3-pyrimidinemethanol, 1,2-bis(3-ethoxycarbonyl-2-thioureido)benzene, 1,2-bis(3-methoxycarbonyl-2-thioureido)benzene,

and also various fungicides, such as dodecylguanidine acetate, 3-[3-(3,5-dimethyl-2-oxycyclohexyl)-2-hydroxyethyl]glutarimide, hexachlorobenzene, DL-methyl-N-(2,6-dimethylphenyl)-N-2-furoyl alaninate, DL-N-(2,6-dimethylphenyl)-N-(2'-methoxyacetyl)alanine methyl ester, N-(2,6-dimethylphenyl)-N-chloroacetyl-D,L-2-aminobutyrolactone, DL-N-(2,6-dimethylphenyl)-N-(phenylacetyl)alanine methyl ester, 5-methyl-5-vinyl-3-(3,5-dichlorophenyl)-2,4-dioxo-1,3-oxazolidine, [3-[3,5-dichlorophenyl(5-methyl-5-methoxymethyl)]-1,3-oxazolidine-2,4-dione [sic]] 3-[3,5-dichlorophenyl(5-methyl-5-methoxymethyl)]-1,3-oxazolidine-2,4-dione, 3-(3,5-dichlorophenyl)-1-isopropylcarbamoylhydantoin, N-(3,5-dichlorophenyl)-1,2-dimethylcyclopropane-1,2-dicarboximide, [2-cyano-[N-(ethylaminocarbonyl)-2-methoximino]acetamide [sic]] 2-cyano-[N-ethylaminocarbonyl-2-methoximino]acetamide, 1-[2-(2,4-dichlorophenyl)pentyl]-1H-1,2,4-triazole, 2,4-difluoro- α -(1H-1,2,4-triazolyl-1-methyl)benzhydryl alcohol, N-(3-chloro-2,6-dinitro-4-trifluoromethylphenyl)-5-trifluoromethyl-3-chloro-2-aminopyridine, 1-((bis(4-fluorophenyl)methylsilyl)methyl)-1H-1,2,4-triazole.

The compounds of the formula I are additionally suitable for controlling pests from the class of insects, arachnids and nematodes effectively. They can be employed as pesticides in plant protection and in the hygiene, stored products protection and veterinary sectors.

The harmful insects include from the order of the butterflies (Lepidoptera), argillacea, *Anticarsia gemmatalis*, *Argyresthia conjugella*, *Autographa gamma*, *Bupalus piniarius*, *Cacoecia murinana*, *Capua reticulana*, *Cheimatobia brumata*, *Choristonerua fumiferana*, *Choristonerua occidentalis*, *Cirphis unipuncta*, *Cydia pomonella*, *Dendrolimus pini*, *Diaphania nitidalis*, *Diatraea grandiosella*, *Earias insulana*, *Elasmopalpus lignosellus*, *Eupoecilia ambiguella*, *Evetria bouliana*, *Feltia subterranea*, *Galleria mellonella*, *Grapholitha funebrana*, *Grapholitha molesta*, *Heliothis armigera*, *Heliothis virescens*, *Heliothis zea*, *Helicoverpa armigera*, *Hibernia defoliaria*, *Hyphantria cunea*, *Hyponomeuta malinellus*, *Keiferia lycopersicella*, *Lambdina fiscellaria*, *Laphygma exigua*, *Leucoptera coffeella*, *Leucoptera scitella*, *Lithocolletis blancardella*, *Lobesia botrana*, *Loxostege sticticalis*, *Lymantria dispar*, *Lymantria monacha*, *Lyonetia clerkella*, *Malacosoma neustria*, *Mamestra brassicae*, *Orgyia pseudotsugata*, *Ostrinia nubilalis*, *Panolis flammea*, *Pectinophora gossypiella*, *Peridroma saucia*, *Phalera bucephala*, *Phtorimaea operculella*, *Phyllocnistis citrella*, *Pieris brassicae*, *Plathypena scarbra*, *Plutella xylostella*, *Pseudoplusia includens*, *Rhyacionia frustrana*, *Scrobipalpula absoluta*, *Sitotroga cerealella*, *Spargnothis pilleriana*, *Spodoptera frugiperda*, *Spodoptera littoralis*, *Spodoptera litura*, *Thaumatopoea ptyocampa*, *Tortrix viridana*, *Trichoplusia ni*, *Zeiraphera canadensis*.

From the order of the beetles (Coleoptera), for example, *Agrius sinuatus*, *Agriotes lineatus*, *Agriotes obscurus*, *Amphimallus solstitialis*, *Anisandrus dispar*, *Anthonomus grandis*, *Anthonomus pomorum*, *Atomaria linearis*, *Blattophagus piniperda*, *Blitophaga undata*, *Bruchus rufimanus*, *Bruchus pisorum*, *Bruchus lentis*, *Byctiscus betulae*, *Cassida nebulosa*, *Cerotoma trifurcata*, *Ceuthorrhynchus assimilis*, *Ceuthorrhynchus napi*, *Chaetocnema tibialis*, *Conoderus vespertinus*, *Crioceris asparagi*, *Diabrotica longicornis*, *Diabrotica 1-punctata*, *Diabrotica virgifera*, *Epilachna varivestis*, *Epitrix hirtipennis*, *Eutinobothrus brasiliensis*, *Hylobius abietis*, *Hypera brunneipennis*, *Hypera postica*, *Ips typographus*, *Lema bilineata*, *Lema melanopus*, *Leptino-*

tarsa decemlineata, *Limonium californicus*, *Lissorhoptrus oryzophilus*, *Melanotus communis*, *Meligethes aeneus*, *Melolontha hippocastani*, *Melolontha melolontha*, *Oulema oryzae*, *Ortiorrhynchus sulcatus*, *Otiorrhynchus ovatus*, *Phaedon cochleariae*, *Phyllotreta chrysocephala*, *Phyllophaga* sp., *Phyllopertha horticola*, *Phyllotreta nemorum*, *Phyllotreta striolata*, *Popillia japonica*, *Sitona lineatus*, *Sitophilus granaria*.

From the order of the dipterous insects (Diptera), for example, *Aedes aegypti*, *Aedes vexans*, *Anastrepha ludens*, *Anopheles maculipennis*, *Ceratitis capitata*, *Chrysomya bezziana*, *Chrysomya hominivorax*, *Chrysomya macellaria*, *Contarinia sorghicola*, *Cordylobia anthropophaga*, *Culex pipiens*, *Dacus cucurbitae*, *Dacus oleae*, *Dasineura brassicae*, *Fannia canicularis*, *Gasterophilus intestinalis*, *Glossina morsitans*, *Haematobia irritans*, *Haplodiplosis equestris*, *Hylemyia platura*, *Hypoderma lineata*, *Liriomyza sativae*, *Liriomyza trifolii*, *Lucilia caprina* [sic], *Lucilia cuprina*, *Lucilia sericata*, *Lycoria pectoralis*, *Mayetiola destructor*, *Musca domestica*, *Muscina stabulans*, *Oestrus ovis*, *Oscinella frit*, *Pegomya hysocyami*, *Phorbia antiqua*, *Phorbia brassicae*, *Phorbia coarctata*, *Rhagoletis cerasi*, *Rhagoletis pomonella*, *Tabanus bovinus*, *Tipula oleracea*, *Tipula paludosa*.

From the order of the thrips (Thysanoptera), for example, *Frankliniella fusca*, *Frankliniella occidentalis*, *Frankliniella tritici*, *Scirothrips citri*, *Thrips oryzae*, *Thrips palmi*, *Thrips tabaci*.

From the order of the hymenopterous insects (Hymenoptera), for example, *Althalia rosae*, *Atta cephalotes*, *Atta sexdens*, *Atta texana*, *Hoplocampa minuta*, *Hoplocampa testudinea*, *Monomorium pharonis*, *Solenopsis geminata*, *Solenopsis invicta*.

From the order of the bed bugs (Heteroptera), for example, *Acrosternum hilare*, *Blissus leucopterus*, *Cyrtopeltis notatus*, *Dysdercus cingulatus*, *Dysdercus intermedius*, *Eurygaster integriceps*, *Euschistus impictiventris*, *Leptoglossus phyllopus*, *Lygus lineolaris*, *Lygus pratensis*, *Nezara viridula*, *Piesma quadrata*, *Solubea insularis*, *Thyanta perditor*.

From the order of the plant-sucking insects (Homoptera), for example, *Acyrtosiphon onobrychis*, *Adelges laricis*, *Aphidula nasturtii*, *Aphis fabae*, *Aphis pomi*, *Aphis sambuci*, *Brachycaudus cardui*, *Brevicornye brassicae*, *Cerosiphia gossypii*, *Dreyfusia nordmanniana*, *Dreyfusia piceae*, *Dysaphis radicola*, *Dysaulacorthum pseudosolani*, *Empoasca fabae*, *Macrosiphum avenae*, *Macrosiphum euphorbiae*, *Macrosiphum rosae*, *Megoura viciae*, *Metopolophium dirhodum*, *Myzodes persicae*, *Myzus cerasi*, *Nilaparvata lugens*, *Pemphigus bursarius*, *Perkinsiella saccharicida*, *Phorodon humuli*, *Psylla mali*, *Psylla piri*, *Rhopalomyzus ascalonicus*, *Rhopalosiphum maidis*, *Sappaphis mala*, *Sappaphis mali*, *Schizaphis graminum*, *Schizoneura lanuginosa*, *Trialeurodes vaporariorum*, *Viteus vitifolli*.

From the order of the termites (Isoptera), for example, *Calotermes flavicollis*, *Leucotermes flavipes*, *Reticulitermes lucifugus*, *Termes natalensis*.

From the order of the orthopterous insects (Orthoptera), for example, *Acheta domestica*, *Blatta orientalis*, *Blattella germanica*, *Forficula auricularia*, *Grylotalpa grylotalpa*, *Locusta migratoria*, *Melanoplus bivittatus*, *Melanoplus femurrubrum*, *Melanoplus mexicanus*, *Melanoplus sanguinipes*, *Melanoplus spretus*, *Nomadacris septemfasciata*, *Periplaneta americana*, *Schistocerca americana*, *Schistocerca peregrina*, *Stauronotus maroccanus*, *Tachycines asynamorus*.

From the class of the Arachnoidea, for example spiders (Acarina) such as *Amblyomma americanum*, *Amblyomma variegatum*, *Argas persicus*, *Boophilus annalatus*, *Boophilus decoloratus*, *Boophilus microplus*, *Brevipalpus phoenicis*, *Bryobia praetiosa*, *Dermacentor silvarum*, *Eotetranychus carpini*, *Eriophyes sheldoni*, *Hyalomma truncatum*, *Ixodes ricinus*, *Ixodes rubicundus*, *Ornithodoros moubata*, *Otobius megnini*, *Paratetranychus pilosus*, *Dermanyssus gallinae*, *Phyllocoptruta oleivora*, *Polyphagotarsonemus latus*, *Pso-
roptes ovis*, *Rhipicephalus appendiculatus*, *Rhipicephalus evertsi*, *Sarcoptes scabiei*, *Tetranychus cinnabarinus*, *Tetranychus kanzawai*, *Tetranychus pacificus*, *Tetranychus telarius*, *Tetranychus urticae*.

From the class of the nematodes, for example, root gall nematodes, eg. *Meloidogyne hapla*, *Meloidogyne incognita*, *Meloidogyne javanica*, cyst-forming nematodes, eg. *Globodera rostochiensis*, *Heterodera avenae*, *Heterodera glycines*, *Heterodera schachtii*, *Heterodera trifolii*, stem and leaf eelworms, eg. *Belonolaimus longicaudatus*, *Ditylenchus destructor*, *Ditylenchus dipsaci*, *Heliocotylenchus multinctus*, *Longidorus elongatus*, *Radopholus similis*, *Rotylenchus robustus*, *Trichodorus primitivus*, *Tylenchorhynchus claytoni*, *Tylenchorhynchus dubius*, *Pratylenchus neglectus*, *Pratylenchus penetrans*, *Pratylenchus curvatus*, *Pratylenchus goodeyi*.

The active compounds can be applied as such or in the form of their formulations or the application forms prepared therefrom, eg. in the form of directly sprayable solutions, powders, suspensions or dispersions, emulsions, oil dispersions, pastes, dusts, scattering compositions or granules by spraying, atomizing dusting, scattering or pouring. The application forms depend entirely on the purposes of use; they should in any case as far as possible guarantee the finest dispersion of the active compounds according to the invention.

The active compound concentrations in the ready-for-application preparations can be varied within quite substantial ranges.

In general, they are from 0.0001 to 10%, preferably from 0.01 to 1%.

The active compounds can also be used with great success in ultra-low volume processes (ULV), where it is possible to apply formulations containing more than 95% by weight of active compound or even the active compound without additives.

The application rate of active compound for controlling pests under outdoor conditions is from 0.1 to 2.0, preferably from 0.2 to 1.0 kg/ha.

For the preparation of directly sprayable solutions, emulsions, pastes or oil dispersions, mineral oil fractions of medium to high boiling point, such as kerosene or diesel oil, and also coal tar oils and oils of vegetable or animal origin, aliphatic, cyclic and aromatic hydrocarbons, eg. benzene, toluene, xylene, paraffin, tetrahydronaphthalene, alkylated naphthalenes or their derivatives, methanol, ethanol, propanol, butanol, chloroform, carbon tetrachloride, cyclohexanol, cyclohexanone, chlorobenzene, isophorone, strongly polar solvents, eg. dimethylformamide, dimethyl sulfoxide, N-methylpyrrolidone and water are suitable.

Aqueous application forms can be prepared from emulsion concentrates, pastes or wettable powders (oil dispersions) by addition of water. For the preparation of emulsions, pastes or oil dispersions, the substances can be homogenized in water as such or dissolved in an oil or solvent, by means of wetting agents, tackifiers, dispersants or emulsifiers. However, concentrates consisting of active substance, wetting agent, tackifier, dispersant or emulsifier

and possible solvent or oil can also be prepared, which are suitable for dilution with water.

Suitable surface-active substances are alkali metal, alkaline earth metal and ammonium salts of lignosulfonic acid, naphthalenesulfonic acid, phenolsulfonic acid, dibutyl-naphthalenesulfonic acid, alkylarylsulfonates, alkylsulfates, alkylsulfonates, fatty alcohol sulfates and fatty acids and their alkali metal and alkaline earth metal salts, salts of sulfated fatty alcohol glycol ether, condensation products of sulfonated naphthalene and naphthalene derivatives with formaldehyde, condensation products of naphthalene or of naphthalenesulfonic acid with phenol and formaldehyde, polyoxyethylene octylphenol ether, ethoxylated isooctylphenol, octylphenol, nonylphenol, alkylphenol polyglycol ether, tributylphenyl polyglycol ether, alkylaryl polyether alcohols, isotridecyl alcohol, fatty alcohol ethylene oxide condensates, ethoxylated castor oil, polyoxyethylene alkyl ether, ethoxylated polyoxypropylene, lauryl alcohol polyglycol ether acetal, sorbitol esters, lignin-sulfite waste liquors and methylcellulose.

Powders, scattering compositions and dusts can be prepared by mixing or joint grinding of the active substances with a solid carrier.

The formulations in general contain from 0.01 to 95% by weight, preferably from 0.1 to 90% by weight, of the active compound. The active compounds are employed here in a purity of from 90% to 100%, preferably 95% to 100% (according to NMR spectrum).

Examples of formulations are:

I. 5 parts by weight of a compound according to the invention are intimately mixed with 95 parts by weight of finely divided kaolin. A dust which contains 5% by weight of the active compound is obtained in this way.

II. 30 parts by weight of a compound according to the invention are intimately mixed with a mixture of 92 parts by weight of powdered silica gel and 8 parts by weight of paraffin oil which has been sprayed on the surface of this silica gel. A preparation of the active compound having good adhesion is obtained in this way (active compound content 23% by weight).

III. 10 parts by weight of a compound according to the invention are dissolved in a mixture which consists of 90 parts by weight of xylene, 6 parts by weight of the addition product of 8 to 10 mol of ethylene oxide to 1 mol of oleic acid N-monoethanolamide, 2 parts by weight of calcium salt of dodecylbenzenesulfonic acid and 2 parts by weight of the addition product of 40 mol of ethylene oxide to 1 mol of castor oil (active compound content 9% by weight).

IV. 20 parts by weight of a compound according to the invention are dissolved in a mixture which consists of 60 parts by weight of cyclohexanone, 30 parts by weight of isobutanol, 5 parts by weight of the addition product of 7 mol of ethylene oxide to 1 mol of isooctylphenol and 5 parts by weight of the addition product of 40 mol of ethylene oxide to 1 mol of castor oil (active compound content 16% by weight).

V. 80 parts by weight of a compound according to the invention are well mixed with 3 parts by weight of the sodium salt of diisobutyl-naphthalene- α -sulfonic acid, 10 parts by weight of the sodium salt of a lignosulfonic acid from a sulfite waste liquor and 7 parts by weight of powdered silica gel and the mixture is ground in a hammer mill (active compound content 80% by weight).

VI. 90 parts by weight of a compound according to the invention are mixed with 10 parts by weight of N-methyl- α -pyrrolidone and a solution is obtained

61

which is suitable for application in the form of very small drops (active compound content 90% by weight).

VII. 20 parts by weight of a compound [No. 11] according to the invention are dissolved in a mixture which consists of 40 parts by weight of cyclohexanone, 30 parts by weight of isobutanol, 20 parts by weight of the addition product of 7 mol of ethylene oxide to 1 mol of isooctylphenol and 10 parts by weight of the addition product of 40 mol of ethylene oxide to 1 mol of castor oil. By pouring the solution into and finely dispersing it in 100,000 parts by weight of water, an aqueous dispersion is obtained which contains 0.02% by weight of the active compound.

VIII. 20 parts by weight of a compound according to the invention are well mixed with 3 parts by weight of the sodium salt of diisobutyl naphthalene- α -sulfonic acid, 17 parts by weight of the sodium salt of a lignosulfonic acid from a sulfite waste liquor and 60 parts by weight of powdered silica gel and the mixture is ground in a hammer mill. By finely dispersing the mixture in 20,000 parts by weight of water, a spray liquor is obtained which contains 0.1% by weight of the active compound.

Granules, eg. coated, impregnated and homogeneous granules, can be produced by binding the active compounds to solid carriers. Solid carriers are eg. mineral earths, such as silica gel, silicic acids, [silica gels [sic]] silicates, talc, kaolin, attapulgite, limestone, lime chalk, bole, loess, clay, dolomite, diatomaceous earth, calcium sulfate and magnesium sulfate, magnesium oxide, ground synthetic materials, fertilizers, such as eg. ammonium sulfate, ammonium phosphate, ammonium nitrate, ureas and vegetable products, such as grain meal, tree bark, wood and nut shell meal, cellulose powder and other solid carrier.

Oils of various types, herbicides, fungicides, other pesticides and bactericides can be added to the active compounds, if appropriate even only immediately before application (tank mix). These agents can be admixed to the compositions according to the invention in the weight ratio 1:10-10:1.

SYNTHESIS EXAMPLES

The procedures presented in the synthesis examples below were utilized with appropriate modification of the starting compounds to obtain further compounds I. The compounds thus obtained are shown in the following tables with physical data.

Example 1

Preparation of methyl (E,E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-acetyl)iminooxymethyl]phenylacetate

21 g (0.21 mol) of diacetyl monoxime are added under protective gas and with slight cooling at room temperature to 6.4 g (0.21 mol) of sodium hydride (80%) in 150 ml of dry dimethylformamide and the mixture is stirred for 30 min at room temperature. A solution of 60 g (0.21 mol) of methyl 2-methoxyimino-2-(2'-bromomethyl)phenylacetate in 360 ml of dimethylformamide is then added dropwise and the mixture is stirred at room temperature for 16 h. After addition of 10% strength hydrochloric acid, it is extracted with methyl tert-butyl ether. The combined organic phases are washed with water, dried over Na₂SO₄ and concentrated. The residue is suspended in a little cold methanol. After filtering off with suction, 38 g (59%) of the title compound are obtained as light brown crystals having a melting point of 69-71° C.

62

¹H-NMR (CDCl₃): δ =1.87(s,3H); 2.30(s,3H); 3.85(s,3H); 4.05(s,3H); 5.15(s,2H); 7.17-7.48(m,4H) ppm.

Example 2

Preparation of methyl (E,E,E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-ethoxyiminoethyl)iminooxymethyl]phenylacetate

0.96 g (9.8 mmol) of O-ethylhydroxylamine hydrochloride and 0.6 g of dry molecular sieve beads (3 A) are added to a solution of 2.5 g (8.2 mmol) of methyl (E,E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-acetyl)iminooxymethyl]phenylacetate in 60 ml of warm methanol after cooling to room temperature and the mixture is allowed to stand at room temperature for 5 days. After filtering off the molecular sieve, the solution is concentrated, the residue is partitioned between methyl tert-butyl ether and water, and the organic phase is washed with water, dried over Na₂SO₄ and concentrated. After triturating the residue with n-hexane and filtering off with suction, 1.8 g (63%) of the title compound are obtained as pale yellow crystals having a melting point of 69-72° C.

¹H-NMR (CDCl₃): δ =1.27(t,3H); 1.96(s,3H); 1.99(s,3H); 3.84(s,3H); 4.04(s,3H); 4.17(q,2H); 5.06(s,2H); 7.17-7.49(m,4H) ppm

Example 3

Preparation of (E,E,E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-ethoxyiminoethyl)iminooxymethyl]phenylacetic acid monomethylamide

0.90 g (2.60 mmol) of methyl (E,E,E)-2-methoxyimino-2-[2'-(1"-methyl,1"-ethoxyiminoethyl)iminooxymethyl]phenylacetate is dissolved in 50 ml of tetrahydrofuran, treated with 2.0 g of 40% strength aqueous monomethylamine solution and stirred at room temperature for 16 h. The mixture is then treated with water and extracted with methyl tert-butyl ether, and the organic phase is washed with water, dried over Na₂SO₄ and concentrated on a rotary evaporator. As a residue, 0.80 g (89%) of the title compound remains as a pale yellow oil.

¹H-NMR (CDCl₃): δ =1.28(t,3H); 1.97(s,3H); 1.99(s,3H); 2.90(d,3H); 3.96(s,3H); 4.18(g,2H); 5.07(s,2H); 6.74(br, 1H); 7.17-7.48(m,4H) ppm.

Example 4

Preparation of 4-hydroxyimino-2,2-dimethylpentan-3-one

A solution of 40 g of hydrogen chloride in 156 g of diethyl ether is added dropwise at room temperature to 96 g (0.84 mol) of 2,2-dimethyl-3-pentanone in 960 g of toluene. After cooling to -10° C., a solution of 95g of n-butyl nitrite in 470 g of diethyl ether is added dropwise. The mixture is stirred at from -10° C. to 0° C. for 4 hours and then allowed to come to room temperature. After a total of 16 h, the reaction mixture is washed three times with 1 l of ice-water each time and then extracted twice with 1 l of 1M sodium hydroxide solution each time. The alkaline phase is separated off and neutralized with 20% strength sulfuric acid. The crude product is filtered off with suction and, after drying, recrystallized from n-hexane. 66 g (55%) of the title compound are obtained as a pale yellow powder of melting point 107-110° C.

¹H-NMR (CDCl₃): δ =1.29(s,9H); 1.99(s,3H); 8.30(s, 1H) ppm

63

Example 5

Preparation of methyl (E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-(1''',1'''-dimethylethylcarbonyl)) iminooxymethyl]phenylacetate

25 g (0.17 mol) of 4-hydroxyimino-2,2-dimethylpentan-3-one are added in portions under protective gas to 6.4 g (0.21 mol) of sodium hydride (80%) in 150 ml of dry dimethylformamide, the reaction mixture warming to 50° C. Stirring is continued for 30 min, then a solution of 50 g (0.17 mol) of methyl 2-methoxyimino-2-(2'-bromomethyl) phenylacetate in 300 ml of dimethylformamide is added dropwise and the mixture is stirred at room temperature for 16 h. After addition of 10% strength hydrochloric acid, it is extracted with methyl tert-butyl ether. The combined organic phases are washed with water, dried over Na_2SO_4 and concentrated. The black oily residue is purified by column chromatography on silica gel (methyl tert-butyl ether/n-hexane) and the crude product thus obtained is suspended in ice-cold methanol. After filtering off with suction, 24 g (41%) of the title compound are obtained as an almost colorless powder of melting point 58–62° C.

1H -NMR ($CDCl_3$): δ =1.19(s,9H); 1.90(s,3H); 3.83(s,3H); 4.04(s,3H); 5.11(s,2H); 7.18–7.45(m,4H) ppm.

Example 6

Preparation of methyl (E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-(1'''-(6''''-(4''''-chlorophenyl) hexyloxyimino), 2''',2'''-dimethylpropyl)) iminooxymethyl]phenylacetate

5.9 g (26 mmol) of O-6-(4'-chlorophenyl) hexylhydroxylamine, 3.6 g of dry molecular sieze beads (3 A) and 1.6 g (8.6 mmol) of p-toluenesulfonic acid hydrate are added to a solution of 3.0 g (8.6 mmol) of methyl (E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-(1'''-(6''''-(4''''-chlorophenyl)) iminooxymethyl]phenylacetate in 60 ml of warm methanol after cooling to room temperature and the mixture is refluxed for 3 h. After filtering off the molecular sieve, the solution is concentrated, the residue is partitioned between methyl tert-butyl ether and water, and the organic phase is washed with water, dried over Na_2SO_4 and concentrated. After column chromatography on silica gel (hexane/methyl tert-butyl ether), 3.8 g (79%) of the title compound are obtained as a pale yellow oil.

1H -NMR ($CDCl_3$): δ =1.09(s,9H); 1.26–1.42(m,4H); 1.52–1.67(m,4H); 1.90(s,3H); 2.57(t,2H); 3.84(s,3H); 3.99(t,2H); 4.03(s,3H); 5.02(s,2H); 7.07–7.47(m,8H) ppm.

Example 7

Preparation of (E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-(1'''-(6''''-(4''''-chlorophenyl) hexyloxyimino), 2''',2'''-dimethylpropyl)) iminooxymethyl]phenylacetic acid monomethylamide

2.8 g (5.0 mmol) of methyl (E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-(1'''-(6''''-(4''''-chlorophenyl) hexyloxyimino), 2''',2'''-dimethylpropyl)iminooxymethyl] phenylacetate are dissolved in 10 ml of tetrahydrofuran, treated with 3.9 g of 40% strength aqueous monomethylamine solution and stirred at room temperature for 16 h. The mixture is then treated with water and extracted with methyl

64

tert-butyl ether, and the organic phase is washed with water, dried over Na_2SO_4 and concentrated on a rotary evaporator. As a residue, 2.3 g (82%) of the title compound remain as a colorless oil.

1H -NMR ($CDCl_3$): δ =1.08(s,9H); 1.26–1.41(m,4H); 1.53–1.67(m,4H); 1.89(s,3H); 2.56(t,2H); 2.87(d,3H); 3.93(s,3H); 3.99(t,2H); 5.02(s,2H); 6.74(s,broad,1H); 7.05–7.45(m,8H) ppm.

Example 8

Preparation of (E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-(1'''-methoxyimino, 1'''paramethoxyphenyl)methyl)iminooxymethyl] phenylacetic acid monomethylthioamide (Cpd. II.01, Table II)

1.9 g (4.5 mmol) of (E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-(1'''-methoxyimino, 1'''paramethoxyphenyl) methyl)iminooxymethyl]phenylacetic acid monomethylamide are dissolved in 80 ml of xylene, treated with 1.8 g (4.5 mmol) of Lawesson's reagent and stirred at 100° C. for 45 min.

The reaction solution is concentrated and the residue is purified by column chromatography.

1.5 g (75%) of the title compound are isolated as an isomer mixture in the form of a yellowish oil.

IR [cm^{-1}] Film: 834, 977, 1027, 1065, 1175, 1251, 1358, 1512, 1608, 2936, 3330

Example 9


Isomerization of [(E)-2-methoxyimono-2-[2'-(1"-methyl, 1"-(1'''-(Z/E)methoxyimino [sic] (E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-(1'''-(Z/E)methoxyimino, 1'''-phenyl) methyl)-(E)-iminooxymethyl]phenylacetic acid monomethylamide to (E)-2-methoxyimino-2-[2'-(1"-methyl, 1"-(1'''-(E)-methoxyimino, [sic], 1'''-phenyl)methyl)-(E)-iminooxymethyl]phenylacetic acid monomethylamide:

5 g of E,E,E/E,Z,E isomer mixture (30:70) are dissolved in 50 ml of methanol, treated with 15 ml of methanol saturated with HCl and allowed to stand at room temperature for 18 hours. The reaction solution is added to ice-water and extracted with dichloromethane, and the extract is dried over Na_2SO_4 . After concentrating on the rotary evaporator, 5 g of an oil (E,E,E:E,Z,E, approx. 65:35) are obtained. The desired (E,E,E)-isomer crystallizes on addition of methanol (2.1 g=42%) in the form of a colorless solid.

M.p. (E,E,E-isomer): 134–136° C.


Note: The filtrate can be isomerized again using methanol HCl.

TABLE I




No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.01	H	CH ₃	CH ₃	H	m.p.: 135–138° C.
I.02	H	CH ₃	CH ₃	CH ₃	m.p.: 78–82° C.
I.03	H	CH ₃	CH ₃	C ₂ H ₅	oil. IR (Film): 3350, 2975, 2937, 1669, 1526, 1366, 1092, 1039, 980, 920, 899
I.04	H	CH ₃	CH ₃	i-C ₃ H ₇	oil; ¹ H-NMR(CDCl ₃): δ= 1.26(d, 6H); 1.95(s, 3H); 2.0(s, 3H); 2.91(d, 3H); 3.96(s, 3H); 4.37(q, 1H); 5.06(s, 2H); 6.72(s, br, 1H); 7.17–7.59(m, 4H)ppm
I.05	H	CH ₃	CH ₃	n-C ₄ H ₉	m.p.: 89–93 C
I.06	H	CH ₃	CH ₃	i-C ₄ H ₉	oil; ¹ H-NMR((CDCl ₃): δ= 1.29(s, 9H); 1.94(s, 3H); 2.00(s, 3H); 2.99(d, 3H); 3.96(s, 3H); 5.06(s, 2H); 6.79(s, br, 1H); 7.17–7.47(m, 4H)ppm
I.07	H	CH ₃	CH ₃	n-C ₆ H ₁₃	m.p.: 83–85° C.
I.08	H	CH ₃	CH ₃	CH ₂ CN	m.p.: 92–96° C.
I.09	H	CH ₃	CH ₃	CH ₂ CH ₂ CN	m.p.: 92–96° C.
I.10	H	CH ₃	CH ₃	3-Methyl-but-2-en-1-yl	m.p.: 86–88° C.
I.11	H	CH ₃	CH ₃	4-Cl—C ₆ H ₄ —CH ₂	m.p.: 152–154° C.
I.12	H	CH ₃	CH ₃	2-Naphthryl-CH ₂	oil; ¹ H-NMR(CDCl ₃): δ= 1.98(s, 3H); 2.02(s, 3H); 2.87(d, 3H); 3.92(s, 3H); 5.06(s, 2H); 5.33(s, 2H); 6.79(s br, 1H); 7.17–7.88(m, 11H)ppm
I.13	H	CH ₃	CH ₃	6-(4'-Chloro-phenyl)hex-1-yl	oil. ¹ H-NMR(CDCl ₃): δ= 1.27–1.70(m, 8H); 1.95(s, 3H); 1.98(s, 3H); 2.58(t-2H); 2.90(d, 3H); 3.95(s, 3H); 4.19(t, 2H); 5.06(s, 2H); 6.71(s, br, 3H); 7.08–7.46(m, 8H)ppm
I.14	H	CH ₃	CH ₃	3-CF ₃ —C ₆ H ₄	m.p.: 119–124° C.
I.15	H	CH ₃	CH ₃	4-CF ₃ .6-Cl-pyrid-2-yl	m.p.: 129–132° C.
I.16	H	CH ₃	CH ₃	4-CF ₃ -pyrid-2-yl	m.p.: 144–147° C.
I.17	H	CH ₃	CH ₃	(E)-1-Chloropropen-3-yl	m.p.: 96–98° C.
I.18	H	CH ₃	CH ₃	(E)-4-(4'-Chlorophenyl)-but-2-en-1-yl	oil; ¹ H-NMR(CDCl ₃): 1.97(s, 6H); 2.90(d, 3H); 3.36(d, 2H); 3.96(s, 3H); 4.60(d, 2H); 5.06(s, 2H).

TABLE I-continued




No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.19	H	CH ₃	CH ₃	Propyn-3-yl	5.65–5.92(m, 2M); 7.68(s, br, 1H), 7.09–7.48(m, 8H)ppm m.p.: 106–109° C.
I.20	H	CH ₃	CH ₃	2-Hydroxy-prop-1-yl	JR: 884, 929, 980, 1036, 1092, 1366, 1529, 1665, 2937, 3370 217–270° C.
I.21	H	CH ₃	CH ₃	6-Hydroxy-2-methyl-pyrimidin-4-ylmethyl	219–221° C.
I.22	H	CH ₃	CH ₃	6-Hydroxy-2-isopropyl-pyrimidin-4-ylmethyl	220–224° C.
I.23	H	CH ₃	CH ₃	6-Hydroxy-2-cyclopropyl-pyrimidin-4-ylmethyl	57–61° C.
I.24	H	CH ₃	CH ₃	5-(2'-Furan)-pent-1-yl	40–44° C.
I.25	H	CH ₃	CH ₃	5-(2'-N-Methylpyrrol)-pent-1-yl	110–120° C.
I.26	H	CH ₃	CH ₃	2-(4'-Chlorophenyl)-oxazol-4-ylmethyl	104–107° C.
I.27	H	CH ₃	CH ₃	3-Trifluoromethylpyrid-2-yl	126–130° C.
I.28	H	CH ₃	CH ₃	5-Trifluoromethylpyrid-2-yl	694, 893, 980, 1037, 1092, 1365, 1525, 1673, 2935, 3340, 3400
I.29	H	CH ₃	CH ₃	6-(2'-Thiophen)-hex-1-yl	oil; ¹ H-NMR(CDCl ₃): δ= 1.10(s, 9H); 1.95(s, 3H); 2.88(d, 3H); 3.95(s, 3H); 5.05(s, 2H); 6.76(s, br, 1H); 7.17–7.47(m, 4H); 8.04(s, 1H)ppm
I.30	H	CH ₃	t-C ₄ H ₉	H	oil, IR (Film): 3360, 2963, 2936, 1671, 1525, 1364, 1090, 1041, 979, 887
I.31	H	CH ₃	t-C ₄ H ₉	CH ₃	oil; IR (Film): 3350, 2969, 2935, 1669, 1524, 1364, 1093, 1041, 978, 917, 883
I.32	H	CH ₃	t-C ₄ H ₉	C ₂ H ₅	m.p.: 95–99° C. oil; IR (Film): 3360, 2938, 2935, 2872, 1671, 1525, 1364, 1092, 1037, 979, 922
I.33	H	CH ₃	t-C ₄ H ₉	i-C ₃ H ₇	m.p.: 89–92° C.
I.34	H	CH ₃	t-C ₄ H ₉	n-C ₄ H ₉	oil; IR (Film). 3360, 2956, 2933, 2870, 1675, 1525, 1364, 1093, 1039, 979, 918
I.35	H	CH ₃	t-C ₄ H ₉	i-C ₄ H ₉	oil; IR (Film): 3319, 2966, 2935,
I.36	H	CH ₃	t-C ₄ H ₉	n-C ₆ H ₁₃	
I.37	H	CH ₃	t-C ₄ H ₉	(E)-1-Chloroprop-3-yl	

TABLE I-continued




No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.38	H	CH ₃	t-C ₄ H ₉	Propyn-3-yl	1673, 1526, 1365, 1091, 1037, 980, 918, 881 oil; IR (Film): 3303, 2967, 2935, 1672, 1525, 1365, 1094, 1037, 1005, 979, 918
I.39	H	CH ₃	t-C ₄ H ₉	3-Methyl-but-2-en-1-yl	oil; IR (Film): 3360, 2968, 2935, 1675, 1525, 1364, 1093, 1038, 979, 919, 880
I.40	H	CH ₃	t-C ₄ H ₉	2-Naphthyl-CH ₂	oil; IR (Film): 3361, 2966, 2935, 1675, 1523, 1364, 1037, 1002, 979, 929, 752
I.41	H	CH ₃	t-C ₄ H ₉	4-Cl-C ₆ H ₄ -CH ₂	oil; IR (Film): 3360, 2970, 2945, 1677, 1525, 1492, 1365, 1090, 1038, 1014, 983, 919, 881
I.42	H	CH ₃	t-C ₄ H ₉	(E)-4-(4'-Chlorophenyl)but-2-en-1-yl	oil; IR (Film): 3360, 2967, 1676, 1525, 1491, 1365, 1093, 1037, 1015, 979, 919
I.43	H	CH ₃	t-C ₄ H ₉	6-(4'-Chlorophenyl)hex-1-yl	oil; IR (Film): 3360, 2934, 1679, 1524, 1492, 1364, 1092, 1038, 1015, 979
I.44	H	CH ₃	i-C ₄ H ₉	3-CF ₃ -C ₆ H ₄	oil; IR (Film): 3360, 2975, 1675, 1450, 1331, 1165, 1126, 1092, 1038, 980, 940, 926
I.45	H	CH ₃	C ₆ H ₅	H	m.p.: 165-167° C.
I.46	H	CH ₃	C ₆ H ₅	CH ₃	m.p.: 134-136° C.
I.47	H	CH ₃	C ₆ H ₅	C ₂ H ₅	oil; IR (Film): 3340, 2938, 1674, 1526, 1445, 1091, 1037, 979, 925, 767, 694
I.48	H	CH ₃	C ₆ H ₅	i-C ₃ H ₇	m.p.: 77-80° C.
I.49	H	CH ₃	C ₄ H ₉	n-C ₄ H ₉	oil; IR (Film): 3340, 2958, 2936, 1675, 1525, 1445, 1092, 1070, 1036, 979, 694
I.50	H	CH ₃	C ₆ H ₅	4-Cl-C ₆ H ₄ -CH ₃	oil; IR (Film): 3340, 2937, 1675, 1522, 1492, 1445, 1091, 1036, 1012, 979, 918
I.51	H	CH ₃	C ₆ H ₅	3-CF ₃ -C ₆ H ₄	oil; IR (Film): 3340, 2930, 1675, 1449, 1328, 1169, 1126, 1062, 1038, 979, 944, 697
I.52	H	CH ₃	C ₆ H ₅	6-(4'-Chlorophenyl)hex-1-yl	oil; IR (Films): 3340, 2935, 2858, 1679, 1524, 1492, 1445, 1091, 1037, 1015, 939

TABLE I-continued



No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.53	H	CH ₃	C ₆ H ₅	(E)-4-(4' Chlorophenyl) but-2-en-1-yl	oil; IR (Film): 3347 2937, 1675, 1525, 1491, 1444, 1092, 1036, 1015, 978, 918
I.54	H	C ₆ H ₅	C ₆ H ₅	CH ₃	m.p.: 60-65° C.
I.55	H	C ₆ H ₅	C ₆ H ₅	C ₂ H ₅	m.p.: 45-48° C.
I.56	H	C ₆ H ₅	C ₆ H ₅	nC ₃ H ₇	oil, IR [cm ⁻¹](Film) 693, 766, 980, 1037, 1064, 1445, 1526, 1676, 2937, 2965, 3330, 3410
I.57	H	C ₆ H ₅	C ₆ H ₅	i-C ₃ H ₇	m.p.: 53-58° C.
I.58	H	C ₆ H ₅	C ₆ H ₅	n-C ₄ H ₉	oil, IR [cm ⁻¹](Film) 693, 766, 978, 1015, 1036, 1445, 1525, 1677, 2936, 2958, 3340, 3420
I.59	H	C ₆ H ₅	C ₆ H ₅	i-C ₄ H ₉	m.p. 45-50° C.
I.60	H	C ₆ H ₅	C ₆ H ₅	n-C ₆ H ₁₃	oil, IR [cm ⁻¹](Film) 693, 766, 979, 1014, 1037, 1445, 1525, 1678, 2934, 2954, 3330, 3410
I.61	H	C ₆ H ₅	C ₆ H ₅	3-Methyl- but-2-en-1-yl	oil, IR [cm ⁻¹](Film) 693, 766, 921, 979, 1037, 1445, 1493, 1526, 1675, 2937, 3330, 3410
I.62	H	CH ₃	CH ₃	4-Phenyl- but-1-yl	oil, IR [cm ⁻¹](Film) 700, 748, 894, 923, 979, 1037, 1365, 1524, 1673, 2938, 3340, 3410
I.63	H	CH ₃	CH ₃	4-Phenoxy- but-1-yl	oil, IR [cm ⁻¹](Film) 755, 891, 980, 1037, 1245, 1498, 1525, 1600, 1674, 2939, 3350, 3410
I.64	H	CH ₃	CH ₃	2-(2'-Fluoro- phenoxy)eth-1-yl	oil, IR [cm ⁻¹](Film) 749, 889, 924, 979, 1037, 1260, 1366, 1517, 1524, 1673, 2937, 3349, 3410
I.65	H	CH ₃	CH ₃	3-(2'-Fluoro- phenoxy)-prop-1- yl	oil, IR [cm ⁻¹](Film) 749, 979, 1037, 124, 1260, 1280, 1366, 1517, 1524, 1675, 2930, 3340, 3420
I.66	H	CH ₃	CH ₃	E-4-(2'-Fluoro- phenoxy)-but-1- yl	oil, IR [cm ⁻¹](Film) 749, 891, 980, 1037, 1235, 1259, 1366, 1507, 1524, 1675, 2930, 3340, 3420
I.67	H	CH ₃	CH ₃	6-(4'-Chloro- phenoxy)-hex-1- yl	m.p.: 58-62° C.
I.68	H	CH ₃	CH ₃	2-(4'-Chloro- phenoxy)-prop-1- yl	oil, IR [cm ⁻¹](Film) 885, 979, 1007, 1037, 1091, 1241, 1366, 1490, 1525, 1674, 2930, 3310, 3420
I.69	H	CH ₃	CH ₃	C ₆ H ₅ -C ₂ H ₄ -O-C ₂ H ₄ -	oil, IR [cm ⁻¹](Film) 893, 920, 979, 1038,

TABLE I-continued






No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.70	H	CH ₃	CH ₃	E-4-(3'-Methoxyphenyl)-but-3-m-1-yl	1092, 1124, 1365, 1524, 1674, 2937, 3350, 3420 oil, IR [cm ⁻¹](Film) 890, 978, 1038, 1156, 1365, 1525, 1579, 1598, 1675, 2937, 3320, 3390
I.71	H	CH ₃	CH ₃	E-4-(4'-Fluorophenyl)-but-3-en-1-yl	m.p., 77-81° C.
I.72	H	CH ₃	CH ₃	(3-Bromoisoxazol-5-yl)-methyl	oil, IR [cm ⁻¹](Film) 769, 889, 904, 951, 988, 1001, 1035, 1359, 1526, 1677, 3420
I.73	H	CH ₃	CR13	(3-CF ₃ -isoxazol-5-yl)-methyl	IR [cm ⁻¹](KBr) 769, 893, 987, 999, 1034, 1150, 1192, 1221, 1674, 3430
I.74	H	CH ₃	CH ₃	(3-iso-Propylisoxazol-yl)-methyl	oil, IR [cm ⁻¹](Film) 883, 900, 980, 1000, 1036, 1366, 1525, 1673, 2937, 2968, 3340
I.75	H	CH ₃	CH ₃	(3-Cyclopropylisoxazol-5-yl)-methyl	oil, IR [cm ⁻¹](Film) 883, 907, 980, 1000, 1036, 1366, 1434, 1526, 1608, 1673, 2930, 3340
I.76	H	CH ₃	CH ₃	(3-iso-Propyl-1,2,4-Oxadazol-5-yl)-methyl	oil, IR [cm ⁻¹](Film) 882, 979, 1019, 1037, 1091, 1366, 1525, 1674, 2938, 2972, 3340
I.77	H	CH ₃	CH ₃		m.p.: 160-165° C.
I.78	H	CH ₃	4-OCH ₃ -C ₆ H ₄	CH ₃	m.p.: 121-325° C.
I.79	H	CH ₃	4-OCH ₃ -C ₆ H ₄	C ₂ H ₅	oil, IR [cm ⁻¹](Film) 922, 979, 1036, 1091, 1176, 1252, 1512, 1608, 1675, 2937, 3340
I.80	H	CH ₃	4-OCH ₃ -C ₆ H ₄	n-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 979, 1037, 1067, 1176, 1252, 1512, 1608, 1676, 2936, 2965, 3350
I.81	H	CH ₃	4-OCH ₃ -C ₆ H ₄	i-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 977, 1037, 1122, 1174, 1252, 1512, 1605, 1676, 2937, 2974, 3340
I.82	H	CH ₃	4-OCH ₃ -C ₆ H ₄	n-C ₄ H ₉	oil, IR [cm ⁻¹](Film) 835, 978, 1035, 1176,

TABLE I-continued




No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.83	H	CH ₃	4-OCH ₃ -C ₆ H ₄	t-C ₆ H ₉	1252, 1512, 1608, 1675, 2936, 2958, 3340 oil, IR [cm ⁻¹](Film) 958, 979, 1036, 1174, 1191, 1253, 1364, 1513, 1609, 1678, 2930, 2970, 3420
I.84	H	CH ₃	C ₆ H ₅		m.p.: 120-124° C.
I.85	H	CH ₃	C ₆ H ₅	3-Fluorobenzyl	oil, IR [cm ⁻¹](Film) 695, 919, 979, 1002, 1036, 1447, 1488, 1525, 1591, 1676, 2920, 3330, 3410
I.86	H	CH ₃	C ₆ H ₅	3-Bromobenzyl	oil, IR [cm ⁻¹](Film) 696, 776, 979, 1002, 1036, 1069, 1092, 1445, 1524, 1676, 2920, 3330, 3401
I.87	H	CH ₃	C ₆ H ₅	3-CF ₃ -Benzyl	oil, IR [cm ⁻¹](Film) 979, 1003, 1036, 1074, 1125, 1166, 1231, 1333, 1525, 1676, 2920, 3330
I.88	H	CH ₃	C ₆ H ₅	4-Chlorophenyl	m.p, 58-62° C.
I.89	H	CH ₃	C ₆ H ₅	3,4-Dichloro- benzyl	oil, IR [cm ⁻¹](Film) 693, 880, 919, 979, 1002, 1035, 1445, 1471, 1525, 1676, 2930, 3340, 3423
I.90	H	CH ₃	CH ₃	2-Methoxy- eth-1-yl	oil, IR [cm ⁻¹](Film) 891, 919, 980, 1038, 1093, 1127, 1366, 1525, 1673, 2870, 2937, 3350
I.91	H	CH ₃	4-Cl-C ₆ H ₄	CH ₃	oil, IR [cm ⁻¹](Film) 875, 894, 979, 1012, 1037, 1991, 1491, 1525, 1674, 2890, 2938, 3340
I.92	H	CH ₃	4-Cl-C ₆ H ₄	C ₂ H ₅	oil, IR [cm ⁻¹](Film) 924, 979, 1012, 1037, 1991, 1491, 1326, 1673, 2938, 2976, 3340
I.93	H	CH ₃	4-Cl-C ₆ H ₄	n-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 979, 1012, 1038, 1067, 1192, 1491, 1525, 1675, 2937, 2967, 3340
I.94	H	CH ₃	4-Cl-C ₆ H ₄	i-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 977, 1016, 1038, 1091, 1121, 1370,

TABLE I-continued




No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.95	H	CH ₃	4-Cl—C ₆ H ₄	n-C ₄ H ₉	1490, 1525, 1675, 2931, 2975, 3340 oil, IR [cm ⁻¹](Film) 979, 1012, 1037, 1070, 1091, 1491, 1525, 1674, 2936, 2959, 3330
I.96	H	CH ₃	4-Cl—C ₆ H ₄	t-C ₄ H ₉	m.p.: 67-71° C.
I.97	H	CH ₃	4-Cl—C ₆ H ₄	n-C ₆ H ₁₃	oil, IR [cm ⁻¹](Film) 979, 1011, 1038, 1091, 1491, 1525, 1675, 2872, 2934, 2954, 3330
I.98	H	CH ₃	4-Cl—C ₆ H ₄	3-Methyl- but-2-en-1-yl	oil, IR [cm ⁻¹](Film) 833, 878, 979, 1038, 1091, 1447, 1491, 1525, 1675, 2937, 3330
I.99	H	CH ₃	4-Cl—C ₆ H ₄	Propargyl	m.p.: 109-114° C.
I.100	H	CH ₃	4-F—C ₆ H ₄	CH ₃	m.p.: 130-132° C.
I.101	H	CH ₃	4-F—C ₆ H ₄	C ₂ H ₅	m.p.: 105-110° C.
I.102	H	CH ₃	4-F—C ₆ H ₄	n-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 840, 979, 1038, 1223, 1508, 1523, 1605, 1673, 2937, 2967, 3360
I.103	H	CH ₃	4-F—C ₆ H ₄	i-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 840, 978, 1038, 1122, 1158, 1224, 1509, 1525, 1675, 2930, 2975, 3340
I.104	H	CH ₃	4-F—C ₆ H ₄	i-C ₄ H ₉	m.p.: 95-100° C.
I.105	H	CH ₃	4-F—C ₆ H ₄	n-C ₄ H ₉	oil, IR [cm ⁻¹](Film) 840, 979, 1013, 1037, 1224, 1509, 1524, 1675, 2936, 2959, 3340
I.106	H	CH ₃	4-F—C ₆ H ₄	n-C ₆ H ₁₃	oil, IR [cm ⁻¹](Film) 840, 979, 1011, 1038, 1225, 1509, 1524, 1605, 1676, 2935, 3340
I.107	H	CH ₃	4-F—C ₆ H ₄	3-Methyl- but-2-en-1-yl	oil, IR [cm ⁻¹](Film) 841, 980, 3038, 1159, 1224, 1509, 1525, 1605, 1675, 2938, 3350
I.108	H	CH ₃	4-F—C ₆ H ₄	Propargyl	oil, IR [cm ⁻¹](Film) 841, 875, 980, 1005, 1035, 1222, 1509, 1525, 1602, 1674, 2110, 2930, 3250, 3340
I.109	H	CH ₃	4-Cl—C ₆ H ₄	3-iso-Propyl- 1,2,4-oxadiazol- 5-yl)-methyl	oil, IR [cm ⁻¹](Film) 874, 980, 1011, 1038, 1092, 1491, 1523, 1588, 1676, 2940, 2973, 3350
I.110	H	CH ₃	4-Cl—C ₆ H ₄	Thiazol-4-yl- methyl	m.p.: 46-48° C.
I.111	H	CH ₃	4-Cl—C ₆ H ₄	(3-iso-Propyl- isoxazol- 5-yl)-methyl	oil, IR [cm ⁻¹](Film) 981, 909 1013, 1036, 1092, 491, 1526, 1675, 2938, 2968, 3340

TABLE I-continued




No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.112	H	CH ₃	4-Cl—C ₆ H ₄	(3-Bromo-isoxazol-5-yl)methyl	m.p.: 46–49° C.
I.113	H	CH ₃	4-Cl—C ₆ H ₄	(3-CF ₃ -isoxazol-5-yl)-methyl	oil, IR [cm ⁻¹](Film) 970, 980, 999, 1013, 1036, 1992 1155, 1190, 1491, 1671, 2940, 3340
I.114	H	CH ₃	3-Cl—C ₆ H ₅	CH ₃	mp.: 117–120° C.
I.115	H	CH ₃	C ₂ H ₅	CH ₃	m.p.: 74–77° C.
I.116	H	CH ₃	C ₂ H ₅	C ₂ H ₅	oil, IR [cm ⁻¹](Film) 768, 926, 960, 975, 1021, 1041, 1053, 1654, 1671, 2970, 3296
I.117	H	CH ₃	4-CH ₃ —C ₆ H ₄	CH ₃	oil, IR [cm ⁻¹](Film) 989, 1006, 1037, 1992, 1447, 1461, 1528, 1669, 2939, 3349
I.118	H	CH ₃	4-CH ₃ —C ₆ H ₄	C ₂ H ₅	oil, IR [cm ⁻¹](Film) 923, 954, 989, 1037, 1991, 1447, 1528, 1669, 2938, 2976, 3340
I.119	H	CH ₃	4-CH ₃ —C ₆ H ₄	n-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 911, 979, 1039, 1067, 1992, 1458, 1525, 1673, 2936, 2965, 3340
I.120	H	CH ₃	3-Cl—C ₆ H ₄	C ₂ H ₅	oil, IR [cm ⁻¹](Film) 924, 979, 1012, 1037, 1991, 1411, 1525, 1673, 2937, 2976, 3350
I.121	H	CH ₃	3-Cl—C ₆ H ₄	n-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 917, 980, 1038, 1067, 1193, 1411, 1525, 1673, 2937, 2966, 3340
I.122	H	CH ₃	3-Cl—C ₆ H ₄	i-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 979, 1038, 1993, 1121, 1370, 1412, 1526, 1673, 2937, 2975, 3340
I.123	H	CH ₃	3-Cl—C ₆ H ₄	n-C ₄ H ₉	oil, IR [cm ⁻¹](Film) 882, 979, 1037, 1071, 1992, 1412, 1525, 1674, 2936, 2959, 3350
I.124	H	CH ₃	3-Cl—C ₆ H ₄	3-Chloro-prop-2-en-1-yl	oil, IR [cm ⁻¹](Film) 789, 880, 932, 980, 1006, 1037, 1992, 1412, 1525, 1675, 2930, 3420
I.125	H	CH ₃	3-Cl—C ₆ H ₄	Propargyl	oil, IR [cm ⁻¹](Film) 695, 885, 927, 981, 1006, 1033, 1992, 1412, 1525, 1674, 2110, 2931, 3290
I.126	H	CH ₃	2-Cl—C ₆ H ₄	CH ₃	m.p.: 160–162° C.
I.127	H	CH ₃	2-Cl—C ₆ H ₄	C ₂ H ₅	m.p.: 125–127° C.
I.128	H	CH ₃	2-Cl—C ₆ H ₄	n-C ₃ H ₇	m.p.: 102–103° C.
I.129	H	CH ₃	3-CH ₃ -isoxazol-5-yl	CH ₃ 3345, 2940, 1675,	oil, IR [cm ⁻¹](Film) 1526, 1446, 1412,

TABLE I-continued



No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.130	H	CH ₃	3-CH ₃ -isoxazol-5-yl	C ₂ H ₅ 3340, 2939, 1675,	1068, 1038, 979, 959, 897 oil, IR [cm ⁻¹](Film)
I.131	H	CH ₃	3-CH ₃ -isoxazol-5-yl	n-C ₃ H ₇ 3350, 2938, 1675,	1526, 1446, 1412, 1091, 1037, 980, 957, 921 oil, IR [cm ⁻¹](Film)
I.132	H	CH ₃	3-CH ₃ -isoxazol-5-yl	1-C ₃ H ₇ 3345, 2977, 2938,	1526, 1447, 1412, 1068, 1037, 1011, 980, 960 oil, IR [cm ⁻¹](Film)
I.133	H	CH ₃	3-CH ₃ -isoxazol-5-yl	n-C ₄ H ₉ 3343, 2959, 2937,	1675, 1527, 1412, 1371, 1119, 1037, 982, 949 oil, IR [cm ⁻¹](Film)
I.134	H	CH ₃	3-CH ₃ -isoxazol-5-yl	n-C ₆ H ₁₃ 3340, 2935, 1676,	1676, 1526, 1447, 1412, 1071, 1036, 980, 951 oil, IR [cm ⁻¹](Film)
I.135	H	CH ₃	3-CH ₃ -isoxazol-5-yl	Prop-1-en-3-yl 3345, 2935, 1675,	1526, 1447, 1412, 1092, 1037, 1016, 980, 951 oil, IR [cm ⁻¹](Film)
I.136	H	CH ₃	3-CH ₃ -isoxazol-5-yl	(E)-1-Chloro-prop-1-en-3-yl	1527, 1446, 1413, 1092, 036, 1014, 981, 942, 919 oil, IR [cm ⁻¹](Film) 3340, 2938, 1674, 1527, 1446, 1412, 1092, 1036, 1014, 981, 949
I.137	Cl	CH ₃	CH ₃	CH ₃	m.p.: 120-122° C.
I.138	Cl	CH ₃	C ₆ H ₅	CH ₃	m.p.: 190-192° C.
I.139	Cl	CH ₃	C ₆ H ₅	C ₂ H ₅	oil, IR [cm ⁻¹](Film) 1039, 1444, 1528, 1676, 2038, 3350
I.140	H	SCH ₃	CH ₃	CH ₃	oil, IR [cm ⁻¹](Film) 3340, 1671, 1526, 1094, 1074, 1039, 1014, 980, 957, 877
I.141	H	SCH ₃	CH ₃	C ₂ H ₅	oil, IR [cm ⁻¹](Film) 3335, 2936, 1672, 1526, 1442, 1411, 1365, 1092, 1039, 981, 884
I.142	H	SCH ₃	CH ₃	n-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 3340, 2965, 2936, 1672, 1526, 1365, 1094, 1064, 1037, 981, 960
I.143	H	SCH ₇	CH ₃	i-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 3340, 2958, 2935, 2871, 1672, 1526, 1436, 1365, 1093, 1037, 980
I.144	H	SCH ₃	CH ₃	n-C ₆ H ₁₃	oil, IR [cm ⁻¹](Film) 3340, 2934, 2933, 28712, 1672, 1526, 115


TABLE I-continued



No.	R _m ²	R ³	R ⁴	R ⁵	Data
I.145	H	SCH ₃	CH ₃	Prop-1-en-3-yl	1436, 1365, I(93, 1037, 980 oil, IR [cm ⁻¹](Film) 3340, 2935, 1672, 1526, 1412, 1094, 1036, 980, 959, 923, 871
I.146	H	SCH ₃	CH ₃	3-CF ₃ C ₆ H ₄ -CH ₂	oil, IR [cm ⁻¹](Film) 3340, 2930, 1673, 1528, 1330, 1165, 1125, 1098, 1074, 1038, 982
I.147	H	CH ₃	3-Pyridyl	CH ₃	oil, IR [cm ⁻¹](Film) 3340, 2939, 1672, 1526, 1412, 1071, 1038, 1005, 979, 896, 873


30

TABLE II



No.	R _m ²	R ³	R ⁴	R ⁵	Data
II.01	H	CH ₃	p-OCH ₃ -C ₆ H ₄	CH ₃	oil, IR [cm ⁻¹](Film) 834, 977, 1027, 1065, 1175, 1251, 1358, 1512, 1175, 1608, 2936, 3330
II.02	H	CH ₃	p-OCH ₃ -C ₆ H ₄	n-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 977, 1027, 1066, 1176, 1251, 1358, 1512, 1607, 2935, 2964, 3340
II.03	H	CH ₃	p-OCH ₃ -C ₆ H ₄	n-C ₄ H ₉	oil, IR [cm ⁻¹](Film) 834, 975, 1027, 1175, 1252, 1359, 1512, 1607, 2934, 2957, 3340
II.04	H	CH ₃	C ₆ H ₅	3-Fluorobenzyl	m.p. 142-150° C.
II.05	H	CH ₃	C ₆ H ₅	3-CF ₃ -benzyl	oil, IR [cm ⁻¹](Film) 701, 1027, 1073, 1100, 1125, 1166, 1201, 1329, 1361, 1519, 2320, 3340
II.06	H	CH ₃	C ₆ H ₅	3,4-Dichlorobenzyl	oil, IR [cm ⁻¹](Film) 694, 769, 877, 893, 975, 1028, 1357, 1471, 1519, 2935, 3340
II.07	H	CH ₃	C ₆ H ₅	4-Chlorophenyl	m.p. 55-60° C.

TABLE II-continued



No.	R _m ²	R ³	R ⁴	R ⁵	Data
II.08	H	CH ₃	C ₆ H ₅	3-Bromobenzyl	oil, IR [cm ⁻¹](Film) 696, 773, 876, 893, 975, 1028, 1064, 1358, 1519, 2935, 3350
II.09	H	CH ₃	4-Cl-C ₆ H ₄	i-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 942, 974, 1027, 1091, 1121, 1358, 1369, 1490, 1518, 2920, 2975, 3350
II.10	H	CH ₃	4-Cl-C ₆ H ₄	n-C ₄ H ₉	oil, IR [cm ⁻¹](Film) 830, 976, 1027, 1091, 1358, 1490, 1518, 2934, 2958, 3350
II.11	H	CH ₃	4-Cl-C ₆ H ₄	t-C ₄ H ₉	oil, IR [cm ⁻¹](Film) 894, 973, 1030, 1089, 1188, 1311, 1490, 1519, 2934, 2977, 3350
II.12	H	CH ₃	4-Cl-C ₆ H ₄	n-C ₆ H ₁₃	oil, IR [cm ⁻¹](Film) 830, 977, 1027, 1091, 1357, 1490, 1518, 2871, 2932, 2954, 3350
II.13	H	CH ₃	4-F-C ₆ H ₄	C ₂ H ₅	oil, IR [cm ⁻¹](Film) 841, 976, 1027, 1058, 1225, 1358, 1509, 2936, 2970, 3360
II.14	H	CH ₃	4-F-C ₆ H ₄	n-C ₃ H ₇	oil, IR [cm ⁻¹](Film) 840, 978, 1027, 1065

TABLE II-continued

No.	R _m ²	R ³	R ⁴	R ⁵	Data
II.15	H	CH ₃	4-F-C ₆ H ₄	t-C ₄ H ₉	1225, 1359, 1508, 1604, 2936, 2966, 3360 m.p 113-119° C.

Examples of the action against harmful fungi:

It was possible to show the fungicidal action of the compounds of the general formula I by the following tests:

The active compounds were prepared as a 20% strength emulsion in a mixture of 70% by weight of cyclohexanone, 20% by weight of Nekanil® LN (Lutensol® AP6, wetting agent having emulsifying and dispersant action based on ethoxylated alkylphenols) and 10% by weight of Emulphor® [2] EL (Emulan® EL, emulsifier based on ethoxylated fatty alcohols) and correspondingly diluted to the desired concentration with water.

1. [sic] Erysiphe graminis var. tritici

Leaves of wheat seedlings (Kanzler variety) were first treated with the aqueous preparation of the active compounds (containing 250 ppm). After about 24 h, the plants were dusted with spores of powdery mildew of wheat (Erysiphe graminis var. tritici). The plants treated in this way were then incubated for 7 days at 20-22° C. and a relative atmospheric humidity of 75-80%. The extent of fungal development was then determined.

In this test, the plants treated with the compounds according to the invention showed an attack of 5% or less, the plants treated with a known active compound (compound No. 195, Table 3, EP-A 463 488) showed 25% attack and the untreated plants showed 70% attack.

In a corresponding test (wheat seedlings of the Kanzler variety, application rate 250 ppm), the plants were first infected and incubated and then treated with the active compounds. In this test, the plants treated with the compounds according to the invention showed an attack of 5% or less and the untreated plants showed 60% attack.

Examples of the action against animal pests:

It was possible to show the insecticidal action of the compounds of the general formula I by the following tests:

The active compounds were prepared

a) as a 0.1% strength solution in acetone or

b) as a 10% strength emulsion in a mixture of 70% by weight of cyclohexanol, 20% by weight of Nekanil® LN (Lutensol® AP6, wetting agent having emulsifying and dispersant action based on ethoxylated alkylphenols) and 10% by weight of Emulphor® EL (Emulan® EL, emulsifier based on ethoxylated fatty alcohols)

and correspondingly diluted to the desired concentration with acetone in the case of a) or with water in the case of b).

After termination of the tests, in each case the lowest concentration was determined at which the compounds still

caused an 80-100% inhibition or mortality in comparison to untreated control tests (action threshold or minimum concentration).

Aphis fabae (black fly), contact action

5 Heavily infested dwarf beans (*Vicia faba*) were treated with the aqueous active compound preparation. The mortality rate was determined after 24 h.

In this test, the compounds I.68, I.69, I.70, I.71, I.81, I.86, I.94, I.97, I.103, I.105, I.106, II.12 and II.13 according to the invention showed action thresholds of 400 ppm or less.

10 Nephrotettix cincticeps (green rice leaf hopper), contact action

Circular filters were treated with the aqueous active compound preparation and then occupied by 5 adult leaf hoppers. The mortality was assessed after 24 h.

15 In this test, the compounds I.02, I.04, I.10, I.17, I.24, I.29, I.46, I.47, I.48, I.52, I.55, I.74, I.75, I.78, I.79 and I.92 according to the invention showed action thresholds of 0.4 mg or less.

20 Prodenia litura (Egyptian cotton leaf worm), contact action

Filters treated with the aqueous active compound preparation were occupied by 5 caterpillars. The first assessment is carried out after 4 h. If at least one caterpillar is still living, a feed mixture is added. The mortality was determined after 25 24 h.

In this test, the compounds I.04, I.17, I.78, I.79, I.91, I.92, I.94, I.101, I.102, I.103 and I.108 according to the invention showed action thresholds of 0.4 mg or less.


30 Tetranychus telarius (common red spider mite), contact action

Potted dwarf beans having the second successive pair of leaves were treated with aqueous active compound preparation. After 24 h, the plants were infected using heavily infested pieces of leaf. The attack was determined after 12 35 days in the greenhouse.

In this test, the compounds I.37, I.91, I.92, I.93, I.97, I.101, I.102, I.104, I.105, I.106, I.108, II.13, II.14 and II.15 showed action thresholds of 400 ppm or less.

We claim:

1. A phenylacetic acid derivative of the formula I



where the substituents and the index have the following meanings:

X is oxygen or sulfur;

R is hydrogen or C₁-C₄-alkyl;

55 R¹ is hydrogen or C₁-C₄-alkyl;

R² is cyano, nitro, trifluoromethyl, halogen, C₁-C₄-alkyl or C₁-C₄-alkoxy;

m is 0, 1 or 2, it being possible for the R² radicals to be different if m is 2;

60 R³ is hydrogen, cyano, nitro, hydroxyl, amino, cyclopropyl, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₃-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylamino or di-C₁-C₄-alkylamino;

65 R⁴ is hydroxyl, amino, halogen, C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₂-C₆-alkenyloxy, C₂-C₆-

alkenylthio, C₂-C₆-alkenylamino, N-C₂-C₆-alkenyl-N-C₁-C₆-alkylamino, C₂-C₆-alkynylthio, C₂-C₆-alkynylamino, N-C₂-C₆-alkynyl-N-C₁-C₆-alkylamino, it being possible for the hydrocarbon radicals of these groups to be partly 5 or completely halogenated or to carry one to three of the following radicals: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, 15 C₂-C₆-alkenyloxy, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkoxy, aryl, aryloxy, aryl-C₁-C₄-alkoxy, arylthio and aryl-C₁-C₄-alkylthio, it being possible for the cyclic radicals in turn to be partly or completely halogenated and/or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, 25 C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, arylthio and C(=NOR⁶)-A_n-R⁷;

C₃-C₆-cycloalkoxy, C₃-C₆-cycloalkylthio, C₃-C₆-cycloalkylamino, N-C₃-C₆-cycloalkyl-N-C₁-C₆-alkylamino, C₃-C₆-cycloalkenyloxy, C₃-C₆-cycloalkenylthio, C₃-C₆-cycloalkenylamino, N-C₃-C₆-cycloalkenyl-N-C₁-C₆-alkylamino, aryloxy, arylthio, arylamino and N-aryl-N-C₁-C₆-alkylamino, it being possible for the cyclic radicals to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl and aryloxy;

R⁵ is hydrogen, C₁-C₁₀-alkyl, C₃-C₆-cycloalkyl, C₂-C₁₀-alkenyl, C₂-C₁₀-alkynyl, C₁-C₁₀-alkylcarbonyl, C₂-C₁₀-alkenylcarbonyl, C₃-C₁₀-alkynylcarbonyl or C₁-C₁₀-alkylsulfonyl, it being possible for these radicals to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl and aryloxy;

cycloalkyl, C₃-C₆-cycloalkoxy, benzyl, benzyloxy, aryl, aryloxy and arylthio, it being possible for the cyclic groups in turn to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, arylthio or C(=NOR⁶)-A_n-R⁷;

aryl, arylcarbonyl and arylsulfonyl, it being possible for these radicals to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylcarbonyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl and aryloxy or C(=NOR⁶)-A_n-R⁷;

where

A is oxygen, sulfur or nitrogen and where the nitrogen carries hydrogen or C₁-C₆-alkyl;

n is 0 or 1;

R⁶ is hydrogen or C₁-C₆-alkyl and

R⁷ is hydrogen or C₁-C₆-alkyl,

[and] or its [salts] salt.

2. A compound of the formula I as claimed in claim 1, in which R³, R⁴ and R⁵ have the following meanings:

R³ is hydrogen, hydroxyl, cyclopropyl, halogen, C₁-C₄-alkyl, C₁-C₄-alkoxy or C₁-C₄-alkylthio,

R⁴ is hydroxyl, halogen, C₁-C₄-alkoxy, C₁-C₄-alkylthio,

R⁵ is hydrogen,

C₁-C₁₀-alkyl, C₃-C₆-cycloalkyl, C₂-C₁₀-alkenyl, C₂-C₁₀-alkynyl, C₁-C₁₀-alkylcarbonyl, C₂-C₁₀-alkenylcarbonyl, C₃-C₁₀-alkynyl carbonyl or C₁-C₁₀-alkylsulfonyl, it being possible for these groups to be partly or completely halogenated or to carry one to 3 of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkyl amino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy and arylthio, it being possible for the aromatic radicals in turn, to be partly or completely halogenated and/or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, halogen, aminothiocarbonyl, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl,

C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, arylthio or C(=NOR⁶)-A_n-R⁷;

aryl, arylcarbonyl, and arylsulfonyl, it being possible for these groups to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylcarbonyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy or C(=NOR⁶)-A_n-R⁷;

where

A is oxygen, sulfur or nitrogen and where the nitrogen carries hydrogen or C₁-C₆-alkyl
n is 0 or 1;

R⁶ is hydrogen or C₁-C₆-alkyl and

R⁷ is hydrogen or C₁-C₆-alkyl,

and its salts.

3. A compound of the formula I as claimed in claim 1, in which m is 0.

4. A compound of the formula I as claimed in claim 1, in which R¹ is methyl.

5. The compound defined in claim 1, wherein R⁴ denotes one of the following: halogen, or

C₁-C₆-alkoxy, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₂-C₆-alkenyloxy, C₂-C₆-alkenylamino, N-C₂-C₆-alkenyl-N-C₁-C₆-alkylamino, C₂-C₆-alkynyloxy, C₂-C₆-alkynylamino and N-C₂-C₆-alkynyl-N-C₁-C₆-alkylamino, it being possible for the hydrocarbon radicals of these groups to be partly or completely halogenated or to carry one to three of the following radicals: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₂-C₆-alkenyloxy, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkoxy, aryl, aryloxy, aryl-C₁-C₄-alkoxy, arylthio and aryl-C₁-C₄-alkylthio, it being possible for the cyclic radicals in turn to be partly or completely halogenated and/or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, arylthio and C(=NOR⁶)-A_n-R⁷;

C₃-C₆-cycloalkoxy, C₃-C₆-cycloalkylamino, N-C₃-C₆-cycloalkyl-N-C₁-C₆-alkylamino, C₃-C₆-cycloalkenyloxy, C₃-C₆-cycloalkenylamino, N-C₃-C₆-cycloalkenyl-N-C₁-C₆-alkylamino, aryloxy, arylamino and N-aryl-N-C₁-C₆-alkylamino, it being possible for the cyclic radicals to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl and aryloxy.

6. The compound defined in claim 1, wherein R⁴ denotes one of the following:

C₁-C₆-alkoxy, C₂-C₆-alkenyloxy and C₂-C₆-alkynyloxy, it being possible for the hydrocarbon radicals of these groups to be partly or completely halogenated or to carry one to three of the following radicals: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₂-C₆-alkenyloxy, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkoxy, aryl, aryloxy, aryl-C₁-C₄-alkoxy, arylthio and aryl-C₁-C₄-alkylthio, it being possible for the cyclic radicals in turn to be partly or completely halogenated and/or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, arylthio and C(=NOR⁶)-A_n-R⁷;

C₃-C₆-cycloalkoxy, C₃-C₆-cycloalkenyloxy, and aryloxy, it being possible for the cyclic radicals to be partly or completely halogenated or to carry one to three of the following groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl and aryloxy.

7. The compound defined in claim 1, wherein R⁴ denotes one of the following:

C₁-C₆-alkoxy, it being possible for the hydrocarbon radicals of these groups to be partly or completely halo-

generated or to carry one to three of the following radicals: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, halogen, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, 5 di-C₁-C₆-alkylaminothiocarbonyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, 10 C₂-C₆-alkenyloxy, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkoxy, aryl, aryloxy, aryl-C₁-C₄-alkoxy, arylthio and aryl-C₁-C₄-alkylthio, it being possible for the cyclic radicals in turn to be partly or completely halogenated and/or to carry one to three of the follow- 15 ing groups: cyano, nitro, hydroxyl, mercapto, amino, carboxyl, aminocarbonyl, aminothiocarbonyl, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkylsulfonyl, C₁-C₆-alkylsulfoxyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy,

C₁-C₆-haloalkoxy, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylthio, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, C₁-C₆-alkylaminothiocarbonyl, di-C₁-C₆-alkylaminothiocarbonyl, C₂-C₆-alkenyl, C₂-C₆-alkenyloxy, benzyl, benzyloxy, aryl, aryloxy, arylthio and C(=NOR⁶)-A_n-R⁷.

8. A composition against animal pests or harmful fungi, containing customary additives and an effective amount of a compound of the formula I as defined in claim 1.

9. A method for controlling animal pests or harmful fungi, which comprises treating the pests or harmful fungi, their environment of the plants, surfaces, materials or spaces to be kept free from them with an effective amount of a compound of the formula I as defined in claim 1.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Re 37,873 E
DATED : October 8, 2002
INVENTOR(S) : Bayer et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 86,

Line 62, "cyclopropyl" should be -- cyclopropyl --.

Column 87,

Line 67, after "alkylaminothiocarbonyl" insert -- C₂-C₆-alkenyl, --.

Column 88,

Line 38, "[and] or its [salts] salt" should be -- or its salt --.

Column 91,


Line 18, "C₁-C₆-alkoxy" should be -- C₃-C₆-alkoxy --.

Column 92,

Line 1 bridging line 2, "C₁-C₆-alkylthio" should be -- C₃-C₆-alkylthio --.

Signed and Sealed this

Twenty-fourth Day of December, 2002



JAMES E. ROGAN
Director of the United States Patent and Trademark Office