



US00RE42029E

(19) **United States**
(12) **Reissued Patent**
Raterman et al.

(10) **Patent Number:** **US RE42,029 E**
(45) **Date of Reissued Patent:** **Jan. 18, 2011**

- (54) **INTAKE PORTION OF A LIQUID DISPENSING VALVE**
- (75) Inventors: **John M. Raterman**, Atlanta, GA (US);
Christopher R. Chastine, Hoschton, GA (US)
- (73) Assignee: **Nordson Corporation**, Westlake, OH (US)
- (21) Appl. No.: **29/297,729**
- (22) Filed: **Nov. 16, 2007**

Related U.S. Patent Documents

Reissue of:

- (64) Patent No.: **Des. 536,421**
- Issued: **Feb. 6, 2007**
- Appl. No.: **29/202,811**
- Filed: **Apr. 2, 2004**

- (51) **LOC (9) Cl.** **13 03**
- (52) **U.S. Cl.** **D23/233; D15/28**
- (58) **Field of Classification Search** **D23/233**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,115,282 A 12/1963 McKenzie
- 3,612,069 A 10/1971 Waters
- RE27,865 E 1/1974 Baker et al.
- 3,851,801 A 12/1974 Roth
- D281,168 S 10/1985 Scholl et al.
- 4,549,866 A 10/1985 Granville
- 4,579,309 A 4/1986 Fujiwara et al.
- 4,600,128 A 7/1986 Rohrer
- 4,653,199 A 3/1987 McLeod et al.
- 4,688,609 A 8/1987 Diaz
- 4,874,014 A 10/1989 Grant et al.
- 5,000,112 A 3/1991 Rothen et al.
- 5,063,790 A 11/1991 Freeman et al.
- 5,265,800 A 11/1993 Ziecker et al.
- 5,356,038 A 10/1994 Banks
- 5,375,738 A 12/1994 Walsh et al.
- 5,478,224 A 12/1995 McGuffey

- 5,683,037 A 11/1997 Rochman et al.
- D401,600 S 11/1998 Byerly et al.
- D404,464 S * 1/1999 Niemczyk D23/233
- 5,915,625 A 6/1999 Focke et al.
- 6,056,155 A 5/2000 Byerly et al.
- 6,089,413 A 7/2000 Riney et al.
- D429,263 S 8/2000 Auber et al.
- 6,105,832 A 8/2000 Beck
- 6,123,302 A 9/2000 Taylor
- 6,216,903 B1 4/2001 Hirose et al.
- 6,244,522 B1 6/2001 Reighard et al.
- 6,260,583 B1 7/2001 Flatt et al.
- 6,286,721 B1 9/2001 Pellegrini
- 6,354,463 B1 3/2002 Pahl
- 6,358,322 B1 3/2002 Pahl
- D456,427 S 4/2002 Gressett, Jr. et al.
- 6,406,625 B1 6/2002 Brock et al.
- D460,092 S 7/2002 Gressett, Jr. et al.
- D460,148 S * 7/2002 Hayashi et al. D23/233
- 6,435,425 B1 8/2002 Saidman
- D470,221 S * 2/2003 Niemczyk D23/233
- 6,572,033 B1 6/2003 Pullagura et al.
- 6,601,741 B2 8/2003 McGuffey
- 6,669,057 B2 12/2003 Saidman et al.
- D494,658 S * 8/2004 Kobayashi et al. D23/233
- D505,183 S * 5/2005 Fukuda et al. D23/233
- 6,931,205 B2 8/2005 Atkins
- D515,177 S 2/2006 Raterman et al.
- 7,082,262 B2 7/2006 Clark et al.
- D536,421 S 2/2007 Raterman et al.
- 7,296,706 B2 11/2007 Raterman et al.
- 2003/0080155 A1 5/2003 Jeter
- 2003/0192292 A1 10/2003 Seedorf
- 2003/0200921 A1 10/2003 Crane et al.
- 2004/0033069 A1 2/2004 Atkins
- 2005/0235909 A1 10/2005 Jones
- 2005/0235911 A1 10/2005 Chambers et al.
- 2005/0236316 A1 10/2005 Gould et al.


FOREIGN PATENT DOCUMENTS

- EP 0719591 A2 7/1996

OTHER PUBLICATIONS

Keystone Industries, Adhesive Applicator Systems & Parts, 2001 Catalog, Front & Rear Covers, and pp. 8 and 9.

Nordson Corporation, Meltex EP25 and EP34 Hot Melt Guns, Brochure, Jul. 1993, 2 pgs.



Nordson Corporation, Series H-440 Hot Melt Guns and Modules, Brochure, Mar. 1999, 2 pgs.

Nordson Corporation, Series H200 Reduced Cavity Guns, Brochure, Jan. 1993, 2 pgs.

Thomas Kayden, Horstemeyer & Risley, LLP, Request for Ex Parte Reexamination, U.S. Appl. No. 90/010,873, filed Feb. 25, 2010.

Nordson Corporation, LV 227 Adhesive Dispensing Pneumatic Gun Brochure dated Apr. 2003.

Watlow Electric Manufacturing Company, Revolutionizing The Heater Industry Brochure dated Year 2001.

European Patent Office, Search Report in European Patent Application No. 05002560.0 dated Feb. 22, 2008.

* cited by examiner

Primary Examiner—Cathron C Brooks

Assistant Examiner—Maurice Stevens

(74) *Attorney, Agent, or Firm*—Wood, Herron Evans, L.L.P.

(57) **CLAIM**

We claim, the ornamental design for an intake portion of a liquid dispensing valve as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an intake portion of a liquid dispensing valve according to one embodiment of the invention;

FIG. 2 is a front elevational view as oriented in FIG. 1;

FIG. 3 is a top plan view;

FIG. 4 is a side elevational view of the portion of the valve of FIG. 1 wherein the opposite side is a mirror image thereof;

FIG. 5 is a perspective view of an intake portion of a liquid dispensing valve according to the second embodiment of the invention;

FIG. 6 is a front elevational view as oriented in FIG. 5;

FIG. 7 is a top plan view;

FIG. 8 is a side elevational view of the portion of the valve of FIG. 5 wherein the opposite side is a mirror image thereof;

FIG. 9 is a perspective view of an intake portion of a liquid dispensing valve according to third embodiment of the invention;

FIG. 10 is a front elevational view as oriented in FIG. 9;

FIG. 11 is a top plan view;

FIG. 12 is a side elevational view of the portion of the valve of FIG. 9 wherein the opposite side is a mirror image thereof;

FIG. 13 is a perspective view of an intake portion of a liquid dispensing valve according to the fourth embodiment of the invention;

FIG. 14 is a front elevational view as oriented in FIG. 13;

FIG. 15 is a top plan view;

FIG. 16 is a side elevational view of the portion of the valve of FIG. 13 wherein the opposite side is a mirror image thereof;

FIG. 17 is a perspective view of an intake portion of a liquid dispensing valve according to the fifth embodiment of the invention;

FIG. 18 is a front elevational view as oriented in FIG. 17;

FIG. 19 is a top plan view;

FIG. 20 is a side elevational view of the portion of the valve of FIG. 17 wherein the opposite side is a mirror image thereof;

FIG. 21 is a perspective view of an intake portion of a liquid dispensing valve according to the sixth embodiment of the invention;

FIG. 22 is a front elevational view as oriented in FIG. 21;

FIG. 23 is a top plan view;

FIG. 24 is a side elevational view of the portion of the valve of FIG. 21 wherein the opposite side is a mirror image thereof;

FIG. 25 is a perspective view of an intake portion of a liquid dispensing valve according to the seventh embodiment of the invention;

FIG. 26 is a front elevational view as oriented in FIG. 25;

FIG. 27 is a top plan view;

FIG. 28 is a side elevational view of the portion of the valve of FIG. 25 wherein the opposite side is a mirror image thereof;

FIG. 29 is a perspective view of an intake portion of a liquid dispensing valve according to the eighth embodiment of the invention;

FIG. 30 is a front elevational view as oriented in FIG. 29;

FIG. 31 is a top plan view;

FIG. 32 is a side elevational view of the portion of the valve of FIG. 29 wherein the opposite side is a mirror image thereof;

FIG. 33 is a perspective view of an intake portion of a liquid dispensing valve according to the ninth embodiment of the invention;

FIG. 34 is a front elevational view as oriented in FIG. 33;

FIG. 35 is a top plan view;

FIG. 36 is a side elevational view of the portion of the valve of FIG. 33 wherein the opposite side is a mirror image thereof;

FIG. 37 is a perspective view of an intake portion of a liquid dispensing valve according to the tenth embodiment of the invention;

FIG. 38 is a front elevational view as oriented in FIG. 37;

FIG. 39 is a top plan view; and,

FIG. 40 is a side elevational view of a portion of the valve of FIG. 37 wherein the opposite side is a mirror image thereof;

FIG. [40] 41 is a perspective view of an intake portion of a liquid dispensing a valve according to the eleventh embodiment of the invention.

FIG. 42 is a front elevational view as oriented in FIG. 41;

FIG. 43 is a top plan view; and,

FIG. 44 is a side elevational view of the portion of the valve of FIG. 41 wherein the opposite side is a mirror image thereof.

The broken line showing environment is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 11 Drawing Sheets

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.




FIG-1




FIG-3




FIG-2




FIG-4




FIG. 5
AMENDED




FIG. 7
AMENDED




FIG. 6
AMENDED




FIG. 8
AMENDED




FIG. 9
AMENDED




FIG. 11
AMENDED




FIG. 10
AMENDED




FIG. 12
AMENDED




FIG. 13
AMENDED




FIG. 15
AMENDED




FIG. 14
AMENDED




FIG. 16
AMENDED




FIG. 17
AMENDED




FIG. 19
AMENDED




FIG. 18
AMENDED




FIG. 20
AMENDED




FIG. 21
AMENDED




FIG. 23
AMENDED




FIG. 22
AMENDED




FIG. 24
AMENDED




FIG. 25
AMENDED




FIG. 27
AMENDED




FIG. 26
AMENDED




FIG. 28
AMENDED




FIG. 29
AMENDED




FIG. 31
AMENDED




FIG. 30
AMENDED




FIG. 32
AMENDED




FIG. 33
AMENDED




FIG. 35
AMENDED




FIG. 34
AMENDED




FIG. 36
AMENDED




FIG. 37
AMENDED




FIG. 39
AMENDED




FIG. 38
AMENDED




FIG. 40
AMENDED




FIG. 41
NEW




FIG. 43
NEW




FIG. 42
NEW




FIG. 44
NEW