

US00RE42163E

(19) **United States**  
(12) **Reissued Patent**  
**Saito**

(10) **Patent Number:** **US RE42,163 E**  
(45) **Date of Reissued Patent:** **Feb. 22, 2011**

(54) **DATA MANAGEMENT SYSTEM**

4,225,884 A 9/1980 Block et al.

(75) Inventor: **Makoto Saito**, Gunma (JP)

(Continued)

(73) Assignee: **Intarsia Software LLC**, Las Vegas, NV  
(US)

FOREIGN PATENT DOCUMENTS

DE 3717261 11/1987

(21) Appl. No.: **11/446,604**

(Continued)

(22) Filed: **Jun. 1, 2006**

OTHER PUBLICATIONS

Search Report in European Application No. 98107668,  
dated Jul. 31, 2001.

**Related U.S. Patent Documents**

Reissue of:

(64) Patent No.: **6,744,894**  
Issued: **Jun. 1, 2004**  
Appl. No.: **09/165,928**  
Filed: **Oct. 2, 1998**

(Continued)

*Primary Examiner*—Hosuk Song

U.S. Applications:

(60) Division of application No. 08/733,504, filed on Oct. 18,  
1996, now Pat. No. 5,974,141, which is a continuation-in-  
part of application No. 08/416,037, filed on Mar. 31, 1995,  
now abandoned.

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Apr. 1, 1994 (JP) ..... 6-64889  
Sep. 30, 1994 (JP) ..... 6-237673  
Oct. 27, 1994 (JP) ..... 6-264199  
Oct. 27, 1994 (JP) ..... 6-264201  
Nov. 2, 1994 (JP) ..... 6-269959

The present invention provides a system to ensure security of data in a computer network system. A center certifies a public-key of user of the system and distributes a secret-key. A first system comprises the center in a network, an information provider and a plurality of users. The center identifies utilization status by requests of the secret-key. The data is encrypted by the secret-key and is stored and transferred, while the data to be stored and transferred is encrypted by a secret-key different from the secret-key of the transferred data. An original data label is added to the original data, and an edit label is added to the edited data, and the center does not store the data and stores only the original data label and the edit label. A second system comprises a center and an information provider in a network, and a plurality of users utilizing the network. The center stores the original data and editing scenario, and also the original data label, user label and edit label. The data is not transferred between the users, but data label encrypted by the public-key is transferred. In electronic commerce system, every data is distributed through a mediator in the network, data which is transferred from a maker to a user is encrypted by a secret-key for encryption, and data which is transferred from the user to the maker is encrypted by a secret-key for re-encryption.

(51) **Int. Cl.**  
**H04L 9/00** (2006.01)  
**H04L 9/32** (2006.01)

(52) **U.S. Cl.** ..... **380/277**; 713/193

(58) **Field of Classification Search** ..... 380/277–278;  
705/52–54, 57, 59, 71, 74, 78; 709/229; 713/155–156,  
713/193


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,104,721 A 8/1978 Markstein et al.  
4,168,396 A 9/1979 Best

**89 Claims, 9 Drawing Sheets**



# US RE42,163 E

Page 2

U.S. PATENT DOCUMENTS							
4,278,337	A	7/1981	Mashimo	5,392,351	A	2/1995	Hasebe et al.
4,278,837	A	7/1981	Best	5,400,403	A	3/1995	Fahn et al.
4,352,952	A	10/1982	Boone et al.	5,410,602	A	4/1995	Finkelstein et al.
4,386,233	A	5/1983	Smid et al.	5,414,772	A	5/1995	Naccache et al.
4,423,287	A	12/1983	Zeidler	5,428,606	A	6/1995	Moskowitz
4,465,901	A	8/1984	Best	5,428,685	A	6/1995	Kadooka
4,527,195	A	7/1985	Cheung	5,438,508	A	8/1995	Wyman
4,558,176	A	12/1985	Arnold et al.	5,442,706	A	8/1995	Kung
4,567,512	A	1/1986	Abraham	5,444,779	A	8/1995	Daniele et al.
4,588,991	A	5/1986	Atalla	5,444,782	A	8/1995	Adams, Jr. et al.
4,613,901	A	9/1986	Gilhousen et al.	5,450,493	A	9/1995	Maher
4,623,918	A	11/1986	Chomet	5,453,601	A	9/1995	Rosen
4,709,266	A	11/1987	Hanas et al.	5,455,863	A	10/1995	Brown et al.
4,710,955	A	12/1987	Kauffman	5,455,941	A	10/1995	Okuno et al.
4,736,422	A	4/1988	Mason	5,457,746	A	10/1995	Dolphin
4,751,732	A	6/1988	Kamitake	5,465,299	A	11/1995	Matsumoto et al.
4,757,534	A	7/1988	Matyas et al.	5,475,757	A	12/1995	Kelly
4,759,062	A	7/1988	Traub et al.	5,475,758	A	12/1995	Kikuchi
4,791,565	A	12/1988	Dunham	5,479,514	A	12/1995	Klonowski
4,799,156	A	1/1989	Shavit et al.	5,485,577	A	1/1996	Eyer et al.
4,827,508	A	5/1989	Shear	5,495,533	A	2/1996	Linehan et al.
4,829,569	A	5/1989	Seth-Smith et al.	5,497,420	A	3/1996	Garneau et al.
4,850,017	A	7/1989	Matyas et al.	5,499,340	A	3/1996	Barritz
4,852,154	A	7/1989	Lewis et al.	5,504,816	A	4/1996	Hamilton et al.
4,862,268	A	8/1989	Campbell et al.	5,504,817	A	4/1996	Shamir
4,864,494	A	9/1989	Kobus, Jr.	5,504,818	A	4/1996	Okano
4,864,614	A	9/1989	Crowther	5,504,933	A	4/1996	Saito
4,864,615	A	9/1989	Bennett et al.	5,509,073	A	4/1996	Monnin
4,890,319	A	12/1989	Seth-Smith et al.	5,509,074	A	4/1996	Choudhury et al.
4,890,321	A	12/1989	Seth-Smith et al.	5,511,121	A	4/1996	Yacobi
4,905,277	A	2/1990	Nakamura	5,515,441	A	5/1996	Faucher
RE33,189	E	3/1990	Lee et al.	5,515,538	A	5/1996	Kleiman
4,916,737	A	4/1990	Chomet et al.	5,532,920	A	7/1996	Hartrick et al.
4,919,545	A	4/1990	Yu	5,541,994	A	7/1996	Tomko et al.
4,977,594	A	12/1990	Shear	5,553,145	A	9/1996	Micali
4,995,080	A	2/1991	Bestler et al.	5,577,121	A	11/1996	Davis et al.
5,008,853	A	4/1991	Bly et al.	5,579,223	A	11/1996	Ramon
5,029,207	A	7/1991	Gammie	5,581,682	A	12/1996	Anderson et al.
5,036,461	A	7/1991	Elliott et al.	5,584,023	A	12/1996	Hsu
5,046,093	A	9/1991	Wachob	5,604,800	A	2/1997	Johnson et al.
5,060,262	A	10/1991	Bevins, Jr et al.	5,606,609	A	2/1997	Houser et al.
5,077,665	A	12/1991	Silverman et al.	5,606,613	A	2/1997	Lee
5,083,309	A	1/1992	Beysson	5,633,934	A	5/1997	Hember
5,091,938	A	2/1992	Thompson et al.	5,636,277	A	6/1997	Nagahama
5,126,566	A	6/1992	Shimada	5,642,418	A	6/1997	Farris et al.
5,138,659	A	8/1992	Kelkar et al.	5,646,997	A	7/1997	Barton
5,142,579	A	8/1992	Anderson	5,646,999	A	7/1997	Saito
5,144,663	A	9/1992	Kudelski et al.	5,651,064	A	7/1997	Newell
5,146,497	A	9/1992	Bright	5,666,411	A	9/1997	McCarty
5,173,939	A	12/1992	Abadi et al.	5,680,452	A	10/1997	Shanton
5,204,961	A	4/1993	Barlow	5,689,587	A	11/1997	Bender
5,220,604	A	6/1993	Gasser et al.	5,706,210	A	1/1998	Kumano et al.
5,224,163	A	6/1993	Gasser et al.	5,715,393	A	2/1998	Naugle
5,227,893	A	7/1993	Ett	5,740,246	A	4/1998	Saito
5,231,598	A	7/1993	Vlahos	5,745,572	A	4/1998	Press
5,235,641	A	8/1993	Nozawa et al.	5,765,152	A	6/1998	Erickson et al.
5,247,575	A	9/1993	Sprague et al.	5,765,176	A	6/1998	Bloomberg
5,270,773	A	12/1993	Sklut et al.	5,771,383	A	6/1998	Magee et al.
5,291,598	A	3/1994	Grundy	5,794,115	A	8/1998	Saito
5,301,245	A	4/1994	Endoh	5,812,762	A	9/1998	Kim
5,315,657	A	5/1994	Abadi et al.	5,818,933	A	10/1998	Kambe et al.
5,319,705	A	6/1994	Halter et al.	5,825,892	A	10/1998	Braudaway
5,323,464	A	6/1994	Elander et al.	5,832,083	A	11/1998	Iwayama et al.
5,341,425	A	8/1994	Wasilewski et al.	5,835,601	A	11/1998	Shimbo et al.
5,345,508	A	9/1994	Lynn et al.	5,835,765	A	11/1998	Matsumoto
5,347,581	A	9/1994	Naccache et al.	5,841,886	A	11/1998	Rhoads
5,349,662	A	9/1994	Johnson et al.	5,848,155	A	12/1998	Cox
5,353,351	A	10/1994	Bartoli et al.	5,848,158	A	12/1998	Saito
5,369,702	A	11/1994	Shanton	5,864,683	A	1/1999	Boebert et al.
5,381,480	A	1/1995	Butter et al.	5,867,579	A	2/1999	Saito
				5,889,868	A	3/1999	Moskowitz

# US RE42,163 E

Page 3

5,901,339 A	5/1999	Saito	EP	0489385 B1	3/1997
5,910,987 A	6/1999	Ginter et al.	EP	0438154 B1	7/1997
5,912,969 A	6/1999	Sasamoto et al.	EP	0398645 B1	8/1997
5,968,175 A	10/1999	Morishita et al.	EP	0813133 A2	12/1997
5,974,141 A	10/1999	Saito	EP	0677949 B1	5/2003
5,982,891 A	11/1999	Ginter	EP	0719045 B1	10/2003
5,986,690 A	11/1999	Hendricks	EP	0704785 B1	11/2003
6,002,772 A	12/1999	Saito	EP	0715241 B1	1/2004
6,006,328 A	12/1999	Drake	EP	0746126 B1	12/2004
6,026,430 A	2/2000	Butman et al.	EP	0581227 B1	9/2005
6,044,367 A	3/2000	Wolff	EP	0709760 B1	5/2006
6,069,952 A	5/2000	Saito	GB	2231244	11/1990
6,076,077 A	6/2000	Saito	JP	59169000	9/1984
6,081,794 A	6/2000	Saito	JP	60102038	6/1985
6,091,835 A	7/2000	Smithies et al.	JP	62-169540	7/1987
6,097,816 A	8/2000	Saito	JP	64-041387	2/1989
6,097,818 A	8/2000	Saito	JP	64-061782	8/1989
6,128,605 A	10/2000	Saito et al.	JP	3128541	5/1991
6,160,891 A	12/2000	Al-Salqan	JP	3265241	11/1991
6,182,218 B1	1/2001	Saito	JP	03-282989	12/1991
6,209,092 B1	3/2001	Linnartz	JP	4181282	6/1992
6,226,618 B1	5/2001	Downs et al.	JP	4268844	9/1992
6,272,635 B1	8/2001	Saito	JP	5056037	3/1993
6,408,390 B1	6/2002	Saito	JP	5063142	3/1993
6,415,271 B1	7/2002	Turk et al.	JP	5075597	3/1993
6,424,715 B1	7/2002	Saito	JP	05-122701	5/1993
6,438,694 B2	8/2002	Saito	JP	5276476	10/1993
6,449,717 B1	9/2002	Saito	JP	05-298373	11/1993
6,463,536 B2	10/2002	Saito	JP	5316102	11/1993
6,519,623 B1	2/2003	Mancisidor	JP	5324936	12/1993
6,560,339 B1	5/2003	Iwamura	JP	5327693	12/1993
6,574,609 B1 *	6/2003	Downs et al. .... 705/50	JP	5334324	12/1993
6,603,864 B1	8/2003	Matsunoshita	JP	6095591	4/1994
6,615,258 B1 *	9/2003	Barry et al. .... 709/223	JP	6131806	5/1994
6,668,324 B1	12/2003	Mangold et al.	JP	6231536	8/1994
6,721,887 B2	4/2004	Saito	JP	6236147	8/1994
6,741,991 B2	5/2004	Saito	JP	6242304	9/1994
6,744,894 B1	6/2004	Saito	JP	6264199	9/1994
6,789,197 B1	9/2004	Saito	JP	6264201	9/1994
6,851,053 B1	2/2005	Liles et al.	JP	6269959	9/1994
6,874,089 B2	3/2005	Dick et al.	JP	6290087	10/1994
7,024,681 B1	4/2006	Fransman et al.	JP	6318036	11/1994
7,036,019 B1	4/2006	Saito	JP	7014045	1/1995
7,093,295 B1	8/2006	Saito	JP	7271865	10/1995
2002/0021807 A1	2/2002	Saito	JP	7302244	11/1995
2002/0052850 A1	5/2002	Saito	JP	8185448	7/1996
2002/0122173 A1	9/2002	Saito	JP	8292976	11/1996
2003/0144963 A1	7/2003	Saito	WO	WO8503830	8/1985
2005/0262033 A1	11/2005	Saito	WO	WO8909528	10/1989
EP	0121853	10/1984	WO	WO 9002382	3/1990
EP	158167	10/1985	WO	WO9307715	4/1993
EP	0199410	10/1986	WO	WO 9520291	7/1995
EP	0341801	11/1989	WO	WO9613113	5/1996
EP	0 354 774 B1	2/1990	WO	WO96/23257	8/1996
EP	0391261 A3	3/1990	WO	WO96/27259	9/1996
EP	0459046	12/1991	WO	WO97/50036	12/1997
EP	0542298 A3	11/1992	OTHER PUBLICATIONS		
EP	0 518 365 A2	12/1992	Office Action in European Application No. 97116728 dated Mar. 23, 2001.		
EP	0191162 B1	2/1993	Search Report in European Application No. 98104490 dated Aug. 6, 2001.		
EP	0532381	3/1993	Search Report in European Application No. 95116820, dated Dec. 23, 1998.		
EP	0551016	7/1993	Search Report in European Application No. 97116728.3 dated Jul. 5, 1999.		
EP	0561685	9/1993	Notice of Reason for Rejection in Corresponding Japanese Patent Office Application No. 7-280984, mailed Jan. 20, 2004, English Translation.		
EP	0590763	4/1994	U.S. Appl. No. 11/701,943, filed Feb. 1, 2007, Saito.		
EP	0421808 B1	12/1994			
EP	0649074	4/1995			
EP	0665486	8/1995			
EP	0430734 B1	9/1995			
EP	0354774 B1	4/1996			
EP	0715243	6/1996			
EP	0450841 B1	8/1996			
EP	0506435 B1	10/1996			

- U.S. Appl. No. 11/701,945, filed Feb. 1, 2007, Saito.
- U.S. Appl. No. 11/701,946, filed Feb. 1, 2007, Saito.
- U.S. Appl. No. 11/556,992, filed Nov. 6, 2006, Saito.
- U.S. Appl. No. 11/469,035, filed Aug. 31, 2006, Saito.
- U.S. Appl. No. 11/512,885, filed Aug. 29, 2006, Saito.
- U.S. Appl. No. 11/512,695, filed Aug. 29, 2006, Saito.
- U.S. Appl. No. 11/496,777, filed Jul. 31, 2006, Saito.
- U.S. Appl. No. 11/491,400, filed Jul. 20, 2006, Saito.
- U.S. Appl. No. 11/480,690, filed Jul. 3, 2006, Saito.
- U.S. Appl. No. 11/441,973, filed May 25, 2006, Saito.
- Memon, Nasir, et al., "Protecting Digital Media Content" Association for Computing Machinery, Communications of the ACM, New York, Jul. 1998, vol. 41, issue 7, pp. 35–43.
- Murphy, Kathleen, "Digimarc Awarded Patent for Digital Watermarking" Business, Mar. 10, 1998, [www.internet-news.com/bus-news/article.php/19611](http://www.internet-news.com/bus-news/article.php/19611), 2 pgs.
- Hedberg, S.R. "HP's International Cryptography Framework: Compromise or Threat?" IEEE Computer, Jan. 1997, pp. 28–30.
- U.S. Appl. No. 11/404,124, filed Apr. 12, 2006, Saito.
- Zhang, N.X. "Secure Code Distribution" IEEE Computer, Jun. 1997, pp. 76–79.
- Anonymous, "Security" Government Executive, National Journal, Inc. Washington, vol. 29, issue 1, Jan. 1997, pp. 35–37.
- Wayner, P. "Digital Copyright Protection" AP Professional, 1997, pp. 1–7 and 14–17.
- U.S. Appl. No. 10/170,677, filed Jun. 13, 2002, Saito.
- U.S. Appl. No. 10/013,507, filed Dec. 13, 2001, Saito.
- U.S. Appl. No. 09/985,279, filed Nov. 2, 2001, Saito.
- Menezes, Alfred, et al., "Handbook of Applied Cryptography" 1997, sec. 11.5.1, CRC Press, pp. 452–454.
- Fitch, K. "User Authentication and Software Distribution on the Web", [ausweb97@scu.edu.au](mailto:ausweb97@scu.edu.au) Nov. 5, 1996, pp. 1–12.
- Rubin, A.D., "Trusted Distribution of Software Over the Internet" Network and Distributed System Security, Feb. 16–17, 1995, San Diego, California, pp. 47–53.
- U.S. Appl. No. 09/665,902, filed Sep. 20, 2000, Saito.
- Bryan, John "A look at five different firewall products and services you can install today" [www.byte.com/art/9504/sec10/art6.htm](http://www.byte.com/art/9504/sec10/art6.htm), Apr. 1995.
- Rubin, A.D., "Secure Distribution of Electronic Documents in an Hostile Environment" Computer Communications, vol. 18, No. 6, Jun. 1995, pp. 429–434.
- Bellovin, S.M. et al., "Network Firewalls" IEEE Communications Magazine, vol. 32, No. 9, Oct. 1994, pp. 50–57.
- U.S. Appl. No. 09/476,334, filed Jan. 30, 2000, Saito.
- U.S. Appl. No. 09/362,955, filed Jul. 30, 1999, Saito.
- Rozenblit, M. "Secure Software Distribution" IEEE Network Operations and Management Symposium, vol. 2, Feb. 14–18, 1994, pp. 486–496.
- Van Schyndel, R.G., et al., "A Digital Watermark" IEEE, Australia, 1994, pp. 86–90.
- Medvinsky, Gennady et al., "NetCash: A design for practical electronic currency on the Internet" University of Southern California Information Science Institute, Nov. 1993, pp. 2–7.
- Lennil, P. "The IBM Microkernel Technology," OS/2 Developer, vol. 5, Nov. 1, 1993 (pp. 70–72, 74) XP000672962.
- Seki, Kazunori et al., "A Proposal of a New Distribution Scheme for Software Products", Keio Department of Instrumentation Engineering, Faculty of Science and Technology, Keio University, Research report made at the information Processing Association, Japan, Jul. 20, 1993, vol. 93, No. 64, pp. 19–28.
- Vigarie, J. "A Device for Real-Time Modification of . . ." 18<sup>th</sup> International Television Symposium and Technical Exhibition, Montreaux, Switzerland, Jun. 10–15, 1993, pp. 761–768.
- Neuman, Clifford B., Proxy-Based Authorization and Accounting for Distributed Systems, Proceedings of the 13<sup>th</sup> International Conference on Distributed Computing Systems, May 1993, pp. 283–291.
- Harn, Lein, et al., "Software Authentication System for Information Integrity" Computers & Security International Journal Devoted to the Study of Technical and Financial Aspects of Computer Security, vol. II, Dec. 1, 1992, pp. 747–752, XP000332279.
- Anonymous, "Encryption of Information to be Recorded so as to Prevent Unauthorized Playback" Research Disclosure No. 335, Mar. 1992, Emsworth, GB, p. 219.
- U.S. Appl. No. 08/895,493, filed Jul. 16, 1997, Saito.
- U.S. Appl. No. 08/846,661, filed May 1, 1997, Saito.
- Masuoka, Fujio, "Progressing Flash Memories" Kogyo Chosa-kai Co., Chapter 1: Semiconductor Memory, pp. 34–68, 1992.
- Tatsuaki Okamoto, "Universal Electronic Cash", Technical Report of Institute of Electronics, Information and Communication Engineers (IEICE) Jul. 15, 1991, vol. 91, No. 127, pp. 39–47.
- Ohtaki, Yasuhiro et al., "Cryptographic Management for Superdistribution" Technical Research Report of Electronic Information Communication Association, Mar. 8, 1991, vol. 90, No. 460, pp. 33–42.
- Komatsu, Naohisa, et al., "A Proposal on Digital Watermark in Document Image Communication and its Application to Realizing a Signature" Electronics & Communications in Japan Part I—Communications, vol. 73, No. 5, part 1, May 1, 1990, pp. 22–33.
- U.S. Appl. No. 08/733,504, filed Oct. 18, 1996, Saito.
- Matsumoto, Tsutomu et al., "Cryptographic Key Sharing" Technical Report of Institute of Electronics, Information and Communication Engineers (IEICE), Mar. 27, 1990, vol. 89, No. 482, pp. 33–47.
- Morizaki, H., "Introduction to Electronic Devices" Gijutsu Hyoron Publishing Co., 1989, pp. 260–266.
- Gale, Brent et al., "Satellite and Cable TV Scrambling and Descrambling" Baylin/Gale Productions, 2nd Edition, 1986, pp. 163–165.
- Grampp, F.T. et al., "Unix Operating System Security" AT&T Bell Laboratories Technical Journal, vol. 63, No. 8, Oct. 1984, New York, pp. 1649–1672.
- Adachi, R., "Introduction to handcraft of Personal Computer" Natsume Publishing Co., 1983, pp. 141–155.
- "Des Modes of Operation" U.S. FIPS Publication 81, Dec. 2, 1980, 23 pgs.
- Kent, Stephen, T., "Internet Privacy Enhanced Mail", Association for Computing Machinery, Communications of the ACM, Aug. 1993, vol. 36, issue 9, pp. 48–61.
- Tirkel, A.Z. et al., "Electronic Water Mark", Conference Proceedings Dicta, Dec. 1993, pp. 666–673.

Schneier, Bruce, *Applied Cryptography: Protocols, Algorithms, and Source Code in C*; John Wiley & Sons, Inc. 1996, Second Edition, pp. 357–368.

European Search Report for European Patent Application No. 97116728 dated Jun. 23, 1999, 4 pages.

Response to Official Action in European Application No. 97116728.3 dated Mar. 23, 2001, mailed Jan. 16, 2002, 13 pages.

Schneier, Bruce; *One Way Hash Functions*, John Wiley & Sons, Inc. 1996, pp. 429–430.

Official Action in European Application No. 97116728.3 dated Apr. 12, 2002, 4 pages.

Response to Official Action in European Application No. 97116728.3 dated Apr. 12, 2002, mailed Aug. 8, 2002, 12 pages.

Official Action in Japanese Application No. 2004–168776 dated Aug. 29, 2006, 6 pages.

Response to Official Action in Japanese Application No. 2004–168776 dated Aug. 29, 2006, mailed Feb. 27, 2007, 6 pages.

Official Action in Japanese Application No. 2004–168776 dated May 29, 2007, 5 pages.

Appeal and Amendment in Japanese Application No. 2004–168776 dated Aug. 27, 2007, 10 pages.

Official inquiry from the appeal board in Japanese Application No. 2004–168776 dated Aug. 10, 2009, 3 pages.

Response to Official inquiry from the appeal board in Japanese Application No. 2004–168776 dated Aug. 10, 2009, mailed Feb. 10, 2010, 9 pages.

Amendments in Japanese Application No. 2004–168776 dated Apr. 13, 2010, 4 pages.

Decision on Appeal in Japanese Application No. 2004–168776 dated May 10, 2010, 2 pages.

Official Action in Japanese Application No. 2007–047674 dated May 31, 2010, 5 pages.

Schneier, Bruce; *One Way Hash Functions*; John Wiley & Sons, Inc. 1996, pp. 129–130.

Concise Explanation of Non–English Language Documents Under 37 C.F.R. § 1.98(a)(3) for NPL References 7, 10, 12–14.

Schneier, *Applied Cryptography*, first edition, Oct. 1993, Wiley, pp. 29–31, 42–56, 152, 153.

\* cited by examiner

Fig. 1A

LABEL OWNER INFORMATION

Fig. 1B

LABEL OWNER INFORMATION +  
INFORMATION RELATING ORIGINAL COPYRIGHTED DATA

Fig. 1C

LABEL OWNER INFORMATION +  
INFORMATION RELATING ORIGINAL COPYRIGHTED DATA +  
EDIT TOOL INFORMATION + EDITING SCENARIO

Fig. 1D

LABEL OWNER INFORMATION +  
INFORMATION RELATING ORIGINAL COPYRIGHTED DATA +  
EDITION PROGRAM + EDITING SCENARIO

Fig. 2A




Fig. 2B




Fig. 2C




Fig. 2D



Fig. 3A




Fig. 3B




Fig. 3C




Fig. 3D





Fig.4A




Fig.4B



Fig.4C




Fig.4D



Fig.4E




Fig.4F



Fig.4G



Fig. 5A




Fig. 5B




Fig. 5C




Fig. 6A




Fig. 6B




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12A





Fig. 12B



## DATA MANAGEMENT SYSTEM

**Matter enclosed in heavy brackets [ ] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.**

## CROSS REFERENCE TO RELATED APPLICATIONS

This application is a Divisional of U.S. patent application Ser. No. 08/733,504 filed on Oct. 18, 1996, now U.S. Pat. No. 5,974,141, which is a continuation in part application of prior U.S. patent application Ser. No. 08/416,037 filed on Mar. 31, 1995, now abandoned.

## BACKGROUND OF THE INVENTION

## 1. Field of the Invention

The present invention relates to a data management system for managing digital data, and in particular to a system which can be applied to copyright management of copyrighted data, electronic commerce, and digital cash.

## 2. Background Art

As database systems store increasingly larger amount of information, database systems are becoming popular in which many computers, used to store various types of data independently, are connected via communication lines to share the data.

In such a database system, the information handled up to this point has been conventionally coded information that can be processed by a computer, and that contains a relatively small amount of information and monochrome binary data, such as facsimile information at most. And it was not possible to handle data containing a relatively large amount of information, such as data for natural pictures or animation. A technique is under development for digital processing of picture signals other than binary data which were handled only as analog signals in the past.

By digitizing the picture signal, it is possible to handle a picture signal, e.g., a television signal, by a computer. "Multimedia systems" is an emerging technology of the future capable of simultaneously handling the data handled by computers and digitized picture data.

Because picture data contains a much larger amount of information compared with character data and audio data, it is difficult to store or transfer or process the picture data by computer. For this reason, techniques for compressing or expanding picture data have been developed. Further, several standards for compression/expansion of picture data have been established. For example, the following standards have been established as common standards: JPEG point Photographic image coding Experts Group) standards for still pictures, H.261 standards for video conferences, MPEG1 (Moving Picture image coding Experts Group 1) standards for picture accumulation, and MPEG2 standards for current television broadcasting and high definition television broadcasting. These new techniques have made it possible to process digital picture data in real time.

For analog data, which has been widely used in the past, the control of copyrights during processing has not been an important issue because the quality of the analog data degrades each time the data is stored, copied, edited, or transferred. However, the quality of digital data does not degrade when the data is repeatedly stored, copied, edited, or transferred. Therefore, the management and control of copyrights during processing of digital data is an important issue.

In the past, there has been no adequate method for management and control of copyrights for digital data. It has been managed and controlled merely by copyright law or by contracts. In copyright law, only compensation for digital sound or picture recording devices has been prescribed.

It is possible not only to refer to the content of a database, but also to effectively utilize the data obtained from the database by storing, copying, or editing the data, and also transferring the edited data to the database with the edited data registered as new data. Further, it is possible to transfer edited data to other persons via an on-line means such as a communication link or via an off-line means such as a proper recording medium.

Conventional database system have dealt with only character data. However, in multimedia systems, sound data and picture data originally generated as analog data, are digitized and included in the database in addition to the other data in the database such as character data.

Under such circumstances, it is important to control copyrights of the data in the database. However, none of the prior art methods provides a complete copyright management and control for such operations as copying, editing, transferring, etc. of data.

In the past, computers have been used in relatively small scale for data communication. Computer communication system called "Internet" has shown a rapid progress in the past several years, and it is now being developed to a system closer and familiar to everybody. The information used in communication of this Internet system has been initially limited to character information only, but, with the progress of technique, audio data and picture data are now used. At present, even electronic commerce data or digital cash data, for which reliability and confidentiality are important factors, are now being used in the Internet system.

Under such circumstances, it has become necessary to establish new techniques to ensure and guarantee security to keep confidentiality and reliability of the processed data and also of the case where it is necessary to charge and collect fee.

In the information data, i.e. copyrighted data, for which fee is charged when utilizing such data, copyright is asserted in most cases, while there are information data such as personal mail, advertisement and propaganda data, etc., for which copyright is not positively asserted. For example, in case of a personal mail, for which copyright is not asserted, it is important to maintain privacy and to prevent falsification or forgery of the contents. Even in the data for advertisement and propaganda, which is usually not associated with assertion of copyright, damage or impairment may often occur due to falsification of the contents or business activities may be disturbed because of distribution of the data to the people other than those originally aimed or such trouble may be caused by false data.

As described above, it is essential in case of personal mail to stop falsification of contents, to prevent infringement of privacy and to exclude forgery. For the advertisement and propaganda data, it is necessary to prevent falsification of data contents, to restrict looking and to exclude forgery.

The prevention of infringement of privacy in the personal mail and the restriction of looking of the advertisement and propaganda data can be achieved by encryption of data. The prevention of forgery of the personal mail and the advertisement and propaganda data and the exclusion of falsification of the personal mail and the advertisement and propaganda data can be attained by confirmation (certification) of the sender or the transmitter of the data.

The Internet system is based on grass-roots concept and is a very fragile system as far as security of the system itself is concerned. Various systems for maintaining security of the Internet system have been proposed, and typical systems are PEM (Privacy Enhanced Mail) adopting hierarchical structure and PGP (Pretty Good Privacy) adopting horizontal distributed structure. These systems are effective to maintain confidentiality of data and to provide certification of the transmitting source, certification on non-falsification of the data, display of the first transmitter and control of public-key, while it is not possible by these systems to restrict re-utilization of data including data editing.

PEM, adopting hierarchical structure, comprises the most upper-level authority called IPRA (Internet PCA Registration Authority), a next upper-level authority called PCA (Policy Certification Authority), and the most lower-level authorities called Organizational, Residential and Personal respectively. Upper-level certification authorities issue a public-key certificate with digital signature on the data such as name of the lower-level authority for public-key of the lower-level authority, thus guaranteeing validity of the public-key.

PGP, adopting horizontal distributed structure, has no entity to correspond to the certification authority of PEM, and a reliable third person guarantees validity of the public-key by issuing a public-key certificate with digital signature to the data such as name of the public-key. In this PGP, there is a method called electronic fingerprinting to easily confirm the public-key. By this method, the public-key is hashed by one-way hash function such as MD 5 (Message Digest 5), and 16-byte hash value is confirmed by voice.

When PEM is compared with PGP, there is no problem on the certifier in PEM, which adopts hierarchical structure, but this is not necessarily a commonly used system in the Internet System, which is based on grass-roots concept. On the other hand, PGP is a simplified system, which can be widely used. However, this cannot be utilized in case there is no reliable person to sign.

With recent development of computer network system, individual computers, used on stand-alone basis in the past, are connected together through the network system, and database system to commonly share the data is now propagated. Further, distributed object system has been proposed, in which application program or basic software called operating system as well as data is also commonly shared through the network.

In the distributed object system, both data and software are supplied by a server as an object, which comprises program and data. In the distributed object system, there are two systems, i.e. a system called object container, in which operating system, application program and data are provided by a server and data processing and data storage are performed by a user terminal unit, which is an ordinary computer, and a system called server object, in which operating system, application program and data are provided by a server, and data processing is performed by a user terminal unit called network computer, while data storage is carried out by a server. The server object system is further developed to a system, in which data processing is also performed by the server, and the user terminal unit is provided only with input/output function, and the whole system functions as a single computer.

Another form of the network system called "license network" as rental network system, is considered. In this system, an enterprise providing network base such as communication lines also provides the systems other than com-

munication lines such as fee charging system, security system, copyright management system, certification system, etc. And a service enterprise utilizes these services and carries out network business as if it is his own system.

#### SUMMARY OF THE INVENTION

In the present application, the inventor proposes a data management system for protecting copyright of digital data, for maintaining security in electronic commerce data and keeping security for digital cash data in an ordinary computer network system, a distributed object system and a license network system.

A first aspect of the data management system of the present invention comprises a data management center on a network, an original copyright owner or an information provider and a plurality of users who use the network. The data management center certifies public-key of network users, distributes secret-key for data encryption for presentation of a user label, and identifies data utilization status by the request of the secret-key. The data is stored and transferred after encrypted using the secret-key, and the data is to be stored and transferred by encryption using a secret-key different from the secret-key for the data which has been transferred. An original data label is added to original data, and an edit label is added to an edited data. The data management center does not store the data and stores only the original data label and the data relating to editing. A user label is used to request the secret key, but electronic fingerprinting of the user label may be used instead.

The second aspect of the data management system comprises a data management center on a network, an original copyright owner or an information provider and a plurality of users utilizing the network. The data management center certifies the public-key of the network users, and stores the original data and the editing scenario, and further stores the user label, the original data label and edit label. The data is not transferred between the users and the encrypted data label encrypted by the public-key is transferred. For transfer and for request of utilization, data label is used, while electronic fingerprinting of the data label may be used instead.

In electronic commerce system, every data is distributed through a mediator on a network, data which is transferred from a maker to a user is encrypted by by a secret-key for encryption, and data which is transferred from the user to the maker is encrypted by a secret-key for re-encryption.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1A to FIG. 1D each represents a drawing for explaining labels.

FIG. 2A to FIG. 2D each represents a drawing for explaining label, data header and data body.

FIG. 3A to FIG. 3D each represents a drawing for explaining encryption of data and label.

FIG. 4A to FIG. 4G each represents a drawing for explaining encryption of data header and data body.

FIG. 5A to FIG. 5C each represents a drawing for explaining encryption of label, data header and data body.

FIG. 6A and FIG. 6B each represents a drawing for explaining encryption of object file.

FIG. 7 represents a conceptional structure of a data management system of a first embodiment of the present invention.

FIG. 8 represents a conceptional structure of a data management system of a second embodiment of the present invention.



## 5

FIG. 9 is to explain a technique to generate a data from a plurality of data.

FIG. 10 represents a conceptional structure of a data management system of a third embodiment of the present invention.

FIG. 11 represents a conceptional structure of a data management system of a fourth embodiment of the present invention.

FIG. 12A and FIG. 12B each represents a conceptional structure of a data management system of a fifth embodiment of the present invention.

## DETAILED DESCRIPTION OF THE INVENTION

The present invention is a digital data management system described with respect to copyright management. In the following description, numerous specific details are set forth to provide a more thorough description of the present invention. It will be apparent, however, to one skilled in the art, that the present invention may be practiced without these specific details. In other instances, well known features have not been described in detail so as not to obscure the present invention.

The following explanation is provided to illustrate various embodiments of the invention.

## Certifier

In the present invention, it is necessary to have an entity which certifies copyright owner of original copyrighted data, an information provider (IP) of the original copyrighted data and a user of the original copyrighted data, and another entity which certifies those who edit the original copyrighted data. There may be a single certifier or a plurality of certifiers. When there are a plurality of certifiers, they can be virtually considered as a single entity by linking them with each other.

In this system, a set of public-key and private-key of each user and a secret-key different for each step of the use of the copyrighted data are used. Among these keys, the private-key is managed under responsibility of each user and corresponding public-key is performed digital signature by the certifier, so that the reliability is maintained. The public-key is controlled by a key management center generally called key library, and is distributed at the request of the user. It is possible to link a certifier having a certifying function with the key management center or to make the certifier also have a function of the key management center.

## Crypt Key

Brief description is given below on a key system and a digital signature system used in the invention.

Secret key system is also called "common key system" because the same key is used for encryption and decryption. Because it is necessary to keep the key in secret, it is also called "secret-key system". Typical examples of encryption algorithm that uses a secret-key are: DES (Data Encryption Standard) system of National Bureau of Standards, FEAL (Fast Encryption Algorithm) system of NTT, and MISTY system of Mitsubishi Electronic Corp. In the embodiments described below, the secret-key is referred as "Ks".

In contrast, the public-key system is a cryptosystem which uses a public-key being made public and a private-key which is maintained in secret to those other than the owner of the key. One key is used for encryption and the other key is used for decryption. Typical example is RSA public-key system. In the embodiments described below, the public-key is referred as "Kb", and the private-key is referred as "Kv".

## 6

Here, the operation to encrypt a data M as data material to a cryptogram Ck using a crypt key K is expressed as:

$$Ck=E(M, K)$$

and the operation to decrypt the cryptogram Ck to the data M using a crypt key K is expressed as:

$$M=D(Ck, K).$$

Digital signature is a technique that applied the public-key system. In this system, a transfer source turns the data M to a hash value Hm by one-way hash function such as MD 5. Using a private-key Kv, the hash value Hm is encrypted to Chmkv and is transferred together with the data M to a transfer destination. The transfer destination decrypts the transferred encrypted hash value Chmkv to the hash value Hm using the public-key Kb and also turns the transferred data M to a hash value Hm' using the same one-way hash function. If Hm=Hm', it is judged that the transferred data is reliable. The hash value Hm obtained in this process can be uniquely obtained from the data M, and it is not possible to uniquely reproduce the data M from the hash value Hm.

In case the transfer source and the transfer destination can confirm each other, the reliability of the transfer data is maintained even when the hash value Hm is transferred without encrypting. This is called electronic fingerprinting, and is used for simplified certification.

## Use of Keys

In the embodiments from the first to fifth (described in detail below), encryption/decryption/re-encryption of data storing inhibition of data, and storing of crypt keys are performed in devices other than those in a center. It is desirable that these operations are operated by automatically working a unique application program, by an application program contained in data, or for attaining higher security by operating system. Even higher security can be provided by performing these processings by using IC card or PC card.

## Charging

To ensure to charge and collect a fee corresponding to the use of data, two methods are used: to charge a fee corresponding to the expected use prior to actual use, and to charge a fee corresponding to actual result of use after the use.

The method to charge a fee after the use can be implemented by metering post-payment in which the use results are recorded and fee is charged by checking the record of use, or by card prepayment in which a card with an amount of purchase entered in advance on it is used to subtract the entered amount corresponding to the actual use.

Further, the metering post-payment method is divided into two methods to install a recording unit on server side like charging for telephone calls and to install a recording unit on user terminal like charging electric fees.

The card prepayment method is divided into two methods in which prepayment is stored on server side as a credit card; and the prepayment is stored on user side as a prepaid card.

## Storing of Keys

In the first to fourth embodiments (described in detail below), based on user information presented by the user when the user registers utilization of the system, the data management center prepares a user label and transmits it to the user. The user stores the user label, and a user's public-key, a user's private-key and a public-key of the data management center which are used in the system, in the user's own device. The optimal place for this storage is an IC card or a PC card, while it is also possible to store in a data storage unit in the device. A manner of storing crypt keys by

IC card or PC card can ensure the higher security than that of managing keys by operating system.

In the following, a description is given on a system to manage data copyrights. When there are digital data other than copyrighted data, requiring confidentiality, certainty and reliability of communication contents, dealing contents, etc. such as electronic commerce data or digital cash data, the present invention can also be applied to those digital data.

In the network system using crypt key, an entity to store the crypt key and an entity to generate the crypt key are placed out of the network system and are utilized via the network system. In the embodiment described below, it is supposed that a single entity, i.e. data management center, also serves as all of these entities.

#### Label

In the present invention, labels are used to protect copyright of the data and to execute data copyright. First, description will be given on the labels, referring to FIGS. 1, 2 and 3.

In this system, a user label of the system user is used. On the user label, information of the label owner is described as shown in FIG. 1A. If the label owner has the original copyright, information relating the original copyrighted data is added as shown in FIG. 1B. If the copyrighted data is an edited copyrighted data obtained by editing the original copyrighted data, information relating to the data of original copyright, information of edit tool and editing data (editing scenario) are further added as shown in FIG. 1C. It is also possible to add the edit tool (edition program) instead of the edit tool information as shown in FIG. 1D.

Among these labels, the label where only information of the label owner as shown in FIG. 1A is described is referred to as "user label", and the label with information relating copyrighted data as shown in FIG. 1B is referred to as "copyright label", and the labels with information of the editing scenario is referred to as "edit label" as shown in FIG. 1C and FIG. 1D.

The user label is generated by the data management center according to the information of the user when the user joins the system. The copyright label is generated by the data management center when the author of the data presents the content to the data management center. The edit label is generated by the data management center, when the user who has edited the data presents the user label and the editing scenario to the data management center. These are transferred to each label owner and are stored at the data management center.

#### Encrypting

FIGS. 2A, 2B and 2C each represents relationship between copyright label and copyrighted data. In the copyright label and copyrighted data corresponding to the label, the copyright label is separated from header of the data as shown in FIG. 2A, or is integrated with header of the data as shown in FIG. 2B, or is attached to the header as shown in FIG. 2C.

If the copyright label is attached to the header, it is possible to have extended label arrangement, in which a plurality of copyright labels are combined together as shown in FIG. 2D. If the label is integrated as shown in FIG. 2B, the label may not be accommodated in a single header which is limited in capacity when the copyright label becomes larger. In the extended label arrangement of combining a plurality of labels as shown in FIG. 2D, if there are too many labels, it exceeds the limit of packet size on Internet, causing difficulty in distribution.

There are the following two cases: a case where the copyright label is encrypted and used as shown in FIG. 3A and a

case where it is used without being encrypted as shown in FIG. 3B. In FIGS. 3A and 3B, square framed portions show being encrypted. If the copyright label is not encrypted, the data copyrighted is encrypted.

Even when the copyright label is not encrypted, the copyright labels other than the finally added copyright label are encrypted in the extended label arrangement as shown in FIG. 2D and a multi-stage arrangement can be adopted, in which crypt key of the copyright labels added previously and encrypted is included in the copyright label added later as shown in FIG. 3C and FIG. 3D. By this arrangement, it is possible to confirm the content of the previously added copyright labels.

Data is encrypted and decrypted to protect the copyright, but encryption and decryption are tasks can put much burden on computers. If the data to be encrypted or decrypted is a text data mainly composed of characters, the burden of encryption and decryption is not so much, but if the data to be encrypted or decrypted is audio data or video data, especially moving picture data, the burden of encryption and decryption may be enormous. For this reason, even when high speed crypt algorithm is used, at present it is not practical to encrypt or decrypt in software the data other than text data i.e., moving picture data in real-time since it requires special type computer such as super-parallel type super-computer rather than generally used personal computers.

A description is now given on an arrangement of encryption and decryption of data referring to FIGS. 4A, 4B, 4C, 4D, 4E, 4F and 4G. In these figures, square framed portions are the portions to be encrypted.

FIG. 4A shows a method to use encryption in principle. Only data body, overwhelmingly larger compared with a header portion, is encrypted, and the data header to be used to recognize the data is not encrypted. In this arrangement, the burden of encryption and decryption is very high.

In contrast, there is a method to encrypt the data header portion without encrypting the data body portion as shown in FIG. 4B. In this case, if the entire header is encrypted, the data cannot be recognized. Hence, a part of the header is not encrypted.

In order to reduce the burden in the arrangement of FIG. 4A, only the forward portion of the data body can be encrypted as shown in FIG. 4C. In this arrangement, it is only a part of the data body which must be encrypted or decrypted, and the burden of encryption and decryption is extremely reduced.

FIG. 4D shows the case where the effect by the arrangement of FIG. 4C is increased more, and a plurality of encrypted portions of the data body are provided in the data body.

FIG. 4E shows a method called SKIP (Simple Key-management for Internet Protocols). Here, data body is encrypted, and a part of the header is encrypted, whereby a crypt key for decrypting the data body is placed in the encrypted portion in the header. In this arrangement, it is extremely difficult to cryptanalyze because two pieces of cryption must be decrypted.

However, in the arrangement shown in FIG. 4E, the entire data body is encrypted, and the burden of encryption and decryption is very high as in the case of the arrangement shown in FIG. 4A. If the arrangement of FIG. 4E is combined together with the arrangement of FIG. 4C and only the forward portion of the data body is encrypted as shown in FIG. 4F, the burden of encryption and decryption is extremely reduced because it is necessary to encrypt or decrypt only a part of the data body.

In the arrangement of FIG. 4E, if a plurality of encrypted portions are provided in the data body as shown in FIG. 4G

by combining with the arrangement of FIG. 4D, the effect is increased more.

A description regarding an encryption/decryption structure of data having general file form is provided referring to FIGS. 5A, 5B and 5C. In these figures, square framed portions are to be encrypted.

Data having a general file form consists of data body portion and data header portion, and further, copyright label connecting therewith or relating thereto, according to the present invention. FIG. 5A shows a method to use cryption in principle. Only data body is encrypted, and data label and data header are not encrypted, and similar to the arrangement of FIG. 4A, the burden of encryption and decryption is very high.

In contrast, there is a method to encrypt the data header portion without encrypting the data body portion as shown in FIG. 5B. In this case, if the entire header is encrypted, the data cannot be recognized. Hence, a part of the header is not encrypted. In this case, the copyright label also is not encrypted.

There is another method to encrypt the copyright label without encrypting the data body and data header portions as shown in FIG. 5C. In this case also, if the entire copyright label is encrypted, the relation to data which corresponds to the copyright label cannot be recognized. Hence, a part of the copyright label is not encrypted.

Further, there is a method of so-called object oriented programming performing various processings by using "object" integrated with data and program handling data, instead of a general form file consisting of data header and data body.

The object has basic conceptual structure as shown in FIG. 6A. A storing portion referred to as "slot" in an envelope referred to as "instance" accomodates data called "instance variable". The slot is surrounded by one or more of procedures called "method" for referring, processing, binding and so on, and the instance variable can be referred to or operated only via "method". This function is called "encapsulation". Instruction from outside for make the "method" refer to or operate the instance variable is called "message".

This means, in another view, the instance variable which is impossible to be referred to or operated without through "method" is protected by the "method". Then, this can be used for encrypting the "method" and allowing the instance variable to be referred to or operated only by "message" which can decrypt the encrypted "method" as shown in FIG. 6B. In this case also, similarly to the case of data having general file form in FIG. 5C, since if entire "method" is encrypted, it is impossible to utilize "object", a part of the "method" is not encrypted. In FIG. 6B, square framed portion is encrypted.

[Embodiment 1]

A description is given on a first embodiment referring to FIG. 7. To explain the principle, description is given first on a case where the user transfers original copyrighted data to the next user without editing it. The case where the user edits the original copyrighted data is described later.

Practically, the case where the original copyrighted data is not edited is combined with the case where the original copyrighted data is edited, and carried out as explained in the third embodiment (described below). In the system of the present embodiment, secret-key and public-key and private-key are used. Therefore, an entity to manage public-key and an entity to generate secret-key may be linked to or included in the data management center.

(1) An original author (data owner) A presents an original copyright label L0 and requests the data management center

Cd to distribute an original secret-key Ks0. The original author may transfer or deposit the original copyrighted data to an information provider (IP) or to database so that the information provider or the database can play a role of the original author.

It is also possible that the original author A stores the original secret-key Ks0 and encrypts the original copyrighted data M0 without depending on the data management center Cd, while the original secret-key Ks0 must be stored at the data management center Cd to utilize the original copyrighted data M0 by the user (data user).

(2) When the distribution of the original secret-key Ks0 is requested, the data management center Cd encrypts the original secret-key Ks0 corresponding to the original copyright label L0 using a public-key Kba of the original author A:

$$Cks0kba=E(Ks0, Kba)$$

and distributes the encrypted original secret-key Cks0kba together with the original copyright label L0 to the original author A. The secret-key is hereafter, encrypted by a public-key of a distributed destination in order to be decrypted only by the distributed destination.

In this case, the data management center Cd performs one-way hash on the original copyright label L0 using algorithm such as MD 5 and prepares an original copyright label fingerprint F0, e.g. the one having 16-byte data, and distributes it to the original author A. Thereafter, this electronic fingerprint is transferred together with the copyrighted data.

(3) When the encrypted original secret-key Cks0kba is distributed, the original author A decrypts the encrypted original secret-key Cks0kba using the private-key Kva of the original author A:

$$Ks0=D(Cks0kba, Kva),$$

encrypts the original copyrighted data M0 using the decrypted original secret-key Ks0:

$$Cm0ks0=E(M0, Ks0),$$

and transfers the encrypted original copyrighted data Cm0ks0, the original copyright label L0 and the original copyright label fingerprinting F0 to a first user U1.

(4) When the encrypted original copyrighted data Cm0ks0, the original copyright label L0 and the original copyright label fingerprint F0 are transferred, the first user U1 presents the original copyright label L0, the original copyright label fingerprint F0 and first user label Lu1, and requests the data management center Cd to distribute the original secret-key Ks0 and a first secret-key Ks1.

(5) When requested to distribute the original secret-key Ks0 and the first secret-key Ks1, the data management center Cd confirms validity of the presented original copyright label L0 by the original copyright label fingerprint F0, and registers the first user label Lu1. At the same time, the original secret-key Ks0 corresponding to the original copyright label L0 and the first secret-key Ks1 corresponding to the first user label Lu1 are encrypted using public-key Kb1 of the first user U1:

$$Cks0kb1=E(Ks0, Kb1)$$

$$Cks1kb1=E(Ks1, Kb1)$$

and distributes the encrypted original secret-key Csk0kb1 and the encrypted first secret-key Cks1kb1 to the first user U1.

## 11

(6) When the encrypted original secret-key Csk0ksb1 and the encrypted first secret-key Cks1kb1 are distributed, the first user U1 decrypts the encrypted original secret-key Ck0kb1 and the encrypted first secret-key Cks1kb1 using private-key Kv1 of the first user U1:

$$Ks0=D(Csk0kb1, Kv1)$$

$$Ks1=D(Cks1kb1, Kv1).$$

Then, the encrypted original copyrighted data Cm0ks0 is decrypted using the decrypted original secret-key Ks0:

$$M0=D(Cm0ks0, Ks0)$$

and the decrypted original copyrighted data M0 is utilized.

In case the original copyrighted data M0 is stored or copied, it is encrypted using the decrypted first secret-key Ks1:

$$Cm0ks1=E(M0, Ks1).$$

This is stored or copied as the encrypted original copyrighted data Cm0ks1. In case the original copyrighted data M0 is to be transferred to a second user (next data user) U2, it is encrypted using the decrypted first secret-key Ks1 and is transferred together with the original copyright label L0, the original copyright label fingerprint F0 and the first user label Lu1, as the encrypted original copyrighted data Cm0ks1.

Each user may put digital signature which one-way hash value of the user's label is encrypted using user's private-key on the user's label to be presented to the data management center Cd. Then, the data management center decrypts the encrypted one-way hash value using the user's public-key, calculates the one-way hash value of the label and compares the two one-way hash values in order to verify validity of each user's label.

(7) When the encrypted original copyrighted data Cm0ks1, the original copyright label L0, the original copyright label fingerprint F0 and the first user label Lu1 are transferred, the second user U2 presents the original copyright label L0, the original copyright label fingerprint F0, the first user label Lu1 and the second user label Lu2, and requests the data management center Cd to distribute the first secret-key Ks1 and second secret-key Ks2.

(8) When requested to distribute the first secret-key Ks1 and the second secret-key Ks2, the data management center Cd confirms validity of the original copyright label L0 and the first user label Lu1 by the original copyright label fingerprint F0.

When it is confirmed that the first user label Lu1 is valid, the data management center Cd registers the second user label Lu2 and encrypts the first secret-key Ks1 corresponding to the first user label Lu1 and the second secret-key Ks2 corresponding to the second user label Lu2 using public-key Kb2 of the second user U2:

$$Cks1kb2=E(Ks1, Kb2)$$

$$Cks2kb2=E(Ks2, Kb2)$$

and distributes the encrypted first secret-key Cks1kb2 and the encrypted second secret-key Cks2kb2 to the second user U2.

(9) When the encrypted first secret-key Cks1kb2 and the encrypted second secret-key Cks2kb2 are distributed, the second user U2 decrypts the encrypted first secret-key

## 12

Cks1kb2 and the encrypted second secret-key Cks2kb2 using private-key Kv2 of the second user U2:

$$Ks1=D(Cks1kb2, Kv2)$$

$$Ks2=D(Cks2kb2, Kv2),$$

decrypts the encrypted original copyrighted data Cm0ks1 using the decrypted first secret-key Ks1:

$$M0=D(Cm0ks1, Ks1)$$

and utilizes the decrypted original copyrighted data M0.

If the original copyrighted data M0 is to be stored or copied, it is encrypted using the decrypted second secret-key Ks2, and the encrypted original copyrighted data Cm0ks2 is stored or copied. If the original copyrighted data M0 is to be transferred to a third user U3, it is encrypted using the decrypted second secret-key Ks2, and the encrypted original copyrighted data Cm0ks2 is transferred to the third user U3 together with the original copyright label L0, the original copyright label fingerprint F0, the first user label Lu1, and the second user label Lu2.

(10) When the encrypted original copyrighted data Cm0ks2 is transferred together with the original copyright label L0, the original copyright label fingerprint F0, the first user label Lu1, and the second user label Lu2, the third user U3 presents the original copyright label L0, the original copyright label fingerprint F0, the first user label Lu1, the second user label Lu2 and third user label Lu3, and requests the data management center Cd to distribute the second secret-key Ks2 and third secret-key Ks3.

(11) When requested to distribute the second secret-key Ks2 and the third secret-key Ks3, the data management center Cd confirms whether the original copyright label L0, the first user label Lu1 and the second user label Lu2 are valid or not, using the original copyright label fingerprint F0.

When it is confirmed that the second user label Lu2 is valid, the data management center Cd registers the third user label Lu3 and encrypts the second secret-key Ks2 corresponding to the second user label Lu2 and third secret-key Ks3 corresponding to the third user label Lu3 using public-key Kb3 of the third user U3:

$$Cks2kb3=E(Ks2, Kb3)$$

$$Cks3kb3=E(Ks3, Kb3).$$

Then, the encrypted second secret-key Cks2kb3 and the encrypted third secret-key Cks3kb3 are distributed to the third user U3.

(12) When the encrypted second secret-key Cks2kb3 and the encrypted third secret-key Cks3kb3 are distributed, the third user U3 decrypts the encrypted second secret-key Cks2kb3 and the encrypted third secret-key Cks3kb3 using private-key Kv3 of the third user U3:

$$Ks2=D(Cks2kb3, Kv3)$$

$$Ks3=D(Cks3kb3, Kv3)$$

and decrypts the encrypted original copyrighted data Cm0ks2 using the decrypted second secret-key Ks2:

$$M0=D(Cm0ks2, Ks2),$$

thus utilizes the decrypted original copyrighted data M0.

If the original copyrighted data M0 is to be stored or copied, it is encrypted using the decrypted third secret-key Ks3, and the encrypted original copyrighted data Cm0ks3 is

## 13

stored or copied. If the original copyrighted data M0 is to be transferred to a fourth user U4, it is encrypted using the decrypted third secret-key Ks3, and encrypted original copyrighted data Cm0ks3 is transferred to the fourth user U4 together with the original copyright label L0, the first user label Lu1, the second user label Lu2 and the third user label Lu3. Then, the same operation is repeated.

[Embodiment 2]

A description is provided below on a second embodiment, in which the key used to encrypt the copyrighted data is sent separately from the key used for decrypting the copyrighted data, referring to FIG. 8.

In the second embodiment, handling of keys, relationship between the original author, the information provider and the users as well as handling of labels are the same as in the first embodiment, and detailed description is not given here.

(1) The original author A presents the original copyright label L0 and requests the data management center Cd to distribute original secret-key Ks0.

(2) When requested to distribute the original secret-key Ks0, the data management center Cd prepares an original copyright label fingerprint F0 from the original copyright label L0, and encrypts the original secret-key Ks0 corresponding to the original copyright label L0 using public-key of the original author A:

$$Cks0kba=E(Ks0, Kba),$$

and distributes the encrypted original secret-key Cks0kba together with the original copyright label L0 to the original author A.

(3) When the encrypted original secret-key Cks0kba is distributed, the original author A decrypts the encrypted original secret-key Cks0kba using private-key Kva of the original author A:

$$Ks0=D(Cks0kba, Kva)$$

and encrypts the original copyrighted data M0 using the decrypted original secret-key Ks0:

$$Cm0ks0=E(M0, Ks0).$$

Then, the encrypted original copyrighted data Cm0ks0, the original copyright label L0 and the original copyright label fingerprint F0 are transferred to the first user U1.

(4) When the encrypted original copyrighted data Cm0ks0, the original copyright label L0 and the original copyright label fingerprint F0 are transferred, the first user U1 presents the original copyright label L0 and the original copyright label fingerprint F0 and first user label Lu1 and requests the data management center Cd to distribute the original secret-key Ks0.

(5) When requested to distribute the original secret-key Ks0, the data management center Cd confirms validity of the presented original copyright label L0 using the original copyright label fingerprint F0 and registers the first user label Lu1. At the same time, the original secret-key Ks0 corresponding to the original copyright label L0 is encrypted using public-key Kb1 of the first user U1:

$$Csk0kb1=E(Ks0, Kb1)$$

and the encrypted original secret-key Csk0kb1 is distributed to the first user U1.

(6) When the encrypted original secret-key Csk0kb1 is distributed, the first user U1 decrypts the encrypted original

## 14

secret-key Ck0kb1 using private-key Kv1 of the first user U1:

$$Ks0=D(Csk0kb1, Kv1),$$

5 decrypts the encrypted original copyrighted data Cm0ks0 using the decrypted original secret-key Ks0:

$$M0=D(Cm0ks0, Ks0),$$

10 and utilizes the decrypted original copyrighted data M0.

(7) In case the original copyrighted data M0 is to be stored or copied, the original copyright label L0 and the original copyright label fingerprint F0, and the first user label Lu1 are presented again, and the distribution of the first secret-key Ks1 is requested to the data management center Cd.

(8) When requested to distribute the first secret-key Ks1, the data management center Cd confirms validity of the presented first user label Lu1 using the original copyright label fingerprint F0, and encrypts the first secret-key Ks1 corresponding to the registered first user label Lu1 using public-key Kb1 of the first user U1:

$$Cks1kb1=E(Ks1, Kb1)$$

25 and distributes the encrypted first secret-key Cks1kb1 to the first user U1.

(9) When the encrypted first secret-key Cks1kb1 is distributed, the first user U1 decrypts the encrypted first secret-key Cks1kb1 using private-key Kv1 of the first user U1:

$$Ks1=D(Cks1kb1, Kv1)$$

and encrypts the original copyrighted data M0 using the decrypted first secret-key Ks1:

$$Cm0ks1=E(M0, Ks1)$$

Then, the encrypted original copyrighted data Cm0ks1 is stored or copied. In case the original copyrighted data M0 is to be transferred to the second user U2, it is encrypted using the decrypted first secret-key Ks1, and the encrypted original copyrighted data Cm0ks1 is transferred together with the original copyright label L0, the original copyright label fingerprint F0, and the first user label Lu1.

(10) When the encrypted original copyrighted data Cm0ks1, the original copyright label L0, the original copyright label fingerprint F0 and the first user label Lu1 are transferred, the second user U2 presents the original copyright label L0, the original copyright label fingerprint F0, the first user label Lu1, and the second user label Lu2, and requests the data management center Cd to distribute the first secret-key Ks1.

(11) When requested to distribute the first secret-key Ks1, the data management center Cd confirms validity of the original copyright label L0 and the first user label Lu1 using the original copyright label fingerprint F0.

When it is confirmed that the first user label Lu1 is valid, the data management center Cd registers the second user label Lu2, encrypts the first secret-key Ks1 corresponding to the first user label Lu1 using public-key Kb2 of the second user:

$$Cks1kb2=E(Ks1, Kb2)$$

65 and distributes the encrypted first secret-key Cks1kb2 to the second user U2.

(12) When the encrypted first secret-key Cks1kb2 is distributed, the second user U2 decrypts the encrypted first

## 15

secret-key  $Cks1kb2$  using private-key  $Kv2$  of the second user  $U2$ :

$$Ks1=D(Cks1kb2, Kv2),$$

decrypts the encrypted original copyrighted data  $Cm0ks1$  using the decrypted first secret-key  $Ks1$ :

$$M0=D(Cm0ks1, Ks1)$$

and utilizes the decrypted original copyrighted data  $M0$ .

(13) In case the original copyrighted data  $M0$  is to be stored or copied, the original copyright label  $L0$ , the original copyright label fingerprint  $F0$ , the first user label  $Lu1$  and the second user label  $Lu2$  are presented again, and the distribution of second secret-key  $Ks2$  is requested to the data management center  $Cd$ .

(14) When requested to distribute the second secret-key  $Ks2$ , the data management center  $Cd$  confirms validity of the presented second user label  $Lu2$  using the original copyright label fingerprint  $F0$ , encrypts the second secret-key  $Ks2$  corresponding to the registered second user label  $Lu2$  using public-key  $Kb2$  of the second secret-key  $Ks2$ :

$$Cks2kb2=E(Ks2, Kb2)$$

and distributes the encrypted second secret-key  $Cks2kb2$  to the second user  $U2$ .

(15) When the encrypted second secret-key  $Ckskb2$  is distributed, the second user  $U2$  decrypts the encrypted second secret-key  $Cks2kb2$  using private-key  $Kv2$  of the second user  $U2$ :

$$Ks2=D(Cks2kb2, Kv2),$$

encrypts the original copyrighted data  $M0$  using the decrypted second secret-key  $Ks2$ :

$$Cm0ks2=E(M0, Ks2),$$

and stores or copies it as the encrypted original copyrighted data  $Cm0ks2$ . In case the original copyrighted data  $M0$  is to be transferred to the third user  $U3$ , it is encrypted using the decrypted second secret-key  $Ks2$ , and transfers it as the encrypted original copyrighted data  $Cm0ks2$  together with the original copyright label  $L0$ , the original copyright label fingerprint  $F0$ , the first user label  $Lu1$ , and the second user label  $Lu2$  to the third user  $U3$ .

(16) When the encrypted original copyrighted data  $Cm0ks2$  is transferred together with the original copyright label  $L0$ , the original copyright label fingerprint  $F0$ , the first user label  $Lu1$  and the second user label  $Lu2$ , the third user  $U3$  presents the original copyright label  $L0$ , the original copyright label fingerprint  $F0$ , the first user label  $Lu1$ , the second user label  $Lu2$  and the third user label  $Lu3$  and requests the data management center  $Cd$  to distribute the second secret-key  $Ks2$ .

(17) When requested to distribute the second secret-key  $Ks2$ , the data management center  $Cd$  confirms whether the original copyright label  $L0$ , the first user label  $Lu1$  and the second user label  $Lu2$  are valid or not using the original copyright label fingerprint  $F0$ .

When it is confirmed that the second user label  $Lu2$  is valid, the data management center  $Cd$  registers the third user label  $Lu3$ , encrypts the second secret-key  $Ks2$  corresponding to the second user label  $Lu2$  using public-key  $Kb3$  of the third user  $U3$ :

$$Cks2kb3=E(Ks2, Kb3)$$

and distributes the encrypted second secret-key  $Cks2kb3$  to the third user  $U3$ .

## 16

(18) When the encrypted second secret-key  $Cks2kb3$  is distributed, the third user  $U3$  decrypts the encrypted second secret-key  $Cks2kb3$  using private-key  $Kv3$  of the third user  $U3$ :

$$Ks2=D(Cks2kb3, Kv3),$$

decrypts the encrypted original copyrighted data  $Cm0ks2$  using the decrypted second secret-key  $Ks2$ :

$$M0=D(Cm0ks2, Ks2)$$

and utilizes the decrypted original copyrighted data  $M0$ .

(19) In case the original copyrighted data  $M0$  is stored and copied, the original copyright label  $L0$ , the original copyright label fingerprint  $F0$ , the first user label  $Lu1$ , the second user label  $Lu2$  and the third user label  $Lu3$  are presented again, and the distribution of the third secret-key  $Ks3$  is requested to the data management center  $Cd$ .

(20) When requested to distribute the third secret-key  $Ks3$ , the data management center  $Cd$  confirms validity of the presented third user label  $Lu3$  using the original copyright label fingerprint  $F0$ . The third secret-key  $Ks3$  corresponding to the registered third user label  $Lu3$  is encrypted using public-key  $Kb3$  of the third user  $U3$ :

$$Cks3kb3=E(Ks3, Kb3)$$

and the encrypted third secret-key  $Cks3kb3$  is distributed to the third user  $U3$ .

(21) When the encrypted third secret-key  $Cks3kb3$  is distributed, the third user  $U3$  decrypts the encrypted third secret-key  $Cks3kb3$  using private-key  $Kv3$  of the third user  $U3$ :

$$Ks3=D(Cks3kb3, Kv3),$$

encrypts the original copyrighted data  $M0$  using the decrypted third secret-key  $Ks3$ :

$$Cm0ks3=E(M0, Ks3),$$

and stores and copies it as the encrypted original copyrighted data  $Cm0ks3$ . In case the original copyrighted data  $M0$  is transferred to the fourth user  $U4$ , it is encrypted using the decrypted third secret-key  $Ks3$  and transfers it to the fourth user as the encrypted original copyrighted data  $Cm0ks3$  together with the original copyright label  $L0$ , the original copyright label fingerprint  $F0$ , the first user label  $Lu1$ , the second user label  $Lu2$ , and the third user label  $Lu3$ . Then, the same operation is repeated.

In the above-mentioned embodiment, only the keys for decryption necessary for utilization of the copyrighted data are distributed at first. Accordingly, the operation is simplified for the user, who does not store, copy or transfer the copyrighted data.

It is also possible to simultaneously provide two systems so that the two systems can be adequately selected and utilized, i.e. a system where the keys for re-encryption is distributed at the same time as the keys for decryption as in the first embodiment, and a system where keys for re-encryption are separately distributed from those for decryption as in the second embodiment.

[Embodiment 3]

A description is provided below on a third embodiment where the user edits an original copyrighted data and transfers it to the next user, referring to FIG. 9 and FIG. 10.

The edit processing of the copyrighted data is performed by editing the original copyrighted data using a edit tool,

which is an application program. The data of the edited copyrighted data obtained by editing can be expressed by data of the utilized original copyrighted data, the information of the used edit tool and the editing process data. Specifically, in case the edit tool is available, it is possible to reproduce the data of the edited copyrighted data by obtaining the original copyrighted data and the editing process data.

A description on editing digital data is provided below.

Because data is edited by using an edition program (edit tool) and thereby altering original data, edited data can be reproduced as the original data, edit tool and editing process data (editing scenario) are specified. In other words, unless the original data, edit tool and the editing scenario are specified, it is impossible to reproduce the edited data.

To produce new data from single original data, there are a case in which edited data  $\{A'\}$  is obtained by altering original data  $A$ ; a case in which edited data  $\{A+X\}$  is obtained by adding data  $X$  to the original data  $A$  by a user; a case in which edited data  $\{A''\}$  is obtained by dividing the original data  $A$  into original data elements  $A1, A2, A3, \dots$  and changing the arrangement of the elements to such as  $A3, A2$  and  $A1$ ; and a case in which edited data  $\{A1+X1+A2+X2+A3+X3 \dots\}$  is obtained by dividing the original data  $A$  into original data elements  $A1, A2, A3, \dots$ , also dividing the data  $X$  of the user into  $X1, X2, X3, \dots$  and arranging these elements.

In these cases, alteration of original data, change of original data arrangement, combination of the original data with user data, and division of the original data and combination of it with the user data arise respectively a secondary exploitation right as a secondary copyright, which is necessary to be protected. The original copyright of the user, of course, exists in the data  $X$  added by the user.

To produce new data by combining a plurality of original data, there are a case in which edited data  $\{A+B+C \dots\}$  is obtained by simply combining original data  $A, B, C, \dots$ ; a case in which edited data such as  $\{A+X\}$  is obtained by adding data  $X$  to the original data  $A, B, C, \dots$ ; a case in which edited data  $\{A1+B1+C1+ \dots +A2+B2+C2+ \dots +A3+B3+C3+ \dots\}$  is obtained by dividing the original data  $A, B, C, \dots$  into original data elements  $A1, A2, A3, \dots, B1, B2, B3 \dots$ , and  $C1, C2, C3 \dots$ , combining them, and changing their arrangements; and a case in which edited data  $\{A1+B1+C1+X1+ \dots +A2+B2+C2+X2+ \dots +A3+B3+C3+X3+ \dots\}$  is obtained by dividing the original data  $A, B, C, \dots$  into original data elements  $A1, A2, A3, \dots, B1, B2, B3, \dots$ , and  $C1, C2, C3 \dots$ , combining with the elements of user data  $X1, X2, X3, \dots$ , and changing their arrangements.

Also in these cases, combination of a plurality of original data, combination of a plurality of original data with user data, division of a plurality of original data and change of the arrangements, and combination of divided plurality of original data with the user data arise respectively a secondary exploitation right as a secondary copyright, which is necessary to be protected. Also, the original copyright of the user, of course, exists in the data  $X1, X2, X3, \dots$  added by the user.

FIG. 9 shows an example for producing new data  $D$  by using a plurality of original data  $A, B$  and  $C$ . This method is known as the cut-and-paste technique in which data is edited by extracting (cutting out) elements "a", "b" and "c" from original data  $A, B$  and  $C$  and attaching (pasting) the extracted elements "a", "b" and "c" to form a piece of data  $D$ .

Further, there is a data linkage technique which links a plurality of data objects. In this data linkage technique,

object linkage part is arranged in "slot" of data object referred to as "pad". The "pad" is linked with other "pad" by the "slot", the operation of which is called "slot connection" so that the objects are linked with each other.

Inter-relationship of a plurality of objects linked in this way is represented by a tree structure, and thus represented tree structure can be used for deletion or addition of the object.

While it is clear that original data and user data are data, the editing process: alteration of original data, arrangement change of original data, combination of original data with user data, division of original data and combination with user data, combination of a plurality of original data each other, combination of a plurality of original data with user data, division and arrangement change of a plurality of original data, and combination of divided plurality of original data with user data, are also data.

When noticing that editing scenario of data, such as arrangement of original data and process of editing, is also data, the secondary exploitation right on edited data can be protected by managing the user's copyright about data of editing process in addition to the original copyright of the author on the original data and the user's copyright on the user's data.

That is, it is possible to ensure to manage the copyrights of edited data as well as of original data, if it is regarded that the edited data is constituted of original data, user data and editing scenario, and thus, these original data, user data and editing scenario. In this case, the edition program used for editing data may be managed by the data management system of data copyrights, if necessary.

While the above data edition of original data can be performed by using an edition program corresponding to the original data, by handling the original data as object-oriented software which has recently been focused on, it is possible to facilitate further editing of data and manage more preferably copyrights of data. Moreover, by adopting agent-oriented software, a user can synthesize data with little labor.

The agent-oriented software, unlike the conventional one, is a program having autonomy, flexibility and cooperativeness, which is able to meet a user's request with its characteristics of autonomy, flexibility and cooperativeness in accordance with only a general instruction of the user without specifically giving every operation instruction to the software.

By incorporating the agent program into a basic system of a data copyright management system so that the database utilization of a user is monitored, and it is arranged that information including data utilization condition and charging is collected at the database or the copyright management center, using metering function placed in user terminal, and thus, it is possible to know the database utilization condition of the user at the database side or the copyright management center side and achieve more accurate copyright management. These agent program and its data are also necessary to be protected in copyrights, and therefore, are encrypted like original data.

In this third embodiment shown in FIG. 10, the copyright label in the first and the second embodiments already described added with the editing scenario is called "edit label", and this is treated in the same manner as the copyright label in the first embodiment.

The handling of keys, relationship between the original author, the information provider, and the user, as well as the handling of labels are the same as in the first embodiment, and detailed description is not given here.

(1) The original author  $A$  presents the original copyright label  $L0$  and requests the data management center  $Cd$  to distribute original secret-key  $Ks0$ .

(2) When requested to distribute the original secret-key  $Ks_0$ , the data management center Cd encrypts the original secret-key  $Ks_0$  corresponding to the original copyright label  $L_0$  using public-key  $K_{ba}$  of the original author A:

$$Cks_0k_{ba} = E(Ks_0, K_{ba})$$

and distributes the encrypted original secret-key  $Cks_0k_{ba}$  together with the original copyright label  $L_0$  to the original author A.

In this case, the data management center Cd performs one-way hash to the original copyright label  $L_0$  using algorithm such as MD 5, for example, to 16-byte data amount, prepares an original copyright label fingerprint  $F_0$ , and distributes it to the original author A. This electronic fingerprint is prepared on each of the original copyrighted data and edited copyrighted data each time the original copyrighted data is edited and edited copyrighted data is obtained and is transferred, together with the copyrighted data.

(3) When the encrypted original secret-key  $Cks_0k_{ba}$  is distributed, the original author A decrypts the encrypted original secret-key  $Cks_0k_{ba}$  using private-key  $K_{va}$  of the original author A:

$$Ks_0 = D(Cks_0k_{ba}, K_{va}),$$

encrypts the original copyrighted data  $M_0$  using the decrypted original secret-key  $Ks_0$ :

$$Cm_0ks_0 = E(M_0, Ks_0)$$

and transfers the encrypted original copyrighted data  $Cm_0ks_0$ , the original copyright label  $L_0$  and the original copyright label fingerprint  $F_0$  to the first user  $U_1$ .

(4) When the encrypted original copyrighted data  $Cm_0ks_0$ , the original copyright label  $L_0$  and the original copyright label fingerprint  $F_0$  are transferred, the first user  $U_1$  presents the original copyright label  $L_0$ , the original copyright label fingerprint  $F_0$  and first user label  $Lu_1$  and requests the data management center Cd to distribute the original secret-key  $Ks_0$ .

(5) When requested to distribute the original secret-key  $ks_0$ , the data management center Cd confirms validity of the presented original copyright label  $L_0$  using the original copyright label fingerprint  $F_0$  and registers the first user label  $Lu_1$ . At the same time, the original secret-key  $Ks_0$  corresponding to the original copyright label  $L_0$  is encrypted using public-key  $K_{b1}$  of the first user  $U_1$ :

$$Csk_0k_{b1} = E(Ks_0, K_{b1})$$

and the encrypted original secret-key  $Csk_0k_{b1}$  is distributed to the first user  $U_1$ .

(6) When the encrypted original secret-key  $Csk_0k_{b1}$  is distributed, the first user  $U_1$  decrypts the encrypted original secret-key  $Csk_0k_{b1}$  using private-key  $K_{v1}$  of the first user  $U_1$ :

$$Ks_0 = D(Csk_0k_{b1}, K_{v1}),$$

decrypts the encrypted original copyrighted data  $Cm_0ks_0$  using the decrypted original secret-key  $Ks_0$ :

$$M_0 = D(Cm_0ks_0, Ks_0),$$

and edits the decrypted original copyrighted data  $M_0$  using the edit tool and obtains edited copyrighted data  $Me_1$ .

The edited copyrighted data  $Me_1$  thus obtained contains copyright of the first user, who edited the data, and also copyright of the original author who prepared the original copyrighted data.

The copyright of the original author relating to the original copyrighted data  $M_0$  can be protected by the original copyright label  $L_0$  which has been registered, original copyright label fingerprint  $F_0$  and the original secret-key  $Ks_0$  corresponding to the original copyright label  $L_0$  and also by the first user label  $Lu_1$  and the first secret-key  $Ks_1$  corresponding to the first user label  $Lu_1$ . However, because no key for encrypting the edited copyrighted data  $Me_1$  is available, the secondary copyright of the first user relating to the edited copyrighted data  $Me_1$  is not yet protected.

(7) To protect the secondary copyright of the first user relating to the edited copyrighted data  $Me_1$ , label of the first user, who is the author of the edited copyrighted data, and its electronic fingerprinting are used in the third embodiment.

As was already described, the edited copyrighted data can be expressed by data of the utilized original copyrighted data, information of the used edit tool and the editing scenario (editing process data). Accordingly, these informations and editing scenario are entered in the first user label, i.e. the first edit label  $Le_1$ .

Further, to protect secondary exploitation right as the secondary copyright in subsequent distribution process, the user  $U_1$  presents the first edit label  $Le_1$  to the data management center Cd so that the secondary exploitation right of the user  $U_1$  is registered.

(8) When the first edit label  $Le_1$  is presented, the data management center Cd confirms validity of the presented original copyright label  $L_0$  using the original copyright label fingerprint  $F_0$  and registers the first edit label  $Le_1$ . At the same time, the electronic fingerprint  $F_1$  of the first edit label  $Le_1$  is prepared, and first edit secret-key  $Kse_1$  corresponding to the first edit label  $Le_1$  is encrypted by public-key  $K_{b1}$  of the first user  $U_1$  at the data management center:

$$Ckse_1k_{b1} = E(Kse_1, K_{b1}),$$

and the encrypted first edit secret-key  $Ckse_1k_{b1}$  is distributed to the first user  $U_1$  together with the electronic fingerprint  $Fe_1$  of the first edit label  $Le_1$ .

(9) When the encrypted first edit secret-key  $Ckse_1k_{b1}$  and the electronic fingerprint  $Fe_1$  of the first edit label  $Le_1$  are distributed, the first user  $U_1$  decrypts the encrypted first edit secret-key  $Ckse_1k_{b1}$  using private-key  $K_{v1}$  of the first user  $U_1$ :

$$Kse_1 = D(Ckse_1k_{b1}, K_{v1}),$$

encrypts the first edited copyrighted data  $Me_1$  using the decrypted first edit secret-key  $Kse_1$ :

$$Cme_1kse_1 = E(Me_1, Kse_1)$$

and transfers the encrypted first edited copyrighted data  $Cme_1kse_1$  to the second user  $U_2$  together with the first edit label  $Le_1$ , and the electronic fingerprint  $Fe_1$  of the first edit label  $Le_1$ . Then, the same operation is repeated.

In the third embodiment, only the first edit label  $Le_1$  and the electronic fingerprint  $Fe_1$  of the first edit label  $Le_1$  are transferred together with the encrypted first edited copyrighted data  $Cme_1kse_1$  when edited data transfer, while it is possible to arrange in such manner that the other labels and electronic fingerprints can be simultaneously transferred.

In the editing by utilizing a plurality of copyrighted data as shown in FIG. 9, operation is complicated because there are a large numbers of copyrighted data and it can be carried out as in the editing process using a single data. Description is not given here to avoid lengthy explanation.

In the systems of the first, the second and the third embodiments described above, the copyrighted data is



encrypted using secret-key, and the secret-key for its decryption and secret-key for re-encryption used for storage, copying and transfer are distributed by the data management center based on the user label presented by the user.

The secret-key for decryption and the secret-key for re-encryption are encrypted by the user public-key, whose validity have been certified by the data management center in advance. Thus, these secret-keys are indirectly certified by the data management center. Because these secret-keys are used to encrypt the copyrighted data to be transferred, the copyrighted data to be transferred consequently is also certified by the data management center.

Because certification by the data management center is of absolute nature, it is a hierarchical type certification system represented by PEM.

On the other hand, the copyrighted data itself is transferred between the users without being transferred to the data management center, and that might well be said that the certification carried out in this process is a horizontal distributed type certification system represented by PGP.

As described above, it is possible by the system of the embodiments to attain a certification system, which has high reliability of the hierarchical type certification system and easiness to handle of the horizontal distributed type certification system.

The behavior and content of behavior of the users who utilize the copyrighted data are all identified at the data management-center by the user labels presented by the users. The utilization including editing of the copyrighted data is carried out via the data management center. Thus, the identity of the user can be reliably confirmed. By confirming the contents and course of behavior, contents and history of the copyrighted data can be certified. If this certification of the contents is applied to the electronic commerce, it is possible to certify the contents of dealings by data management center, i.e. to perform "electronic notarization".

When digital signature is put on user label or on edit label, and if computer virus enters the user label or the edit label, the data of the label changes. As a result, hash value changes. Therefore, by verifying the digital signature, it is possible to detect intrusion of computer virus.

Even when digital signature is not given, if turning to hash value is performed, the user label or the edit label are made unavailable by the changed hash value, and intrusion of computer virus can be detected.

[Embodiment 3]

In case of distributed object system represented by license network system, the use of network computer to perform only input/output of data and data processing and not provided with data storage unit is adopted instead of conventional type computer, which possesses data storage unit of large capacity.

Further, the use of a network computer similar to a terminal unit of large size computer, having only input/output function of data and not provided with data processing unit is also considered. This network computer does not have data storage unit and cannot store or copy the copyrighted data.

Next, a description is given below on an embodiment, which can also be applied to a network computer not provided with data storage unit and used in the distributed object system. It is needless to say that this embodiment is also applicable to an ordinary computer provided with data storage unit.

To protect data copyright, it is necessary to use some sort of encryption technique to restrict unauthorized utilization of the copyrighted data. In the first, the second, and the third

embodiments described above, to protect copyright in a system for an ordinary computer having data storage unit, encrypted copyrighted data and labels not encrypted as clues to utilize the copyrighted data are used.

In contrast, in a system for a network computer, which has only the function of the above-mentioned terminal unit, the copyrighted data is not stored, copied or transferred, and there is no need to encrypt the copyrighted data.

As already explained in the third embodiment, the editing of copyrighted data is performed by modifying the original copyrighted data using the edit tool, and data of the edited copyrighted data thus obtained can be expressed by the utilized original copyrighted data, information of the used edit tool and the editing scenario.

This is the same in the distributed object system. In case edited copyrighted data is produced by utilizing the copyrighted data in the database existing on the distributed object system, the edited copyrighted data can be reproduced by specifying the utilized database, the used original copyrighted data, information of the used edit tool and the editing scenario. The same applies to the case where a plurality of copyrighted data obtained from a single database or a plurality of databases are utilized.

A description is provided below on the fourth embodiment referring to FIG. 11. In this embodiment, the original copyright owner and the information provider holding the copyrighted data are discriminated from the user who does not hold copyrighted data, and are arranged on the network side with the data management center and the like.

In the system of this embodiment, public-key and private-key are used. If original copyrighted data is transferred to a user, the original copyrighted data is encrypted by using a secret-key or a public-key of transferred destination for the purpose of security.

The first user U1 searches the copyrighted data and collects necessary copyrighted data utilizing the network, broadcasting or recording medium. The collected copyrighted data is simply stored temporarily on memory of the user U1. Even when data storage unit such as a hard disk drive is included in the device of the user U1, the copyrighted data is not stored in the data storage unit.

In order that the copyrighted data is not stored, when there is an attempt to store it, inhibition of storage of the copyrighted data is performed by destroying the copyrighted data on memory, changing data header on memory, turning the data to one-way hash value, changing file name to non-storable file name, etc.

While it is possible to inhibit the storage by data storage inhibition program, which is incorporated in the program of the copyrighted data having object structure, higher reliability is accomplished if the storage inhibition is performed by an operating system, which is related to the entire system or to the user's device.

A description is given below on a case-where a plurality of copyrighted data are utilized in the fourth embodiment.

(1), (2) The first user U1 presents the first user label Lu1 to the data management center, collects the original copyrighted data M0i (i=1, 2, 3, . . .) from data library of the information provider IP in the system and obtains a edit tool Pe. In this case, the original copyrighted data M0i and the edit tool Pe are encrypted using public-key Kb1 of the first user U1:

$$Cm0ikb1=E(M0, Kb1)$$

$$Cpekb1=E(Pe, Kb1)$$

and the encrypted original copyrighted data Cm0ikb1 and the encrypted edit tool Cpekb1 are distributed to the first user U1.

## 23

In this case, the first user label Lu1 is referred, and utilizing conditions of the original copyrighted data M0i and the edit tool Pe are recorded at the data management center and are utilized for charging of a fee.

(3) When the encrypted original copyrighted data Cm0ikb1 and the encrypted edit tool Cpekb1 are distributed, the first user U1 decrypts the distributed encrypted original copyrighted data Cm0ikb1 and the encrypted edit tool Cpekb1 using private-key Kv1 of the first user U1:

$$M0i=D(Cm0ikb1, Kv1)$$

$$Pe=D(Cpekb1, Kv1).$$

Using the decrypted edit tool Pe, the decrypted original copyrighted data M0i is edited, and a first edited copyrighted data M1i (i=1, 2, 3, . . .) is obtained.

(4) Obtaining the first edited copyrighted data M1i, the first user U1 encrypts a first scenario S1i, which is the editing process data for the first edited copyrighted data M1i, using public-key Kbc of the data management center:

$$Cs1ikbc=E(S1i, Kbc)$$

and presents the encrypted first scenario Cs1ikbc together with the first user label Lu1 to the data management center, so that secondary copyright of the user U1 is registered.

(5) When the encrypted first scenario Cs1ikbc is presented, the data management center Cd decrypts the encrypted first scenario Cs1ikbc using private-key Kvc of the data management center:

$$S1i=D(Cs1ikbc, Kvc),$$

prepares a first edit label Le1 based on the presented user label of the first user U1 and the decrypted first scenario S1i, stores it in the data management center Cd, encrypts the first edit label Le1 using public-key Kb1 of the first user U1:

$$Cle1kb1=E(Le1, Kb1),$$

and transfers the encrypted first edit label Cle1kb1 to the first user U1.

(6) When the encrypted first edit label Cle1kb1 is transferred, the first user U1 decrypts the encrypted first edit label Cle1kb1 using private-key Kv1 of the first user U1:

$$Le1=D(Cle1kb1, Kv1),$$

encrypts the decrypted first edit label Le1 using public-key Kb2 of the second user U2:

$$Cle1kb2=E(Le1, Kb2)$$

and transfers the encrypted first edit label Cle1kb2 to the second user U2, but the first edited copyrighted data M1i or the encrypted first edited copyrighted data is not transferred to the second user U2.

When the computer of the first user U1 is provided with a data storage unit, there is possibility that the collected copyrighted data or the edited copyrighted data may be stored in the storage unit, however, storage inhibition as described above is carried out to exclude storage, copying and transfer.

In this case, it is possible, instead of the encrypted first edit label Cle1kb2, to use electronic fingerprint F1, which is obtained by turning the first edit label to one-way hash value. In so doing, it is possible to perform simplified transfer of the edit label by telephone voice.

(7) When the encrypted first edit label Cle1kb2 is transferred, the second user U2 decrypts the transferred

## 24

encrypted first edit label Cle1kb2 using the private-key Kv2 of the second user U2:

$$Le1=D(Cle1kb1, Kv2),$$

encrypts the first edit label Le1 using the private-Key Kv2 of the second user U2:

$$Cle1kv2=E(Le1, Kv1)$$

and presents the encrypted first edit label Cle1kv2 together with the second user label Lu2 to the data management center Cd.

(8) When the encrypted first edit label Cle1kv2 and the second user label Lu2 are presented, the data management center Cd decrypts the presented encrypted first edit label Cle1kv2 using public-key Kb2 of the second user U2:

$$Le1=D(Cle1kv2, Kb2),$$

collects the original copyrighted data M0i shown on the decrypted first edit label Le1, edits the original copyrighted data M0i using the edit tool Pe based on the first scenario S1i described on the first edit label Le1, and reproduces the first edited copyrighted data M1i.

When the first edited copyrighted data M1i is reproduced, the data management center Cd encrypts the first edited copyrighted data M1i and the edit tool Pe using the public-key Kb2 of the second user U2:

$$Cm1ikb2=E(M1i, Kb2)$$

$$Cpekb2=E(Pe, Kb2)$$

and transfers the encrypted first edited copyrighted data Cm1ikb2 and the encrypted edit tool Cpekb2 to the second user U2.

(9) When the encrypted first edited copyrighted data Cm1ikb2 and the encrypted edit tool Cpekb2 are distributed, the second user U2 decrypts the distributed encrypted first edited copyrighted data Cm1ikb2 and the encrypted edit tool Cpekb2 using private-key Kv2 of the second user U2:

$$M1i=D(Cm1ikb2, Kv2)$$

$$Pe=D(Cpekb2, Kv1)$$

and edits the decrypted first edited copyrighted data M1i using the decrypted edit tool Pe, and the second edited copyrighted data M2i (i=1, 2, 3, . . .) is obtained.

(10) When the second edited copyrighted data M2i is obtained, the second user U2 encrypts the second scenario S2i, which is editing process data of the second edited copyrighted data M2i, using the public-key Kbc of the data management center:

$$Cs2ikbc=E(S2i, Kbc)$$

and presents the encrypted second scenario Cs2ikbc together with the second user label Lu2 to the data management center Cd.

(11) When the encrypted second scenario Cs2ikbc is presented, the data management center Cd decrypts the encrypted second scenario Cs2ikbc using the private-key Kvc of the data management center Cd:

$$S2i=D(Cs2ikbc, Kvc),$$

prepares a second edit label Le2 based on the presented user label of the second user and the decrypted second scenario

S2i, stores it in the data management center Cd, encrypts the second edit label Le2 using public-key Kb2 of the second user U2:

$$\text{Cle2kb2} = E(\text{Le2}, \text{Kb2})$$

and transfers the encrypted second edit label Cle2kb2 to the second user U2.

(12) When the encrypted second edit label Cle2kb2 is transferred, the second user U2 decrypts the encrypted second edit label Cle2kb2 using private-key Kv2 of the second user U2:

$$\text{Le2} = D(\text{Cle2kb2}, \text{Kv2}),$$

encrypts the decrypted second edit label Le2 using public-key Kb3 of the third user U3:

$$\text{Cle2kb3} = E(\text{Le2}, \text{Kb3})$$

and transfers the encrypted second edit label Cle2kb3 to the third user U3. Then, the same operation is repeated.

In the fourth embodiment using this distributed object system, the copyrighted data is not stored by the user, but it is stored only in the database. On the other hand, the user controls and stores only the information relating to user and editing, i.e. the edit label having information of the utilized original copyrighted data and the used edit tool, the editing scenario and the information of the user who has edited. Only this edit label is encrypted and transferred between the users. Therefore, the copyrighted data is not stored, copied or transferred.

Also, in the system of this embodiment, only the public-key and the private-key are used, and validity of this public-key is certified by the data management center in advance, and certification by the data management center is of absolute nature. Accordingly, it is a hierarchical type certification system represented by PEM.

The edit label to be transferred is encrypted by the user's public-key, the validity of which has been certified in advance, by the data management center, and it is transferred. Thus, its contents are reliable as it is indirectly certified by the data management center.

The edit label itself is transferred between the users without being transferred to the data management center, and it might well be said that it is horizontal distributed type certification system represented by PGP.

As described above, it is possible according to the system of this embodiment to attain a certification system, which has high reliability of the hierarchical type certification system and easiness to handle of the horizontal distributed type certification system.

Behavior and contents of behavior of the users utilizing the copyrighted data are all identified by the user label presented by the users at the data management center. The utilization including editing of the copyrighted data is carried out through the data management center. Accordingly, the identity of each user can be reliably confirmed, and by confirming the contents and the course of behavior, contents and history of the copyrighted data can be certified. When this certification of contents is applied to electronic commerce, it is possible to certify the contents of dealing by the data management center, i.e. to perform "electronic notarization".

Further, in case digital signature is put on the user label or on the edit label, and if computer virus enters the user label or the edit label, the data of the label is changed, and as a result, change occurs in the hash value. Therefore, by verifying digital signature, it is possible to detect intrusion of computer virus.

Even when digital signature is not given, if turning to hash value is performed, the user label or the edit label are made unavailable depending upon the changed hash value. Thus, it is possible to detect intrusion of computer virus.

5 Because behavior and contents of behavior of the users utilizing the copyrighted data are all identified by the user label presented by the users at the data management center, every charging system on the above functions effectively. [Embodiment 5]

10 An embodiment in which a system of the present invention is applied to the electronic commerce will be given. A basic case is at first, explained in which all of the processings are performed through mediator as a data management center, referring to FIG. 12A.

15 (1) User U looks a products catalogue of the mediator S via network, and requests the mediator S electronic commerce data Qm as dealing data including quotation for desired products and information of order form and payment terms.

20 (2) When requested the electronic commerce data Qm, the mediator S encrypts a request R of the electronic commerce data Qm and first secret-key Ks1 by using public-key Kbm of maker M:

$$\text{Crk} = E(\text{R}, \text{Kbm})$$

$$\text{Cks1} = E(\text{Ks1}, \text{Kbm})$$

and transfers encrypted request Crk and encrypted first secret-key Cks1 to the maker M.

30 (3) When received the encrypted request Crk and encrypted first secret-key Cks1, the maker M decrypts the transferred encrypted request Crk and encrypted first secret-key Cks1 by private-key Kvm of the maker M:

$$\text{R} = E(\text{Crk}, \text{Kvm})$$

$$\text{Ks1} = E(\text{Cks1}, \text{Kvm})$$

encrypts electronic commerce data Qm corresponding to the request R by using decrypted first secret-key Ks1:

$$\text{Cqmks1} = E(\text{Qm}, \text{Ks1})$$

and transfers encrypted electronic commerce data Cqmks1 to the mediator S.

45 (4) When received the encrypted electronic commerce data Cqmks1, the mediator S decrypts transferred encrypted electronic commerce data Cqmks1 by using the first secret-key Ks1:

$$\text{Qm} = D(\text{Cqmks1}, \text{Ks1}),$$

encrypts again the decrypted electronic commerce data Qm by using second secret-key Ks2:

$$\text{Cqmks2} = E(\text{Qm}, \text{Ks2}),$$

55 encrypts second secret-key Ks2 by using public-key Kbu of the user:

$$\text{Cks2} = E(\text{Ks2}, \text{Kbu})$$

60 and transfers encrypted electronic commerce data Cqmks2 and encrypted second secret-key Cks2 to the user U.

(5) When received encrypted electronic commerce data Cqmks2 and encrypted second secret-key Cks2, the user U decrypts encrypted second secret-key Cks2 by using private-key Kvu of user U:

$$\text{Ks2} = D(\text{Cks2}, \text{Kvu}),$$

27

decrypts encrypted electronic commerce data Cqmks2 by using decrypted secret-key Ks2:

$$Qm=D(Cqmks2, Ks2),$$

edits electronic commerce data by entering order contents into electronic commerce data, makes order sheet Qu, encrypts the order sheet Qu, thus filled in, by using the second secret-key Ks2:

$$Cquks2=E(Qu, Ks2)$$

and transfers encrypted order sheet Cquks2 to mediator S.

(6) When received encrypted order sheet Cquks2, mediator S decrypts the encrypted order sheet Cquks2 by using the second secret-key Ks2:

$$Qu=D(Cquks2, Ks2),$$

encrypts decrypted order sheet Qu by using public-key Kbm of the maker M:

$$Cqukbm=(Qu, Kbm)$$

and transfers encrypted order sheet Cqukbm to the maker M.

When received encrypted order sheet Cqukbm, the maker M decrypts encrypted order sheet Cqukbm by using private-key Kvm of maker M:

$$Qu=E(Cqukbm, Kvm)$$

and the order is accepted and handled according to order contents of the decrypted order sheet Qu.

Next, an example of exceptional case when a user orders directly to a maker will be explained, referring to FIG. 12B. In the exceptional case, steps before above-mentioned (4), in which encrypted electronic commerce data Cqmks2 and encrypted second secret-key Cks2kbu are transferred to user U, are same steps as basic case as shown in FIG. 12A. And therefore, same detailed description is not given here, and description of steps different from basic case is given.

(7) When received encrypted electronic commerce data Cqmks2 and encrypted second secret-key Cks2kbu, the user U decrypts encrypted second secret-key Cks2kbu by using private-key Kvu of the user U:

$$Ks2=D(Cks2kbu, Kvu),$$

decrypts encrypted electronic commerce data Cqmks2 by using decrypted second secret-key Ks2:

$$Qm=D(Cqmks2, Ks2),$$

enters order contents into decrypted electronic commerce data Qm, i.e., performing data editing, makes order sheet Qu, encrypts the order sheet Qu, thus filled in, by using the second secret-key Ks2:

$$Cquks2=E(Qu, Ks2)$$

and transfers encrypted order sheet Cquks2 to the maker M.

(8) When received encrypted order sheet Cquks2, the maker M transfers the encrypted order sheet Cquks2 to the mediator S.

(9) When received encrypted order sheet Cquks2, the mediator S decrypts the encrypted order sheet Cquks2 by using second secret-key Ks2:

$$Qu=D(Cquks2, Ks2),$$

28

encrypts decrypted order sheet Qu by using public-key Kbm of maker M:

$$Cqukbm=E(Qu, Kbm)$$

5 and transfers it to the maker M.

When received encrypted order sheet Cqukbm, the maker M decrypts the encrypted order sheet Cqukbm by using private-key Kvm of maker M:

$$10 \quad Qu=D(Cqukbm, Kvm)$$

and handles the order according to contents of the order sheet Qu.

In this electronic commerce system, computer software handled via network other than commercial products, can be also applied in dealings. In this case, software P is encrypted by maker M by using private-key Kvm of the maker M:

$$Cpkvm=E(P, Kvm),$$

20 encrypted software Cpkvm is transferred to mediator S, encrypted software Cpkvm, thus transferred, is decrypted by the mediator S by using public-key Kbm of maker M:

$$P=D(Cpkvm, Kbm),$$

25 decrypted software P is encrypted by the mediator S by using public-key Kbu of user U:

$$Cpkbu=E(P, Kbu),$$

30 encrypted software Cpkbu is transferred to the user U, and the transferred encrypted software Cpkbu is decrypted by the user U by using private-key Kvu of user U:

$$P=D(Cpkbu, Kvu).$$

35 Crypt keys for encrypted software which is stored in recording medium such as CD-ROM are distributed free, and the crypt keys can be further, applied in dealings in the electronic commerce system, in the manner of similar way for computer software described above.

In the basic case as described referring to FIG. 12A, since all of the dealing processings are performed through the mediator, various troubles caused in omitting the mediator among dealing processes can be previously prevented.

45 In exceptional case as described referring to FIG. 12B, further, in order that the maker receives the content of order sheet and handles the order, it is necessary that encrypted order sheet is transferred to the mediator and decrypted by the mediator. Therefore, the mediator takes part in the dealing processes without fail in this case also, and thus, various troubles caused in omitting the mediator among dealing processes can be previously prevented. The secret-key which is transferred, may be transferred incorporated in electronic commerce data other than transferred alone.

50 In each embodiment described hereinbefore, while data or label is encrypted/decrypted, the burden of encryption and decryption is rather high. In case that the data and label are transferred via network, these are encrypted by secret-key and in addition, are encrypted by public-key. Therefore, in order to utilize the transferred data and label, these are necessary to be decrypted by private-key and in addition, to be decrypted by secret-key.

55 In order to reduce the burden of encryption and decryption, while partly encrypting is described as shown in FIGS. 4A to 4G, if the processing ability of the user device is not high, even when partly encrypting, performing both processings of encryption/decryption by secret-key system,

which is for copyright management, and encryption/decryption by public-key system, which is for data security, is yet difficult.

To cope with the above problems, encryption/decryption, which is processing other than encryption/decryption for protecting transferred data or label, may be performed, for example, by an entity in the network, and encrypted/decrypted data or label is transferred to a user.

While encryption/decryption for protecting transferred data or label is performed generally by public-key cryptosystem, this encryption/decryption is performed by a device of user.

Above processing of encryption/decryption performed by an entity in the network may be applied to the case of reproduction of edited copyrighted data in the third and fourth embodiments.

In the third embodiment, encrypted copyrighted data and non-encrypted edit label including editing scenario are transferred from one user to next user. The non-encrypted edit label and corresponding secret-key are stored in data management center. The next user transfers transferred encrypted copyrighted data and non-encrypted edit label to the data management center, and therefore, the copyrighted data is decrypted, and thus, edited copyrighted data is reproduced based on decrypted copyrighted data and the edit label. Then, the edited copyrighted data is transferred to the next user.

In the fourth embodiment, encrypted edit label including editing scenario is only transferred from a user to next user. In contrast, the edit label is stored in the data management center. And therefore, the data management center, by transferred encrypted edit label to the data management center by the next user, collects necessary original data based on the edit label and reproduces edited copyrighted data, and then, transfers the edited copyrighted data to the next user.

It is understood that particular embodiments described herein should not limit the present invention thereby. This invention can be practiced in connection with any data management system.

Thus, a database copyright control system has been described, which is applicable to multimedia system.

I claim:

1. A system for managing digital data [to be transferred from an owner of data to a user of data via broadcast, a communication network or data recording medium], *said system* comprising:

*storage storing public-keys, private-keys, user labels and edit labels used in the [data management] system;*

*a data management center [and the owner] linked to [a public-key] the storage, and arranged on [said] a communication network;*

*wherein said data management center is configured to certify[ing] public-keys [of said owner and said] presented by users of said system and [storing said] is further configured to access a first user label and [said] a first edit label associated with a first set of digital data;*

*a first user device configured to obtain [ing] said first set of digital data from said communication network by presenting said first user label to use said first set of digital data, wherein said first user device is further configured to edit [ing] the first set of digital data[,] and obtain[ing] said first edit label from said data management center via said communication network by presenting said first user label and an editing scenario[.];*

*wherein said first set of digital data is [not] only temporarily stored in [a] said first user device [of each of said*

*user] after us[ing]e of said first set of digital data by a first user, and wherein said first user device is configured to transfer said first edit label [is transferred] to a next user [without said digital data] for the next user's use of the edited said first set of digital data, wherein the first set of digital data is not transferred to the next user.*

2. A data management system according to claim 1, wherein said first set of digital data is [not stored in the device of said user] removed from the first user device by deletion of said first set of digital data from random access memory of the first user device.

3. A data management system according to claim 1, wherein said first set of digital data is [not stored in] removed from a memory of the first user device of said user after said first set of digital data is converted to a one-way hash value.

4. A data management system according to claim 1, wherein said data management center is further [linked] configured to generate a secret-key [generator], and said first set of digital data is encrypted by using [a] the secret-key [of said secret-key generator and stored in the device of said user].

5. A data management system according to claim 1, wherein said first edit label is encrypted by using a public-key of said next user, and is transferred to said next user;

*said next user decrypts the encrypted first edit label by using private-key of said next user and presents said decrypted first edit label to said data management center;*

*said data management center is configured to transfer[s] the first set of digital data to said next user based on said first edit label;*

*said next user uses and edits said first set of digital data by using the editing scenario included in said first edit label.*

6. A data management system according to claim 1, wherein said first user transfers said first edit label to said next user;

*said next user presents said first edit label to said data management center;*

*said data management center transfers said first set of digital data to said next user based on said first edit label;*

*said next user uses and edits said first set of digital data by using the editing scenario included in said first edit label.*

7. A data management system according to claim 6, wherein said first user [performs] device is configured to append a digital signature to said first edit label by using private-key of said first user.

8. A data management system according to claim 1 wherein [there are a plurality of] said digital data includes a plurality of sets of digital data.

9. A data management system according to claim 1 wherein the data management center is configured to charge[ing] e a data usage fee [is performed by presenting said] to the first user based on the first user label presented to said data management center by said first user.

10. A data management system according to claim 9, wherein the charging [a fee] is performed [by metering post-payment method] after usage of the first set of digital data and is based on [use results] metering of said usage.

11. A data management system according to claim 10, wherein [the metering] data based on [use results] said metering is stored in said data management center.

12. A data management system according to claim 10, wherein [the metering] data based [on use results] said metering is stored in [a] said first user device [of said user].

13. A data management system according to claim 9, wherein the charging [fee] is performed [by prepayment method] *prior to usage of said first set of digital data.*

14. A data management system according to claim 13, wherein [the prepayment] data *relating to said charging* is stored in said data management center.

15. A data management system according to claim 13, wherein [the prepayment] data *relating to said charging* is stored in [a] *said first user device* [of said user].

16. A data management system according to claim 1 wherein said *first set of digital data* has a general file structure and *only* a data body thereof [only] is encrypted.

17. A data management system according to claim 16, wherein a part of said data body is encrypted.

18. A data management system according to claim 17, wherein the part of said data body with encryption is repeatedly arranged in said data body.

19. A data management system according to claim 17, wherein a plurality of parts of said data body with encryption is intermittently arranged in said data body.

20. A data management system according to claim 1 wherein said *first set of digital data* has a general file structure, and a data header and a data body thereof are encrypted.

21. A data management system according to claim 20, wherein *only* a part of said data header and *the entire* [part of] said data body are encrypted.

22. A data management system according to claim 20, wherein a part of said data header and a part of said data body are encrypted respectively.

23. A data management system according to claim 1 wherein said *first set of digital data* has a general file structure and *only* a data header thereof [only] is encrypted.

24. A data management system according to claim 23, wherein *the entire* [part of] said data header is encrypted.

25. A data management system according to claim 23, wherein *only* a part of said data header [only] is encrypted.

26. A data management system according to claim 1, wherein said *first set of digital data* has a general file structure *that includes said first user label*, and *wherein* only said *first user label* is encrypted.

27. A data management system according to claim 26, wherein only a part of said *first user label* is encrypted.

28. A data management system according to claim 1 wherein said *first set of digital data* has an object-formed file structure, and only a method is encrypted.

29. A system for electronic commerce between a maker and a user via a mediator, *said system* comprising:

*a maker system including at least one computer system;*

*a user system including at least one computer system; and*

*a mediator system including at least one computer system;*

said mediator system is linked to a first entity to manage public-keys and a second entity to generate secret-keys and is arranged on a communication network;

said user system is configured to request[s] electronic commerce data from said mediator system;

said mediator system is configured to transfer[s] the request of said electronic commerce data together with a first secret-key of said second entity, which are encrypted by using a public-key of said maker system, to said maker system;

said maker system is configured to decrypt[s] the encrypted first secret-key by using a private-key of said maker [and] system, encrypt[s] said electronic commerce data using the decrypted first secret-key and

transfer[s] encrypted electronic commerce data to said mediator system;

said mediator system is configured to decrypt[s] said encrypted electronic commerce data using said first secret-key, re-encrypt[s] decrypted electronic commerce data using a second secret-key of said second entity, and transfer[s] the re-encrypted electronic commerce data together with the second secret-key, which are encrypted using a public-key of said user system, to said user system;

said user system is configured to decrypt[s] the encrypted second secret-key using a private-key of said user system, decrypt[s] the re-encrypted electronic commerce data using the decrypted second secret-key, make[s] an order sheet by entering order content into the decrypted electronic commerce data, encrypt[s] said order sheet using the second secret-key, and transfer[s] the encrypted order sheet to said mediator system;

said mediator system is configured to decrypt[s] said encrypted order sheet using said second secret-key, encrypt [s] the decrypted order sheet using the public-key of said maker system, and transfer [s] the encrypted order sheet to said maker system; and

said maker system is configured to decrypt[s] the encrypted order sheet using the private-key of said maker [.] system and make[s] an order acceptance.

30. An electronic commerce system according to claim 29, wherein said electronic commerce data has a general file structure and only a data body thereof is encrypted.

31. An electronic commerce system according to claim 30, wherein a part of said data body is encrypted.

32. An electronic commerce system according to claim 31, wherein the part of said data body with encryption is repeatedly arranged in said data body.

33. An electronic commerce system according to claim 31, wherein a plurality of parts of said data body with encryption is intermittently arranged in said data body.

34. An electronic commerce system according to claim 29, wherein said electronic commerce data has a general file structure, and a data header and a data body thereof are encrypted.

35. An electronic commerce system according to claim 34, wherein *only* a part of said data header and the entire [part of] said data body are encrypted.

36. An electronic commerce system according to claim 34, wherein a part of said data header and a part of said data body are encrypted respectively.

37. An electronic commerce system according to claim 29, wherein said electronic commerce data has a general file structure and only a data header thereof is encrypted.

38. An electronic commerce system according to claim 37, wherein *the entire* [part of] said data header is encrypted.

39. An electronic commerce system according to claim 37, wherein [only] a part of said data header only is encrypted.

[40. An electronic commerce system according to claim 29, wherein said electronic commerce data has a general file structure and only label is encrypted.]

[41. An electronic commerce system according to claim 40, wherein a part of said label only is encrypted.]

42. An electronic commerce system according to claim 29, wherein said electronic commerce data has an object-formed file structure and a method is encrypted.

43. A method, comprising:  
 certifying one or more public-keys of a first user;  
 said first user obtaining digital data from a communication network by presenting a user label to use said digital data, editing the digital data, and obtaining an edit label from said communication network by presenting said user label and an editing scenario;  
 not storing said digital data in a device of each of one or more users after using said digital data; and  
 transferring said edit label to a next user without said digital data for the next user's use of said digital data.

44. A method according to claim 43, wherein said digital data is not stored in the device of said one or more users by deletion of said digital data.

45. A method according to claim 43, wherein said digital data is not stored in the device of said one or more users after said digital data is converted to a one-way hash value.

46. A method according to claim 43, further comprising encrypting said edit label by using a public-key of said next user, and transferring the encrypted edit label to said next user.

47. A method according to claim 43, further comprising said first user performing digital signature to said edit label by using a private-key of said first user.

48. A method according to claim 43, further comprising said one or more users paying a fee based on presenting said user label to a data management center by said one or more users.

49. A method according to claim 43, wherein said digital data has a general file structure and at least a portion of a data body thereof only is encrypted.

50. A method according to claim 43, wherein said digital data has a general file structure, and at least a portion of a data header and at least a portion of a data body thereof are encrypted.

51. A method according to claim 43, wherein said digital data has a general file structure and at least a portion of a data header thereof only is encrypted.

52. A method according to claim 43, wherein said digital data has a general file structure, and only at least a portion of said user label is encrypted.

53. A method according to claim 43 wherein said digital data has an object-formed file structure, and only at least a portion of a method surrounding a slot in said object-formed file structure is encrypted.

54. An apparatus, comprising:  
 means for certifying one or more public-keys of a first user;  
 means for said first user obtaining digital data from a communication network by presenting a user label to use said digital data, editing the digital data, and obtaining an edit label from said communication network by presenting said user label and an editing scenario;  
 means for not storing said digital data in a device of each user after using said digital data; and  
 means for transferring said edit label to a next user without said digital data for the next user's use of said digital data.

55. An apparatus according to claim 54, wherein said means for not storing said digital data in the device of said one or more users after using said digital data comprises means for not storing said digital data in the device of said one or more users by deletion of said digital data.

56. An apparatus according to claim 54, wherein said

one or more users after using said digital data comprises means for not storing said digital data in the device of said one or more users after said digital data is converted to a one-way hash value.

57. An apparatus according to claim 54, further comprising means for encrypting said edit label by using a public-key of said next user, and means for transferring the encrypted edit label to said next user.

58. An apparatus according to claim 54, further comprising means for said first user performing digital signature to said edit label by using a private-key of said first user.

59. An apparatus according to claim 54, further comprising means for said one or more users paying a fee based on presenting said user label to a data management center by said one or more users.

60. An apparatus according to claim 54, wherein said digital data has a general file structure and further comprising means for encrypting only at least a portion of a data body thereof.

61. An apparatus according to claim 54, wherein said digital data has a general file structure, and further comprising means for encrypting only at least a portion of a data header and at least a portion of a data body thereof.

62. An apparatus according to claim 54, wherein said digital data has a general file structure and further comprising means for encrypting only at least a portion of a data header thereof.

63. An apparatus according to claim 54, wherein said digital data has a general file structure, and further comprising means for encrypting only at least a portion of said user label.

64. An apparatus according to claim 54, wherein said digital data has an object-formed file structure, and further comprising means for encrypting only at least a portion of a method surrounding a slot in said object-formed file structure.

65. An apparatus, comprising:  
 a computing device, said computing device capable of:  
 certifying one or more public-keys of a first user;  
 said first user obtaining digital data from a communication network by presenting a user label to use said digital data, editing the digital data, and obtaining an edit label from said communication network by presenting said user label and an editing scenario;  
 not storing said digital data in a device of each user after using said digital data; and  
 transferring said edit label to a next user without said digital data for the next user's use of said digital data.

66. An apparatus according to claim 65 wherein said computing device is further capable of not storing said digital data in the device of said one or more users by deletion of said digital data.

67. An apparatus according to claim 65, wherein said computing device is further capable of not storing said digital data in the device of said one or more users after said digital data is converted to a one-way hash value.

68. An apparatus according to claim 65, wherein said computing device is further capable of encrypting said edit label by using a public-key of said next user, and wherein said computing device is further capable of transferring the encrypted edit label to said next user.

69. An apparatus according to claim 65, wherein said computing device is further capable of said first user performing digital signature to said edit label by using a private-key of said first user.

70. An apparatus according to claim 65, wherein said computing device is further capable of said one or more

users paying a fee based on presenting said user label to a data management center by said one or more users.

71. An apparatus according to claim 65, wherein said digital data has a general file structure and wherein said computing device is further capable of encrypting only at least a portion of a data body thereof.

72. An apparatus according to claim 65, wherein said digital data has a general file structure, and wherein said computing device is further capable of encrypting only at least a portion of a data header and at least a portion of a data body thereof.

73. An apparatus according to claim 65, wherein said digital data has a general file structure and wherein said computing device is further capable of encrypting only at least a portion of a data header thereof.

74. An apparatus according to claim 65, wherein said digital data has a general file structure and wherein said computing device is further capable of encrypting only at least a portion of said user label.

75. An apparatus according to claim 65, wherein said digital data has an object-formed file structure, and wherein said computing device is further capable of encrypting only at least a portion of a method surrounding a slot in said object-formed file structure.

76. An article of manufacture comprising a non-transitory storage medium having instructions stored thereon that, in response to execution by a device, cause the device to perform operations including:

obtaining digital data from a communication network by presenting a user label to use said digital data, editing the digital data, and obtaining an edit label from said communication network by presenting said user label and an editing scenario;

removing said digital data from memory after using said digital data; and transferring said edit label to a next user without said digital data for the next user's use of said digital data.

77. An article of manufacture according to claim 76, wherein said digital data is not stored in the device of said one or more users by deletion of said digital data.

78. An article of manufacture according to claim 76, wherein said digital data is not stored in the device of said one or more users after said digital data is converted to a one-way hash value.

79. An article of manufacture according to claim 76, further comprising encrypting said edit label by using a public-key of said next user, and transferring the encrypted edit label to said next user.

80. An article of manufacture according to claim 76, wherein the operations further include:

appending a digital signature to said edit label by using a private-key.

81. An article of manufacture according to claim 76, wherein the operations further include:

paying a data usage fee based on presenting said user label to a data management center.

82. An article of manufacture according to claim 76, wherein said digital data has a general file structure and at least a portion of a data body thereof only is encrypted.

83. An article of manufacture according to claim 76, wherein said digital data has a general file structure, and at least a portion of a data header and at least a portion of a data body thereof are encrypted.

84. An article of manufacture according to claim 76, wherein said digital data has a general file structure and at least a portion of a data header thereof only is encrypted.

85. An article of manufacture according to claim 76, wherein said digital data has a general file structure, and only at least a portion of said user label is encrypted.

86. An article of manufacture according to claim 76, wherein said digital data has an object-formed file structure, and only at least a portion of a method surrounding a slot in said object-formed file structure is encrypted.

87. A system for managing digital data, comprising:

a data management center storing digital data, user labels, edit labels, and sets of edits corresponding to said digital data, wherein said stored digital data includes a first set of digital data, and wherein said user labels include a first user label associated with a first user;

a first computing device configured to obtain the first set of digital data from the data management center by presenting the first user label, wherein the first computing device is further configured to perform a first set of edits on the first set of digital data to produce an edited first set of digital data, and wherein the first computing device is further configured to obtain a first edit label for the edited first set of digital data from the data management center by presenting the first user label and the first set of edits; and

wherein said first set of digital data is only temporarily stored in a memory of the first computing device and is removed therefrom after utilization of the first set of digital data by the first computing device, and wherein the first edit label is transferable from the first computing device to a second computing device in order to facilitate a second user receiving the edited first set of digital data from the data management center at the second computing device.

88. The system according to claim 87, wherein the data management center is configured to change a data usage fee to the first user based on the user presented to said data management center by said first user.

89. The system according to claim 87, wherein said first set of digital data has a data header and a data body, wherein only the data body is encrypted.

90. The system according to claim 87, wherein said first set of digital data has a general file structure that includes said first user label, and wherein only said first user label is encrypted.

91. A system for electronic commerce, comprising:

a first computing device configured to manage public-keys and to generate secret-keys; a second computing device configured to request electronic commerce data from said first computing device;

a third computing device configured to receive the request of said electronic commerce data together with a first secret-key from the first computing device, wherein the request and the first secret-key are encrypted by using a public-key of said third computing device;

wherein said third computing device is configured to decrypt the encrypted first secret-key by using a private-key of said third computing device, and to encrypt said requested electronic commerce data using the decrypted first secret-key and to transfer the encrypted electronic commerce data to said first computing device;

wherein said first computing device is configured to decrypt said encrypted electronic commerce data using said first secret-key, to re-encrypt decrypted electronic commerce data using a second secret-key, and to transfer the re-encrypted electronic commerce data together with the second secret-key to the second computing device, wherein the transferred electronic commerce data and the second secret-key are encrypted using a public-key of the second computing device;



**37**

wherein said second computing device is configured to decrypt the transferred second secret-key using a private-key of said second computing device, to decrypt the transferred electronic commerce data using the decrypted second secret-key, to generate a response relating to the decrypted electronic commerce data, to encrypt said response using the second secret-key, and to transfer the encrypted response to the first computing device;

wherein said first computing is configured to decrypt said encrypted response using said second secret-ksy, to

**38**

re-encrypt the decrypted response using the public-key of said third computing device, and to transfer the re-encrypted response to said third computing device; and

wherein said third computing device is configured to decrypt the transferred response using the private key of said third computing device.

\* \* \* \* \*