

US00RE44724E

(19) **United States**
(12) **Reissued Patent**
Merriman et al.

(10) **Patent Number:** **US RE44,724 E**
(45) **Date of Reissued Patent:** ***Jan. 21, 2014**

(54) **METHOD OF DELIVERY, TARGETING, AND MEASURING ADVERTISING OVER NETWORKS**

(75) Inventors: **Dwight Allen Merriman**, New York, NY (US); **Kevin J. O'Connor**, New York, NY (US)

(73) Assignee: **Google Inc.**, Mountain View, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

4,775,935 A	10/1988	Yourick
4,789,235 A	12/1988	Borah et al.
4,850,007 A	7/1989	Marino et al.
4,870,579 A	9/1989	Hey
4,996,642 A	2/1991	Hey
5,027,400 A	6/1991	Baji et al.
5,099,422 A	3/1992	Foresman et al.
5,105,184 A	4/1992	Pirani et al.
5,155,591 A	10/1992	Wachob
5,166,866 A	11/1992	Kim et al.
5,191,410 A	3/1993	McCalley et al.
5,220,501 A	6/1993	Lawlor et al.
5,253,341 A	10/1993	Rozmanith et al.
5,260,778 A	11/1993	Kauffman et al.

(Continued)

(21) Appl. No.: **09/577,798**

(22) Filed: **May 24, 2000**

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **5,948,061**
Issued: **Sep. 7, 1999**
Appl. No.: **08/738,634**
Filed: **Oct. 29, 1996**

(51) **Int. Cl.**
G06F 15/16 (2006.01)
G06Q 30/00 (2006.01)
G06F 17/00 (2006.01)

(52) **U.S. Cl.**
USPC **709/219**; 705/14.53; 705/14.73;
715/205; 715/234

(58) **Field of Classification Search**
USPC 705/14, 26, 10, 27, 1; 709/219; 707/10,
707/501, 513
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,602,279 A	7/1986	Freeman
4,703,423 A	10/1987	Bado et al.

FOREIGN PATENT DOCUMENTS

DE	19528911	2/1997
EP	0 749 081	12/1986

(Continued)

OTHER PUBLICATIONS

Kohda, et al., Ubiquitous Advertising on the WWW: Merging Advertisement on the Browser, May 1996, pp. 1493-1499.*

(Continued)


Primary Examiner — Ronald Laneau

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.

(57) **ABSTRACT**

Methods and apparatuses for targeting the delivery of advertisements over a network such as the Internet are disclosed. Statistics are compiled on individual users and networks and the use of the advertisements is tracked to permit targeting of the advertisements of individual users. In response to requests from affiliated sites, an advertising server transmits to people accessing the page of a site an appropriate one of the advertisement based upon profiling of users and networks.

7 Claims, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,261,094 A 11/1993 Everson et al.
 5,283,731 A 2/1994 Lalonde et al.
 5,305,195 A 4/1994 Murphy
 5,347,632 A 9/1994 Filepp et al.
 5,355,327 A 10/1994 Stent et al.
 5,361,393 A 11/1994 Rossillo
 5,377,354 A 12/1994 Scannell et al.
 5,412,416 A 5/1995 Nemirofsky
 5,442,771 A 8/1995 Filepp et al.
 5,446,891 A 8/1995 Kaplan et al.
 5,446,919 A 8/1995 Wilkins
 5,448,625 A 9/1995 Lederman
 5,459,656 A 10/1995 Fields et al.
 5,469,206 A 11/1995 Strubbe et al.
 5,475,819 A 12/1995 Miller et al.
 5,477,451 A 12/1995 Brown et al.
 5,499,046 A 3/1996 Schiller et al.
 5,504,744 A 4/1996 Adams et al.
 5,504,894 A 4/1996 Ferguson et al.
 5,515,098 A 5/1996 Carles
 5,515,270 A 5/1996 Weinblatt
 5,537,542 A 7/1996 Eilert et al.
 5,550,746 A 8/1996 Jacobs
 5,559,548 A 9/1996 Davis et al.
 5,566,353 A 10/1996 Cho et al.
 5,568,612 A 10/1996 Barrett et al.
 5,572,643 A 11/1996 Judson
 5,584,025 A 12/1996 Keithley et al.
 5,594,910 A 1/1997 Filepp et al.
 5,598,536 A 1/1997 Slaughter, III et al.
 5,600,364 A 2/1997 Hendricks et al.
 5,621,812 A 4/1997 Deaton et al.
 5,636,346 A 6/1997 Saxe
 5,638,457 A 6/1997 Deaton et al.
 5,649,114 A 7/1997 Deaton et al.
 5,675,662 A 10/1997 Deaton et al.
 5,692,132 A 11/1997 Hogan
 5,696,965 A 12/1997 Dedrick
 5,704,017 A 12/1997 Heckerman et al.
 5,704,018 A 12/1997 Heckerman et al.
 5,708,780 A * 1/1998 Levergood et al. 395/200.12
 5,710,887 A 1/1998 Chelliah et al.
 5,712,979 A 1/1998 Graber et al.
 5,717,860 A 2/1998 Graber et al.
 5,717,923 A 2/1998 Dedrick
 5,721,827 A 2/1998 Logan et al.
 5,724,424 A 3/1998 Gifford
 5,724,521 A 3/1998 Dedrick
 5,727,156 A 3/1998 Herr-Hoyman et al.
 5,734,720 A 3/1998 Salganicoff
 5,734,828 A 3/1998 Pendse et al.
 5,737,619 A 4/1998 Judson
 5,740,252 A * 4/1998 Minor et al. 380/49
 5,740,549 A * 4/1998 Reilly et al. 705/14
 5,745,681 A 4/1998 Levine et al.
 5,751,956 A 5/1998 Kirsch
 5,752,022 A 5/1998 Chiu et al.
 5,752,238 A 5/1998 Dedrick
 5,754,772 A * 5/1998 Leaf 395/200.33
 5,754,938 A 5/1998 Herz et al.
 5,754,939 A 5/1998 Herz et al.
 5,757,917 A 5/1998 Rose et al.
 5,761,601 A 6/1998 Nemirofsky et al.
 5,768,521 A 6/1998 Dedrick
 5,774,170 A 6/1998 Hite et al.
 5,778,367 A 7/1998 Wesinger, Jr. et al.
 5,781,894 A 7/1998 Petrecca et al.
 5,787,253 A 7/1998 McCreery et al.
 5,790,426 A 8/1998 Robinson
 5,790,935 A 8/1998 Payton
 5,794,210 A 8/1998 Goldhaber et al.
 5,796,945 A 8/1998 Tarabella
 5,796,952 A * 8/1998 Davis et al. 395/200.54
 5,809,242 A * 9/1998 Shaw et al. 395/200.47
 5,812,769 A 9/1998 Graber et al.

5,812,776 A 9/1998 Gifford
 5,815,148 A 9/1998 Tanaka
 5,819,285 A 10/1998 Damico et al.
 5,838,790 A 11/1998 McAuliffe et al.
 5,842,199 A 11/1998 Miller et al.
 5,848,396 A 12/1998 Gerace
 5,848,397 A 12/1998 Marsh et al.
 5,855,008 A 12/1998 Goldhaber et al.
 5,870,724 A 2/1999 Lawlor et al.
 5,873,068 A 2/1999 Beaumont et al.
 5,893,075 A 4/1999 Plainfield et al.
 5,913,040 A * 6/1999 Rakavy et al. 395/200.62
 5,918,014 A 6/1999 Robinson
 5,933,811 A * 8/1999 Angles et al. 705/14
 5,933,827 A 8/1999 Cole et al.
 5,937,162 A 8/1999 Funk et al.
 5,937,392 A 8/1999 Alberts
 5,946,646 A 8/1999 Schena et al.
 5,948,061 A 9/1999 Merriman et al.
 5,950,173 A 9/1999 Perkowski
 5,956,024 A 9/1999 Strickland et al.
 5,960,409 A * 9/1999 Wexler et al. 705/14
 5,960,429 A 9/1999 Percy et al.
 5,963,915 A 10/1999 Kirsch
 5,990,927 A 11/1999 Hendricks et al.
 5,999,912 A 12/1999 Wodarz et al.
 6,002,393 A 12/1999 Hite et al.
 6,005,566 A 12/1999 Jones et al.
 6,005,567 A 12/1999 Nielsen
 6,006,197 A 12/1999 D'Eon et al.
 6,006,252 A 12/1999 Wolfe
 6,016,509 A 1/2000 Dedrick
 6,020,887 A 2/2000 Loring et al.
 6,026,368 A 2/2000 Brown et al.
 6,029,141 A 2/2000 Bezos et al.
 6,029,195 A 2/2000 Herz
 6,049,777 A 4/2000 Sheena et al.
 6,049,878 A 4/2000 Caronni et al.
 6,052,554 A 4/2000 Hendricks et al.
 6,061,659 A * 5/2000 Murray 705/14
 6,119,101 A * 9/2000 Peckover 705/26
 6,182,050 B1 1/2001 Ballard
 6,185,586 B1 2/2001 Judson
 6,223,215 B1 4/2001 Hunt et al.
 6,247,047 B1 6/2001 Wolff
 6,269,361 B1 7/2001 Davis et al.
 6,434,614 B1 8/2002 Blumenau
 6,466,970 B1 10/2002 Lee et al.
 6,615,251 B1 9/2003 Klug et al.
 6,718,551 B1 4/2004 Swix et al.
 6,757,662 B1 6/2004 Greenwald et al.
 6,757,710 B2 6/2004 Reed
 6,782,369 B1 8/2004 Carrott
 7,039,599 B2 5/2006 Merriman et al.
 7,136,853 B1 11/2006 Kohda et al.
 7,496,943 B1 2/2009 Goldberg et al.
 2001/0037205 A1 11/2001 Joao
 2001/0056374 A1 12/2001 Joao
 2002/0013785 A1 1/2002 Miyazaki et al.
 2002/0019831 A1 2/2002 Wade
 2002/0046118 A1 4/2002 Minte
 2002/0082923 A1 6/2002 Merriman et al.
 2002/0099600 A1 7/2002 Merriman et al.
 2002/0103698 A1 8/2002 Cantrell
 2002/0120507 A1 8/2002 Chanos et al.
 2003/0023489 A1 1/2003 McGuire et al.
 2005/0033855 A1 2/2005 Moradi et al.
 2005/0144067 A1 6/2005 Farahat et al.
 2005/0197164 A1 9/2005 Chan
 2006/0293955 A1 12/2006 Wilson et al.
 2008/0276271 A1 11/2008 Anderson et al.
 2008/0301727 A1 12/2008 Cristofalo et al.
 2009/0044246 A1 2/2009 Sheehan et al.

FOREIGN PATENT DOCUMENTS

EP 0 216 535 A2 4/1987
 EP 0 216 535 A3 4/1987
 EP 0 355 697 A3 2/1990

(56)

References Cited

FOREIGN PATENT DOCUMENTS

EP	0 355 697	B1	2/1990
EP	0355697	A3	2/1990
EP	0 643 359	A2	3/1995
EP	0 643 359	A3	3/1995
EP	0749081	A1	12/1996
EP	0875843		11/1997
EP	0814419		12/1997
EP	0 818 742	A1	1/1998
EP	0 834 822	A2	4/1998
EP	0 834 822	A3	4/1998
EP	0 837 407	A1	4/1998
EP	0 838 769	A2	4/1998
EP	0 849 689	A2	6/1998
EP	0 849 689	A3	6/1998
EP	0 864 990	A2	9/1998
EP	0 864 990	A3	9/1998
EP	0 869 448	A1	10/1998
EP	0749081	B1	11/1998
EP	0877314		11/1998
EP	0 897 158	A1	2/1999
EP	0 897 158	A4	2/1999
JP	H5143653		6/1993
JP	9091215		4/1997
JP	10049591		2/1998
JP	10320336		12/1998
WO	WO 84/01382		4/1984
WO	WO 84/01382	A4	10/1984
WO	WO 84/01382	B1	10/1984
WO	WO 93/16443		8/1993
WO	WO 93/19427		9/1993
WO	WO 94/23383		10/1994
WO	WO 95/12176		5/1995
WO	WO 95/12176	A3	5/1995
WO	WO 95/12176	A4	5/1995
WO	WO 95/13587		5/1995
WO	WO 95/16971		6/1995
WO	WO 95/16971	A4	6/1995
WO	WO 96/31848		9/1996
WO	WO 96/30864	A1	10/1996
WO	WO 96/31848	A3	10/1996
WO	WO 96/36926		11/1996
WO	WO 96/38796		12/1996
WO	WO 96/39668		12/1996
WO	WO 97/07656	A2	3/1997
WO	WO 97/07656	A3	3/1997
WO	WO 97/21183		6/1997
WO	WO 9721183		6/1997
WO	WO 97/41673	A2	11/1997
WO	WO 97/41673	A3	11/1997
WO	WO 96/38796	B1	3/1998
WO	WO 98/34189		9/1998
WO	WO 98/57275		12/1998
WO	WO 98/57285		12/1998
WO	WO 01/65747		9/2001

OTHER PUBLICATIONS

Draft Html 2.0 Specification, Sep. 22, 1995.*
 FocaLink: request for ISN ad traffic data (fwd); Sep. 26, 1995; Z00084-Z00085.
 Update and Miscellaneous; Sep. 22, 1995; Z00081-Z00083.
 Information Request; Sep. 12, 1995; Z00080.
 Question for you; Sep. 7, 1995; Z00078-Z00079.
 FocaLink Technology; Aug. 30, 1995; Z00076-Z00077.
 Saturn Banner Ad Placement; Aug. 27, 1995; Z00075.
 Sponsorable Site—Riddle Du Jour; Aug. 26, 1995; Z00072-Z00074.
 Saturn Banner Ad Placement; Aug. 25, 1995; Z00071.
 FocaLink Media Services, Inc.; David Zinman et al.; Aug. 2, 1995; Z00057-Z00070.
 LinkMarket Business Plan; David Zinman et al.; Z00033-Z00056.
 LinkMarket; David Zinman et al.; Z00028-Z00030.
 Link Marketing; Z00022-Z00027.
 Link Marketing, LLP; Z00020-Z00021.

Interactive Age;; The Newspaper for Electronic Commerce; Z00015-Z00019.
 For Immediate Release; Hyperlink Advertising Explodes on the World Wide Web; <http://link.w3.com>; Z00014.
 Web Personals stats; Aug. 22, 1995; Z00012-Z00013.
 FocaLink Technology; Aug. 30, 1995; Z00010-Z00011.
 Web Personals Report; Oct. 12, 1995; Z00001-Z00009.
 LinkMarket; David Zinman et al.; SD 005573-SD 005574.
 LinkMarket Business Plan; David Zinman et al.; SD005545-SD005569.
 Focalink Communications; Feb. 6, 1996; Z00200-Z00202.
 Urgent—Microsoft Ad Placement Feb. 7, 1996; Z00204.
 Test for Microsoft Banner; Feb. 8, 1996; Z00205.
 ZDNet Test (fwd); Feb. 8, 1996; Z00206.
 URLs; Feb. 8, 1996; Z00207-Z00208.
 HeradsUp Feb. 9, 1996 (20 stories)<CD58M01O>; Z00209-Z00212.
 Did I send this 2x; Apr. 3, 1996; Z00220-Z00222.
 Answer to your request Apr. 8, 1996; Z00223.
 Site Letter, Apr. 10, 1996; 200224-Z00225.
 Oracle and Intel; Apr. 12, 1996; Z00226.
 Doubleclick; Apr. 16, 1996; Z00227.
 Open Market Licenses With NetGravity; May 6, 1996; Z00228.
 Fact check; May 12, 1996; 200229.
 IDG; May 17, 1996; Z00230-200231.
 Daily Spectrum; May 20, 1996; Z00232-Z00242.
 Fact check; May 20, 1996; Z00243.
 Cookie FAQ; May 21, 1996; Z00244.
 Focalink Communications; May 21, 1996; Z00245-Z00246.
 Network World Fusion; May 22, 1996; Z00247.
 Looming issue; Jul. 13, 1996; Z00248-Z00249.
 Cookies & privacy ? / German Press; Jul. 15, 1996; Z00250.
 Cookies & privacy ? / German Press; Jul. 16, 1996; Z00251.
 DoubleClick; Sep. 5, 1996; Z00252-Z00253.
 Infoseek Business Terms; Sep. 7, 1996; Z00254-Z00256.
 SmartBanner ads on HotWired; Sep. 11, 1996; Z00257.
 Statement of Work; Sep. 23, 1996; Z00258-Z00259.
 NetGravity Releases Adserver 2.0; Oct. 21, 1996; Z00260-Z00263.
 Test With Focalink; Feb. 7, 1996; Z0020.
 LinkMarket; David Zinman; Z00031-Z00032.
 Saturn Ad Placements; Sep. 28, 1995; David Zinman; Z00086.
 RE> Saturn Ad Placements; Sep. 29, 1995; Adam@utne.co; Z00087.
 RE: Advertising Update; Oct. 3, 1995; Eric Ver Ploeg; Z00088-Z00089.
 RE>>Saturn Ad Placements; Sep. 29, 1995; wigley@utne.com; Z00090.
 Re: Test Parameters (fwd); Oct. 23, 1995; Jason Strober; Z00091-Z00092.
 Re: Rest Parameters; Oct. 23, 1995; Jason Strober; Z00093-Z00094.
 Proposal (fwd); Oct. 23, 1995; Jason Strober; Z00095-Z00096.
 Advertising advisory board; Oct. 25, 1995; David Zinman; Z00097-Z00099.
 Contact at Netcom; Oct. 26, 1995; David Zinman; Z00100.
 CMP Technical Contact; Oct. 30, 1995; Jason Strober; Z00104.
 From ad age today . . . ; Oct. 30, 1995; Karen Johnson; Z00105-Z00106.
 We need to get on this; Oct. 31, 1995; David Zinman; Z00107.
 Web site pricing draft; Nov. 7, 1995; Jason Strober; Z00108.
 Heads up . . . (fwd); Nov. 8, 1995; David Zinman; Z00109-Z00110.
 Proposal to Intel; Nov. 13, 1995; Jason Strober; Z00111-Z00114.
 FocaLink white paper; Nov. 13, 1995; Jason Strober; Z00115-Z00116.
 FocaLink Media Services; Nov. 14, 1995; David Zinman; Z00117-Z00119.
 I/Traffic & Dave Carlick; Nov. 14, 1995; David Zinman; Z00120.
 FocaLink white paper; Nov. 15, 1995; David Zinman; Z00121-Z00123.
 Re: FocaLink Meeting (fwd); Nov. 20, 1995; Karen Johnson; Z00124-Z00125.
 Microsoft ads through FocaLink; Nov. 21, 1995; Jason Strober; Z00126.
 Re: Who's in and who's out (fwd); Nov. 21, 1995; Jason Strober; Z00127-Z00128.
 Intel update (fwd); Nov. 23, 1995; Jason Strobel; Z00129-Z00130.

(56)

References Cited

OTHER PUBLICATIONS

- Saturn reports; Dec. 5, 1995; Jennifer Ratner; Z00134-Z00140.
 November Report; Dec. 5, 1995; Jennifer Ratner; Z00141-Z00146.
 FocaLink Media Services; Dec. 6, 1995; David Zinman; Z00147.
 FocaLink Media Services; Dec. 6, 1995; David Zinman; Z00148.
 FocaLink Media Services; Dec. 6, 1995; David Zinman; Z00149.
 FocaLink for the Layman; Dec. 6, 1995; David Zinman; Z00150.
 Microtargeting; Dec. 7, 1995; David Zinman; Z00151.
 Info on FocaLink Media Services; Dec. 11, 1995; David Zinman; Z00152-Z00154.
 FocaLink Media Services; Dec. 11, 1995; David Zinman; Z00155-Z00156.
 Catch-up time; Dec. 11, 1995; David Zinman; Z00157.
 Info on FocaLink; Dec. 13, 1995; David Zinman; Z00158-Z00160.
 Intel Ad on Dilbert Site; Dec. 13, 1995; David Zinman; Z00161.
 Re: Intel Ad on Dilbert Site; Dec. 13, 1995; David Zinman; Z00162.
 FocaLink Beta Test on SmartBanner, Dec. 14, 1995; David Zinman; Z00163.
 I/Pro Mtg Today; Dec. 19, 1995; David Zinman; Z00164.
 Eric Smith Quote (fwd); Jan. 10, 1996; David Zinman; Z00165.
 FocaLink Communications, Inc.; Jan. 10, 1996; David Zinman; Z00166.
 Re: Advertisers for wyp.net; Jan. 12, 1996; David Zinman; Z00167.
 Quote for Press Release; Jan. 15, 1996; David Zinman; Z00168.
 Re: Quote for Press Release; Jan. 16, 1996; "thomas mark"; Z00169.
 Re: Quote for Press Release (fwd); Jan. 16, 1996; David Zinman; Z00170-Z00171.
 RE> ** Ad Placement Notific; Jan. 19, 1996; Dan_Stoller@ansf.com.
 RE> ** Ad Placement Notific; Jan. 19, 1996; Dan_Stoller@ansf.com; Z00172-Z00173.
 Invitation; Jan. 25, 1996; wilkins@eit.com; Z00174.
 Focalink; Jan. 25, 1996; David Zinman; Z00175.
 SmartBanner Reports; Jan. 25, 1996; David Zinman; Z00176.
 RE: Focalink; Jan. 26, 1996; Rick Vorhaus; Z00177.
 Comments; Jan. 29, 1996; David Zinman; Z00178-Z00182.
 Poppe Tyson/Internet Advertising Network Alliance; Feb. 26, 1996; Ron Kovas; Z00183.
 Fyi; Feb. 5, 1996; "Roger Follis"; Z00184-Z00185.
 Focalink Communications; Feb. 5, 1996; David Zinman; Z00186-Z00188.
 Microsoft-Update; Feb. 5, 1996; Margaret Bond; Z00189.
 Focalink Communications; Feb. 6, 1996; David Zinman; Z00190-Z00192.
 Focalink Communications; Feb. 6, 1996; David Zinman; Z00193-Z00195.
 Focalink Communications; Feb. 6, 1996; David Zinman; Z00196-Z00198.
 [Fwd: Re: DoubleClick and IAN]; Feb. 6, 1996; Jason Strober; Z00199.
 Focalink Communications; Feb. 13, 1996; David Zinman; Z00213.
 Targeting; Feb. 13, 1996; Michael Wang; Z00214.
 Re: Cookies!; Feb. 15, 1996; David Zinman; Z00215.
 Focalink; Feb. 22, 1996; Jason Strober; Z00216.
 Focalink/Microsoft I.E.; Feb. 23, 1996; Margee Bond; Z00217-Z00218.
 Cookies; Mar. 6, 1996; David Zinman; Z00219.
 Booker, Ellis "Seeing a Gap, A Palo Alto Startup Will Debut Advertising Server for the Net", Web Week, v.2 iss. 2. Available online at <http://internetworld.com>. Feb. 1996.
 Metcalf, Bob "From the Ether", InfoWorld, v.18 iss.3. Available at <http://infoworld.com>, Aug. 1996.
 NetGravity AdServer 2.0 Announcement. Available at <http://netgravity.com>, Oct. 1996.
 "Internet Access: Internet marketing revolution begins in the US this Sep." (Hyper Net Offering), Edge: Work-Group Computing Report, v7 n316, Jun. 1996.
 Kohda Y et al: Ubiquitous advertising on the WWW: Merging Advertising on the Browser, Computer Networks and ISDN Systems, vol. 28, No. 11, May 1996, pp. 1493-1499.
 "Focalink Communications"; Feb. 1996; MA0110-MA0149.
 Chat Transcript; Topic: Ad Measurement and Management; Oct. 15, 1998; (<http://www.zeff.com/learn/zdu/advertising/zinman.html>; printed on Feb. 7, 2000).
 CNET Press Release titled "CNET Online Signs Up More Than a Quarter of a Million Members Through Voluntary Registration after Only Five Months"; (<http://home.cnet.com/aboutcnet/0-13613-7-808021.html>; printed on Nov. 26, 1999).
 Cashing in: The rush is on to buy and sell on the Internet, Interactive Media & Marketing, Adv. Age, p. 11, Dec. 19, 1994.
 Improved Internet security enabling . . . , PC Week, v12, n11, p. 1(2), Mar. 20, 1995.
 Internet access: Internet marketing revolution . . . , Edge Work-Group Computing Report, v7, n316, p. 2(1), Jun. 3, 1996.
 "MediaLink: Bell Laboratories unveils sophisticated information insertion technology for broadcast and cable advertising," Edge, v11, p. 43(1), Dec. 16, 1996.
 "Infoseek Offers Web Advertisers Customized Delivery of Ads," Newsbytes, pNEW05270111, May 27, 1997.
 Blankenhorn, Dana; "Sites experiment with advertising to offer free service," Advertising Age's Business Marketing, v82, p. 29, Jul. 1997.
 Lockard, Meredith; "Advertising done your way," Target Marketing, v20, n10, p. 40, ISSN: 0889-5333, Oct. 1997.
 "Ericsson Introduces New Intelligent Network-Based Internet Advertiser At Internet World '98," Business Wire, p. 0240, Oct. 7, 1998.
 17625888; Java and Blackbird: extending the Web . . . ; Seybold Report on Publishing Systems; Oct. 23, 1995.
 17497026; Look who's surfing . . . : Schurr; PC Week; Oct. 30, 1995.
 17594025; HotWired and Neilsem team to verify usage data; Electronic Marketplace Report; Jul. 4, 1995.
 17225819; Write once, publish many times; Ratcliffe; Digital Media; Aug. 7, 1995.
 17189959; Product View seeks funding for 3Q launch of ad-supported . . . ; Electronic Marketplace Report; May 16, 1995.
 17244186; Free E-Mail with Postage Stamp "Ads"; Newsbytes; Jul. 3, 1995.
 CWK19951009S0006; Search-engine advertising; Froom; Communications Week; Nov. 9, 1995.
 www5conf.inria.fr; Ubiquitous Advertising on the WWW; Kohda et al; Fifth International WWW Conference; May 6-10, 1996.
 Bounty Quest home page article titled DoubleClick Bounty Paid Ad Pioneer Turned Online Porn Mogul Wins \$10,000; (<<http://www.bountyquest.com/>>; printed on Mar. 9, 2001).
 Bounty Quest Web page displaying article titled Bounty Collected Double Click Banner Ad Patent; (<http://www.bountyquest.com/bounties/displayBounty.php?bountyName=1019>; printed on Mar. 9, 2001).
 Bounty Quest Web page displaying article titled Digital Porn Mogul Wins Silver Bullet Award; (<http://www.bountyquest.com/winner/bachelor.htm>; printed on Mar. 9, 2001).
 Bounty Quest Web page displaying article titled DoubleChronicle Piror Art; (<http://www.bountyquest.com/patentinfo/douclickart.htm>; printed on Mar. 9, 2001).
 Business Plan posted on Bounty Quest Website titled Summary of Proposed Business Activities for the World Wide Internet Network (WWIN); (<http://www.bountyquest.com/images/doubleclickPage9.gif>; printed on Mar. 9, 2001).
 Sales Literature posted on Bounty Quest Website titled What You Get with WWIN; (<http://bountyquest.com/images/doubleclickGet.gif>; printed on Mar. 9, 2001).
 CNET Press Release titled About CNET; (<http://www.canada.cnet.com/aboutcnet/0-13613-7-808022.html>; printed on Mar. 9, 2001).
 ADMedium Newsletter linked from Bounty Quest Website; (http://uts.cc.utexas.edu/tecas/nl9_2_96.html; printed on Apr. 4, 2001).
 "Online Marketing: . . ."; Internet Week, vol. 1, Issue 36; Dec. 18, 1995; SD005584-SD005585.
 David Zinman; <http://www.focalink.com/dzinman/bio.html>; SD005586.
 "Seeing A Gap . . ."; Ellis Booker; <http://www.internetworld.com/print/1996/02/01/industry/ad-server.html>; Feb., 1996; SD005587.

(56)

References Cited

OTHER PUBLICATIONS

“Readme. 1st; . . .”; David Evans; Marketing Computers, No. 2, vol. 16, p. 12; Feb. 1996; SD005588-SD005589.

“Focalink Will Monitor . . .”; Julia Angwin; San Francisco Chronicle; Feb. 7, 1996; SD005590.

“Media Daily Special: . . .”; Sean Butterbaugh; Media Daily, No. 5, vol. 4; Feb. 7, 1996; SD005591-SD005592.

“Internet Access: Major Companies . . .”; Edge: Work-Group Computing Report; Feb. 12, 1996; SD005593-SD005594.

“Internet Access: First Advertising . . .”; Edge: Work-Group Computing Report; Feb. 12, 1996; SD005595-SD005596.

“Internet Access: Major Companies . . .”; Edge: Work-Group Computing Report; Feb. 12, 1996; SD005597-SD005598.

“Another Media-Buying Firm . . .”; Media Daily, No. 5, vol. 4; Feb. 14, 1996; SD005599-SD005601.

“Working the Web; . . .”; Jennifer Reese; Executive Female, No. 2, vol. 19, p. 24; Mar. 13, 1996; SD005602-SD005604.

“Web ad-management software . . .”; John Evan Froom; InternetWeek; Mar. 18, 1996; SD005605-SD005607.

“Unraveling a tangled Web; . . .”; Ken Siegmann; PC Week, No. 15, vol. 13, p. A4; Apr. 15, 1996; SD005608-SD005610.

“Web Site Links: . . .”; Electronic Marketplace Report, No. 16, vol. 9; Aug. 22, 1995; SD005611-SD005613.

“Interactive Media & Marketing . . .”; Advertising Age; Dec. 11, 1995; SD005614-SD005615.

“Major Companies, Ad Agencies . . .”; Business Wire; Feb. 5, 1996; SD005616-SD005617.

“First Advertising Server Launched . . .”; Business Wire; Feb. 5, 1996; SD005618-SD005619.

“Interactive; Focalink and Doubleclick . . .”; Kim Cleland; Advertising Age, p. 30; Feb. 5, 1996; SD005620-SD005621.

“First Advertising Server Launched . . .”; Business Wire; Feb. 5, 1996; SD005622-SD005623.

“Major Companies, Ad Agencies . . .”; Business Wire; Feb. 5, 1996; SD005624-SD005626.

“Focalink”; DC004278A.

“FocaLink Services”; FocaLink Media Services, Inc.; DC004278B-DC004278C.

“Welcome to Focalink!”; Focalink Communications; DC004278D-DC004278CC.

“Welcome to Focalink!”; Focalink Communications; DC004278DD-DC004278XX.

“Link Marketing”; handwritten page; MA0001.

“Link Marketing”; LinkMarket; MA0002-MA0007.

“LinkMarket”; David Zinman et al.; MA0008-MA0027.

“Link Marketing, LLP”; MA0028-MA0029.

“Link Marketing LLP”; MA0030-MA0038.

“Escapes”; Web page; MA0039-MA0040.

“Industry Overview”; FocaLink Media Services, Inc.; MA0041-MA0053.

“Executive Summary”; Focalink Communications Confidential; printed Jul. 30, 1997; MA0054-MA0109.

51st IEFT—Who is enhancement BOF (whoisfix), Aug. 1, 2001.

Bill Harvey, The Expanded ARF Model: Bridge to the Accountable Advertising Future, Journal of Advertising Research, Mar./Apr. 1997, pp. 11-20.

Business Wire (New York, Nov. 17, 1998), “i33 Communications Links Personal Finance Sites with Dynamic Investment Research Banners; Quote.com and Multex Partner Using i33’s AdMaximize Technology”.

Cespedes & Smith, Database Marketing: New Rules for Policy and Practice, Sloan Management Review, Summer, 1993, pp. 7-22.

Deposition Transcript of Thomas E. Wharton, Sep. 28, 2000, 45 pages.

Doubleclick Measures Beyond the Click with New “Spotlight” Software, Sep. 4, 1996, Doubleclick.

Doubleclick Shines its Spotlight, Sep. 5, 1996, Advertising Age—Interactive Daily.

Doubleclick Unveils Internet Ad Tracking Product, Sep. 4, 1996, Reuter Financial Report.

Luring in Customers Via Web Advertising, Oct. 1996, Business Strategies.

Microsoft Press Computer Dictionary Third Edition, 1997, p. 387 “proxy server”.

Microsoft Press Computer Dictionary Third Edition, 1997, pp. 271 (“junction”), 285 (“link”), 331 (“node”).

Miller, B., “GroupLens: An Open Architecture for Collaborative Filtering,” <ftp://ftp.cs.umn.edu/users/bmiller/prop.ps>, Univ. of Minn., pp. 1-18, Oct. 1995.

Preston Gralla, How the Internet Works, Aug. 1999, Millennium Edition, 202-204 and 243-247.

Spotlight on Doubleclick, Sep. 13, 1996, Information & Interactive Services Report.

Tracking Services Tallies Ad Response, Online Orders, Sep. 16, 1996, DMNews.

Upendra Shardanand, “Social Information Filtering for Music Recommendation,” Sep. 1994, pp. 1-93, Massachusetts Institute of Technology, Thesis.

Webster’s Third New International Dictionary of the English Language Unabridged, 1967, p. 2171 “some”.

“WWW.amazon.com,” web site pages, 15 pages, printed on Jan. 21, 1998 (origination date unknown).

“WWW.barnesandnoble.com” (“WWW.firefly.com”), web site pages, 12 pages, printed on Jan. 21, 1998 (origination date unknown).

Declaration of Dwight Allen Merriman, signed Feb. 9, 2001, 10 pages.

Google’s Preliminary Invalidity Contentions, dated Jun. 26, 2009, 12 pages.

Exhibits A and B, 60 pages, dated Jun. 26, 2009.

Booker, Ellis “Seeing a Gap, A Palo Alto Startup Will Debut Advertising Server for the Net”, Web Week, v.2 iss2. Available online at <http://www.internworld.com>, Feb. 1996.

Metcalfe, Bob “From the Ether”, InfoWorld, v.18 iss 3. Available at <http://www.infoworld.com>, Aug. 1996.

NetGravity AdServer 2.0 Announcement. Available at <http://www.netgravity.com>, Oct. 1996.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3A

USER ID	IP ADDRESS	DOMAIN TYPE	TIME ZONE	LOCATION	SIC	ADS SEEN	ADS CLICKED ON	PAGES ADS SEEN ON
---------	------------	-------------	-----------	----------	-----	----------	----------------	-------------------

FIG. 3B

AD ID	START DATE	END DATE	TOTAL VIEWED	SIC'S	TARGET NO.	PRIOR CLICKED ON'S	PAGES ADS SEEN ON
-------	------------	----------	--------------	-------	------------	--------------------	-------------------

FIG. 3C

DOMAIN NAME	NETWORK ADDRESS	SIC	GEOGRAPHIC LOCATION	TIME ZONE	NO. OF EMPLOYEES
-------------	-----------------	-----	---------------------	-----------	------------------

1

METHOD OF DELIVERY, TARGETING, AND MEASURING ADVERTISING OVER NETWORKS

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.

CROSS REFERENCE TO RELATED APPLICATION

This reissue application is related to continuation reissue application No. 13/336,738 which is a continuation of this application.

BACKGROUND OF THE INVENTION

1. Area of the Art

This invention relates to methods of delivery of advertisements and measuring responses to those delivered advertisements and in particular relates to the targeting of advertisements delivered over networks such as the Internet.

2. Description of the Prior Art

In advertising, it is considered highly desirable to target advertisements to the appropriate potential customer base, rather than to broadcast advertisements in general. It has long been known that, for example, advertisements for computers should generally not appear in magazines on gardening and, conversely, advertisements for gardening tools should not appear in magazines on computers. Similarly, advertisers have generally targeted their advertisements on television to programs appropriate for the desired customer base.

It has also long been known that an advertisement that is repeated too often will eventually become ignored by consumers. Therefore, an advertiser typically wishes to eliminate duplication and reach as many individuals in the advertiser's target group as possible.

The recent development of on-line networks, such as America On-Line, Compuserve, and the Internet, has led to "on-line" advertising. For example, on the Internet, often such on-line advertisements will appear on a web page, such as a banner on the top or the bottom of the page. When the user views a web page using a browser such as Internet Explorer 3 or Netscape 3, the banner appears at the appropriate location and the user may then try to find out more information regarding the advertisement by selecting the advertisement (clicking through on that banner) through the use of the mouse or other pointing device. This will cause a HTTP message to be generated by the browser using the information encapsulated in association with the banner to send a request for an object with a given URL address to a different appropriate web site to access, for example, the advertiser's home page.

Nonetheless, such advertising has had, so far, a poor rate of response because it is untargeted advertising. Thus, someone who is totally uninterested in computers other than they happen to be on the Internet, may continually see advertisements for computers. On the other hand, someone who is interested in computers may continually see advertisements for gardening tools when browsing through a particular web site. Thus it would be highly desirable to have a method of targeting the advertising to the appropriate user.

In addition, if a user of such computer networks is continuously exposed to the same advertisement, the response rate to the advertisement will generally decline. Therefore, it is highly desirable to have a system that controls the frequency of exposure of advertisements to particular users. In addition,

2

it is also important for the advertisers to track response to the advertisements and to acquire as much information about those people responding to the advertisements for targeting those same people at later dates.

Therefore, it is a first object of this invention to provide targeting of advertising over networks such as the Internet. It is a second object of this invention to provide control over frequency of exposure to users for advertisements appearing on web pages over time. It is a third object of the invention to provide the capability to gather information about recipients of the advertisement.

SUMMARY OF THE INVENTION

These and other objects of the invention are achieved by the disclosed system and methods. Information about networks and subnetworks is routinely collected. In addition, information about individual users is also gathered when users select (click on) different advertisements. Also, data is tracked on how often a given advertisement has been displayed, how often a given user has seen a given advertisement, and other information regarding the user and the frequency of the display of the advertisement.

To effect such a capability, an advertising server process is provided as a node on the network. The various advertisements are stored on the network of the server and preferably on the server. When, for example, a user using a web browser accesses a web page that is affiliated with the advertising server process, the affiliated page's encoding includes an embedded reference to an object provided by the advertising server process. That causes the user's browser to contact the advertising server process to provide the advertising image or information that will appear on the accessed web page as displayed by the user's browser. Using the address information and/or other information passed by the browser for the user, including the page being accessed by the user, the advertising server process determines an appropriate advertisement to select for the particular user. In addition, the advertising server process will use information such as the number of times the user has seen various advertisements, how often the advertisement has been seen by any user and the start and stop date for the various advertisements to select which advertisement to transmit to the user's web page for display.

If the user decides to respond to the advertisement selected by the web server by clicking on the advertisement, the advertising server process logs that fact and to have more information about the given user. A derive profile process is used for compiling information on TCP/IP networks for use by the advertising server process. By compiling the information on networks and user selections, the advertising server process is able to compile information that can be used for targeting advertising.

DESCRIPTION OF THE FIGURES

FIG. 1 is diagram for explaining a first embodiment of the invention.

FIG. 2 is a diagram explaining the processes performed in the preferred embodiments.

FIGS. 3A, 3B and 3C are diagrams showing the basic structure of some of the databases kept by the advertising server.

DETAILED DESCRIPTION OF THE INVENTION

The basic architecture of the network 10 comprises at least one affiliate web site 12, an advertisement (ad) server web site

19 and one or more individual advertiser's web sites **18**. Affiliates are one or more entities that generally for a fee contract with the entity providing the advertisement server permit third party advertisements to be displayed on their web sites. When a user using a browser accesses or "visits" a web site of an affiliate, an advertisement provided by the advertisement server **19** will be superimposed on the display of the affiliate's web page displayed by the user's browser. Examples of appropriate affiliates include locator services, service providers, and entities that have popular web sites such as museums, movie studios, etc.

The basic operation of the system is as follows in the preferred embodiment. When a user browsing on the Internet accesses an affiliate's web site **12**, the user's browser generates an HTTP message **20** to get the information for the desired web page. The affiliate's web site in response to the message **20** transmits one or more messages back **22** containing the information to be displayed by the user's browser. In addition, an advertising server process **19** will provide additional information comprising one or more objects such as banner advertisements to be displayed with the information provided from the affiliate web site. Normally, the computers supporting the browser, the affiliate web site and the advertising server process will be at entirely different nodes on the Internet. Upon clicking through or otherwise selecting the advertisement object, which may be an image such as an advertisement banner, an icon, or a video or an audio clip, the browser ends up being connected to the advertiser's server or web site **18** for that advertisement object.

In FIG. 1, a user operates a web browser, such as Netscape or Microsoft Internet Explorer, on a computer or PDA or other Internet capable device **16** to generate through the hypertext transfer protocol (HTTP) **14** a request **20** to any one of preferably a plurality of affiliate web sites **12**. The affiliate web site sends one or more messages back **22** using the same protocol. Those messages **22** preferably contain all of the information available at the particular web site **12** for the requested page to be displayed by the user's browser **16** except for one or more advertising objects such as banner advertisements. These objects preferably do not reside on the affiliate's web server. Instead, the affiliate's web server sends back a link including an IP address for a node running an advertiser server process **19** as well as information about the page on which the advertisement will be displayed. The link by way of example may be a hypertext markup language (HTML) tag, referring to, for example, an inline image such as a banner. The user's browser **16** then transmits a message **23** using the received IP address to access such an object indicated by the HTML tag from the advertisement server **19**. Included in each message **23** typically to the advertising server **19** are: (i) the user's IP address, (ii) a cookie if the browser **16** is cookie enabled and stores cookie information, (iii) a substring key indicating the page in which the advertisement to be provided from the server is to be embedded, and (iv) MIME header information indicating the browser type and version, the operating system of the computer on which the browser is operating and the proxy server type. Upon receiving the request in the message **23**, the advertising server process **19** determines which advertisement or other object to provide to user's browser and transmits the messages **24** containing the object such as a banner advertisement to the user's browser **16** using the HTTP protocol. Preferably contained within the HTTP message is a unique identifier for the advertiser's web page appropriate for the advertisement. That advertisement object is then displayed on the image

created by the web user's browser as a composite of the received affiliate's web page plus the object transmitted back by the advertising web server.

As part of the "click through" process, when the user clicks on the banner or other advertising object displayed by the user's browser **16**, the user's browser again transmits a message to the ad server. The ad server notes the address of the computer of the browser (or any other identifier such as a cookie or a digital signature) that generated the message **23** and transmits back the URL of the advertiser's web page so that the user's web browser **16** generates a message **26** to contact the advertiser's web site. **18**. The ad server process **19** also notes that a "click through" for an advertisement has occurred and updates the various databases in the manner described below. In the above scenario for the click through process, the ad server process must remember which advertisement was sent to the user's browser in order to know where to redirect the user's browser.

While in the above embodiments, the user is a computer on an IP network using a browser, the affiliate web sites are web pages of affiliates located somewhere on the Internet and the ad server is a particular node on the Internet, other setups are also possible. The affiliates may be ISP's or may be actual dedicated web servers and the users may be an entire network instead of an individual browsing on a single computer with a browser.

FIG. 2 shows the ad server architecture. The ad server, which may comprise one or more servers uses a database **54** that will be described below and performs reporting processes **59**, management processes **58**, derivation of profile processes **52** and advertisement processes **19**. The derive profile process **52** is how the advertisement server gathers information about individual users or TCP/IP networks for individual users. Advertisements, which may be advertisement banners are stored within the ad server process **19** and are periodically updated and refreshed. The advertisement server process **19** is used for responding to requests from advertisements provided by the user's as described above. The management process **58** is used for updating the various advertisements and overall control of the advertising server process **19** and also permits the advertisers to interface with the database to obtain up to the date reports on the placement of the advertisements. The report process **59** is used for generating online reports about the success rate of the advertisement and statistics on the users that are viewing and clicking through on various advertisements and also updating the counters in the database that store how often an advertisement has been displayed.

The basic database structure is shown in FIG. 3. For each user identified by the system as shown in FIG. 3A, a user identification, IP address, domain type, time zone, location of the user, standard industrial code for the user's network, the particular advertisements seen and the number of times each such advertisement is seen, the advertisements that were selected or "clicked on" and the pages on which the various users' advertisements were seen is collected. By using the information such as which advertisements a user has expressed interest in and which pages the user was viewing when the user clicked through along with other information, targeted Internet advertising is possible.

FIG. 3B shows a database structure for the advertisements. Included in the information for an advertisement are an identifier for the advertisement, the start date for the advertisement being carried, the last date the advertisement is to be carried, the total number of people who have viewed the advertisements, the target or the minimum number of times the advertisement is to be viewed, acceptable viewers by their

5

web site's SICS (Standard Industry Codes), clicked through and pages that the advertisements are seen on.

Also, as noted above, to enhance the process of identifying information about various users, information on domains or networks is also tracked. This information includes the domain name and type (e.g., military, government, commerce, foreign countries), the IP address, the standard industrial code, the time zone and the address as shown in FIG. 3C. This information can be used in developing information about users. Through the use of these three databases and other appropriate databases that may be kept, the various processes of the advertising server process 19 are performed.

Advertising Server Processes 19

In response to an incoming message to the advertising server process 19, the advertising server processes 19 first attempts to identify the user in FIG. 2. This can be accomplished by at least one of two means. First, any incoming request for an image or a multimedia object is examined to determine the IP address of the requesting browser. The advertising server then notes whether a cookie was received in the MIME heading of the request. From these two pieces of information, a user identification is determined. If a cookie was detected, then the cookie contains the user's identification number that can be accessed in the database. If the user's browser is cookie enabled but no cookie is detected, then the request is from a new user so a user identification must be assigned to the user and that user's new identification number will be transmitted back to the user's browser along with a write cookie instruction that causes the browser to write a cookie containing that unique identification number on the user's local drive for future accesses to affiliate sites. The cookie instruction is transmitted back with the advertisement messages 24. Alternatively, instead of using cookies, digital signatures or certificates or log ins uniquely identifying the user accessing the affiliate page may be used.

If the user's browser does not support cookies, the advertising server process looks up the user's IP address in a table that stores identification numbers that correspond to IP addresses for the users who have previously contacted the advertising server process. If the IP address is not found in the table, then the user is a new user and is assigned an unused identification number. Also, for each new user, that user's identification number will be marked for further processing under the derive profile process 52 described below. Also, if the domain for the new user has not previously been processed in the domain profile process, it may not be possible to target the advertisement for the new user and rather the new user should be shown a generic advertisement. Also, for new users, a promotional advertisement may be shown to get the new user to provide information about him or herself and his or her employer.

If the user is an existing user, the ad server 19 obtains from a database all of the information known about the user including the user's geographic location, the domain type (commercial educational, governmental, the Internet service provided), the organization type where the user works (for example a SIC code), the company size, the number of employees in that company, the particular types of advertisements that the user has clicked on by SIC or other appropriate coding and the number of times that the user has been exposed to each advertisement currently in the system as described in FIG. 3A. Also, the relative time of day for the user is calculated based upon either the user's country code or the user's IP access provider or the location of their domain.

6

Each advertisement along with a table of the targeting profile criteria for the advertisement and other data regarding the advertisement currently available is stored in a database such as shown in FIG. 3B. The actual advertising object, which may be a banner image in a GIF or JPEG file format, an icon for an audio or video clip or some other object is kept as part of the advertising server process. This information may include targeted consumers by SIC, country, organization type and type of advertisements previously selected by the user. For any of the advertisements currently provided for which there is a match (for example there may be several advertisements targeted at people interested in computers), the next step is to determine which of the advertisements for which there is a match should be selected.

The preferred embodiment also includes determining which advertising object should be selected if two or more advertising object have criteria matching the user. selecting from the matched advertisements by determining how often the particular user has been exposed to the given advertisement. For each user, data is kept about the number of times that a user has seen a given advertisement based upon the user ID. For each advertisement where the user matches the criteria, if the number of times that the user has seen the advertisement is less than a predetermined threshold, the advertisement is retained as one of the possible matches. If the number of times that the user has seen a given advertisement exceeds the threshold, the advertisement is discarded as a possible candidate for transmitting back to the user.

From the advertisements for which the user matches the criteria and for which the user has seen the advertisement less than the threshold, any of number of algorithms may be used to select the particular advertisement to transmit back to the user. In an embodiment, the formula used is based upon a satisfaction index (SI) according to the following formula:

$$SI = \frac{n}{N} * \frac{\text{end} - \text{start}}{\text{now} - \text{start}}$$

Where:

n: =the number of times the particular advertisement has been viewed by anyone

N: the number of times the advertisement is to be seen by anyone

end-start: the total number of days that the advertisement is scheduled to run

now-start: the number of days that the advertisement has run to date

The satisfaction index (SI) is 1.0 when the advertisement is on schedule. If the advertisement is running behind schedule (i.e., the current rate of display means that the advertisement will not be viewed the targeted number of times by the end date so that the SI is less than 1.0) while if the SI is greater than 1.0, the advertisement is running ahead of schedule. Therefore, the advertisement that is to be selected for viewing is the one that has a matched profile and has the smallest SI. Upon selecting the advertisement, the selected advertisement object is then transmitted to the user's browser over the Internet by transmitting the GIF stored in RAM in one or more messages.

After delivery of the advertisement to the user, additional processing needs to be done both for tracking the exposure of the advertisement and for having more information about the user. First, the system stores the fact that the advertisement was sent to the user by storing that information in the database based upon the user ID. This information is used for processing the user's response to the advertisement when the user

“clicks” on the advertisement. Also, the advertising processor updates the advertisements satisfaction index and logs the advertisement delivery for providing reports. Also, if the advertisement that has been sent has a limit on the number of times that the advertisement can be sent, the count of the number of times that the advertisement has been transmitted is incremented. This limit can be the overall limit for the number of times that the advertisement is viewed and/or the limit that any specific user can view the advertisement. If the limit on the number of times the advertisement can be sent is reached, then the particular advertisement is removed from the list of those that can be transmitted. In addition, even if an advertisement has not been transmitted recently, the SI is updated to reflect the passage of time.

If the user then decides that he wants to respond to the advertisement and then clicks on the advertisement, the advertisement server **19** receives an HTTP request **23** for a click through which it will recognize by receiving the same IP address (and optionally, the user ID specified by the cookie, digital signature or certificate or log in identification) in the request from the same affiliate’s web page within a predetermined period. Since the advertisement server previously recorded which advertisement was sent to that IP address, it sends the redirect message causing the user’s browser to receive the URL for the advertiser’s web site based upon data stored in the server. In addition, the server logs that the advertisement was clicked through, which user selected the advertisement based upon the IP address, and the page on which the advertisement was seen based upon the click through. This information can then be logged in later reporting processes **59**.

As an alternative to using a satisfaction index, the selection of the particular advertisement object to be sent back to the viewer’s browser by the advertising server process **19** can be made by different criteria. For example, models can be created to maximize the likelihood of a click through. Such models for maximizing the likelihood of a click through may be based upon empirically gathered information about either types of advertisements or individual advertisements actually on the system correlated to the compiled information on a user or the user’s network and the specific page through which the user is accessing the advertising server process **19**.

Derivative Profile Process **52**

In addition, as part of the profiling process for gathering information about users and IP addresses needs to be done. First, appropriate “networks” need to be identified based upon the TCP/IP network address of the user. Periodically, the derive profiles process searches the user database for the address of additional users that have addresses for unknown networks, indicating that they are new users. Then the server does a reverse domain name search to locate the domain name of the user. The server also queries Internet Whois databases to find information about the network, which will often include the domain name.

Alternatively, a reverse form of look up can be used independent of people accessing the network. When a domain is discovered, the server will check common DNS names for the name, such as those starting with “www” and “ftp”. These resolve to IP addresses in most cases. From the IP addresses, the network number can be extracted and if the network does not yet have a domain name associated with the network number or address, the new domain associated with the network. A reverse domain name look up (A Whois lookup) will then usually provide the name, address and phone number of the organization, thereby providing the geographic location

and the time zone of the network. Once the domain name is acquired, the server will determine whether the domain is an educational, military, governmental network and for non-U.S. based networks what country the network is located in through the extension.

However, it should be noted that some networks cover broad geographic areas and that further checking needs to be done to ensure that the data may be inaccurate. This can be done by performing a trace route operation to trace the network topology back to the network being examined. If the last two or three nodes on the trace show as being from a given region, the chances are high that the specific user on a network is located in that geographic area. Thus, reverse traces can be used to confirm location with a database for geographic locations. By checking telephone directories and other sources, the specific location for such users may be found by looking up the locations where the owner of the domain name has facilities and using the one closest to the outcome of the trace back step. If the information for a given user is different than the location of the domain based upon the trace back, it is this address and location information that is then used.

Further for each domain that is found, a determination must be made as to whether the domain is an Internet Service Provider (ISP). A list of domains that are ISP’s is compiled manually. For any user having a domain name of an ISP, the user is presumed to be an individual and so only information relating to that individual are used for the profiling process.

Reporting Process

The reporting process uses standard database techniques for generating any desired reports. For example, reports showing the number of viewings and click throughs of various advertisements may be generated along with reports showing the click through rates relative to the matching criteria. Also, reports on the SI can be readily generated.

In addition to using the domain profiling process and logging advertisement clicked on by individual users and the pages being accessed by users of affiliate web sites, in addition surveying may be used. Further, for those survey respondents who are responding for non-ISP users discussed above, the results of the survey can be attributed to others on the same network. This provides further information for targeting the display of the advertisements.

Of course, those of skill in the field will understand that the disclosed techniques need not just be confined to Internet advertising but will work on other communication networks and private on line services such as CompuServe and America On Line. In addition, while specific user and domain profile information and matching criteria are discussed, it will be obvious to those of ordinary skill in the field that the specific type of user and domain name information profiled and used as matching criteria may include other or different criteria. In addition, while the specific examples are for IP networks, the same concepts can be applied to virtual LAN’s such that a VLAN is the equivalent of a domain or on IPX based protocols or other network protocols.

Still further, rather than using cookies or IP addresses or other network addresses to identify the users, digital signatures or certificates may be used. In addition, a log in technique may be used whereby when users first access an affiliated web site, the user is assigned through a log in procedure a unique identifier and a log in name. When the user subsequently accesses either the same or a different affiliated web site, the user logs in using the unique identifier, thereby ensuring that users can be identified notwithstanding proxy servers or different users using the same computer.

Still further, those of ordinary skill in the field will also understand that while the advertising server, the affiliate web site and the advertiser's web site are described as being in different geographic locations, that is not required. Still further, while the advertising server process, reporting process, 5 derive profile process and management process are described as being implemented on one computer platform performing all of the above described functions, it is readily understood by those of skill that any or all of these functions may be implemented on one or more different computers and further 10 that these processes may be performed at different nodes on the network.

We claim:

[1. A network comprising:
a user node having a browser program coupled to said network, said user node providing requests for information on said network;
a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node;
an advertiser node having an advertiser web site including advertising content, said advertiser node responsive to a request to provide said advertising content; and
an advertisement server node responsive to a request from said user node based on said link message to select an advertiser node as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node,
whereby said advertising content from said selected advertiser node is displayed at said user node.]

[2. A network in accordance with claim 1, wherein said advertisement server node selects said advertiser node based on the number of times said advertising content has been previously displayed at said user node.]

[3. A network in accordance with claim 1, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.]

[4. A network in accordance with claim 3, wherein said advertisement server node selects said advertiser node based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.]

[5. A network in accordance with claim 1, wherein said link message is an HTML tag.]

[6. A network in accordance with claim 1, wherein said link message is an HTTP redirect message containing an IP address used to redirect said user node to said advertisement server node.]

[7. In a network having a user node including a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, a plurality of advertiser nodes, each of said plurality of advertiser nodes having a respective advertiser web site including respective advertising content, each of said advertiser nodes responsive to a respective request to provide respective advertising content, a network node comprising:

an advertisement server node responsive to a request from said user node based on said link message to select an advertiser node as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node, whereby said advertising content from said selected advertiser node is displayed at said user node.]

[8. An advertisement server node in accordance with claim 7, wherein said advertisement server node selects said advertiser node based on the number of times said advertising content has been previously displayed at said user node.]

[9. An advertisement server node in accordance with claim 7, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.]

[10. An advertisement server node in accordance with claim 9, wherein said advertisement server node selects said advertiser node based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.]

[11. A network node in accordance with claim 7, wherein said link message is an HTML tag.]

[12. A network node in accordance with claim 7, wherein said link message is an HTTP redirect message containing an IP address used to redirect said user node to said advertisement server node.]

[13. In a network having a user node including a browser program coupled to said network, said user node providing requests for information on said network, an advertiser node having an advertiser web site including advertising content, said advertiser node responsive to a request to provide said advertising content, and an advertisement server node responsive to a request from said user node to select an advertiser node as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node, wherein said advertising content from said selected advertiser node is displayed at said user node, a network node comprising:

a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content and advertising space for display of advertising content, said content provider affiliate web site further providing a link message to said user node identifying the IP address of said advertisement server node to said user node for providing advertising content for said advertising space.]

[14. A network node in accordance with claim 13, wherein said link message is an HTML tag.]

[15. A network node in accordance with claim 13, wherein said link message is an HTTP redirect message containing said IP address used to redirect said user node to said advertisement server node.]

[16. A network comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;
a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node; and
an advertisement server node responsive to a request from said user node based on said link message to select an

11

advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node, whereby said advertising banner from said advertisement server node is displayed at said user node in said advertising space.]

[17. An advertisement server node in accordance with claim 16, wherein said advertisement server node selects said advertiser node based on the number of times said advertising content has been previously displayed at said user node.]

[18. An advertisement server node in accordance with claim 16, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.]

[19. An advertisement server node in accordance with claim 18, wherein said advertisement server node selects said advertiser node based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.]

[20. A network in accordance with claim 16, further including:

wherein said advertisement server node is responsive to a request from said user node to identify an advertiser web site corresponding to said advertising banner; and an advertiser node having an advertiser web site including advertising content corresponding to said advertising banner, said advertiser node responsive to a request to provide said advertising content corresponding to the selection of said advertising banner by said user, whereby said advertising content from said advertiser node is displayed at said user node.]

[21. A network in accordance with claim 16, wherein said link message is an HTML tag.]

[22. A network in accordance with claim 16, wherein said link message is an HTTP redirect message containing an IP address used to redirect said user node to said advertisement server node.]

[23. In a network comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, a network node comprising:

an advertisement server node responsive to a request from said user node based on said link message to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node, wherein said advertising banner from said advertisement server node is displayed at said user node in said advertising space.]

[24. An advertisement server node in accordance with claim 23, wherein said advertisement server node selects said advertising banner based on the number of times said advertising content has been previously displayed at said user node.]

[25. An advertisement server node in accordance with claim 23, wherein said advertisement server node selects said advertising banner based on the characteristics of said user.]

[26. An advertisement server node in accordance with claim 25, wherein said advertisement server node selects said advertising banner based on at least one of the characteristics

12

of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.]

[27. A network node in accordance with claim 23, wherein said link message is an HTML tag.]

[28. A network node in accordance with claim 23, wherein said link message is an HTTP redirect message containing an IP address used to redirect said user node to said advertisement server node.]

[29. In a network comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, an advertisement server node responsive to a request from said user node to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node, a network node comprising:

a content provider affiliate node having a respective affiliate to web site responsive to requests for information from said user node to provide media content and advertising space for display of advertising content, said content provider affiliate web site further providing a link message to said user node identifying the IP address of said advertisement server node to said user node for providing an advertising banner for said advertising space.]

[30. A network node in accordance with claim 29, wherein said link message is an HTML tag.]

[31. A network node in accordance with claim 29, wherein said link message is an HTTP redirect message containing said IP address used to redirect said user node to said advertisement server node.]

[32. In a network comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, and an advertiser node having an advertiser web site including advertising content corresponding to said advertising banner, said advertiser node responsive to a request to provide said advertising content corresponding to the selection of said advertising banner by said user, a network node comprising:

an advertisement server node responsive to a request from said user node based on said link message to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node, wherein said advertisement server node is responsive to a request from said user node to identify an advertiser web site corresponding to said advertising banner, whereby said advertising banner from said advertisement server node is displayed at said user node in said advertising space, and whereby said advertising content from said selected advertiser node is displayed at said user node.]

[33. An advertisement server node in accordance with claim 32, wherein said advertisement server node selects said advertising banner based on the number of times said advertising content has been previously displayed at said user node.]

[34. An advertisement server node in accordance with claim 32, wherein said advertisement server node selects said advertising banner based on the characteristics of said user.]

[35. An advertisement server node in accordance with claim 34, wherein said advertisement server node selects said advertising banner based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.]

[36. A network method in accordance with claim 35, wherein said advertisement server node selects said advertising banner based on the characteristics of said user.]

[37. A network method in accordance with claim 36, wherein said advertisement server node selects said advertising banner based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.]

[38. A network method in accordance with claim 35, wherein said advertisement server node selects said advertising banner based on the number of times said advertising content has been previously displayed at said user node.]

[39. A method in accordance with claim 37, said method further comprising:

sending a request from said user node to said advertising server web site responsive to selection of said advertising banner at said user node;

sending a reply from said advertising server web site to said user node identifying said advertiser web site corresponding to said advertising banner;

sending a request from said user node to said advertising web site to provide said advertising content corresponding to said advertising banner by said user;

sending a reply from said advertiser web site to said user node; and

displaying said advertising content at said user node.]

[40. A network node in accordance with claim 32, wherein said link message is an HTML tag.]

[41. A network node in accordance with claim 32, wherein said link message is an HTTP redirect message containing an IP address used to redirect said user node to said advertisement server node.]

[42. In a network including a user node having a browser program coupled to said network, a content provider affiliate node having a respective affiliate web site containing media content, advertising space for display of advertising content and an advertisement server node having an advertising server web site, a method for delivery of advertising to said user node, said method comprising:

sending a request for information from said user node to said affiliate web site requesting information;

sending a reply from said affiliate web site responsive to said request for information from said user node, said reply containing media content, advertising space for display of advertising content and a link message to said user node;

sending a request from said user node based on said link message to said advertising server web site to provide an advertising banner for said advertising space;

selecting, at said advertising server web site, an advertising banner;

sending a reply from said advertising server web site identifying said advertising banner to said user node; and displaying said advertising banner in said advertising space at said user node.]

[43. A network method in accordance with claim 42, wherein said link message is an HTML tag.]

[44. A network method in accordance with claim 42, wherein said link message is an HTTP redirect message containing an IP address used to redirect said user node to said advertisement server node.]

[45. In a network including a user node having a browser program coupled to said network, a content provider affiliate node having a respective affiliate web site containing media content and advertising space for display of advertising content, an advertisement server node, and an advertiser node having an advertiser web site including advertising content, a method for delivery of advertising content to said user node said method comprising:

sending a request for information from said user node to said affiliate web site requesting information;

sending a reply from said affiliate web site, responsive to said request for information from said user node, containing media content, advertising space for display of advertising content and a link message to said user node;

sending a request based on said link message from said user node to said advertisement server node to select an advertiser node;

selecting, at said advertisement server node, an advertiser node;

sending a reply from said advertisement server node to said user node identifying said selected advertiser node;

sending a request from said user node to said advertiser node to provide said advertising content to said user;

sending a reply from said advertiser web site to said user node containing said advertising content; and displaying said advertising content at said user node.]

[46. A network method in accordance with claim 45, wherein said advertisement server node selects said advertiser node based on the number of times said advertising content has been previously displayed at said user node.]

[47. A network method in accordance with claim 45, wherein said advertisement server node selects said advertiser node based on the characteristics of said user.]

[48. A network method in accordance with claim 47, wherein said advertisement server node selects said advertiser node based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.]

[49. A network method in accordance with claim 45, wherein said link message is an HTML tag.]

[50. A network method in accordance with claim 45, wherein said link message is an HTTP redirect message containing an IP address used to redirect said user node to said advertisement server node.]

51. A network comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

a content provider affiliate node having a respective affiliate web site responsive to requests for information from

15

said user node to provide media content, advertising space for display of advertising content and a link message to said user node;

an advertiser node having an advertiser web site including advertising content, said advertiser node responsive to a request to provide said advertising content; and an advertisement server node responsive to a request from said user node based on said link message to select said advertiser node as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node,

whereby said advertising content from said selected advertiser node is displayed at said user node in response to a request sent from said user node to said advertiser node to provide said advertising content,

wherein said advertisement server node selects said advertiser node based on a number of times said advertising content has been previously displayed at said user node.

52. In a network having a user node including a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, a plurality of advertiser nodes, each of said plurality of advertiser nodes having a respective advertiser web site including respective advertising content, each of said advertiser nodes responsive to a respective request to provide respective advertising content, a network node comprising:

an advertisement server node responsive to a request from said user node based on said link message to select one of said plurality of advertiser nodes as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node, whereby said advertising content from said selected advertiser node is displayed at said user node in response to a request sent from said user node to said advertiser node to provide said advertising content,

wherein said advertisement server node selects said advertiser node based on a number of times said advertising content has been previously displayed at said user node.

53. A network comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node; and

an advertisement server node responsive to a request from said user node based on said link message to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node,

whereby said advertising banner from said advertisement server node is displayed at said user node in said advertising space,

wherein said advertisement server node selects said advertising banner based on a number of times said advertising banner has been previously displayed at said user node.

54. In a network comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive

16

to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, a network node comprising:

an advertisement server node responsive to a request from said user node based on said link message to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node, wherein said advertising banner from said advertisement server node is displayed at said user node in said advertising space, wherein said advertisement server node selects said advertising banner based on a number of times said advertising banner has been previously displayed at said user node.

55. In a network comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, and an advertiser node having an advertiser web site including advertising content corresponding to an advertising banner, said advertiser node responsive to a request to provide said advertising content corresponding to the selection of said advertising banner by a user, a network node comprising:

an advertisement server node responsive to a request from said user node based on said link message to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node, wherein said advertisement server node is responsive to a request from said user node to identify an advertiser web site corresponding to said advertising banner, whereby said advertising banner from said advertisement server node is displayed at said user node in said advertising space, and whereby said advertising content corresponding to the selection of said advertising banner is displayed at said user node in response to a request sent from said user node to said advertiser node to provide said advertising content,

wherein said advertisement server node selects said advertising banner based on a number of times said advertising banner has been previously displayed at said user node.

56. In a network including a user node having a browser program coupled to said network, a content provider affiliate node having a respective affiliate web site containing media content, advertising space for display of advertising content and an advertisement server node having an advertising server web site, a method for delivery of advertising to said user node, said method comprising:

sending a request for information from said user node to said affiliate web site requesting information;

sending a reply from said affiliate web site responsive to said request for information from said user node, said reply containing media content, advertising space for display of advertising content and a link message to said user node;

sending a request from said user node based on said link message to said advertising server web site to provide an advertising banner for said advertising space;

selecting, at said advertising server web site, an advertising banner;

sending a reply from said advertising server web site identifying said advertising banner to said user node; and

17

displaying said advertising banner in said advertising space at said user node,

wherein said advertisement server node selects said advertising banner based on a number of times said advertising banner has been previously displayed at said user node. 5

57. In a network including a user node having a browser program coupled to said network, a content provider affiliate node having a respective affiliate web site containing media content and advertising space for display of advertising content, an advertisement server node, and an advertiser node having an advertiser web site including advertising content, a method for delivery of advertising content to said user node said method comprising: 10

sending a request for information from said user node to said affiliate web site requesting information; 15

sending a reply from said affiliate web site, responsive to said request for information from said user node, con-

18

taining media content, advertising space for display of advertising content and a link message to said user node;

sending a request based on said link message from said user node to said advertisement server node to select an advertiser node;

selecting, at said advertisement server node, an advertiser node;

sending a reply from said advertisement server node to said user node identifying said selected advertiser node;

sending a request from said user node to said advertiser node to provide said advertising content to said user;

sending a reply from said advertiser web site to said user node containing said advertising content; and

displaying said advertising content at said user node,

wherein said advertisement server node selects said advertiser node based on a number of times said advertising content has been previously displayed at said user node.

* * * * *