



US00RE44812E

(19) **United States**
 (12) **Reissued Patent**
Hedges

(10) **Patent Number: US RE44,812 E**
 (45) **Date of Reissued Patent: Mar. 18, 2014**

(54) **METHOD FOR EXTRACTING HYDROPHOBIN FROM A SOLUTION**
 (71) Applicant: **Conopco, Inc.**, Englewood Cliffs, NJ (US)
 (72) Inventor: **Nicholas David Hedges**, Sharnbrook (GB)
 (73) Assignee: **Conopco, Inc.**, Englewood Cliffs, NJ (US)
 (21) Appl. No.: **13/954,091**
 (22) Filed: **Jul. 30, 2013**

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **8,354,503**
 Issued: **Jan. 15, 2013**
 Appl. No.: **12/636,157**
 Filed: **Dec. 11, 2009**

(30) Foreign Application Priority Data

Dec. 16, 2008 (EP) 08171868

(51) **Int. Cl.**
C07K 1/14 (2006.01)
A61K 31/731 (2006.01)
A61K 38/00 (2006.01)

(52) **U.S. Cl.**
 USPC **530/344**; 530/350; 530/361; 424/493;
 424/499

(58) **Field of Classification Search**
 CPC **A61K 31/731**
 See application file for complete search history.

(56) References Cited**U.S. PATENT DOCUMENTS**

2,604,406 A	7/1952	Blihovde
2,844,470 A	7/1958	Akerboom et al.
2,937,093 A	5/1960	Gorman et al.
2,970,017 A	2/1961	Melnick
2,970,917 A	2/1961	Melnick
3,266,214 A	8/1966	Kramme
3,346,387 A	10/1967	Moncrieff et al.
3,914,441 A	10/1975	Finney et al.
3,946,122 A	3/1976	Scharp
4,066,794 A	1/1978	Schur
4,146,652 A	3/1979	Kahn et al.
4,305,964 A	12/1981	Moran et al.
4,325,980 A	4/1982	Rek et al.
4,425,369 A	1/1984	Sakamoto et al.
4,542,035 A	9/1985	Huang et al.
4,627,631 A	12/1986	Sherman
4,627,983 A	12/1986	Scharf et al.
4,629,628 A	12/1986	Negro
4,668,519 A	5/1987	Dartey et al.
4,869,915 A	9/1989	Inayoshi et al.
4,874,627 A	10/1989	Greig et al.
4,946,625 A	8/1990	O'Lenick
4,954,440 A	9/1990	Johal et al.
4,960,540 A	10/1990	Friel et al.
5,084,295 A	1/1992	Whelan et al.
5,104,674 A	4/1992	Chen et al.
5,202,147 A	4/1993	Traska et al.
5,208,028 A	5/1993	Clement et al.
5,215,777 A	6/1993	Asher et al.
5,336,514 A	8/1994	Jones et al.
5,393,549 A	2/1995	Badertscher et al.
5,397,592 A	3/1995	Vermaas et al.

5,436,021 A	7/1995	Bodor et al.
5,486,372 A	1/1996	Martin et al.
5,536,514 A	7/1996	Bishay et al.
5,620,732 A	4/1997	Clemmings et al.
5,624,612 A	4/1997	Sewall et al.
5,681,505 A	10/1997	Phillips et al.
5,738,897 A	4/1998	Gidley
5,770,248 A	6/1998	Liebfred et al.
5,980,969 A	11/1999	Mordini et al.
6,063,602 A	5/2000	Prosperi et al.
6,096,867 A	8/2000	Byass et al.
6,187,365 B1	2/2001	Vaghela et al.
6,238,714 B1	5/2001	Binder et al.
6,284,303 B1	9/2001	Rowe et al.
6,497,913 B1	12/2002	Gray et al.
6,579,557 B1	6/2003	Benjamins et al.
6,685,977 B1	2/2004	Asano et al.
6,914,043 B1	7/2005	Chapman et al.
7,338,779 B1	3/2008	Nakari-Setala et al.
8,178,151 B2	5/2012	Bramley et al.
8,206,770 B2	6/2012	Aldred et al.
8,216,624 B2	7/2012	Berry et al.
8,354,503 B2	1/2013	Hedges et al.
8,357,420 B2	1/2013	Cox et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CA	271999 A	6/1927
CA	1094866	10/2003

(Continued)

OTHER PUBLICATIONS

Jan. 1, 2005, Fats Oils Fatty Acids Triglycerides, Scientific Psychic, 1-4.

Jun. 14, 2010, Guar Gum, Guargum.biz, 1.

Oct. 16, 2009, Search proteins matching the sequence pattern used for the hydrophobin definition in patent EP 1926 399 B1, Nestle Research Center, 1-3.

Arbuckle, Jan. 1, 1972, Ice Cream, Ice Cream 2nd Ed, pp. 15, 18, 31, 35, 61, 65, 265-266 and 284-285.

Askolin, et al., Aug. 9, 2001, Overproduction purification and characterization of *Trichoderma reesei* hydrophobin HFBI, Appl Microbiol Biotechnol, 57, 124-130.Askolin, et al., Jan. 10, 2006, Interaction & comparison of a Class I Hydrophobin from schizophyllum commune & Class II Hydro form *trichoderma reesei*, Biomacromolecules, 7, 1295-1301.Bailey, et al., Jan. 31, 2002, Process Technol effects of deletion & amplification of hydrophobins I & II in transformants of *Trich reesei*, Appl Microbiol Biotechnol, 58, 721-727.

Bay, Jan. 1, 2002, La Cucina Italiana Italian Cuisine, Edizioni Piemme, *, 1233.

(Continued)

Primary Examiner — Manjunath Rao*Assistant Examiner* — Samuel Liu(74) *Attorney, Agent, or Firm* — Alan A. Bornstein**(57) ABSTRACT**

Process for extracting hydrophobin from a solution wherein carrageenan is added to the solution and the pH of the solution is brought below 3.5, and the ionic strength of the solution is below 0.5.

22 Claims, No Drawings

(56)

References Cited

U.S. PATENT DOCUMENTS

8,394,444	B2	3/2013	Cox et al.
2001/0048962	A1	12/2001	Fenn et al.
2002/0085987	A1*	7/2002	Brown et al. 424/70.11
2002/0155208	A1	10/2002	Benjamins et al.
2002/0182300	A1	12/2002	Groh et al.
2002/0197375	A1	12/2002	Adolphi et al.
2003/0087017	A1	5/2003	Hanselmann et al.
2003/0099751	A1	5/2003	Aldred et al.
2003/0134025	A1	7/2003	Vaghela et al.
2003/0148400	A1	8/2003	Haikara et al.
2003/0166960	A1	9/2003	de Vocht et al.
2003/0175407	A1	9/2003	Kunst et al.
2003/0190402	A1	10/2003	McBride
2004/0109930	A1	6/2004	Hooft et al.
2004/0161503	A1	8/2004	Malone et al.
2004/0185162	A1	9/2004	Finnigan et al.
2005/0037110	A1	2/2005	Windhab et al.
2005/0058058	A1	3/2005	Cho et al.
2005/0123666	A1	6/2005	Vaghela et al.
2005/0123668	A1	6/2005	Kodali et al.
2005/0129810	A1	6/2005	Lindner et al.
2005/0193744	A1	9/2005	Cockings et al.
2006/0024417	A1	2/2006	Berry et al.
2006/0024419	A1	2/2006	Aldred et al.
2007/0014908	A1	1/2007	Bramley et al.
2007/0071865	A1	3/2007	Aldred et al.
2007/0071866	A1	3/2007	Cox et al.
2007/0116848	A1	5/2007	Aldred et al.
2007/0286936	A1	12/2007	Bramley et al.
2007/0298490	A1	12/2007	Sweigard et al.
2008/0175972	A1	7/2008	Cox
2008/0254180	A1	10/2008	Windhab et al.
2008/0305237	A1	12/2008	Beltman et al.
2009/0136433	A1	5/2009	Subkowski et al.
2009/0142467	A1	6/2009	Aldred et al.
2010/0303998	A1	12/2010	Cox et al.

FOREIGN PATENT DOCUMENTS

CA	1218557	11/2004
CN	101054407	10/2007
CN	101215321	7/2008
DE	29715519	11/1997
DE	102004038685	2/2006
EP	216270	4/1987
EP	0274348	7/1988
EP	0285198	10/1988
EP	0322952	A2 7/1989
EP	0336817	10/1989
EP	0426211	5/1991
EP	0426211	A1 5/1991
EP	0469656	2/1992
EP	0521543	1/1993
EP	0477825	B1 12/1996
EP	775444	A1 5/1997
EP	0777969	6/1997
EP	0777969	B1 6/1997
EP	0930017	7/1999
EP	0930017	A1 7/1999
EP	1061006	12/2000
EP	1074181	A1 2/2001
EP	0747301	8/2001
EP	0783254	B1 8/2001
EP	0919134	11/2001
EP	0771531	B1 9/2002
EP	1284106	2/2003
EP	0995685	4/2003
EP	1400486	3/2004
EP	1520483	4/2005
EP	1520484	4/2005
EP	1520485	4/2005
EP	1557092	7/2005
EP	1621084	2/2006
EP	1621084	A1 2/2006

EP	1623631	2/2006
EP	1626361	A1 2/2006
EP	1541034	A1 6/2006
EP	1849461	A1 10/2007
EP	2052628	4/2009
EP	2052628	A1 4/2009
GB	459583	1/1937
GB	1556297	11/1979
JP	530006491	1/1978
JP	530006491	7/1978
JP	61219342	9/1986
JP	61293348	12/1986
JP	03164156	7/1991
JP	3244348	A 10/1991
JP	08500486	1/1996
JP	2005278484	10/2005
KR	2004018844	3/2004
WO	WO9013571	11/1990
WO	WO9111109	8/1991
WO	WO9222581	12/1992
WO	WO9403617	2/1994
WO	WO9412050	6/1994
WO	WO9413154	6/1994
WO	WO9523843	9/1995
WO	WO9611586	4/1996
WO	WO9621362	7/1996
WO	WO9639878	12/1996
WO	WO9641882	12/1996
WO	WO9804148	2/1998
WO	WO9804699	2/1998
WO	WO9937673	7/1999
WO	WO9954725	10/1999
WO	WO0022936	4/2000
WO	WO0053026	9/2000
WO	WO0058342	10/2000
WO	WO0114521	3/2001
WO	WO0135756	A1 5/2001
WO	WO0157076	8/2001
WO	WO0174864	10/2001
WO	WO0183534	11/2001
WO	WO0184945	A1 11/2001
WO	WO03015530	A1 2/2003
WO	WO03051136	A1 6/2003
WO	WO03053383	A2 7/2003
WO	WO03053883	7/2003
WO	WO03096821	11/2003
WO	WO2005058055	6/2005
WO	WO2005058067	A1 6/2005
WO	WO2005102067	11/2005
WO	WO2005113387	12/2005
WO	WO2005113387	A2 12/2005
WO	WO2006010425	2/2006
WO	WO2007087967	8/2007
WO	WO2008031796	A1 3/2008
WO	WO2008116733	10/2008
WO	WO2009047657	A2 4/2009
WO	WO2010067059	6/2010
WO	WO2010067059	A1 6/2010

OTHER PUBLICATIONS

- Berolzheimer, Jan. 1, 1988, Culinary Arts Institute Encyclopedic Cookbook, Culinary Arts Institute, *, 648.
- Calonje, et al., Dec. 13, 2002, Properties of a hydrophobin isolated from the mycoparasitic fungus *verticillium fungicola*, Can J Microbiol, 48, 1030-1034.
- Chaisalee, et al., Oct. 1, 2003, Mechanism of Antifoam Behavior of Solutions of Nonionic Surfactants Above the Cloud Point, Journal of Surfactants & Detergents, 6, No. 4, 345-351.
- Chakraborty, et al., Jan. 1, 1972, Stabilization of Calcium Sensitive Plant Proteins by k-Carrageenan, Journal of Food Science, 37, 719-721.
- Cheer, et al., Jan. 1, 1983, Effects of Sucrose on the Rheological Behavior of Wheat Starch Pastes, Journal of Applied Polymer Science, 28, 1829-1836.
- Collen, et al., Jan. 15, 2002, A novel two-step extraction method w detergent polymer sys for primary recovery of the fusion protein endoglucanase I-hydro I, Biochimica et Biophysica Acta, 1569, No. 1-3, 139-150.

(56)

References Cited

OTHER PUBLICATIONS

- CP Kelco US Inc., Apr. 17, 2007, Certificate of Analysis for Keltrol RD, CP Kelco, *, 1.
- CRC Jan. 1, 2008, Fennema's Food Chemistry, CRC Press, 4th Ed., pp. 727-728, Taylor & Francis Group.
- Cruse, May 26, 1970, Whipped Soup is Tasty, St. Petersburg Independent, ., B-4, p. 1.
- Damodaran, Oct. 27, 2004, Adsorbed layers formed from mixtures of proteins, Current Opinion to Colloid & Interface Science, 9, 328-339.
- Davis, et al., Jan. 1, 2001, Application of foaming for the recovery of surfactin from *B. subtilis* ATCC 21332 cultures, Enzyme & Microbial Technology, 28, 346-354.
- De Vocht et al., Apr. 1998, Structural Characterization of the Hydrophobin SC3, as a Monomer and after Self-Assembly at Hydrophobic/Hydrophilic Interfaces, Biophysical Journal, 74, 2059-2068.
- De Vries, et al., Mar. 2, 1999, Identification & characterization of a tri-partite hydrophobin from *Claviceps fusiformis*, Eur J Biochem, 262, 377-385.
- Dictionary.com, Jun. 14, 2010, Stabilizer, Dictionary.com, *, 1-5.
- Dr. E. Kodziejczyk, Nov. 16, 2009, Adsorption of different proteins to Teflon sheets: Experimental Results, Nestle Research Center, pp. 1-10.
- Fellows, 2000, Principles and Practice, Food processing technology, 2nd, 83, 140, 429, Foodhead Publishing.
- Goh, Apr. 8, 2002, Applications and Uses of Palm and Palm Kernel Oils, Malaysian Oil Science and Technology, 11, 46-50.
- Grant, Jan. 1, 1987, Grant & Hackh's Chemical Dictionary, McGraw-Hill, 5th Ed, 212.
- Guner, et al., Jan. 1, 2007, Production of yogurt ice cream at different acidity, Intl Journ of Food Sc & Tech, 42, 948-952.
- Hakanpaa, et al., Jan. 2, 2004, Atomic Resolution Structure of the HFBII Hydrophobin a Self-assembling Amphiphile, Journal of Biological Chemistry, 279, No. 1, 534-539.
- Holmes, et al., Oct. 10, 2006, Evaluation of antifoams in the expression of a recombinant FC fusion protein in shake flask cultures, Microbial Cell Factories, 5, No. 1, pp. 1-3.
- Hung, et al., Aug. 20, 2007, Cloud-point extraction of selected polycyclic aromatic hydrocarbons by nonionic surfactants, Separation & Purification Tech, 57, 1-10.
- Hunter, et al., Jan. 1, 2008, The role of particles in stabilising foams and emulsions, Advances in Colloid & Interface Science, 137, 57-81.
- Katzbauer et al, Jun. 19, 1997, Properties and applications of xanthan gum, Polymer Degradation and Stability, vol. 59, 81-84, Elsevier.
- Kershaw, et al., Jan. 1, 1998, Hydrophobins and Repellents Proteins with Fundamental Roles in Fungal Morphogenesis, Genetics & Biology, 23, 18-33.
- Kilcast et al., Jun. 20, 2002, Sensory perception of creaminess and its relationship with food structure, Food Quality and Preference, 13, 609-623.
- Kloek, et al., Feb. 2, 2001, Effect of Bulk and Interfacial Rheological Properties on Bubble Dissolution, Journal of Colloid & Interface Sc, 237, 158-166.
- Lambou et al., 1973, Whey Solids as Agricultural Foam Stabilizers, Jr. of Agr. and Food Chemistry, 21 No. 2, 257-263.
- Linder, Jan. 21, 2005, Hydrophobins: the protein-amphiphiles of filamentous fungi, Microbiology Reviews, vol. 29 No. 5, 877-896.
- Linder, et al., Jul. 1, 2001, The hydrophobins HFBI & HFBII from *Trichoderma reesei* showing efficient interactions w nonionic surfactants in aqueous two-phase sys, Biomacromolecules, 2, No. 2, 511, 514, 515, 516.
- Lumsdon, et al., Sep. 1, 2005, Adsorption of hydrophobin proteins at hydrophobic & hydrophilic interfaces, Colloids & Surfaces, 44, 172-178.
- Marshall, Jan. 1, 2003, Ice Cream, Springer, 6th Ed, 70-73.
- Martin, et al., Jan. 14, 2000, Sc30 Hydrophobin Organization in Aqueous Media & Assembly onto Surfaces as Mediated by Assoc Polysaccharide Schizophyllan, Biomacromolecules, 1, 49-58.
- Mathlouthi, et al., Jan. 1, 1995, Rheological properties of sucrose solutions and suspensions, Sucrose Properties & Applic, *, 126-154.
- McCabe, et al., Dec. 1, 1999, Secretion of Cryparin a Fungal Hydrophobin, Applied & Environmental Microbiology, 65, No. 12, 5431-5435.
- McGregor, et al., Jan. 1, 1988, Antifoam effects on ultrafiltration, Biotechnology & Bioengineering, 31, No. 4, 385-389.
- Minor, et al., Jan. 1, 2009, Preparation and sensory perception of fat-free foams effect of matrix properties and level of aeration, Intl Journ of Food Sc & Tech, 44, 735-747.
- Murray, Aug. 3, 2007, Stabilization of bubbles and foams, Current Opinion in Colloid & Interface Science, 12, 232-241.
- Wang et al, Protease A Stability of Beer Foam II, China Academic Journal, May 31, 2004, pp. 11-15, ., CN.
- Research pushes the right buttons, mushrooms are the new fat, University of Birmingham, Feb. 25, 2008, pp. 1-2.
- Cox, et al., Jan. 1, 2009, Exceptional Stability of food foams using class II hydrophobin HFBII, Food Hydrocolloids, 23, 366-376.
- Cox, et al., Jun. 20, 2007, Surface Properties of Class II Hydrophobins from *Trichoderma reesei* & Influence on bubble stability, Langmuir, 23, 7995-8002.
- Pardun, 1977, Soy Protein Preparations as Antispattering Agents for Margarine, Fette Seifen Anstrichmittel, vol. 79, No. 5, pp. 195-203 (Abstract Only).
- Samsudin, 2010, Low-Fat Chocolate Spread Based on Palm Oil, retrieved from Internet: <http://palmoils.mpob.gov.my/pulibcations/pod45-salmi.pdf>, pp. 27-30.
- Kinderlerer, 1997, *Chrysosporium* species, potential spoilage organisms of chocolate, Jr. of Applied Microbiology, vol. 83, pp. 771-778.
- Scott et al., 1983, Influence of Temperature on the Measurement of Water Activity of Food and Salt Systems, Journal of Food Science, vol. 48, pp. 552-554.
- Co-Pending application Aldred et al., U.S. Appl. No. 11/525,060, filed Sep. 21, 2006; pp. 1-32.
- Co-Pending application Aldred et al., U.S. Appl. No. 11/524,977, filed Sep. 21, 2006; pp. 1-39.
- Co-pending application Cox et al., U.S. Appl. No. 11/524,675, filed Sep. 21, 2006, pp. 1-19.
- Co-Pending application Cox et al., U.S. Appl. No. 11/699,601, filed Jan. 30, 2007, pp. 1-28.
- Co-Pending application Cox et al., U.S. Appl. No. 11/699,602, filed Jan. 30, 2007, pp. 1-26.
- Co-Pending application Burmester et al., U.S. Appl. No. 12/002,684, filed Dec. 18, 2007, pp. 1-35.
- Co-Pending application Burmester et al., U.S. Appl. No. 13/091,796, filed Apr. 21, 2011, pp. 1-35.
- Co-Pending application Cox et al., U.S. Appl. No. 12/682,717, filed Apr. 12, 2010; pp. 1-27.
- Co-Pending application Aldred et al., U.S. Appl. No. 12/287,957, filed Oct. 15, 2008; pp. 1-28.
- Co-Pending application Cox et al., U.S. Appl. No. 12/578,752, filed Oct. 14, 2009; pp. 1-14.
- Co-Pending application Aldred et al., U.S. Appl. No. 12/788,395, filed May 27, 2010; pp. 1-13.
- Co-Pending application Watts et al., U.S. Appl. No. 12/788,419, filed May 27, 2010; pp. 1-15.
- Co-Pending application Cox et al., U.S. Appl. No. 12/532,667, filed Sep. 23, 2009; pp. 1-18.
- Co-Pending application Cox et al., U.S. Appl. No. 12/532,670, filed Sep. 23, 2009; pp. 1-23.
- Co-Pending application Aldred et al., U.S. Appl. No. 13/378,143, filed Feb. 10, 2012; pp. 1-15.
- Co-Pending application Mitchell et al., U.S. Appl. No. 13/498,157, filed Mar. 26, 2012; pp. 1-16.
- Co-Pending application Deborah Lynne Aldred et al., U.S. Appl. No. 13/992,299, filed Jun. 7, 2013, pp. 1-11.
- Co-Pending application Deborah Lynne Aldred et al., U.S. Appl. No. 13/989,820, filed Jun. 21, 2013, pp. 1-11.
- Co-Pending application Deborah Lynne Aldred et al., U.S. Appl. No. 13/982,292, filed Jul. 29, 2013.
- Co-Pending application Andrew Richard Cox et al., U.S. Appl. No. 13/585,257, filed Aug. 14, 2012, pp. 1-32.
- Co-Pending application Aumaitre et al., U.S. Appl. No. 12/409,549, filed Mar. 24, 2009; pp. 1-19.

(56)

References Cited

OTHER PUBLICATIONS

- Co-Pending application Cox, U.S. Appl. No. 13/878,491, filed Apr. 9, 2013; pp. 1-20.
- Askolin, S., Characterization of the *Trichoderma reesei* hydrophobins HFBI and HFBII, VTT Publication 601, May 2006, 1-99 ; I1-I19; VI1-V120.
- Notice of Opposition and Grounds of Opposition, dated Dec. 23, 2009—Nestec S.A./Unilever N.V. (EP1926399).
- Response to Notice of Opposition, dated Oct. 29, 2010—Nestec S.A./Unilever N.V. (EP1926399).
- Talbot et al. (1996) MPG1 Encodes a Fungal Hydrophobin Involved in Surface Interactions during Infection-Related Development of *Magnaporthe grisea*, *Plant Cell.*, vol. 8, No. 6, pp. 985-999.*
- Martin et al. (2000) Sc3p hydrophobin organization in aqueous media and assembly onto surfaces as mediated by the associated polysaccharide schizophyllan, *Biomacromol.*, vol. 1, No. 1, pp. 49-60.*
- Linder et al. (2005) Hydrophobins: the protein-amphiphiles of filamentous fungi, *FEMS Microbiol. Rev.*, vol. 29, No. 5, pp. 877-896.*
- Reference (2012, updated), "Carbohydrates", pp. 1-29.*
- Wosten, et al., Interfacial self-assembly of a hydrophobin into an amphipathic protein membrane mediates fungal attachment to hydrophobic surfaces, *EMBO Journal*, Jan. 1, 1994, 13, 5848-5854.
- Swern, *Baileys Industrial Oil and Fat Products*, John Wiley & Sons, Jan. 1, 1979, 1, 369.
- Scholtmeijer, et al., Fungal hydrophobins in medical and technical applications, *Appl Microbiol Biotechnol*, May 19, 2001, 56, 1-8.
- Arbuckle, *Ice Cream*, Avi Publishing, Jan. 1, 1972, 2nd Ed, 284.
- Wosten, et al., Hydrophobins the fungal coat unravelled, *Biophysica Acta*, May 29, 2000, 1469, 79-86.
- Talbot, *Aerial Morphogenesis Enter the Chaplins*, *Current Biology*, Sep. 16, 2003, 13, R696-R698.
- Murray, et al., Foam stability proteins and nanoparticles, *Current Opinion in Colloid & Interface Sc*, Jan. 1, 2004, 9, 314-320.
- Eleves, Teadora Gliga, *Eleves*, Jun. 8, 2007, &, 1.
- Nakari-Setälä, et al., Differential expression of the vegetative and spore-bound hydrophobins of *Trichoderma reesei*, *Eur J. Biochem*, May 26, 1997, 248, 415-423.
- Tchuenbou-Magaia, et al., Hydrophobins stabilised air-filled emulsions for the food industry, *Food Hydrocolloids*, Mar. 16, 2009; 23, 1877-1885.
- Hoi, *Encyclopedia of Food Science & Technology*, John Wiley & Sons, Jan. 1, 1992, 1, 204-210.
- Wessels, Hydrophobins Proteins that Change the Nature of the Fungal Surface, *Advances in Microbial Physiology*, Jan. 1, 1997, 38, No. 38, 1-45.
- Wosten, Hydrophobins Multipurpose Proteins, *Annu Rev Microbiol*, Jan. 1, 2001, 55, 625-646.
- Co-pending appln. Berry et al., U.S. appl. No. 11/168,209, filed Jun. 27, 2005.
- Co-pending appln. Aldred et al., U.S. Appl. No. 11/168,214, filed Jun. 27, 2005.
- Co-pending appln. Bramley et al., U.S. Appl. No. 11/639,851, filed Dec. 15, 2006.
- Co-pending appln. Cox et al., U.S. Appl. No. 12/780,294, filed May 14, 2010.
- Co-pending appln. Cox et al., U.S. Appl. No. 12/780,323, filed May 14, 2010.
- Dickinson, Dec. 2, 2010, Mixed biopolymers at interfaces: Competitive adsorption and multilayer structures, *Food Hydrocolloids*, 25, 1966-1983.
- Fox, 1992, Analytical methods for Milk Proteins, *Advanced Dairy Chemistry 1: Proteins*, vol. 1, pp. 1, 6-7.
- Graham et al., Jul. 3, 1979, Proteins at Liquid Interfaces, *Journal of Colloid and Interface Science*, 70, 415-426.
- Miquelim et al., 2010, pH Influence on the stability of foams with protein-polysaccharide complexes at their interfaces, *Food Hydrocolloids*, 24, No. 4, 398-405.
- Patino and Pilosof, 2011, Protein-polysaccharide interactions at fluid interfaces, *Food Hydrocolloids*, 25, 1925-1937.
- Schmitt, Feb. 27, 2012, Declaration of Christophe Schmitt, Declaration of Christophe Schmitt, 1-4.
- Guinee et al., 2004, Salt in Cheese: Physical, Chemical and Biological Aspects, vol. 1, 3rd Ed., pp. 207-259.
- Guar Gum, *Guargum biz*, Jun. 14, 2010, p. 1.
- Penttilä, et al., *Molecular Biology of Trichoderma & Biotechnological Applications*, *Handbook of Fungal Biotech*, Jan. 1, 2004, 2nd Ed. pp. 413-427.
- Talbot, *7 Fungal Hydrophobins*, Howard & Gow, Jan. 1, 2001, vol. 7, pp. 145-159.
- Soukoulis, et al., Impact of the acidification process hydrocolloids & protein fortifiers on the physical & Sensory properties of frozen yogurt, *Intl Journal of Dairy Tech*, May 2, 2008, vol. 61, No. 2, pp. 170-177.
- Whitcomb, et al., Rheology of Guar Solutions, *Journal of Applied Polymer Sc*, Jan. 1, 1980, vol. 25, pp. 2815-2827.
- Quintas, et al., Rheology of super-saturated sucrose solutions, *Journal of Food Engineering*, Jan. 1, 2006, vol. 77, pp. 844-852.
- Van Der Werf, Green coatings healthy foods and drug targeting, *Leads in Life Science*, Jan. 1, 2000, vol. 5, p. 1.
- Russo, et al., Surface activity of the phytotoxin cerato-ulmin, *Natl Research Council of Canada*, Jan. 1, 1982, vol. 60, pp. 1414-1422.
- Search proteins matching the sequence pattern used for the hydrophobin definition in patent EP 1926 399 B1, Nestle Research Center, Oct. 16, 2009, pp. 1-3.
- Takai, et al., Cerato-ulmin, a wilting toxin of *ceratocystis ulmi*: isolation & some properties of cerato-ulmin from the culture of *C. ulmi*, *Phytopath*, Jan. 1, 1978, vol. 91, pp. 129-146.
- Wosten, et al., Interfacial self-assembly of a fungal hydrophobin to a hydrophobic rodlet layer, *Plant Cell*, Nov. 1, 1993, vol. 5, pp. 1567-1574.
- Stringer, et al., Cerato-ulmin a toxin involved in dutch elm disease is a fungal hydrophobin, *Plant Cell*, Feb. 1, 1993, *, pp. 145-146.
- Fats Oils Fatty Acids Triglycerides, *Scientific Psychic*, Jan. 1, 2005, pp. 1-4.
- Wessels, et al., Fungal hydrophobins proteins that function at an interface, *Trends in Plant Science*, Jan. 1, 1996, vol. 1, No. 1, pp. 9-15.
- Sienkiewicz, *Whey and Whey Utilization*, Verlag Th Mann, Jan. 1, 1990, 2nd Ed, pp. 82-33.
- Arbuckle, *Ice Cream*, *Ice Cream 2nd Ed 1972* pp. 35 266 284-285, Jan. 1, 1972, 2nd Edition, pp. 35, 266, 284-285.
- Arbuckle, *Ice Cream*, *Ice Cream*, 1972, 2nd, p. 31.
- Arbuckle, *Ice Cream*, *Ice Cream*, 1972, 2nd Ed., p. 265, Avi Publishing Company.
- Sanderson, *Applications of Xanthan Gum*, *British Polymer Jr.*, 1981, vol. 13, pp. 71-75.
- Temple, Biological Roles for cerato-Ulmin, a Hydrophobin secreted by the elm pathogens, *Ophiostoma ulmi* and *O. novo-ulmi*, *Micological Society of America*, 2000, vol. 92, pp. 1-9.
- European Search Report Application No. EP 08171868, dated May 18, 2009.
- International Search Report, International Application No. PCT/EP2009/066258, mailed Mar. 4, 2010.
- Written Opinion, International Application No. PCT/EP2009/066258.
- Arbuckle, 1972, *Ice Cream*, *Ice Cream*, 2nd Edition, pp. 15, 18, 35, 61, 65.
- Co-Pending application Hedges et al., U.S. Appl. No. 12/636,157, filed Dec. 11, 2009.
- Fox, et al., Jan. 1, 2004, Cheese: Physical, Chemical and Biological Aspects, *Cheese Chemistry, Physics & Microbiology*, 3rd, vol. 1, 207-223 9 (Best Available Copy).

* cited by examiner

METHOD FOR EXTRACTING HYDROPHOBIN FROM A SOLUTION

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.

PRIORITY TO RELATED APPLICATIONS

This application is a reissue of U.S. Pat. No. 8,354,503 B2, which was filed Dec. 11, 2009, and was assigned U.S. application Ser. No. 12/636,157, which claims the benefit of European Application No. 08171868.6, filed Dec. 16, 2009. The entire contents of the above-identified applications are hereby incorporated by reference.

TECHNICAL FIELD OF THE INVENTION

The present invention relates to method for extracting hydrophobin from a solution. In particular it relates to a method for extracting hydrophobin in a fermentation process.

BACKGROUND TO THE INVENTION

Foaming is a common problem in aerobic, submerged fermentations. Foaming is caused by the sparging of gas into the fermentation medium for the purpose of providing oxygen for the growth of the aerobic organism being cultivated (e.g. bacteria, yeasts, fungi, algae, cell cultures). If the fermentation medium contains surface active components such as proteins, polysaccharides or fatty acids, then foam can be formed on the surface of the medium as the sparged gas bubbles disengage from the liquid. Foaming creates a number of problems including the undesirable stripping of product, nutrients, and cells into the foam, and can make process containment difficult. A known method for controlling foaming is to use antifoams, of which several types are commonly used: silicone-based (e.g. polydimethylsiloxanes), polyalkylene glycols (e.g. polypropylene glycol), fatty acids, polyesters and natural oils (e.g. linseed oil, soybean oil). Antifoams replace foam-forming components on bubble surfaces, resulting in destruction of the foam by bubble coalescence. Antifoams are added at the start of and/or during the fermentation.

When the fermentation product is intended for use in foods, personal products or medicine, it is highly desirable that the product is excreted by the producing organism into the fermentation medium (i.e. extra-cellular, rather than intra-cellular production). This avoids the need to disrupt the cells by physical or chemical means in order to release the product for recovery. By maintaining the cells intact, the cellular material can be easily separated from the product so that it is free of intracellular and genetic material which is usually regarded as an undesirable contaminant. This can be especially important when the producing organism has been genetically modified. However, extra-cellular production may intensify the degree of foaming in the fermenter, especially if the product facilitates foam formation or enhances foam stability, for example a biosurfactant or a hydrophobin. The use of antifoams presents a particular problem in the extra-cellular production of such foaming agents for two reasons: firstly the amount of antifoam required is increased because the foaming agent itself contributes to foaming in the fermenter. Secondly, it is not necessary to remove the antifoam from most fermentation products since it is present in low concentrations which do not affect the functionality of the product. However, when the

fermentation product is a foaming agent, the antifoam must be substantially removed since the presence of antifoam in the product will impair its functionality.

Bailey et al, Appl. Microbiol. Biotechnol. 58 (2002) pp 721-727 disclose the production of hydrophobins HFB I and HFB II by the fermentation of transformants of *Trichoderma reesei*. An antifoam (Struktol J633) was used to prevent foaming and the hydrophobin was purified using aqueous two phase extraction. However separation methods such as aqueous two phase extraction or chromatographic processes are expensive and may require food-incompatible chemicals.

It has now been found that, rather than removing the antifoam from the solution it is possible to remove the hydrophobin.

TESTS AND DEFINITIONS

Hydrophobins

Hydrophobins can be obtained by culturing filamentous fungi such as hyphomycetes (e.g. *Trichoderma*), basidiomycetes and ascomycetes. Particularly preferred hosts are food grade organisms, such as *Cryphonectria parasitica* which secretes a hydrophobin termed cryparin (MacCabe and Van Alfen, 1999, App. Environ. Microbiol 65: 5431-5435). Similarly, surfactin can be obtained from *Bacillus subtilis* and glycolipids from e.g. *Pseudomonas aeruginosa*, *Rhodococcus erythropolis*, *Mycobacterium* species and *Torulopsis bombicola* (Desai and Banat, Microbiology and Molecular Biology Reviews, March, 1997, pp 47-64).

In EP 1 623 631 we have previously found that hydrophobins allow the production of aqueous foams with excellent stability to disproportionation and coalescence. Because hydrophobins are highly effective foaming agents, their presence in the fermentation medium presents a particular challenge for foam control.

Hydrophobins are a well-defined class of proteins (Wessels, 1997, Adv. Microb. Physio. 38: 1-45; Wosten, 2001, Annu Rev. Microbiol. 55: 625-646) capable of self-assembly at a hydrophobic/hydrophilic interface, and having a conserved sequence:

(SEQ ID NO. 1)

$$X_n-C-X_{5-9}-C-C-X_{11-39}-C-X_{8-23}-C-X_{5-9}-C-C-X_{6-18}-C-X_m$$

where X represents any amino acid, and n and m independently represent an integer. Typically, a hydrophobin has a length of up to 125 amino acids. The cysteine residues (C) in the conserved sequence are part of disulphide bridges. In the context of the present invention, the term hydrophobin has a wider meaning to include functionally equivalent proteins still displaying the characteristic of self-assembly at a hydrophobic-hydrophilic interface resulting in a protein film, such as proteins comprising the sequence:

(SEQ ID NO. 2)

$$X_n-C-X_{1-50}-C-X_{0-5}-C-X_{1-100}-C-X_{1-100}-C-X_{1-50}-C-X_{0-5}-C-X_{1-50}-C-X_m$$

or parts thereof still displaying the characteristic of self-assembly at a hydrophobic-hydrophilic interface resulting in a protein film. In accordance with the definition of the present invention, self-assembly can be detected by adsorbing the protein to Teflon and using Circular Dichroism to establish the presence of a secondary structure (in general, α -helix) (De Vocht et al., 1998, Biophys. J. 74: 2059-68).

The formation of a film can be established by incubating a Teflon sheet in the protein solution followed by at least three washes with water or buffer (Wosten et al., 1994, *Embo. J.* 13: 5848-54). The protein film can be visualised by any suitable method, such as labeling with a fluorescent marker or by the use of fluorescent antibodies, as is well established in the art, m and n typically have values ranging from 0 to 2000, but more usually m and n in total are less than 100 or 200. The definition of hydrophobin in the context of the present invention includes fusion proteins of a hydrophobin and another polypeptide as well as conjugates of hydrophobin and other molecules such as polysaccharides.

Hydrophobins identified to date are generally classed as either class I or class II. Both types have been identified in fungi as secreted proteins that self-assemble at hydrophobic interfaces into amphipathic films. Assemblages of class I hydrophobins are generally relatively insoluble whereas those of class II hydrophobins readily dissolve in a variety of solvents. Preferably the hydrophobin is soluble in water, by which is meant that it is at least 0.1% soluble in water, preferably at least 0.5%. By at least 0.1% soluble is meant that no hydrophobin precipitates when 0.1 g of hydrophobin in 99.9 mL of water is subjected to 30,000 g centrifugation for 30 minutes at 20° C.

Hydrophobin-like proteins (e.g. "chaplins") have also been identified in filamentous bacteria, such as Actinomycete and Streptomyces sp. (WO01/74864; Talbot, 2003, *Curr. Biol.* 13: R696-R698). These bacterial proteins by contrast to fungal hydrophobins, may form only up to one disulphide bridge since they may have only two cysteine residues. Such proteins are an example of functional equivalents to hydrophobins having the consensus sequences shown in SEQ ID NOs. 1 and 2, and are within the scope of the present invention.

More than 34 genes coding for hydrophobins have been cloned, from over 16 fungal species (see for example WO96/41882 which gives the sequence of hydrophobins identified in *Agaricus bisporus*; and Wosten, 2001, *Annu. Rev. Microbiol.* 55: 625-646). For the purpose of the invention hydrophobins possessing at least 80% identity at the amino acid level to a hydrophobin that naturally occurs are also embraced within the term "hydrophobins".

Antifoams

The term "antifoam" includes both antifoams which are usually added before foaming occurs and also those which are usually added once the foam has formed (sometimes known as defoamers). A definition of antifoams used in the present invention is found in "Foam and its mitigation in fermentation systems"—Beth Junker—*Biotechnology Progress*, 2007, 23, 768-784.

Fermentation Process

The fermentation to produce hydrophobin is carried out by culturing the host cell in a liquid fermentation medium within a bioreactor (e.g. an industrial fermenter). The composition of the medium (e.g. nutrients, carbon source etc.), temperature and pH are chosen to provide appropriate conditions for growth of the culture and/or production of the foaming agent. Air or oxygen-enriched air is normally sparged into the medium to provide oxygen for respiration of the culture.

The antifoam may be included in the initial medium composition and/or added as required through the period of the fermentation. Common practice is to employ a foam detection method, such as a conductivity probe, which automatically triggers addition of the antifoam. In the present invention, the antifoam is preferably present at a final concentration of from 0.1 to 20 g/L, more preferably from 1 to 10 g/L.

The fermenter temperature during step i), i.e. during fermentation, may be above or below the cloud point of the

antifoam. Preferably the fermenter temperature is above the cloud point of the antifoam, since the antifoam is most effective at causing bubble coalescence and foam collapse above its cloud point. The fermenter temperature is generally chosen to achieve optimum conditions for growth of the host cells and/or production.

BRIEF DESCRIPTION OF THE INVENTION

It is the object of the invention to provide a process for extracting hydrophobin from a solution wherein carrageenan is added to the solution and the pH of the solution is brought below 3.5, preferably below 3.

In a first preferred embodiment of the invention, the solution is then filtered to produce a retentate and a filtrate, hydrophobin being recovered from the retentate. In a second preferred embodiment of the invention, the solution is submitted to a centrifugation step to produce a supernatant which is removed, leaving a remaining phase. Hydrophobin is then removed from the remaining phase.

Preferably, the process comprises the step of cultivating a host cell in a fermentation medium wherein the host cell extra-cellularly secretes hydrophobin; and the fermentation medium contains an antifoam. More preferably, the fermentation medium is aerated by sparging air or oxygen-enriched air into it.

Preferably the hydrophobin is HFBI or HFBII from *Trichoderma reesei*.

Preferably the host cell is a genetically-modified fungus, more preferably a yeast, most preferably *Saccharomyces cerevisiae*.

Preferably the ionic strength of the solution is below 0.5, preferably below 0.4, more preferably below 0.3, even more preferably below 0.2

Preferably, carrageenan is kappa or iota carrageenan, more preferably iota carrageenan.

Preferably also the carrageenan/hydrophobin ratio (w/w) is between 1:10 and 10:1, preferably above 1:5, more preferably above 1:1.

DETAILED DESCRIPTION OF THE INVENTION

The present invention will be further described in the following examples wherein the hydrophobin is always HFB II.

Example 1

Comparative

Starting concentration 145.4 $\mu\text{g}/\text{cm}^3$ of hydrophobin in 4.5 cm^3 of a 25 mM citric acid solution. The solution was filtered leading to a concentration in filtrate of 67.9 $\mu\text{g}/\text{cm}^3$ in 9 cm^3 .

There for 93% of the original hydrophobin filtered through.

Example 2

Comparative

Starting concentration 146.3 $\mu\text{g}/\text{cm}^3$ of hydrophobin in 4.5 cm^3 of a 25 mM sodium Citrate. The solution was filtered leading to a concentration in filtrate of 68.0 $\mu\text{g}/\text{cm}^3$ in 9 cm^3 .

Therefore again 93% of the original hydrophobin filtered through.

Example 3

Invention

Starting concentration 145.9 $\mu\text{g}/\text{cm}^3$ of hydrophobin in 4.5 cm^3 of a 25 mM citric acid solution+1% kappa carrageenan

5

sheared gel. The solution was filtered leading to a concentration in filtrate of $3.8 \mu\text{g}/\text{cm}^3$ hydrophobin in 9 cm^3 .

Therefore, only 5% of the hydrophobin filtered through.

Then 9 cm^3 of 25 mM sodium citrate at pH 8 were passed through filter. The concentration in the filtrate was $40.9 \mu\text{g}/\text{ml}$, therefore 56% of the original hydrophobin was recovered that way.

Example 4

Comparative

Starting concentration $145.9 \mu\text{g}/\text{cm}^3$ of hydrophobin in 4.5 cm^3 of a 25 mM citric acid solution+1% kappa carrageenan sheared gel.

Then add 0.325 cm^3 NaOH (to go to pH 7.0) and filter
Concentration in filtrate= $75.6 \mu\text{g}/\text{cm}^3$ in 9 cm^3

Here, 100% of the hydrophobin ended in the filtrate despite the use of carrageenan, showing the importance of pH.

Example 5

Invention

Starting concentration $145.9 \mu\text{g}/\text{cm}^3$ of hydrophobin in 4.5 cm^3 of a 25 mM citric acid solution+1% kappa carrageenan sheared gel.

Then add solid NaCl to give a concentration of 0.5M NaCl and filter. The concentration in filtrate is $50.9 \mu\text{g}/\text{cm}^3$ in 9 cm^3 . So, about 70% of the original amount of hydrophobin filtered through despite the right pH and the use of 1% kappa carrageenan sheared gel.

Then 9 cm^3 of 25 mM sodium citrate at pH 8 passed through filter leading to a concentration in filtrate of $13.8 \mu\text{g}/\text{cm}^3$. Therefore, only 19% of the hydrophobin was recovered that way, showing the influence of the ionic strength on the whole process. The higher the ionic strength, the lower the recovery, everything else being equal.

6

Example 6a

Invention

Starting concentration $145.9 \mu\text{g}/\text{cm}^3$ of hydrophobin in 4.5 cm^3 of a 25 mM citric acid solution+0.025% iota carrageenan.

The concentration in filtrate was $1.6 \mu\text{g}/\text{cm}^3$ in 9 cm^3 , only 2% of the original hydrophobin having passed through.

Then 9 cm^3 of 25 mM sodium citrate at pH 8 passed through filter, leading to a concentration in filtrate= $29.5 \mu\text{g}/\text{cm}^3$

Over 40% of the original hydrophobin was recovered.

Example 6b

Invention

Starting concentration $145.9 \mu\text{g}/\text{cm}^3$ of hydrophobin in 4.5 cm^3 of a 25 mM citric acid solution+0.025% kappa carrageenan.

The concentration in filtrate was $28.4 \mu\text{g}/\text{cm}^3$ in 9 cm^3 , 39% of the original hydrophobin having passed through.

This example shows that iota carrageenan performs better than kappa carrageenan when retaining hydrophobin

Example 7

Comparative

Starting concentration $145.9 \mu\text{g}/\text{cm}^3$ of hydrophobin in 4.5 cm^3 of a 25 mM citric acid solution+1% sheared pectin.

The concentration in filtrate was $57.3 \mu\text{g}/\text{cm}^3$ in 9 cm^3 , representing 79% of the original hydrophobin, showing that pectin does not work.

Example 8

Comparative

Starting concentration $145.9 \mu\text{g}/\text{cm}^3$ of hydrophobin in 4.5 cm^3 of a 25 mM citric acid and 1% N creamer 46.

The concentration in filtrate was $64.2 \mu\text{g}/\text{cm}^3$ in 9 cm^3 representing 88% of the original hydrophobin, showing that hydrophobic starch does not work.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 2

<210> SEQ ID NO 1

<211> LENGTH: 4106

<212> TYPE: PRT

<213> ORGANISM: Artificial

<220> FEATURE:

<223> OTHER INFORMATION: Exemplary sequence used to illustrate invention.

<220> FEATURE:

<221> NAME/KEY: REPEAT

<222> LOCATION: (1)..(2000)

<223> OTHER INFORMATION: Xaa is any amino acid and can be shown 1 to 2000 times.

<220> FEATURE:

<221> NAME/KEY: REPEAT

<222> LOCATION: (2002)..(2010)

<223> OTHER INFORMATION: Xaa is any amino acid and can be shown 5 to 9 times.

<220> FEATURE:

<221> NAME/KEY: REPEAT

<222> LOCATION: (2013)..(2051)

<223> OTHER INFORMATION: Xaa is any amino acid and can be shown 11 to 39 times.

-continued

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2053)..(2075)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 8 to 23 times.
 <220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2077)..(2085)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 5 to 9 times.
 <220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2088)..(2105)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 6 to 18 times.
 <220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2107)..(4106)
 <223> OTHER INFORMATION: indefinite repeats. Xaa is any amino acid.

<400> SEQUENCE: 1

Xaa
 1 5 10 15
 Xaa
 20 25 30
 Xaa
 35 40 45
 Xaa
 50 55 60
 Xaa
 65 70 75 80
 Xaa
 85 90 95
 Xaa
 100 105 110
 Xaa
 115 120 125
 Xaa
 130 135 140
 Xaa
 145 150 155 160
 Xaa
 165 170 175
 Xaa
 180 185 190
 Xaa
 195 200 205
 Xaa
 210 215 220
 Xaa
 225 230 235 240
 Xaa
 245 250 255
 Xaa
 260 265 270
 Xaa
 275 280 285
 Xaa
 290 295 300
 Xaa Xaa

-continued

305	310	315	320
Xaa	325	330	335
Xaa	340	345	350
Xaa	355	360	365
Xaa	370	375	380
Xaa	385	390	395
Xaa	405	410	415
Xaa	420	425	430
Xaa	435	440	445
Xaa	450	455	460
Xaa	465	470	475
Xaa	485	490	495
Xaa	500	505	510
Xaa	515	520	525
Xaa	530	535	540
Xaa	545	550	555
Xaa	565	570	575
Xaa	580	585	590
Xaa	595	600	605
Xaa	610	615	620
Xaa	625	630	635
Xaa	645	650	655
Xaa	660	665	670
Xaa	675	680	685
Xaa	690	695	700
Xaa	705	710	715
Xaa	725	730	735

-continued

Xaa	740	745	750
Xaa	755	760	765
Xaa	770	775	780
Xaa	785	790	795 800
Xaa	805	810	815
Xaa	820	825	830
Xaa	835	840	845
Xaa	850	855	860
Xaa	865	870	875 880
Xaa	885	890	895
Xaa	900	905	910
Xaa	915	920	925
Xaa	930	935	940
Xaa	945	950	955 960
Xaa	965	970	975
Xaa	980	985	990
Xaa	995	1000	1005
Xaa	1010	1015	1020
Xaa	1025	1030	1035 1040
Xaa	1045	1050	1055
Xaa	1060	1065	1070
Xaa	1075	1080	1085
Xaa	1090	1095	1100
Xaa	1105	1110	1115 1120
Xaa	1125	1130	1135
Xaa	1140	1145	1150
Xaa	1155	1160	1165

-continued

Xaa
1170 1175 1180

Xaa
1185 1190 1195 1200

Xaa
1205 1210 1215

Xaa
1220 1225 1230

Xaa
1235 1240 1245

Xaa
1250 1255 1260

Xaa
1265 1270 1275 1280

Xaa
1285 1290 1295

Xaa
1300 1305 1310

Xaa
1315 1320 1325

Xaa
1330 1335 1340

Xaa
1345 1350 1355 1360

Xaa
1365 1370 1375

Xaa
1380 1385 1390

Xaa
1395 1400 1405

Xaa
1410 1415 1420

Xaa
1425 1430 1435 1440

Xaa
1445 1450 1455

Xaa
1460 1465 1470

Xaa
1475 1480 1485

Xaa
1490 1495 1500

Xaa
1505 1510 1515 1520

Xaa
1525 1530 1535

Xaa
1540 1545 1550

Xaa
1555 1560 1565

Xaa
1570 1575 1580

Xaa Xaa

-continued

1585	1590	1595	1600
Xaa	1605	1610	1615
Xaa	1620	1625	1630
Xaa	1635	1640	1645
Xaa	1650	1655	1660
Xaa	1665	1670	1675
Xaa	1685	1690	1695
Xaa	1700	1705	1710
Xaa	1715	1720	1725
Xaa	1730	1735	1740
Xaa	1745	1750	1755
Xaa	1765	1770	1775
Xaa	1780	1785	1790
Xaa	1795	1800	1805
Xaa	1810	1815	1820
Xaa	1825	1830	1835
Xaa	1845	1850	1855
Xaa	1860	1865	1870
Xaa	1875	1880	1885
Xaa	1890	1895	1900
Xaa	1905	1910	1915
Xaa	1925	1930	1935
Xaa	1940	1945	1950
Xaa	1955	1960	1965
Xaa	1970	1975	1980
Xaa	1985	1990	1995
Cys Xaa Cys Cys Xaa Xaa Xaa Xaa	2005	2010	2015

-continued

Xaa	2020	2025	2030
Xaa	2035	2040	2045
Xaa Xaa Xaa Cys Xaa	2050	2055	2060
Xaa Cys Xaa Xaa Xaa Xaa	2065	2070	2075 2080
Xaa Xaa Xaa Xaa Xaa Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa	2085	2090	2095
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa	2100	2105	2110
Xaa	2115	2120	2125
Xaa	2130	2135	2140
Xaa	2145	2150	2155 2160
Xaa	2165	2170	2175
Xaa	2180	2185	2190
Xaa	2195	2200	2205
Xaa	2210	2215	2220
Xaa	2225	2230	2235 2240
Xaa	2245	2250	2255
Xaa	2260	2265	2270
Xaa	2275	2280	2285
Xaa	2290	2295	2300
Xaa	2305	2310	2315 2320
Xaa	2325	2330	2335
Xaa	2340	2345	2350
Xaa	2355	2360	2365
Xaa	2370	2375	2380
Xaa	2385	2390	2395 2400
Xaa	2405	2410	2415
Xaa	2420	2425	2430
Xaa	2435	2440	2445

-continued

Xaa
2450 2455 2460

Xaa
2465 2470 2475 2480

Xaa
2485 2490 2495

Xaa
2500 2505 2510

Xaa
2515 2520 2525

Xaa
2530 2535 2540

Xaa
2545 2550 2555 2560

Xaa
2565 2570 2575

Xaa
2580 2585 2590

Xaa
2595 2600 2605

Xaa
2610 2615 2620

Xaa
2625 2630 2635 2640

Xaa
2645 2650 2655

Xaa
2660 2665 2670

Xaa
2675 2680 2685

Xaa
2690 2695 2700

Xaa
2705 2710 2715 2720

Xaa
2725 2730 2735

Xaa
2740 2745 2750

Xaa
2755 2760 2765

Xaa
2770 2775 2780

Xaa
2785 2790 2795 2800

Xaa
2805 2810 2815

Xaa
2820 2825 2830

Xaa
2835 2840 2845

Xaa
2850 2855 2860

Xaa Xaa

-continued

2865	2870	2875	2880
Xaa	2885	2890	2895
Xaa	2900	2905	2910
Xaa	2915	2920	2925
Xaa	2930	2935	2940
Xaa	2945	2950	2955
Xaa	2965	2970	2975
Xaa	2980	2985	2990
Xaa	2995	3000	3005
Xaa	3010	3015	3020
Xaa	3025	3030	3035
Xaa	3045	3050	3055
Xaa	3060	3065	3070
Xaa	3075	3080	3085
Xaa	3090	3095	3100
Xaa	3105	3110	3115
Xaa	3125	3130	3135
Xaa	3140	3145	3150
Xaa	3155	3160	3165
Xaa	3170	3175	3180
Xaa	3185	3190	3195
Xaa	3205	3210	3215
Xaa	3220	3225	3230
Xaa	3235	3240	3245
Xaa	3250	3255	3260
Xaa	3265	3270	3275
Xaa	3285	3290	3295

-continued

Xaa	3300	3305	3310
Xaa	3315	3320	3325
Xaa	3330	3335	3340
Xaa	3345	3350	3355 3360
Xaa	3365	3370	3375
Xaa	3380	3385	3390
Xaa	3395	3400	3405
Xaa	3410	3415	3420
Xaa	3425	3430	3435 3440
Xaa	3445	3450	3455
Xaa	3460	3465	3470
Xaa	3475	3480	3485
Xaa	3490	3495	3500
Xaa	3505	3510	3515 3520
Xaa	3525	3530	3535
Xaa	3540	3545	3550
Xaa	3555	3560	3565
Xaa	3570	3575	3580
Xaa	3585	3590	3595 3600
Xaa	3605	3610	3615
Xaa	3620	3625	3630
Xaa	3635	3640	3645
Xaa	3650	3655	3660
Xaa	3665	3670	3675 3680
Xaa	3685	3690	3695
Xaa	3700	3705	3710
Xaa	3715	3720	3725

-continued

Xaa
3730 3735 3740
Xaa
3745 3750 3755 3760
Xaa
3765 3770 3775
Xaa
3780 3785 3790
Xaa
3795 3800 3805
Xaa
3810 3815 3820
Xaa
3825 3830 3835 3840
Xaa
3845 3850 3855
Xaa
3860 3865 3870
Xaa
3875 3880 3885
Xaa
3890 3895 3900
Xaa
3905 3910 3915 3920
Xaa
3925 3930 3935
Xaa
3940 3945 3950
Xaa
3955 3960 3965
Xaa
3970 3975 3980
Xaa
3985 3990 3995 4000
Xaa
4005 4010 4015
Xaa
4020 4025 4030
Xaa
4035 4040 4045
Xaa
4050 4055 4060
Xaa
4065 4070 4075 4080
Xaa
4085 4090 4095
Xaa
4100 4105

<210> SEQ ID NO 2
<211> LENGTH: 4368
<212> TYPE: PRT
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Exemplary sequence used to illustrate

-continued

invention.

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (1)..(2000)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 1 to 2000 times.

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2002)..(2051)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 1 to 50 times.

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2053)..(2057)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 0 to 5 times.

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2059)..(2158)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 1 to 100 times.

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2160)..(2259)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 1 to 100 times.

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2261)..(2310)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 1 to 50 times.

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2312)..(2316)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 0 to 5 times.

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2318)..(2367)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 1 to 50 times.

<220> FEATURE:
 <221> NAME/KEY: REPEAT
 <222> LOCATION: (2369)..(4368)
 <223> OTHER INFORMATION: Xaa is any amino acid and can be shown 1 to 2000 times.

<400> SEQUENCE: 2

Xaa
 1 5 10 15

Xaa
 20 25 30

Xaa
 35 40 45

Xaa
 50 55 60

Xaa
 65 70 75 80

Xaa
 85 90 95

Xaa
 100 105 110

Xaa
 115 120 125

Xaa
 130 135 140

Xaa
 145 150 155 160

Xaa Xaa

-continued

165				170				175						
Xaa														
		180				185				190				
Xaa														
		195				200				205				
Xaa														
		210				215				220				
Xaa														
		225				230				235				240
Xaa														
		245				250				255				
Xaa														
		260				265				270				
Xaa														
		275				280				285				
Xaa														
		290				295				300				
Xaa														
		305				310				315				320
Xaa														
		325				330				335				
Xaa														
		340				345				350				
Xaa														
		355				360				365				
Xaa														
		370				375				380				
Xaa														
		385				390				395				400
Xaa														
		405				410				415				
Xaa														
		420				425				430				
Xaa														
		435				440				445				
Xaa														
		450				455				460				
Xaa														
		465				470				475				480
Xaa														
		485				490				495				
Xaa														
		500				505				510				
Xaa														
		515				520				525				
Xaa														
		530				535				540				
Xaa														
		545				550				555				560
Xaa														
		565				570				575				
Xaa														
		580				585				590				

-continued

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
		595					600					605			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
		610					615					620			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
		625					630					635			640
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							645					650			655
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							660					665			670
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							675					680			685
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							690					695			700
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							705					710			715
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							720					725			730
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							735					740			745
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							750					755			760
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							765					770			775
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							780					785			790
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							795					800			805
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							810					815			820
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							825					830			835
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							840					845			850
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							855					860			865
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							870					875			880
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							885					890			895
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							900					905			910
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							915					920			925
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							930					935			940
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							945					950			955
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							960					965			970
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							975					980			985
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							990					995			1000
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							1005					1010			1015
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa							
							1020					1025			1030

-continued

Xaa
 1025 1030 1035 1040
 Xaa
 1045 1050 1055
 Xaa
 1060 1065 1070
 Xaa
 1075 1080 1085
 Xaa
 1090 1095 1100
 Xaa
 1105 1110 1115 1120
 Xaa
 1125 1130 1135
 Xaa
 1140 1145 1150
 Xaa
 1155 1160 1165
 Xaa
 1170 1175 1180
 Xaa
 1185 1190 1195 1200
 Xaa
 1205 1210 1215
 Xaa
 1220 1225 1230
 Xaa
 1235 1240 1245
 Xaa
 1250 1255 1260
 Xaa
 1265 1270 1275 1280
 Xaa
 1285 1290 1295
 Xaa
 1300 1305 1310
 Xaa
 1315 1320 1325
 Xaa
 1330 1335 1340
 Xaa
 1345 1350 1355 1360
 Xaa
 1365 1370 1375
 Xaa
 1380 1385 1390
 Xaa
 1395 1400 1405
 Xaa
 1410 1415 1420
 Xaa
 1425 1430 1435 1440
 Xaa Xaa

-continued

1445				1450				1455						
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1460				1465				1470			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1475				1480				1485			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1490				1495				1500			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1505				1510				1515			1520
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1525				1530				1535			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1540				1545				1550			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1555				1560				1565			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1570				1575				1580			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1585				1590				1595			1600
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1605				1610				1615			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1620				1625				1630			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1635				1640				1645			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1650				1655				1660			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1665				1670				1675			1680
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1685				1690				1695			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1700				1705				1710			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1715				1720				1725			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1730				1735				1740			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1745				1750				1755			1760
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1765				1770				1775			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1780				1785				1790			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1795				1800				1805			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1810				1815				1820			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1825				1830				1835			1840
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1845				1850				1855			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			1860				1865				1870			

-continued

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
		1875					1880					1885			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
		1890					1895					1900			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
		1905					1910					1915			1920
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				1925							1930				1935
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				1940								1945			1950
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				1955								1960			1965
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				1970								1975			1980
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				1985								1990			1995
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2000								2005			2010
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2015								2020			2025
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2030								2035			2040
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2045								2050			2055
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2060								2065			2070
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2075								2080			2085
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2090								2095			2100
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2105								2110			2115
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2120								2125			2130
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2135								2140			2145
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2150								2155			2160
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2165								2170			2175
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2180								2185			2190
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2195								2200			2205
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2210								2215			2220
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2225								2230			2235
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2240								2245			2250
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2255								2260			2265
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2270								2275			2280
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2285								2290			2295
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				2300								2305			2310

-continued

Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa
 2305 2310 2315 2320
 Xaa
 2325 2330 2335
 Xaa
 2340 2345 2350
 Xaa Cys
 2355 2360 2365
 Xaa
 2370 2375 2380
 Xaa
 2385 2390 2395 2400
 Xaa
 2405 2410 2415
 Xaa
 2420 2425 2430
 Xaa
 2435 2440 2445
 Xaa
 2450 2455 2460
 Xaa
 2465 2470 2475 2480
 Xaa
 2485 2490 2495
 Xaa
 2500 2505 2510
 Xaa
 2515 2520 2525
 Xaa
 2530 2535 2540
 Xaa
 2545 2550 2555 2560
 Xaa
 2565 2570 2575
 Xaa
 2580 2585 2590
 Xaa
 2595 2600 2605
 Xaa
 2610 2615 2620
 Xaa
 2625 2630 2635 2640
 Xaa
 2645 2650 2655
 Xaa
 2660 2665 2670
 Xaa
 2675 2680 2685
 Xaa
 2690 2695 2700
 Xaa
 2705 2710 2715 2720
 Xaa Xaa

-continued

Xaa	3155	3160	3165
Xaa	3170	3175	3180
Xaa	3185	3190	3195 3200
Xaa	3205	3210	3215
Xaa	3220	3225	3230
Xaa	3235	3240	3245
Xaa	3250	3255	3260
Xaa	3265	3270	3275 3280
Xaa	3285	3290	3295
Xaa	3300	3305	3310
Xaa	3315	3320	3325
Xaa	3330	3335	3340
Xaa	3345	3350	3355 3360
Xaa	3365	3370	3375
Xaa	3380	3385	3390
Xaa	3395	3400	3405
Xaa	3410	3415	3420
Xaa	3425	3430	3435 3440
Xaa	3445	3450	3455
Xaa	3460	3465	3470
Xaa	3475	3480	3485
Xaa	3490	3495	3500
Xaa	3505	3510	3515 3520
Xaa	3525	3530	3535
Xaa	3540	3545	3550
Xaa	3555	3560	3565
Xaa	3570	3575	3580

-continued

Xaa	3585	3590	3595	3600
Xaa		3605	3610	3615
Xaa		3620	3625	3630
Xaa		3635	3640	3645
Xaa		3650	3655	3660
Xaa		3665	3670	3675
Xaa		3685	3690	3695
Xaa		3700	3705	3710
Xaa		3715	3720	3725
Xaa		3730	3735	3740
Xaa		3745	3750	3755
Xaa		3765	3770	3775
Xaa		3780	3785	3790
Xaa		3795	3800	3805
Xaa		3810	3815	3820
Xaa		3825	3830	3835
Xaa		3845	3850	3855
Xaa		3860	3865	3870
Xaa		3875	3880	3885
Xaa		3890	3895	3900
Xaa		3905	3910	3915
Xaa		3925	3930	3935
Xaa		3940	3945	3950
Xaa		3955	3960	3965
Xaa		3970	3975	3980
Xaa		3985	3990	3995
Xaa				4000

-continued

4005				4010				4015						
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
		4020				4025				4030				
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
		4035				4040				4045				
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
		4050				4055				4060				
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
		4065				4070				4075				4080
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4085				4090				4095			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4100				4105				4110			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4115				4120				4125			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4130				4135				4140			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4145				4150				4155			4160
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4165				4170				4175			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4180				4185				4190			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4195				4200				4205			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4210				4215				4220			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4225				4230				4235			4240
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4245				4250				4255			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4260				4265				4270			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4275				4280				4285			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4290				4295				4300			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4305				4310				4315			4320
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4325				4330				4335			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4340				4345				4350			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			4355				4360				4365			

The invention claimed is:

1. Process for extracting hydrophobin from a solution comprising the steps of:

- a) adding carrageenan to the solution;
 - b) adjusting the pH of the solution to below 3.5;
 - c) filtering the solution to produce a retentate and a filtrate;
- and

- d) recovering the hydrophobin from the retentate;
 - [e) centrifuging the solution to produce a supernatant which is removed, leaving a remaining phase; and
 - f) removing the hydrophobin from the remaining phase;]
- wherein the resulting hydrophobin is suitable for use in foods, personal care products and medicine.

49

2. Process according to claim 1 further comprising the step of cultivating a host cell in the solution including a fermentation medium wherein the host cell extra-cellularly secretes hydrophobin; and the fermentation medium contains an anti-foam.

3. Process according to claim 2 wherein the host cell is a genetically-modified fungus.

4. Process according to claim 3 wherein the host cell is a yeast.

5. Process according to claim 4 wherein the host cell is *Saccharomyces cerevisiae*.

6. Process according to claim 1 wherein the hydrophobin is HFBI or HFBII from *Trichoderma reesei*.

7. Process according to claim 1 wherein the solution has an ionic strength below 0.5.

8. Process according to claim 1 wherein the carrageenan is kappa or iota carrageenan.

9. Process according to claim 8 wherein the carrageenan is iota carrageenan.

10. Process according to claim 1 wherein the carrageenan/hydrophobin ratio (w/w) is between 1:10 and 10:1.

11. Process according to claim 1 wherein the carrageenan is a shear gel.

12. Process for extracting hydrophobin from a solution comprising the steps of:

- a) adding carrageenan to the solution;
- b) adjusting the pH of the solution to below 3.5;
- c) centrifuging the solution to produce a supernatant which is removed, leaving a remaining phase; and
- d) removing the hydrophobin from the remaining phase;

50

wherein the resulting hydrophobin is suitable for use in foods, personal care products and medicine.

13. Process according to claim 12 further comprising the step of cultivating a host cell in the solution including a fermentation medium wherein the host cell extra-cellularly secretes hydrophobin; and the fermentation medium contains an antifoam.

14. Process according to claim 13 wherein the host cell is a genetically-modified fungus.

15. Process according to claim 14 wherein the host cell is a yeast.

16. Process according to claim 15 wherein the host cell is *Saccharomyces cerevisiae*.

17. Process according to claim 12 wherein the hydrophobin is HFBI or HFBII from *Trichoderma reesei*.

18. Process according to claim 12 wherein the solution has an ionic strength below 0.5.

19. Process according to claim 12 wherein the carrageenan is kappa or iota carrageenan.

20. Process according to claim 19 wherein the carrageenan is iota carrageenan.

21. Process according to claim 12 wherein the carrageenan/hydrophobin ratio (w/w) is between 1:10 and 10:1.

22. Process according to claim 12 wherein the carrageenan is a shear gel.

* * * * *