

US00RE45426E

(19) United States

(12) Reissued Patent

Buncke

(10) Patent Number:

US RE45,426 E

(45) Date of Reissued Patent:

Mar. 17, 2015

(54) SURGICAL METHODS USING ONE-WAY SUTURE

(75) Inventors: Harry J. Buncke, Hillsborough, CA

(US); Gregory Millette Buncke, legal representative, Hillsborough, CA (US)

(73) Assignee: Ethicon, Inc., Somerville, NJ (US)

(21) Appl. No.: 09/919,750

(22) Filed: Jul. 31, 2001

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: 5,931,855
 Issued: Aug. 3, 1999
 Appl. No.: 08/859,887
 Filed: May 21, 1997

(51) **Int. Cl.**

A61B 17/04(2006.01)A61B 17/08(2006.01)A61D 1/00(2006.01)

(52) **U.S. Cl.**

USPC 606/228; 606/215; 606/216; 606/224

(58) Field of Classification Search

(56) References Cited

U.S. PATENT DOCUMENTS

709,392	A	9/1902	Brown
733,723	\mathbf{A}	7/1903	Lukens
816,026	A	3/1906	Meier
879,758	A	2/1908	Foster
1,142,510	A	6/1915	Engle
1,248,825	\mathbf{A}	12/1917	Dederer
1,321,011	\mathbf{A}	1/1919	Cottes
1,558,037	\mathbf{A}	10/1925	Morton
1,728,316	A	9/1929	Von Wachenfeldt
		(()	• 1\

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2309844 12/1996 DE 1810800 6/1970 (Continued)

`

"Drilled End Surgical Needles", B.G. Sulzle, Inc., Syracuse, New York, Jul. 2002.

OTHER PUBLICATIONS

(Continued)


Primary Examiner — Todd E Manahan

Assistant Examiner — Michael G Mendoza

(57) ABSTRACT

Methods are disclosed for binding together human or animal tissue using one-way sutures having barbs on their exterior surfaces, allowing passage of a needle-drawn suture in one direction through tissue, but not in the opposite direction. In closing a wound, the sutures are passed through tissue at each of the opposed sides of the wound, forming suture pairs in which trailing ends of the sutures are juxtaposed in the wound. The number of suture pairs is selected in accordance with the size of the wound. The wound is closed and ends of the sutures of each suture pair are secured together, which may be by heat bonding or surgical knots. In a variation of this procedure double-armed sutures are used. In another variation detachable needles are used to leave the barbed sutures below the skin. The invention avoids loop stitching, minimizing scarring. In addition to wounds at the skin surface, the method is useful in binding together severed tendons or other internal tissue of a patient, providing considerable tensile strength with a minimum of suturing and locating the tensile support precisely where needed. In facelifts and other cosmetic operations, the sutures are used to provide lines of tissue support beneath the skin.

46 Claims, 9 Drawing Sheets



(56)	Referer	ices Cited	4,006,747 A		Kronenthal
IJS	PATENT	DOCUMENTS	4,008,303 A 4,027,608 A		Glick et al. Arbuckle
0.0	·	DOCOMENTO	4,043,344 A		
1,886,721 A	11/1932	O'Brien	4,052,988 A		Doddi et al.
, ,		Blumenthal et al.	D246,911 S 4,069,825 A		Bess, Jr. et al. Akiyama
2,201,610 A 2,232,142 A		Dawson, Jr. Schumann	4,073,298 A		Le Roy
2,252,142 A 2,254,620 A		Miller	4,137,921 A		Okuzumi et al.
2,347,956 A		Lansing	4,182,340 A		Spencer
2,355,907 A	8/1944		4,186,239 A		Mize et al.
2,421,193 A	5/1947		4,198,734 A * 4,204,541 A		Brumlik 24/449 Kapitanov
2,452,734 A 2,472,009 A		Costelow Gardner	4,204,542 A		Bokros et al.
2,480,271 A	8/1949		4,259,959 A		Walker
2,572,938 A		Kulp at al.	4,278,374 A		
2,684,070 A		Kelsey	4,300,424 A 4,311,002 A		Hoffmann et al.
2,736,964 A 2,779,083 A		Lieberman Enton	4,313,448 A		
2,814,296 A			4,316,469 A		Kapitanov
2,817,339 A			4,317,451 A		Cerwin et al.
, ,			4,372,293 A 4,428,376 A		Vijil-Rosales Mericle
2,910,067 A 2,928,395 A	10/1959 3/1960	Forbes et al.	4,430,998 A		Harvey
2,988,028 A			4,434,796 A		Karapetian
3,003,155 A		Mielzynski et al.	4,449,298 A	5/1984	
3,066,452 A		Bott et al.	4,454,875 A 4,467,805 A		Pratt et al. Fukuda
3,066,673 A 3,068,869 A		Bott et al. Shelden et al.	4,490,326 A		
3,068,870 A	12/1962		4,492,075 A		
3,082,523 A		Modes et al.	4,493,323 A		Albright et al.
3,123,077 A		Alcamo 606/228	4,505,274 A 4,510,934 A	3/1983 4/1985	Speelman Batra
3,166,072 A 3,187,752 A		Sullivan, Jr. Glick	4,531,522 A		Bedi et al.
3,206,018 A		Lewis et al.	4,532,926 A		O'Holla
3,209,652 A	10/1965	Burgsmueller	4,535,772 A		Sheehan
3,209,754 A	10/1965		4,548,202 A 4,553,544 A		
3,212,187 A 3,214,810 A		Mathison	4,610,250 A	9/1986	
3,221,746 A	12/1965		4,610,251 A		Kumar
3,234,636 A		Brown	4,635,637 A		Schreiber
3,273,562 A		Brown	4,637,380 A 4,653,486 A	3/1987	Orejola Coker
3,352,191 A 3,378,010 A		Crawford Codling	4,669,473 A		Richards et al.
3,385,299 A		Le Roy	4,676,245 A		Fukuda
3,394,704 A	7/1968	•	4,689,882 A		Lorenz Ovil et al.
3,494,006 A 3,522,637 A		Brumlik	4,702,250 A 4,712,553 A		MacGregor
3,522,037 A 3,525,340 A		Brumlik Gilbert	4,719,917 A		Barrows
3,527,223 A	9/1970		4,741,330 A		Hayhurst
3,545,608 A		Berger et al.	4,750,910 A 4,776,337 A	6/1988 10/1988	Takayanagi et al.
3,557,795 A 3,570,497 A	1/19/1 3/1971	Hirsch Lemole	4,832,025 A		
3,586,002 A	6/1971		4,841,960 A	6/1989	
3,608,095 A	9/1971		4,865,026 A		
3,608,539 A		Miller	4,873,976 A 4,887,601 A		Schreiber Richards
3,618,447 A 3,646,615 A	11/1971 3/1972		4,895,148 A		Bays et al.
3,683,926 A		Suzuki	4,898,156 A		Gatturna et al.
3,700,433 A	10/1972		4,899,743 A		Nicholson et al.
3,716,058 A		Tanner, Jr.	4,900,605 A 4,905,367 A		Thorgersen et al. Pinchuk et al.
3,720,055 A 3,748,701 A		de Mestral et al. De Mestral	4,930,945 A		Arai et al.
3,762,418 A		Wasson	4,932,962 A		Yoon et al.
3,825,010 A		McDonald	4,946,468 A	8/1990	
, ,		Brumlik 24/449	4,948,444 A 4,950,258 A		
3,845,641 A 3,847,156 A			4,950,285 A		
3,889,322 A			4,968,315 A		
3,918,455 A		-	4,976,715 A		
3,922,455 A			4,979,956 A 4,981,149 A		Silvestrini et al.
3,941,164 A 3,963,031 A	5/1976 6/1976	Musgrave Hunter	4,981,149 A 4,994,073 A		
3,977,937 A		Candor	4,994,084 A		Brennan
3,980,177 A	9/1976	McGregor	4,997,439 A		
3,981,051 A		Brumlik	5,002,550 A	3/1991	
3,981,307 A 3,985,138 A	9/1976 10/1976	-	5,002,562 A 5,007,921 A	3/1991 4/1991	Oberlander
3,983,138 A 3,990,144 A			5,007,921 A 5,007,922 A		
~ ,~ ~ ~ ,			-,,- 11		· · _ · _ · _ · _ · _ · · · · · ·

(56)	Referer	nces Cited	5,464,422 A 5,464,426 A		Silverman
U.S	U.S. PATENT DOCUMENTS				Curtis et al.
			5,472,452 A	12/1995	
5,026,390 A		Brown	5,478,353 A 5,480,403 A	12/1995	
5,037,422 A 5,037,433 A		Hayhurst et al. Wilk et al.	5,480,411 A		Liu et al.
5,037,133 A 5,041,129 A		Hayhurst et al.	5,484,451 A		Akopov et al.
5,046,513 A		Gatturna et al.	5,486,197 A 5,500,000 A		Le et al.
5,047,047 A	9/1991 * 10/1001	Yoon Yoon 606/223	5,500,000 A 5,500,991 A		Feagin et al. Demarest et al.
5,033,047 A 5,084,063 A		Korthoff	5,520,084 A	5/1996	Chesterfield et al.
5,089,010 A		Korthoff	5,520,691 A 5,522,845 A		Branch Wenstrom, Jr.
5,102,418 A 5,102,421 A		Granger et al. Anpach, Jr.	5,522,843 A 5,527,342 A		Pietrzak et al.
5,102,421 A 5,103,073 A		Danilov et al.	5,531,760 A	7/1996	Alwafaie
5,112,344 A		Petros	5,531,761 A	7/1996	Yoon Frechet et al.
5,123,911 A 5,123,913 A		Granger et al 606/232	5,531,790 A 5,533,982 A		Rizk et al.
5,123,915 A 5,123,919 A		Sauter et al 623/1.26	5,536,582 A		Prasad et al.
5,127,413 A	7/1992	Ebert	5,540,705 A		Meade et al.
5,133,738 A 5,141,520 A		Korthoff et al. Goble et al.	5,540,718 A 5,545,148 A		Bartlett Wurster
5,141,320 A 5,147,382 A		Gobie et al. Gertzman et al.	5,546,957 A		
5,156,615 A	10/1992	Korthoff et al.	5,549,631 A		
, ,		Chesterfield et al.	5,554,171 A 5,569,272 A		Gatturna et al. Reed et al.
5,176,692 A 5,179,964 A	1/1993	Wilk et al. Cook	5,571,139 A		
5,192,274 A	3/1993	Bierman	5,571,175 A		•
5,192,302 A		Kensey et al.	5,571,216 A 5,573,543 A		
5,192,303 A 5,197,597 A		Gatturna et al. Leary et al.	5,584,859 A		Brotz 606/228
5,201,326 A	4/1993	Kubicki et al.			Northrup, III et al.
5,207,679 A	5/1993		5,601,557 A 5,626,590 A	2/1997 5/1997	
5,207,694 A 5,217,486 A		Broome Rice et al.	5,626,611 A		Liu et al.
5,217,494 A	6/1993	Coggins et al.	5,632,753 A		Loeser
5,222,508 A		Contarini Voor	5,643,288 A 5,643,295 A	7/1997 7/1997	Thompson Yoon
5,222,976 A 5,224,946 A		Yoon 606/223 Hayhurst et al.	5,643,319 A		Green et al.
5,234,006 A	8/1993	Eaton et al.	5,645,568 A		Chervitz et al.
5,242,457 A		Akopov et al.	5,647,874 A 5,649,939 A		Hayhurst Reddick
5,246,441 A 5.258.013 A		Ross et al. Granger et al.	5,653,716 A		Malo et al.
5,259,846 A	11/1993	Granger et al.	5,662,714 A		Charvin et al.
5,263,973 A			5,669,935 A 5,676,675 A		Rosenman et al. Grice
5,282,832 A		Sander 606/72 Toso et al.	, ,		Ferragamo et al.
5,292,326 A	3/1994	Green et al.			Cooper 606/223
5,306,288 A 5,306,290 A		Granger et al. Martins et al.	5,693,072 A		Ferragamo et al. McIntosh
5,300,290 A 5,312,422 A	5/1994		5,695,879 A	12/1997	Goldmann et al.
5,320,629 A	6/1994	Noda et al.			Chesterfield et al.
5,330,488 A 5,330,503 A	7/1994 7/1994	Goldrath Voor	5,702,397 A 5,702,462 A		Goble et al. Oberlander
5,336,239 A		Gimpelson	5,709,692 A	1/1998	Mollenauer et al.
5,342,376 A	8/1994		5,716,358 A		Ochoa et al.
5,342,395 A 5,350,385 A	8/1994 9/1994	Jarrett et al. Christy	5,716,376 A 5,722,991 A		Roby et al. Colligan
5,350,565 A 5,352,515 A		Jarrett et al.	5,723,008 A	3/1998	Gordon
5,354,271 A	10/1994		5,725,557 A 5,728,114 A		Gatturna et al. Evans et al.
5,354,298 A 5,358,511 A		Lee et al. Gatturna et al.	5,728,114 A 5,731,855 A		Koyama et al.
		Banholzer et al.	5,741,277 A	4/1998	Gordon et al.
5,372,146 A	12/1994		5,744,151 A		Capelli Edwardson et al.
, ,		Sander 606/72 Chesterfield et al.	5,765,560 A		
5,380,334 A					Mulhauser et al.
5,391,173 A	2/1995	Wilk	5,779,719 A 5,782,864 A		Klein et al.
5,403,346 A 5,411,523 A		Loeser Goble	5,782,864 A 5,807,403 A		Lizardi Beyar et al.
5,411,323 A 5,414,988 A		DiPalma et al.	5,807,406 A		Brauker et al.
5,417,691 A	5/1995	Hayhurst	5,810,853 A	9/1998	
5,425,746 A 5,425,747 A		Proto et al 606/224	5,814,051 A 5,843,087 A		Wenstrom, Jr. Jensen et al.
5,425,747 A 5,437,680 A		Brotz 606/228 Yoon et al.	5,843,087 A 5,843,178 A		
, ,		O'Connor 128/898	5,855,619 A	1/1999	Caplan et al.
5,451,461 A		Broyer	5,863,360 A		Wood et al.
5,462,561 A	10/1995	voda	5,887,594 A	<i>5</i> /1999	LoCicero, III

(56)	References Cited			6,596,296 6,599,310			Nelson et al. Leung et al.
	U.S.	PATENT	DOCUMENTS	6,607,541	B1	8/2003	Gardiner et al.
	5 001 166 A	4/1000	C 1 ' 1	6,610,078 6,613,059			Bru-Magniez et al. Schaller et al.
	5,891,166 A 5,893,856 A		Schervinsky Jacob et al.	6,613,254		9/2003	
	5,895,395 A	4/1999		6,616,982			Merrill et al.
	5,895,413 A	4/1999	Nordstrom	6,623,492			Berube et al.
	5,897,572 A		Schulsinger et al.	6,626,930 6,632,245		10/2003	Allen et al. Kim
	5,899,911 A 5,919,234 A	5/1999 7/1999	Carter Lemperle et al.	6,641,592			Sauer et al.
	5,921,982 A		Lesh et al.	, ,			Schaller et al.
	5,925,078 A		Anderson	6,645,226 6,645,227			Jacobs et al. Fallin et al.
	5,938,668 A 5,941,899 A		Scirica et al. Granger et al.	, ,			Anderson et al.
	5,950,633 A		Lynch et al.	6,656,182			Hayhurst
	5,964,783 A		Grafton et al.	6,689,153 6,689,166		2/2004	Skiba Laurencin et al.
	5,968,097 A 5,972,024 A		Frechet et al. Northrup, III et al.	6,692,761			Mahmood et al.
	5,984,933 A	11/1999	1	6,702,844			Lazarus
	, ,		Larsen et al.	6,712,830 6,712,859		3/2004	Esplin Rousseau et al.
	6,012,216 A 6,015,410 A		Esteves et al. Tormala et al.	6,716,234			Grafton et al.
	6,027,523 A		Schmieding	6,720,402		4/2004	Langer et al.
	6,039,741 A	3/2000	Meislin	6,726,705			Peterson et al.
	6,045,571 A		Hill et al.	6,746,443 6,746,458		6/2004	Morley et al. Cloud
	6,056,778 A 6,063,105 A		Grafton et al. Totakura	6,749,616		6/2004	
	6,071,292 A		Makower et al.	6,773,450			Leung et al.
	6,074,419 A		Healy et al.	6,783,554 6,814,748			Amara et al. Baker et al.
	6,076,255 A 6,083,244 A		Shikakubo et al. Lubbers et al.	6,818,010			Eichhorn et al.
	6,102,947 A		Gordon	6,838,493			Williams et al.
	6,106,544 A		Brazeau	6,848,152 6,852,825			Genova et al. Ledlein et al.
	6,110,484 A 6,129,741 A	8/2000 10/2000	Sierra Wurster et al.	6,860,891			Schulze
	D433,753 S	11/2000		6,860,901			Baker et al.
	/ /		Laufer et al.	6,867,248 6,877,934		3/2005 4/2005	Martin et al.
	, ,		Bonutti et al. Esteves et al.	6,881,766			
	/ /		Labrecque et al.	6,893,452	B2	5/2005	Jacobs
	6,203,565 B1	3/2001	Bonutti et al.	6,905,484			Buckman et al.
	6,206,908 B1 6,231,911 B1	3/2001	Roby Steinback et al.	6,911,035 6,911,037			Blomme Gainor et al.
	6,235,869 B1		Roby et al.	6,913,607			Ainsworth et al.
	6,241,747 B1*		Ruff 606/216	6,921,811			Zamora et al.
	6,251,143 B1		Schwartz et al.	6,923,819 6,945,021		9/2005	Meade et al. Michel
	6,264,675 B1 6,267,772 B1	7/2001 7/2001	Mulhauser et al.	6,945,980			Nguyen et al.
	6,270,517 B1	8/2001	Brotz	6,960,221		11/2005	
	· ·	11/2001	Roby Andrulitis				Berg et al. Weber et al.
	6,319,231 B1 6,322,581 B1		Fukuda et al.	6,981,983			Rosenblatt et al.
	6,334,865 B1		Redmond et al.	6,984,241			Lubbers et al.
	6,383,201 B1	5/2002		6,986,780 6,991,643		1/2006	Rudnick et al. Saadat
	6,387,363 B1 6,388,043 B1		Gruskin Langer et al.	6,996,880			Kurtz, Jr.
	6,395,029 B1	5/2002	Levy	7,021,316			Leiboff
	D462,766 S		Jacobs et al.	7,033,379 7,037,984			Peterson Ledlein et al.
	6,443,962 B1 6,471,715 B1	9/2002 10/2002		7,048,748			Ustuner
	/ /	11/2002		7,056,331			Kaplan et al.
	, ,		Jacobs et al.	7,056,333 7,057,135			Walshe Li
	6,491,701 B2 6,491,714 B1		Tierney et al. Bennett	7,063,716			Cunningham
			Roby et al.	7,070,610			Im et al.
	6,495,127 B1		Wallace et al.	7,081,135 7,083,637			Smith et al. Tannhauser
	RE37,963 E 6,506,190 B1	1/2003	Thai Walshe	7,083,637			Yu et al.
	6,506,190 B1		Rollero et al.	7,107,090	B2		Salisbury, Jr. et al.
	6,511,488 B1		Marshall et al.	7,112,214			Peterson et al.
	6,514,265 B2 6,527,795 B1		Ho et al. Lizardi	7,125,403 7,125,413			Julian et al. Grigoryants et al.
	6,548,002 B2		Gresser et al.	D532,107			Peterson et al.
	6,548,569 B1		Williams et al.	7,138,441	B1	11/2006	Zhang
	6,551,343 B1		Tormala et al.	7,141,302			Mueller et al.
	6,554,802 B1 6,565,597 B1		Pearson et al. Fearnot et al.	7,144,401 7,144,412			Yamamoto et al. Wolf et al.
	6,592,609 B1			·			DelRio et al.
	•						

(56) References Cited			2004/0049224		3/2004	
	TIC DATENT		2004/0059370 2004/0059377			Greene, Jr. et al. Peterson et al.
	U.S. PATEN	ΓDOCUMENTS	2004/0039377			Leung et al.
7,150,757	B2 12/2006	Fallin et al.	2004/0060410			Leung et al.
, ,		Shuldt-Hempe et al.	2004/0068293			Scalzo et al.
7,156,862		Jacobs et al.	2004/0068294			Scalzo et al.
7,160,312	B2 1/2007	Saadat	2004/0088003			Leung et al.
7,172,595		Goble	2004/0093023 2004/0098051			Allen et al. Fallin et al.
7,172,615		Morriss et al.	2004/0006031			Cohn et al.
7,186,262 7,195,634		'Saadat 'Schmieding et al.	2004/0116620			Shalaby et al.
7,211,088		Grafton et al.	2004/0138683			Shelton et al.
7,214,230	B2 5/2007	Brock et al.	2004/0153153			Elson et al.
7,217,744		Lendlein et al.	2004/0167572 2004/0167575		8/2004 8/2004	Roth et al.
7,225,512		Genova et al.	2004/0107373			Klein et al.
7,226,468 7,232,447		Gellman et al.	2004/0193191			Starksen et al.
7,244,270		Lesh et al.	2004/0193217	A1	9/2004	Lubbers et al.
7,279,612		Heaton et al.	2004/0193257			Wu et al.
7,297,142			2004/0230223			Bonutti et al.
7,322,105			2004/0260340 2004/0265282			Jacobs et al. Wright et al.
7,371,253 7,513,904		Leung et al. Sulamanidze et al.	2004/0267309		12/2004	\mathbf{c}
7,582,105		Kolster	2005/0004601			Kong et al.
7,601,164			2005/0004602			Hart et al.
7,624,487		Trull et al.	2005/0033324 2005/0034431		2/2005	Phan Dey et al.
, ,		Martinek et al.	2005/0034451		2/2005	
7,806,908 7,857,829		Kun Kaplan et al.	2005/0049636			Leiboff
7,879,072		Bonutti et al.	2005/0055051			Grafton
7,919,112		Pathak et al.	2005/0059984			Chanduszko et al.
8,118,834		Goraltchouk et al.	2005/0065533 2005/0070959			Magen et al. Cichocki, Jr.
8,216,273 8,226,684		Goraltchouk et al. Nawrocki et al.	2005/0080455			Schmieding et al.
8,308,761		Brailovski et al.	2005/0085857			Peterson et al.
8,615,856	B1 12/2013	Gelbart	2005/0096698			Lederman
		Pavcnik et al.	2005/0113936 2005/0119694			Brustad et al. Jacobs et al.
2001/0018592 2001/0018599		Schaller et al. D'Aversa et al.	2005/0115054			Meade et al.
2001/0010355		Pavenik et al.	2005/0125034	A 1		Cichocki, Jr.
2001/0051807	A1 12/2001	Grafton	2005/0125035			Cichocki, Jr.
2002/0007218		Cauthen	2005/0149064 2005/0149118			Peterson et al. Koyfman et al.
2002/0022861 2002/0029011		l Jacobs et al. l Dyer	2005/0145116			Jacobs
2002/0029011		Foerster	2005/0171561	A 1	8/2005	Songer et al.
2002/0077448	A1 6/2002	Antal et al.	2005/0177190			Zamierowski
2002/0095164		Andreas et al.	2005/0181009 2005/0182444			Hunter et al. Peterson et al.
2002/0099394 2002/0111641		Houser et al. Peterson et al.	2005/0182445			Zamierowski
2002/0111041		Cauthen	2005/0186247			Hunter et al.
2002/0138009		Brockway et al.	2005/0197699			Jacobs et al.
2002/0151932		Bryant et al.	2005/0199249 2005/0203576			Karram Sulamanidze et al.
2002/0151980		Cauthen	2005/0205570			Jacobs et al.
2002/0161168 2002/0165555		Shalaby et al. Stein et al.	2005/0209612		9/2005	
2002/0173822		Justin et al.	2005/0234510			Zamierowski
2002/0179718		Murokh et al.	2005/0240220			Zamierowski
2003/0040795		Elson et al.	2005/0267531 2005/0267532		12/2005	Ruff et al.
2003/0069602 2003/0088270		Jacobs et al. Lubbers et al.	2005/0277984		12/2005	
2003/0000270		Morency	2005/0283246			Cauthen, III et al.
2003/0158604		Cauthen, III et al.	2006/0020272			Gildenberg
2003/0167072		Oberlander	2006/0030884 2006/0036266			Young et al. Sulamanidze et al.
2003/0199923 2003/0203003		Khairkhahan et al. Nelson et al.	2006/0058470		3/2006	
2003/0203003		Gabriel et al.	2006/0058574	A 1	3/2006	Priewe et al.
2003/0204195	A1 10/2003	Keane et al.	2006/0058799			Elson et al.
2003/0225424		Benderev	2006/0058844 2006/0063476		3/2006 3/2006	White et al.
2003/0229361 2003/0236551		Jackson Peterson	2006/0063476			Allen et al.
2003/0230331		Bosley, Jr. et al.	2006/0064116			Allen et al.
2004/0010275		Jacobs et al.	2006/0064127			Fallin et al.
2004/0010276		Jacobs et al.	2006/0079469			Anderson et al.
2004/0015187		Lendlein et al.	2006/0079935			Kolster
2004/0024169 2004/0024420		Shalaby et al. Lubbers et al.	2006/0085016 2006/0089525			Eremia Mamo et al.
2004/0024420		Leung et al.	2006/0089323			Martinek
2004/0039415		Zamierowski	2006/0111734			Kaplan et al.

(56)		Referen	ces Cited		2008/0086170			Jones et al.
	TIC	DATENIT	DOCLIMENTS		2008/0109036 2008/0131692			Stopek et al. Rolland et al.
	U.S.	PAIENI	DOCUMENTS		2008/0131092			Maiorino et al.
2006/0111742	A 1	5/2006	Kaplan et al.		008/0169059			Messersmith et al.
2006/0116503			Lendlein et al.		2008/0195147		8/2008	±
2006/0122608			Fallin et al.		008/0208358			Bellamkonda et al.
2006/0135994		6/2006			2008/0215072 2008/0221618		9/2008 9/2008	Chen et al.
2006/0135995 2006/0140999		6/2006 6/2006	Lendlein et al.		008/0234731			Leung et al.
2006/0140797		6/2006			008/0248216		10/2008	Yeung et al.
2006/0193769	A1	8/2006	Nelson et al.		008/0255611		10/2008	
2006/0194721		8/2006			.008/0262542 .008/0281338			Sulamanidze et al. Wohlert et al.
2006/0200062 2006/0207612		9/2006 9/2006	Jackson et al.		2008/0281357			Sung et al.
2006/0229671			Steiner et al.	2	2008/0312688	A 1		Naworocki et al.
2006/0235445	A1	10/2006	Birk et al.		2009/0012560			Hunter et al.
2006/0235447		10/2006	_		2009/0018577 2009/0043336			Leung et al. Yuan et al.
2006/0235516 2006/0241658			Cavazzoni Cerundolo		009/0076543			Maiorino et al.
2006/0241036			Cerwin et al.		009/0082856			Flanagan
2006/0253126	A 1	11/2006	Bjerken et al.		2009/0088835		4/2009	$\boldsymbol{\mathcal{C}}$
2006/0257629			Lendlein et al.		2009/0099597 2009/0105753		4/2009 4/2009	Greenhalgh et al.
2006/0258938 2006/0272979			Hoffman et al. Lubbers et al.		2009/01037965			D'Agostino
2006/0272979			Arnal et al.		2009/0112236		4/2009	Stopek
2006/0282099			Stokes et al.		2009/0112259			D'Agostino
2006/0286289			Prajapati et al.		2009/0143819 2009/0200487			D'Agostino Maiorino et al.
2006/0287675 2006/0287676			Prajapati et al.		2009/0200487			Cohen et al.
2006/0287676			Prajapati et al. Foerster et al.		2009/0216253			Bell et al.
2007/0005109			Popadiuk et al.		2009/0226500			Avelar et al.
2007/0005110			Collier et al.		2009/0248066 2009/0248067		10/2009	Wilkie Maiorino
2007/0016251		1/2007			2009/0248007			Kosa et al.
2007/0021779 2007/0027475			Garvin et al. Pagedas		2009/0250588			Robeson et al.
2007/0038249			Kolster		2009/0259233			Bogart et al.
2007/0065663			Trull et al.		009/0259251		10/2009	
2007/0088135			Lendlein et al.		2009/0287245 2009/0299407			Ostrovsky et al. Yuan et al.
2007/0088391 2007/0134292			McAlexander et al. Suokas et al.		009/0299408			Schuldt-Hempe et al.
2007/0131232			Schmieding		2009/0306710		12/2009	Lindh et al.
2007/0135843	A1	6/2007	Burkhart		009/0318958		1/2010	
2007/0151961			Kleine et al.		2010/0021516 2010/0023055		1/2010 1/2010	Rousseau
2007/0156175 2007/0167958			Weadock et al. Sulamanidze et al.		2010/0057123			D'Agostino et al.
2007/0187861			Geneva et al.		2010/0063540		3/2010	Maiorino
2007/0208355		9/2007			010/0071833			Maiorino
2007/0208377			Kaplan et al.		2010/0087855 2010/0101707			Leung et al. Maiorino et al.
2007/0213770 2007/0219587			Dreyfyss Accardo		2010/0160961			Nawrocki et al.
2007/0213307			Hwang et al.	2	2010/0211097	A 1	8/2010	Hadba et al.
2007/0225642	A 1		Houser et al.		2010/0211098			Hadba et al.
2007/0225761		9/2007	_		2010/0230300			Hunter et al.
2007/0225763 2007/0233188			Zwolinski et al. Hunt et al.		2010/0292718 2010/0294103			Sholev et al. Genova et al.
2007/0233100			Shelton, IV et al.		2010/0294103			Genova et al.
2007/0239207		10/2007	Beramendi		010/0294105			Genova et al.
2007/0257395			Lindh et al.	2	010/0294106	A 1	11/2010	Genova et al.
2007/0282247 2007/0293892		12/2007	Desai et al. Takasu		010/0294107			Genova et al.
2008/0004490			Bosley, Jr. et al.		010/0298637		11/2010	
2008/0004603			Larkin et al.		2010/0298639 2010/0298848			Leung et al. Leung et al.
2008/0009838			Schena et al.		2010/0298867		11/2010	•
2008/0009888 2008/0009902			Ewers et al. Hunter et al.	2	010/0298868	A 1	11/2010	Ruff
2008/00077273			Gutterman		2010/0298871			Ruff et al.
2008/0027486			Jones et al.		010/0298878			Leung et al.
2008/0046094			Han et al.		.010/0298879 .010/0298880			Leung et al.
2008/0058869 2008/0064839			Stopek et al. Hadba et al.		2010/0298880			Leung et al. Genova et al.
2008/0004839			Paraschac et al.		2010/0313729			Genova et al.
2008/0066765			Paraschac et al.		2010/0313730			Genova et al.
2008/0066766			Paraschac et al.		2010/0318122			Leung et al.
2008/0066767			Paraschac et al.		010/0318123			Leung et al.
2008/0077181 2008/0082113			Jones et al. Bishop et al.		2010/0318124 2011/0009902			Leung et al. Leung et al.
2008/0082113			Jones et al.		011/0009902			Goraltchouk et al.
2008/0086169			Jones et al.		2011/0106152			Kozlowski

(56)	Referen	nces Cited	WO WO 98/52473 11/1998 WO WO 98/55031 12/1998
	U.S. PATENT	DOCUMENTS	WO WO 00/51658 9/2000
		Criscuolo et al.	OTHER PUBLICATIONS
		Herrmann et al. Viola	"Up Lifting (Aptos Threads)", http://www.ccpr.com.br/upl-1.htm,
	FOREIGN PATE	ENT DOCUMENTS	Aug. 19, 2002, pp. 1-2. Sulamanidze et al., "Facial Lifting with "Aptos" Threads", http://www.fonendo.com Jul. 18, 2001, pp. 1-4.
DE	03227984	2/1984	McKenzie, "An Experimental Multiple Barbed Suture for the Long
DE DE	4302895 A 19618891	8/1994 4/1997	Flexor Tendons of the Palm and Fingers", <i>The Journal of Bone and Joint Surgery</i> , vol. 49B, No. 3, Aug. 1967, pp. 440-447.
EP	0121362	9/1987	Datillo et al., "Medical Textiles: Application of an Absorbable
EP EP	0329787 0513713	8/1989 5/1992	Barbed Bi-directional Surgical Suture", vol. 2, Issue, 2, <i>The Journal</i>
EP	0 428 253 B1	7/1994	of Textile and Apparel Technology and Management (Spring 2002). McKenzie, An Experimental Multiple Barbed Suture For The Long
EP EP	0632999 0513736	1/1995 2/1995	Flexor Tendons Of The Palm and Fingers, The Journal of Bone
EP	0464479	3/1995	and-Joint-Surgery, vol. 49B, No. 3, Aug. 1967, p. 440-447.
EP EP	0464480 0 576 337 B1	3/1995 3/1997	Sulamanidze, Paikidze, Sulamanidze, Facial Lifting With "Aptos"
EP	0574707	8/1997	Threads, Jul. 18, 2001, www.fonendo.com, p. 1-6. Declaration of Dr. Gregory L. Ruff, Dated Aug. 19, 2005, 8 pages,
EP EP	0612504 0558993	11/1997 4/1998	with Exhibits A-E.
EP	0913123	5/1999	Bunnell, S. 'Gig pull-out suture for tendons' J Bone Joint Surg. Am
EP	0916310	5/1999	(1954) vol. 36A, No. 4 pp. 850-851.
EP EP	0664198 0960600	6/1999 12/1999	Jennings et al 'A New Technique in primary tendon repair' Surg.
EP	1075843 A1	2/2001	Gynecol. Obstet. (1952) vol. 95, No. 5 pp. 597-600. Mansberger et al 'A New Type Pull-Out Wire for Tendon Surgery: A
EP EP	0705567 0673624	3/2002	Preliminary Report' Department of Surgery, University Hospital and
EP EP	0839499	8/2002 9/2003	University of Maryland School of Medicine, Baltimore, Maryland,
EP	0755656	12/2003	Received for Publication May 10, 1951 pp. 119-121.
EP	0826337	12/2005	Mason, M.L. 'Primary and Secondary Tendon Suture. A discussion of the significance of technique in tendon surgery' (1940) Surg
EP EP	0991359 2338421	11/2007 11/2012	Gynecol Obstet 70.
FR	2619129	2/1989	McKee, GK 'Metal anastomosis tubes in tendon suture' The Lancet
FR	2693108	1/1994	(1945) pp. 659-660.
GB GB	0267007 1091282	3/1927 11/1967	Potenza, A. 'Tendon Healing Within the Flexor Digital Sheath in the Dog: An Experimental Study' Journal of Bone & Joint Surgery
GB	1428560	7/1973	(1962) vol. 44A No. 1 pp. 49-64.
GB	1508627	4/1978	Pulvertaft 'Suture Materials and Tendon Junctures' American Journal
JP JP	1506362 54-116419	4/1978 9/1979	of Surgery (1965) vol. 109 pp. 346-352. Schmid A. et al 'The outspreading anchor cord. A material for
JP	63-288146	11/1988	arthroscopic suturing of a fresh anterior cruciate ligament rupture'
JP	001113091	5/1989	Surgical Clinic of the University of Gottingen' (1987) pp. 417-426.
JP JP	3-165751 4-096758	7/1991 3/1992	Serafetinides, AA 'Short pulse laser beam interactions with polymers
JP	4-266749	9/1992	biocompatible materials and tissue' Proce SPIE vol. 3052 (1996) pp. 111-123.
JP	9-103477	4/1997	Verdan, C. 'Primary Repair of Flexor Tendons' Journal of Bone and
JP JP	410085225 11-313826	4/1998 11/1999	Joint Surgery (1960) vol. 42, No. 4 pp. 647-657.
JP	011332828	12/1999	Zoltan, J. 'Cicatrix Optima: Techniques for Ideal Wound Healing' English language edition University Park Press Baltimore (1977)
JP	2002-059235	2/2002	Chapter 3 pp. 54-55.
JP JP	2003-275217 2009-118967	9/2003 6/2009	Communication from EPO re: 10000486 dated Apr. 4, 2011, 4 pages.
KR	10-2005-0072908 A	7/2005	European Search Report re: EP05025816 dated Jun. 23, 2006.
KR	6013299	2/2006	European Search Report for EP07006258.3 dated May 4, 2007, 4 pages.
NZ NZ	501224 531262	3/2002 12/2005	European Search Report for EP07015906 dated Oct. 2, 2007.
RU	2139690	10/1999	European Search Report for EP07015905.8 dated Oct. 2, 2007, 2
RU	2175855	11/2001	pages. European Search Report for EP07016222 dated Jan. 7, 2008.
RU SU	2241389 1745214	12/2004 7/1992	European Search Report for EP09014651 dated Jan. 12, 2010.
SU	1752358	8/1992	European Search Report for EP10000629.5 dated Mar. 10, 2010, 4
WO	WO 96/06565	3/1966	pages. European Search Report re: EP10000486 dated Apr. 23, 2010.
WO WO	WO 86/00020 WO 87/01270	1/1986 3/1987	European Search Report re: 10000480 dated Apr. 23, 2010. European Search Report re: 10004453 dated Jun. 15, 2010.
WO	WO 88/09157	12/1988	European Search Report for EP10011871.0 dated Dec. 3, 2010, 2
WO	WO 89/05618	6/1989	pages. European Search Donort for ED10011868 6 dated Dec. 6, 2010, 2
WO WO	WO 90/09149 WO 90/14795	8/1990 12/1990	European Search Report for EP10011868.6 dated Dec. 6, 2010, 2 pages.
WO	WO 90/14/93 WO 92/22336	12/1990	European Search Report for EP10011869 dated Jan. 20, 2011.
WO	WO 95/16399	6/1995	European Search Report for EP10011872 dated Apr. 20, 2011.
WO	WO 95/29637	11/1995	European Search Report for EP10012437 dated Apr. 28, 2011.

(56) References Cited

OTHER PUBLICATIONS

European Search Report for EP10186592.1 dated Jan. 19, 2011, 2 pages.

European Search Report for EP10184766 dated Apr. 20, 2011.

Extended European Search Report re: 07015905.8 dated Oct. 23, 2007.

Extended European Search Report re: 07016222.7 dated Jan. 30, 2008.

International Preliminary Examination Report re: PCT/US1998/10478 dated Dec. 11, 1999.

International Preliminary Report re: PCT/US2007/002688 dated Aug. 14, 2008.

International Preliminary Report re: PCT/US2008/060127 dated Oct. 13, 2009.

International Preliminary Report re: PCT/US2008/087788 dated Jun. 22, 2010.

International Preliminary Report re: PCT/US2009/032693 dated Aug. 3, 2010.

International Preliminary Report re: PCT/US2009/040545 dated

Oct. 19, 2010. International Preliminary Report re: PCT/US2009/041685 dated

Oct. 26, 2010. International Preliminary Report re: PCT/US2009/044274 dated

Nov. 17, 2010. International Preliminary Report re: PCT/US2011/035431 dated Nov. 6, 2012.

International Preliminary Report re: PCT/US2011/059238 dated May 7, 2013.

International Search Report for PCT/US1994/09631 dated Dec. 9, 1994.

International Search Report for PCT/US1998/10478 dated Sep. 23, 1998.

International Search Report for PCT/US2002/20449 dated May 20, 2003.

International Search Report for PCT/US2002/027525 dated Dec. 9, 2002, 3 pages.

International Search Report for PCT/US2003/030424 dated Nov. 1, 2004.

International Search Report for PCT/US2003/030664 dated May 25,

2004. International Search Report for PCT/2003/030666 dated Dec. 15, 2004.

International Search Report for PCT/US2003/025088 dated Dec. 29, 2003.

International Search Report re: PCT/US2003/030674 dated Sep. 2, 2004.

International Search Report re: PCT/US2004/014962 dated Feb. 24, 2005.

International Search Report for PCT/US2005/017028 dated Mar. 26, 2008.

International Search Report for PCT/US2007/002688 dated Oct. 22,

2007. International Search Report for PCT/US2007/074658 dated Jun. 12,

2007, 3 pages. International Search Report for PCT/US2008/060127 dated Sep. 23, 2008, 5 pages.

International Search Report for PCT/US2008/077813 dated Mar. 31, 2009.

International Search Report for PCT/US2008/082009 dated Feb. 16, 2010.

International Search Report for PCT/US2009/032693 dated Aug. 26, 2009.

International Search Report for PCT/US2009/034703 dated Sep. 28, 2009.

International Search Report for PCT/US2009/040545 dated Oct. 29, 2009.

International Search Report for PCT/US2009/063081 dated Aug. 2, 2010.

International Search Report for PCT/US2009/041685 dated Dec. 22, 2009.

International Search Report for PCT/US2009/044274 dated Jan. 15, 2010.

International Search Report for PCT/US2010/056898 dated Aug. 2, 2011.

International Search Report for PCT/US2010/060889 dated Oct. 11, 2011.

International Search Report for PCT/US2011/034660 dated Feb. 8,

2012. International Search Report for PCT/US2011/035270 dated Jan. 12,

2012. International Search Report for PCT/US2011/035271 dated Jan. 12,

2012. International Search Report re: PCT/US2011/035431 dated Jan. 12,

2012. International Search Report for PCT/US2011/059238 dated May 21, 2012.

International Search Report for PCT/US2012/030441 dated Sep. 27, 2012.

Partial European Search Report re: EP05025816 dated Mar. 20, 2006. Singapore Search Report for Singapore Patent Application No. 200702625-5 dated Nov. 26, 2008, 7 pages.

Singapore Search Report for Singapore Patent Application No. 200702350-0 dated Nov. 26, 2008, 6 pages.

Singapore Search Report for Singapore Patent Application No. 200703688-2 dated Nov. 26, 2008, 7 pages.

Singapore Search Report for Singapore Patent Application No. 201103117-6 dated Mar. 8, 2013.

Supplementary European Search Report re: EP98923664 dated Jun. 12, 2001.

Supplementary European Search Report re: EP03752630 dated Nov. 17, 2005.

Supplementary European Search Report re: 03770556 dated Nov. 17, 2005.

Supplementary European Search Report re: 03754965 dated Nov. 18, 2005.

Supplementary European Search Report re: EP03785177 dated May 19, 2009.

Supplementary European Search Report re: 05750101 dated Apr. 7, 2010.


Supplementary European Search Report re: 07017663 dated Nov. 7, 2007.


H. Han, et al. "Mating and Piercing Micromechanical Structures for Surface Bonding Applications". Micro ElectroMechanical Systems (MEMS-91), Jan. 31-Feb. 2, 1991, CH2957-Sep. 1991, pp. 253-258, 1991.

H. Buncke, et al. "The Suture Repair of One-Millimeter Vessels". Micro-Vascular Surgery, pp. 24-35 (esp. p. 34), 1966.

* cited by examiner

Fig. 1








Fig. 2









Fig. 3




















Fig. 12





Fig. 13 _ 84 83 83









Fig. 17







SURGICAL METHODS USING ONE-WAY SUTURE

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue; a claim printed with strikethrough indicates that the claim was canceled, disclaimed, or held invalid by a prior post-patent action or proceeding.

BACKGROUND OF THE INVENTION

The invention concerns surgical procedures, and in particular relates to surgical methods using a one-way suture which 15 has barb elements enabling the suture to be pulled through tissue in one direction, but resisting movement in the opposite direction. The methods include closing wounds, tissue support and repair of internal tissues such as tendons and ligaments.

Sutures have been used in surgical procedures to close surgical and traumatic wounds, to close the skin in plastic surgery, to secure damaged or severed tendons, muscles or other internal tissues, and in microsurgery on nerves and blood vessels, all for holding tissues together to support heal- 25 ing and regrowth. Such sutures are attached to the shank end or trailing end of a needle. The sutures can be a monofilament or a braided material and many are available as a one-piece unit pre-attached to a needle. Sutures can be of non-absorbable material such as silk, nylon, polyester, polypropylene or 30 cotton, or of bioabsorbable material such as polymers and copolymers of glycolic and lactic acid. Loop stitching has been the primary procedure, particularly to close a surface wound, whether an accidental or surgical wound. Such looped sutures, which are similar to the simplest method of 35 seaming two pieces of fabric together, can leave ugly scars and a "Frankenstein" look to the fully healed wound. Although this can be alleviated in some cases and to some extent by using very fine suture material (e.g. 100 microns in diameter), the loop stitching still can cause very visible scars, 40 and for adequate closure of some wounds the suture material must be of a high tensile strength and thus a larger diameter, increasing scarring.

Surface adhesive tapes are often used on the skin to hold small wounds closed to permit healing, but-these have relatively low tensile strength and are not useful in many situations. Another approach, sometimes practical, has been the use of staples for holding closed a wound for healing. The staples have relatively high strength and save time, but are not as accurate as sutures, are bulky and painful to remove.

Surgical sutures having barbs, for providing a non-slip attribute in one direction, are shown in U.S. Pat. No. 3,123, 077. In addition, in about the 1960s a metal tendon suture was produced and tried, the suture having a single, large barb for gripping of the tendon tissue. The metal suture was not successful and may no longer be available, and the technique is outdated.

U.S. Pat. Nos. 5,425,747 and 5,584,859 disclose a type of "suture" having external barbs for holding together the two sides of an open wound. Although the theory of operation of 60 the suture devices of these two patents is similar to that of the present invention, these prior suture devices were in essence a single relatively rigid frame. the disclosed devices had "lateral members" with barbs, the lateral members being shaped somewhat like small spears which were to be inserted into the 65 tissue on opposite sides of a wound, to bind the wound together. The arrays of barbed, parallel-extending spears on

2

both sides of the wound were held together by a "central body member" which lay within the wound and parallel to the length of the wound and which was secured to the barbed spears on each of the two sides. All of these components were described as being of bioabsorbable material. In the '859 patent, stretchable elastic connectors secured the spear-like lateral members to the central body member, so as to impose a tension force to pull the two sides of the wound together.

The spear-like barbed lateral members of the two described patents were required to be pushed into the patient's tissue, and therefore had to be of sufficient stiffness and large enough diameter such as to be capable of being pushed into the tissue. The resulting tissue securement would appear to be bulky and painful. The larger foreign body would tend to cause excessive scarring and would tend to increase the possibility for wound infections.

It is an object of the present invention to improve on suturing techniques for closing wounds and severed tissues, and for performing cosmetic surgery such as face lifts, while minimizing scarring and providing a strong retaining force between the two side of tissue.

SUMMARY OF THE INVENTION

The invention described herein includes several surgical procedures for binding together living tissue using one-way sutures having barbs on their exterior surfaces and a needle on one or both ends. The one-way sutures allow passage of a needle-drawn suture in one direction through tissue but not in the opposite direction, thus having the capability to put tension in the tissue when tension is placed on the trailing end of the suture.

In a procedure for closing a wound or surgical incision, the one-way sutures are passed through tissue at each of the opposed sides of the wound, forming suture pairs in which trailing ends of the sutures are positioned generally in alignment at opposite sides of the wound. On insertion of each suture, the needle is pushed to extend out of the flesh at a point laterally remote from the wound, then the needle is pulled out to draw the suture to the desired position, and the suture is severed from the needle. The number of suture pairs is chosen in accordance with the size of the wound and the strength required to hold the wound closed.

Once all sutures are in place, the wound is closed (as by holding or clamping), and ends of the sutures of each suture pair are secured together, and this may be by heat bonding or surgical knots.

By the described method of using one-way sutures to hold closed a wound, loop stitching is avoided and scarring is minimized.

In addition to closing wounds at the skin surface, the method of the invention is useful in binding together partially or completely severed tendons or other internal tissue of a patient or animal, providing considerable tensile strength with a minimum of suturing. The procedure locates the tensile support precisely where it is needed.

In facelifts and other cosmetic operations, the surgeon uses the one-way sutures to provide lines of tissue support beneath the skin.

In the procedures of the invention, the sutures are hidden and may be left in place. If desired, however, they may be formed of bioabsorbable material.

In a variation of the above procedure, double-armed sutures are used, with first and second surgical needles oriented in opposite directions and a single suture extending between the shank ends of the two needles. The suture has exterior barbs oriented in one direction for about half the

length of the suture and in the opposite direction for the other half of the suture, each portion having the barbs oriented so as to allow movement along with the adjacent needle secured to the suture. In the double-armed suture procedure, the surgeon may fully insert one side of the suture at one side of the wound or severed tissue, then manually close the wound as he draws the opposite needle through the tissue to draw into place the other side of the suture, thus closing the wound as the double-armed suture is fully secured in position. Both needles are severed from the sutures at the points of exit from the tissue.

In another variation of the procedure, the surgeon can use a pull-away needle which is detachable from the one-way suture when the needle is pulled with sufficient tension. This enables the surgeon to leave the barbed suture well below the skin, avoiding "puckering" of the skin from the pull of the barbed suture just below the skin surface. This can be done with double-armed sutures as well.

In a facelift operation, the surgeon selects one or more paths through the patient's tissue where lines of tissue support 20 are needed. The surgeon selects a surgical needle of sufficient length to be inserted through one of the selected paths in the tissue, the needle having a shank end secured to a one-way suture with exterior barbs providing for gripping of the tissue in one direction only, the direction opposite that in which the 25 needle is pushed through the tissue. The surgeon inserts the needle into the tissue, below the skin and along the selected path for the desired line of tissue support, until the needle extends out through the skin at a distal end of the selected path. Then the surgeon grips the needle from the point end and 30 pulls it out of the tissue, leaving the one-way suture lying within the tissue along the selected path. The suture is then severed from the surgical needle, at a point below the skin, leaving the leading end of the one-way suture hidden beneath the skin at that distal end.

The surgeon repeats the above procedure for additional lines of tissue support, as needed for the particular facelift operation. Once all one-way sutures are in place along the desired lines of tissue support, the surgeon applies tension to the trailing end of each suture, such tension being in a direction opposite the direction in which the needle was drawn, to engage the barbs against the internal tissue along the desired lines of tissue support. The trailing end of each suture is secured in such a way that the desired line of support is placed in tension. The trailing end of each suture may be secured to 45 the patient's adjacent tissue, or to another one-way suture which extends in essentially an opposite direction, or a double armed opposing barbed suture can be used.

Accordingly, it is among the objects of the described invention to provide an efficient procedure for closing wounds, 50 incisions and severed tissue such as tendons, joint capsules and ligaments, as well as to establish a highly efficient and invisible tissue support procedure, especially for facelift operations. These and other objects, advantages and features of the invention will be apparent from the following description of preferred embodiments, considered along with the accompanying drawings.

DESCRIPTION OF THE DRAWINGS

- FIG. 1 is a view showing a surgical needle with a one-way suture secured to the shank end of the needle, the suture including barbs on its exterior surface.
- FIG. 1A is a cross sectional view showing the suture of FIG. 1.
- FIG. 2 is a cross sectional view showing a portion of a patient's skin and subcutaneous tissue, with a surgical wound

4

or incision from the skin surface down into the tissue, and showing the use of the needle and one-way suture of FIG. 1.

FIG. 3 is a cross sectional view of patient tissue similar to FIG. 2, but showing use of a needle and suture at both sides of the wound or incision and showing an alternate method for removing the needle from the suture below the skin.

FIG. 4 is another cross sectional view similar to FIG. 2, but with the surgical needles removed and sutures severed from the needles below the skin surface and with trailing ends of the sutures extending into the open wound.

FIG. **5** is a schematic perspective view indicating a series of one-way sutures inserted at one side of a wound, at different levels.

FIG. **5**A is a plan view showing the patient's skin with the wound still open, and showing a series of opposed suture pairs which have been put in place by the procedure shown in FIGS. **2-4**.

FIG. 6 is a cross sectional view similar to FIG. 4, but with the wound closed and showing a knot being tied to join trailing ends of a sutured pair.

FIG. 7 is a cross sectional view similar to FIG. 6, with the wound closed but with the suture ends being joined by a heat bonding technique.

FIG. 8 is an enlarged detail view showing the use of a device for performing the heat bonding of FIG. 7.

FIG. 9 is a view showing a double-armed suture, with two needles and a barbed suture extending between the needles, the suture having two sections with oppositely-directed barbs.

FIG. 10 is a cross sectional view similar to FIGS. 6 and 7 showing a surface wound joined together with a double-armed suture such as shown in FIG. 9, the needles having been removed.

FIG. 11 is a view schematically showing a severed tendon joined together by one-way sutures, which in this case are shown as double-armed barbed sutures.

FIG. 12 is a schematic view indicating a facelift procedure using the one-way sutures of the invention.

FIGS. 13-18 are views showing schematically several different techniques for production of the one-way sutures.

DESCRIPTION OF PREFERRED EMBODIMENTS

FIG. 1 shows schematically a suture 10 secured to the trailing end 12 of a surgical needle 14 in accordance with the invention. As described above, the suture 10 is a one-way suture, allowing its travel through tissue in one direction only, toward the left as viewed in FIG. 1, due to the presence of a multiplicity of barbs 16 on the exterior surface of the suture. The barbs 16 are configured to engage against a patient's tissue, much in the manner of a bee's stinger or a porcupine's quill. The surgical needle 14 is long enough to serve the type of tissue repair to be addressed, so that the needle can be completely removed, leaving the suture in the desired position within the tissue.

FIG. 1A shows in cross section an example of one type of barb configuration which can be used on the sutures of the invention. The suture 10, which may be about 100 to 500 microns in diameter, has the barbs 16 formed in a helical pattern; however, the barbs can also be formed in other patterns and by various means, as explained below.

FIG. 2 indicates schematically a cross section of a patient's tissue 20, showing an open wound or surgical incision 22 with sides 24 and 26. The figure shows surgical needles 14a and 14b which have drawn one-way sutures 10 through the tissue, to points 28, 30 of exit from the skin. The barbed, one-way

sutures 10 remain in the tissue, at desired locations (at two different levels in the wound, in this example), with trailing ends 10b of the sutures left extending into the wound 22. Again, the needles 14a and 14b are selected to be sufficiently long to extend through the entire path where the sutures 10 are 5 to be placed.

In all cases the leading ends 10a of the sutures will be cut off so as to lie below the surface of the skin, which is easily accomplished by depressing the skin immediately around the suture and severing the suture closely against the skin, with the trailing end of the suture tensioned, then allowing the skin to cover the end of the suture. However, in many cases it is important that the skin surface not "pucker" inwardly due to tension in the suture just below the skin. This potential problem can be addressed in several ways. One procedure is to provide, and to select, the proper needle and suture combination for the particular situation to be addressed, such that the leading end 10a of the suture will be free of barbs in an initial region, for a selected distance. In FIG. 2 one of the sutures 10 20 is shown with a dotted line 10c indicating a location where the barbs 16 commence, continuing toward the trailing end 10b of the suture. Thus, the region between the leading end 10a and the dashed line 10c is free of barbs, so that no tension is exerted in the tissue to pull downwardly on the skin. Another 25 method for avoiding this potential problem, and under many circumstances the best method, is to use a pull-away needle/ suture combination, in which the needle is detachable from the leading end of the suture when sufficient force is applied. One such system is marketed as De-tach by Davis and Geck. 30 The De-tach needle requires a pulling force equal to about one-third the tensile strength of the suture itself, to pull the needle free of the suture. Such a detachable arrangement can easily be made with the barbed sutures of the invention, such as by swaging a metal end of the needle over the leading end 35 of the suture with just sufficient force to allow the suture to be pulled through tissue but still allowing the needle to be pulled free when deliberate force is applied. To use such a detachable needle system, the surgeon simply holds the trailing end 10b of the suture after the suture has been emplaced and pulls the 40 needle with the force required to detach it.

One aspect of the invention is that the detachable needle preferably has at its base end length markings, e.g., at one centimeter intervals from the trailing end of the needle, to show the surgeon how far the suture end lies beneath the skin. 45 With reference to such markings the surgeon can gauge the depth of the suture, predetermining the depth of needle-suture separation.

FIG. 3 gives a schematic indication of this procedure. A suture 10d which has been inserted at a lower level in the 50 patient's tissue 20, from near the bottom of a wound 22, has been detached from a needle 14c by pulling the leading end of the needle 14c firmly while holding the trailing end 10b of the implanted suture. As a result of this procedure, the surgeon can select a shorter suture than otherwise needed, can place 55 the suture 10d in a more horizontal or skin-parallel position, correctly aligned with the desired tension to close the wound 22, and the leading end of the suture need not be brought through or even close to the skin surface. In addition, there is no need for a selection of needles/suture combinations with 60 different lengths of barb-free "blank" regions behind the needle, as discussed relative to FIG. 2.

The sutures in FIG. 3 other than the suture 10d are not shown as having been placed with detachable needles, since the figure is meant to illustrate different techniques. Nor- 65 mally, but not necessarily, the same procedure would be used for all procedures around a particular wound.

6

FIG. 3A shows a detachable needle 14c, with distance markings 14e at the base end of the needle. The needle 14c is detachably secured to the leading end 10a of a one-way suture 10.

FIGS. 3 and 4 show two different stages in the procedure using the one-way sutures of the invention. FIG. 3 shows that the sutures are emplaced in pairs, so that corresponding juxtaposed sutures can be attached when the wound is to be closed, and FIG. 4 shows the sutures, in place under the skin, after removal of the needles. Once all suture pairs have been put in place, the trailing ends of the sutures will be ready for attachment together with the wound 22 held closed.

FIG. 5 shows schematically, in plan view, series of suture pairs, each pair having sutures implanted in opposite sides of the wound 22. FIG. 5 shows suture pairs 32a, 32b; 34a, 34b; 36a, 36b; 38a, 38b; 40a, 40b, etc. As indicated, any number of suture pairs can be arranged for tying or otherwise securing them together upon closure of the wound, so that the wound is closed successively from one end to the other and held closed by the connected one-way suture pairs, providing for healing without loop suturing at the surface.

FIG. **5**A schematically shows in cross section one side of the wound or surgical incision **22**, showing trailing ends **10**b of sutures extending into the wound, from sutures which have been pulled into position using surgical needles.

FIG. 6 is a schematic view showing in cross section the tying of a pair of trailing ends 10b of sutures 10 which have been placed in the patient's tissue 20. In this case the sutures 10d are shown extending in positions generally parallel to the surface of the skin, drawn into position by detachable needles such as shown and described with reference to FIG. 3. As mentioned above, the advantages of using this type of detachable needle are (1) the suture can be kept more parallel to the skin surface, so that the tension is pulling in the most efficient direction to close the wound; (2) the suture need not come out through the skin, and can be left deep beneath the skin, preventing any "puckering" of the skin; and (3) the suture can be shorter.

In FIG. 6 the suture ends 10b are tied in a knot, as the wound 22 is held closed, and the tying and drawing of the knot tightly can actually help draw the wound closed.

However, FIGS. 7 and 8 show an alternative procedure for tying the suture ends together, in which a heat sealing device 42 is used to secure the suture ends together. The device 42 may be shaped generally in the form of a pair of tweezers, with an electrical cord 44 supplying power to an isolated tungsten filament 46 on a first leg 47 of the tool. As can be seen in FIGS. 7 and 8, a metal tip 48 of an opposite leg 49 has a recess or notch 50 which engages the two suture ends 10d. With the two suture ends securely engaged in this notch 50, the two legs of the tweezer-like tool are brought together and the filament 46 contacts the suture ends and simultaneously severs the excess ends of the sutures and bonds the sutures together by fusion. The filament is heated instantaneously by closure of a remote switch. The blade tips 47 and 49 of the instrument act as a heat sink to protect the surrounding tissue.

The surgeon will need to hold or temporarily clamp the wound 22 together while using the heat bonding tool 42. By using the tool 42 the surgeon can quickly bond a series of suture pairs, both shallow and deep pairs, eliminating the surgical knot 41 which is left in the wound by the procedure of FIG. 6.

FIG. 9 shows a double-armed suture 55, similar to the barbed suture 10 described above but having barbs 16 oriented in one direction to one side of a division line 56 and in the opposite direction on the other side. As reviewed earlier, this enables the use of such one-way sutures to close and bind

a wound without the need to secure suture ends together in the wound. The double-armed suture **55** of FIG. **9** has a left side **55**a and a right side **55**b.

FIG. 10 shows a wound 22 held closed by double-armed sutures 55 according to procedures of the invention. The 5 double-armed sutures 55 have barb reversal points, such as shown at **56** in FIG. **9**. located at or close to the closed wound 22, such that the two sides of the double-armed suture each exert tension on tissue at the respective side of the wound. The upper suture 55 in FIG. 10 is shown with cut-off leading ends 10 55c, which are just below the surface of the skin in accordance with the first form of the invention described above, wherein the sutures are severed at the skin and the skin springs back over the severed ends 55c to cover them. However, the lower double-armed suture 55 shown in FIG. 10 is shown with 15 terminal leading ends 55c which are well down into the tissue, far below the skin surface **58**. This is merely for the purpose of illustration and not to suggest that the suturing procedure should be different for the lower suture 55 than for the upper suture **55**, although this can be done. The lower suture in FIG. 20 10 is emplaced by the procedure shown on the lower left in FIG. 3, by a pull-away needle, similar to the De-tach needle/ suture combination described above, such that the suture can be drawn more horizontally through the tissue and can be left far below the skin. The patient's tissue is flexible and pliable, 25 and in most cases the surgeon can insert the needle horizontally, then make what is in effect a rather pronounced turn with the needle up toward the surface, by manipulating the skin to angle the needle toward the surface.

The procedure for use of the double-armed sutures **55** is described above, preferably involving first inserting one end of the suture through the tissue to the position desired, with the transition point or barb reversal point **56** located in the wound; then inserting the opposed needle of the double-armed suture into the tissue at the other side of the wound, and drawing this second arm of the suture tight while closing the wound **22**, to the closed position shown in FIG. **10**. The needles are removed after the suture ends are properly in place.

FIG. 11 shows double-armed sutures 60 used to repair a severed tendon 62. FIG. 11 shows the use of double armed sutures, but the simpler barbed sutures shown in FIGS. 1 through 8 could also be used. In this case there is no concern with "puckering" of the surface, so that the leading ends 60a of the sutures can be simply cut off at the surface of the tendon 45 62, as generally indicated in the figure. Again, if a double-armed suture 60 is used, the point of barb direction reversal will be located at or very close to the tendon wound 64.

FIG. 12 is a schematic illustration indicating procedures of the invention in facelift surgery. A facelift patient 70 has a 50 long surgical incision 72, in which skin has been elevated in order to tighten the facial skin, providing tissue support to remove some of the effects of aging. The drawing indicates a series of suture pairs 73a, 73b, . . . 73g, 73h and 73i, which may also be double-armed sutures as described above. As in 55 the surface wound closure situations described and illustrated above, the suture pairs (or double-armed sutures) have barbs for engaging the tissue and gripping the tissue in one direction, so as to pull the tissue toward the surgical wound 72. When each of the suture pairs or double-armed sutures 73a, 60 rial. 73b, etc. has been inserted and the wound has been closed at each suture, the sutures will hold and bind the wound tightly closed, without loop stitching, staples or other means, resulting in reduced scarring. The one-way sutures may be on elongated paths, and the sutures themselves can provide tis- 65 sue support in the facelift operation, rather than relying solely on the removal of skin at the wound 72 for tightening of the

8

facial tissue. FIG. 12 shows only one example; the one-way sutures of the invention, whether in pairs or alone, can be used in a number of different ways for tissue support. The one-way sutures, inserted along lines beneath the skin, can support the subcutaneous layers better than current procedures.

FIG. 13 shows schematically one method for producing one-way sutures for use in the invention. A pair of parallel and movable bars 80, 81 have cutting blades 83 on one surface, the two sets of cutting blades being in facing relationship and being of a size and spacing to form the suture barbs in the size and spacing desired. The cutting blades are precision-formed, since the raw suture 84, which may be nylon or other suitable material, has a small diameter which may be in the range of about 100 to 500 microns. As an example, the barb spacings can be from about 100 microns to about 1 millimeter or even greater. The depth of the barbs formed in the suture material can be about 30 microns to 100 microns, depending, to a large extent, on the diameter of the suture material.

As indicated in FIG. 13, the two bars 80 and 81, with the cutting blades 83, are in a machine which converges them inwardly and downwardly, with reference to the figure, to engage the cutting blades into the exterior walls of the suture filament material 84. The suture material is held stable during this operation, or the suture is advanced upwardly while the bars 80, 81 are moved only inwardly. The distance of relative longitudinal movement between the bars and the suture will determine the depth of the barbs formed, limited by the length of the cutting blades 83 themselves.

FIG. 14 shows a resulting barbed suture 84a as produced by the device shown in FIG. 13. Barbs 86 are closely spaced in the suture 84a, and can be farther apart or in different configurations if desired. As the figure indicates, the barbs 86 are on opposite sides of the suture due to the method of their formation, and they extend outwardly somewhat on the suture due to the manufacturing process, wherein the cutting blades 83 may be removed from the cuts by simply spreading the two bars 80 and 81 (FIG. 13) outwardly, without longitudinal movement of the suture material 84.

FIG. 15 schematically indicates another method for forming a barbed suture 88a from suture filament material 88 such as nylon (or other suitable materials, including resorbable materials as discussed above). This method is somewhat similar to that of FIG. 13, but with rotating cutting wheels 90. These cutting wheels 90 may have cutting blades 92 somewhat similar to the cutting blades 83 shown in FIG. 13. In this production method, the nylon suture material 88 is held with sufficient tension to cause the blades 92 of the wheels 90 to cut into the nylon, forming the barbs 94. The suture being formed nonetheless advances with the motion of the opposed cutting wheels 90, against the imposed resistance. Again, when the cutting blades 92 are pulled free from the formed barbs 94, this pulls outwardly on each barb and causes the barb to protrude slightly from the body of the suture, setting the barbs up for better engagement with the tissue during use.

FIG. 16 indicates a barbed suture 96 having barbs 98 in staggered positions. Such a suture may be formed by a method generally similar to what is shown in FIGS. 13 and 15, but with cutting blades staggered as to height and in different positions around the periphery of the suture material

FIGS. 17 and 18 indicate another system for producing barbed sutures in accordance with the invention. FIG. 17 shows a raw suture filament 100, which may be about 100 to 500 microns in diameter, being cut into a barbed suture 102 by laser machining. As schematically indicated, a laser beam is directed at the cross hatched areas 104 in FIG. 17, removing these sections to produce barbs 106 as shown in FIG. 18. The

barbs can be on opposed sides of the suture, as shown, and staggered if desired. Further, they can be positioned in a spiral pattern if desired, as by rotating the suture filament 100 or moving the laser around the filament, during the material removal operation. Industrial lasers are capable of being focused very sharply, easily down to the range required for this laser machining operation.

Procedures described herein are useful in animal suturing as well as human, and the term "patient" as used in the claims should be taken as including application to animals.

The above described preferred embodiments are intended to illustrate the principles of the invention, but not to limit its scope. Other embodiments and variations to this preferred embodiment will be apparent to those skilled in the art and may be made without departing from the spirit and scope of 15 the invention as defined in the following claims.

I claim:

- 1. A method for bringing together and holding closed an open wound in human or animal flesh to allow healing and 20 regrowth together of the two sides of the wound, comprising:
 - (a) in the open wound, inserting a surgical needle into flesh at one side of the wound, penetrating into the flesh wall at the one side, the needle having a base or trailing end secured to a one-way suture which has a series of exterior barbs providing for gripping of the flesh in one direction only, the barbs permitting movement of the suture through the flesh in the direction the needle is inserted,
 - (b) pushing the needle to extend out of the flesh at a point 30 laterally spaced from the wound, then gripping the needle from the point end and pulling the needle out of the flesh, leaving a trailing end of the suture in the open wound,
 - (c) severing the suture from the needle,
 - (d) repeating the procedure of step (a) at the opposite side of the open wound, at a position to form a suture pair of two sutures located across the wound from one another,
 - (e) repeating steps (b) and (c) at said opposite side of the open wound,
 - (f) repeating steps (a) through (e) to form additional suture pairs as necessary at further locations along the wound depending on the size of the wound,
 - (g) bringing the two sides of the wound together, and
 - (h) connecting together trailing ends of the two sutures of 45 each suture pair to bind the wound in a closed position.
- 2. The method of claim 1, wherein the step of securing together trailing ends of the sutures comprises binding together the two trailing ends by means of heat fusion.
- 3. The method of claim 2, wherein the suture is formed of 50 nylon.
- 4. The method of claim 1, wherein the suture is formed of nylon.
- 5. The method of claim 1, wherein the suture *has a periphery and* has said barbs oriented at progressively staggered 55 positions around the periphery of the suture.
- 6. The method of claim 1, wherein the surgical needle is a detachable needle and wherein the step of severing the suture from the needle comprises, while conducting the step of pulling the needle out of the flesh, restraining the trailing end of the suture and pulling the needle with sufficient force to detach it from the suture at a position wherein the leading end of the suture is well below the surface of the flesh, thereby leaving the leading end of the suture within the flesh.
- 7. The method of claim 6, wherein the base end of the 65 detachable needle has metric markings as a visual reference for a surgeon, and including the surgeon's predetermining the

10

depth of needle-suture severing by detaching the needle at a desired depth by reference to the metric markings.

- 8. The method of claim 1, wherein the suture has a leading end region free of barbs, and wherein the step of pulling the needle out of the flesh comprises pulling the barb free leading end of the suture to the flesh, leaving the barbs well below the flesh so as to avoid downward tension at or near the surface of the skin.
- [9. A surgical method for bringing and holding together two tissue portions in a living patient or animal, to allow healing and regrowth together of the two tissue portions on either side of a tissue separation, comprising:
 - (a) at the tissue separation, inserting a surgical needle into tissue at one side of the separation, penetrating into the one tissue portion, the needle having a trailing end secured to a one-way suture which has a multiplicity of exterior barbs providing for gripping of the tissue in one direction only, the barbs permitting movement of the suture through the tissue in the direction the needle is inserted, the surgical needle being a part of a doublearmed suture which includes first and second such surgical needles oriented in opposite directions and a single suture extending between the trailing ends of the two surgical needles, the suture having said exterior barbs oriented in one direction for a first portion of the length of the suture and in the opposite direction for a remaining, second portion of the length of the suture, each portion having the barbs oriented so as to allow movement of that portion of the suture through the tissue in the same direction in which the needle secured to that portion of the suture is inserted,
 - (b) pushing the first surgical needle to extend along an intended line of support and then out of the tissue at a point spaced from the tissue separation, then gripping the needle from its point end and pulling the needle out of the tissue, leaving said second portion of the suture extending in the tissue separation,
 - (c) repeating the procedure of step (a) at the opposite side of the open wound, using the second surgical needle, at a position located across the tissue separation from the position in which the first needle was inserted,
 - (d) repeating step (b) at said opposite side of the tissue separation, to the extent that said second portion of the suture is drawn through tissue at said opposite side of the separation, with the second surgical needle,
 - (e) bringing the two tissue portions together, while drawing one or both of the surgical needles outwardly from the wound until the two portions of the suture are located substantially in respective tissue portions at opposed sides of the separation and the suture is drawn substantially tight so as to bind the two tissue portions together in a substantially closed position, and
 - (f) severing the suture from the two surgical needles.
 - [10. The surgical method of claim 9, wherein the surgical needles are detachable needles, detachable from the suture with a prescribed pulling force, and wherein the step of severing the suture from the two surgical needles comprises, while conducting the step of pulling the needle out of the tissue, pulling each needle with sufficient force to detach it from the suture at a position wherein the trailing end of the needle is well below the surface of the tissue, thereby leaving the suture well below the surface of the tissue.]
 - [11. The surgical method of claim 10, wherein the two tissue portions comprise two sides of an open wound at the skin of a patient.]
 - [12. The surgical method of claim 9, wherein the suture is formed of nylon.]

- [13. The surgical method of claim 9, wherein the suture is formed of a resorbable material.]
- [14. The surgical method of claim 9, wherein the two tissue portions are portions of a tendon which is at least partially severed.]
- [15. The surgical method of claim 9, wherein the two tissue portions comprise two sides of an open wound at the skin of a patient, wherein the suture includes leading end regions free of barbs, adjacent to the trailing end of each surgical needle, and including leaving the barb free regions of the suture just 10 below the skin to avoid pulling in of the skin.]
- 16. A surgical method for supporting skin and adjacent subcutaneous tissue of a patient in a facelift operation, comprising:
 - selecting one or more paths through the patient's *facial* 15 tissue on which lines of *facial* tissue support are desired,
 - selecting a surgical needle of sufficient length to be inserted through a first of such selected paths in the *facial* tissue, the surgical needle having a trailing end secured to a one-way suture which has a multiplicity of 20 exterior barbs providing for gripping of the *facial* tissue in one direction only, the barbs permitting movement of the suture through the *facial* tissue in the direction the needle is inserted,
 - pushing the needle into the *facial* tissue, below the skin and 25 along the selected path for the desired line of *facial* tissue support, until the needle extends out through the skin at a distal end of the selected path,
 - gripping the needle from its point end and pulling the needle out of the patient's facial tissue, leaving the one- 30 way suture lying within the *facial* tissue along the selected path,
 - severing the suture from the surgical needle, at a point below the skin, leaving a leading end of the one-way suture hidden beneath the skin at said distal end of the selected path, as needed for the particular facelift operation, inserting a needle in additional selected paths for additional desired lines of *facial* tissue support, to place additional one-way sutures below the skin at said additional desired lines of *facial* tissue support,
 - applying tension to the trailing end of each suture, to engage the barbs against the internal tissue along said one or more desired lines of *facial* tissue support, and securing the trailing end of each suture, in the tensioned condition, such that the desired line of support is placed 45 in tension to provide the desired *facial* tissue support.
- 17. The surgical method of claim 16, wherein the trailing end of each suture is secured to *facial* tissue of the patient.
- **18**. [The surgical method of claim **16**,] A surgical method for supporting skin and adjacent subcutaneous tissue of a 50 patient in a facelift operation, comprising:
 - selecting one or more paths through the patient's tissue on which lines of tissue support are desired,
 - selecting a surgical needle of sufficient length to be inserted through a first of such selected paths in the tissue, the 55 surgical needle having a trailing end secured to a one-way suture which has a multiplicity of exterior barbs providing for gripping of the tissue in one direction only, the barbs permitting movement of the suture through the tissue in the direction the needle is inserted,
 - pushing the needle into the tissue, below the skin and along the selected path for the desired line of tissue support, until the needle extends out through the skin at a distal end of the selected path,
 - gripping the needle from its point end and pulling the 65 needle out of the patient's tissue, leaving the one-way suture lying within the tissue along the selected path,

12

- severing the suture from the surgical needle, at a point below the skin, leaving a leading end of the one-way suture hidden beneath the skin at said distal end of the selected path, as needed for the particular facelift operation, inserting a needle in additional selected paths for additional desired lines of tissue support, to place additional one-way sutures below the skin at said additional desired lines of tissue support,
- applying tension to the trailing end of each suture, to engage the barbs against the internal tissue along said one or more desired lines of tissue support, and securing the trailing end of each suture, in the tensioned condition, such that the desired line of support is placed in tension to provide the desired tissue support, wherein the trailing end of each suture is secured to a trailing end of another one-way suture which extends in essentially [an opposite] another direction.
- 19. The surgical method of claim 16, wherein the surgical needle is a detachable needle which detaches from the suture under a prescribed degree of pulling force, and wherein the step of severing the sutures from the surgical needle comprises, while conducting the step of pulling the needle out of the *facial* tissue, restraining the trailing end of the suture and pulling the needle with sufficient force to detach it from the suture at a position wherein the trailing end of the needle is at a selected depth below the surface of the skin, thereby leaving the suture at said selected depth.
- 20. The surgical method of claim 19, wherein the surgical needle has near its trailing end metric markings as a visual reference for a surgeon, and including the surgeon's predetermining the depth of needle-suture severing by detaching the needle at a desired depth by reference to the metric markings.
- 21. A surgical method for bringing and holding together two tissue portions in a living patient, to allow healing and regrowth together of the two tissue portions on either side of a tissue separation, comprising:
 - (a) at the tissue separation, inserting a surgical needle into tissue at one side of the separation, penetrating into the one tissue portion, the needle having a trailing end secured to a one-way suture which has a multiplicity of exterior barbs providing for gripping of the tissue in one direction only, the barbs permitting movement of the suture through the tissue in the direction the needle is inserted,
 - (b) pushing the needle to extend along an intended line of support and then out of the tissue at a point spaced from the tissue separation, then gripping the needle from its point end and pulling the needle out of the tissue, leaving a trailing end of the suture in the tissue separation,
 - (c) severing the suture from the needle,
 - (d) repeating the procedure of step (a) at the opposite side of the tissue separation, in the other tissue portion, at a position to form a suture pair of two sutures located across the tissue separation from one another,
 - (e) repeating steps (b) and (c) at said opposite side of the tissue separation, in said other tissue portion,
 - (f) repeating steps (a) through (e) to form additional suture pairs as necessary at further locations in the tissue separation depending on the size of the tissue separation,
 - (g) bringing the two tissue portions together, and
 - (h) connecting together trailing ends of the two sutures of each suture pair to bind the tissue separation in a closed position to facilitate regrowth together of the two tissue portions.

- 22. The surgical method of claim 21, wherein the step of securing together trailing ends of the sutures comprises binding together the two trailing ends by means of heat fusion.
- 23. The surgical method of claim 21, wherein the two tissue portions comprise sections of a tendon of the patient.
- 24. The surgical method of claim 23, wherein the step of securing together trailing ends of the sutures comprises binding together the two trailing ends by means of heat fusion.
- 25. The surgical method of claim 21, wherein the two tissue portions comprise two sides of an open wound at the skin of 10 a patient, and wherein the step of severing the sutures comprises severing the sutures below the skin surface.
- 26. The surgical method of claim 21, wherein the surgical needle is a detachable needle, detachable from the suture with a prescribed pulling force, and wherein the step of severing the suture from the surgical needle comprises, while conducting the step of pulling the needle out of the tissue, pulling the needle with sufficient force to detach it from the suture at a position wherein the trailing end of the needle is well below the surface of the tissue, thereby leaving the suture well below the surface of the tissue.
 - [27. A surgical needle and suture combination, comprising: a surgical needle,
 - a one-way suture having a series of exterior barbs providing for gripping of tissue in one direction only, the barbs 25 permitting movement of the suture through tissue in the direction the needle is inserted,
 - a detachable connection means securing the trailing end of the needle to a leading end of the suture, for releasing the needle from the suture when the needle pulls the suture 30 with a prescribed amount of tension, and
 - the needle having near its trailing end metric markings as a visual reference indicating distance from the trailing end of the needle, whereby a surgeon can predetermine a depth at which the needle is released from the suture by 35 reference to the markings.]
- 28. The surgical method according to claim 16 for supporting skin and adjacent subcutaneous tissue of a patient in a facelift operation, wherein: the one-way suture is a double-armed suture having a length and having barbs oriented in 40 one direction for a first portion of the length of the suture and in a direction opposite to the one direction for a remaining second portion of the length of the suture.
- 29. The surgical method according to claim 17 for supporting skin and adjacent subcutaneous tissue of a patient in a 45 facelift operation, wherein: the one-way suture is a double-armed suture having a length and having barbs oriented in one direction for a first portion of the length of the suture and in a direction opposite to the one direction for a remaining second portion of the length of the suture.
- 30. The surgical method according to claim 19 for supporting skin and adjacent subcutaneous tissue of a patient in a facelift operation, wherein: the one-way suture is a double-armed suture having a length and having barbs oriented in one direction for a first portion of the length of the suture and 55 in a direction opposite to the one direction for a remaining second portion of the length of the suture.
- 31. The surgical method according to claim 20 for supporting skin and adjacent subcutaneous tissue of a patient in a facelift operation, wherein: the one-way suture is a double- 60 armed suture having a length and having barbs oriented in one direction for a first portion of the length of the suture and in a direction opposite to the one direction for a remaining second portion of the length of the suture.
- 32. A surgical method for supporting skin and adjacent 65 subcutaneous tissue of a patient in a facelift operation, comprising:

14

- selecting one or more paths through the patient's tissue on which lines of tissue support are desired,
- selecting a surgical needle of sufficient length to be inserted through a first of such selected paths in the tissue, the surgical needle having a trailing end secured to a oneway suture which has a multiplicity of exterior barbs providing for gripping of the tissue in one direction only, the barbs permitting movement of the suture through the tissue in the direction the needle is inserted,
- pushing the needle into the tissue, below the skin and along the selected path for the desired line of tissue support, until the needle extends out through the skin at a distal end of the selected path,
- gripping the needle from its point end and pulling the needle out of the patient's tissue, leaving the one-way suture lying within the tissue along the selected path,
- severing the suture from the surgical needle, at a point below the skin, leaving a leading end of the one-way suture hidden beneath the skin at said distal end of the selected path, as needed for the particular facelift operation, inserting a needle in additional selected paths for additional desired lines of tissue support, to place additional one-way sutures below the skin at said additional desired lines of tissue support,
- applying tension to the trailing end of each suture, to engage the barbs against the internal tissue along said one or more desired lines of tissue support, and securing the trailing end of each suture, in the tensioned condition, such that the desired line of support is placed in tension to provide the desired tissue support for supporting skin and adjacent subcutaneous tissue of a patient in a facelift operation, said method further including providing tissue support in the facelift operation from the sutures themselves.
- 33. The surgical method according to claim 32 for supporting skin and adjacent subcutaneous tissue of a patient in a facelift operation, said method comprising: the one-way suture being a double-armed suture having a length and having barbs oriented in one direction for a first portion of the length of the suture and in a direction opposite to the one direction for a remaining second portion of the length of the suture.
- 34. A surgical method for supporting skin and adjacent subcutaneous tissue of a patient in a facelift operation, comprising:
 - selecting one or more paths through the patient's skin and adjacent subcutaneous tissue on which lines of tissue support are desired;
 - selecting a first surgical needle of sufficient length to be inserted through a first of such selected paths in the tissue, the first surgical needle having a trailing end wherein a double armed suture extends between and has its ends secured to the trailing ends of the first surgical needle and a second such surgical needle, the two needles oriented in opposite directions, the suture having said exterior barbs oriented in one direction for a first portion of the length of the suture and in the opposite direction for a second portion of the length of the suture, each portion having the barbs oriented so as to allow movement of that portion of the suture through the tissue in the same direction in which the needle secured to that portion of the suture is inserted;
 - pushing the first needle into the tissue, below the skin and along the selected path for the desired line of tissue support, until the first needle extends out through the skin at a distal end of the selected path;

- pulling the first needle out of the patient's tissue, leaving the first portion of the suture lying within the tissue along the selected path;
- as needed for the particular facelift operation, inserting the second needle in an additional selected path through 5 the patient's skin and adjacent subcutaneous tissue for an additional desired line of tissue support, to place the second portion of the suture below the skin at said additional desired line of tissue support, until the second needle extends out through the skin at a distal end of the 10 additional selected path;
- pulling the second needle out of the patient's tissue, leaving the second portion of the suture lying within the tissue along the additional selected path;
- applying tension to the suture, to engage the barbs against the internal tissue along said one or more desired lines of tissue support, in the tensioned condition, such that the desired lines of support are placed in tension to provide the desired tissue support, and

severing the suture from each needle.

- 35. The surgical method of claim 34, wherein the surgical needles are detachable needles which detach from the suture under a prescribed degree of pulling force, and wherein the step of severing the sutures from the needles comprises, while conducting the step of pulling each needle out of the tissue, restraining the suture and pulling each needle with sufficient force to detach each needle from the suture at a position wherein the trailing end of each needle is at a selected depth below the surface of the skin, thereby leaving the suture at said selected depth.
- 36. The surgical method of claim 34, wherein each surgical needle has near its trailing end markings as a visual reference for a surgeon, and including the surgeon's predetermining the depth of needle-suture severing by detaching each needle at a desired depth by reference to the markings.
- 37. The method of claim 34, wherein the barbs extend outwardly somewhat on the suture.
- 38. The method of claim 34, wherein the suture has said barbs at staggered positions along the suture.
- 39. The method of claim 34, wherein the suture has barbs at 40 helical positions along the suture.
- 40. The method of claim 34, wherein the suture has barbs at opposing positions on either side along the suture.
- 41. The method of claim 34, wherein the suture is about 100 to about 500 microns in diameter.
- 42. The method of claim 34, wherein the suture is formed of non-absorbable material.
- 43. The method of claim 34, wherein the suture is formed of bioabsorbable material.
- 44. A surgical method for bringing and holding together ⁵⁰ two tissue portions in a living patient, to allow healing and regrowth together of the two tissue portions on either side of a tissue separation, comprising:
 - (a) at the tissue separation, inserting a first surgical needle into tissue at one side of the separation, penetrating into 55 the one tissue portion, the first surgical needle having a trailing end wherein a double-armed suture extends between and has its ends secured to the trailing ends of

- the first surgical needle and a second such surgical needle, the two needles oriented in opposite directions, the suture having said exterior barbs oriented in one direction for a first portion of the length of the suture and in the opposite direction for a second portion of the length of the suture, each portion having the barbs oriented so as to allow movement of that portion of the suture through the tissue in the same direction in which the needle secured to that portion of the suture is inserted,
- (b) pushing the first needle to extend along an intended line of support and then out of the tissue at a point spaced from the tissue separation, then gripping the first needle from its point end and pulling the first needle out of the tissue, leaving the first portion of the suture in the tissue separation,
- (c) repeating the procedure of steps (a) and (b) at the opposite side of the tissue separation, in the other tissue portion, with the second needle at a position located across the tissue separation,
- (d) repeating steps (a), (b) and (c) using additional doublearmed sutures as necessary at further locations in the tissue separation depending on the size of the tissue separation,
- (e) bringing the two tissue portions together to bind the tissue separation in a closed position to facilitate regrowth together of the two tissue portions, and
- (f) severing the suture from each needle.
- 45. The surgical method of claim 44, wherein the two tissue portions comprise sections of a tendon of the patient.
 - 46. The surgical method of claim 44, wherein the two tissue portions comprise two sides of an open wound at the skin of a patient, and wherein the step of severing the sutures comprises severing the sutures below the skin surface.
 - 47. The surgical method of claim 44, wherein each surgical needle is a detachable needle detachable from the suture with a prescribed pulling force, and wherein the step of severing the suture from each needle comprises, while conducting the step of pulling each needle out of the tissue, pulling each needle with sufficient force to detach it from the suture at a position wherein the trailing end of each needle is well below the surface of the tissue, thereby leaving the suture well below the surface of the tissue.
- 48. The method of claim 44, wherein the barbs extend outwardly somewhat on the suture.
 - 49. The method of claim 44, wherein the suture has said barbs at staggered positions along the suture.
 - 50. The method of claim 44, wherein the suture has barbs at helical positions along the suture.
 - 51. The method of claim 44, wherein the suture has barbs at opposing positions on either side along the suture.
 - 52. The method of claim 44, wherein the suture is about 100 to about 500 microns in diameter.
 - 53. The method of claim 44, wherein the suture is formed of non-absorbable material.
 - 54. The method of claim 44, wherein the suture is formed of bioabsorbable material.

* * * *