

US00RE45712E

(19) **United States**
(12) **Reissued Patent**
Ogura et al.

(10) **Patent Number:** **US RE45,712 E**
(45) **Date of Reissued Patent:** **Oct. 6, 2015**

(54) **SIGNAL CONVERSION DEVICE**

(71) Applicant: **Photonics Electronics Technology Research Association (PETRA)**, Tokyo (JP)

(72) Inventors: **Ichiro Ogura**, Tokyo (JP); **Koichi Takemura**, Tokyo (JP)

(73) Assignee: **Photonics Electronics Technology Research Association (PETRA)**, Tokyo (JP)

5,565,656 A * 10/1996 Mottahed 174/372
D456,787 S * 5/2002 Wasada et al. D13/182
D461,171 S * 8/2002 Fukumoto et al. D13/182
D465,463 S * 11/2002 Wasada et al. D13/182
D465,773 S * 11/2002 Fukumoto et al. D13/182
D475,028 S * 5/2003 Hori et al. D13/182
D475,355 S * 6/2003 Hori et al. D13/182
D475,982 S * 6/2003 Hori et al. D13/182
6,709,278 B2 * 3/2004 Liu 439/67
6,853,086 B1 * 2/2005 Nakayama 257/778
D504,874 S * 5/2005 Celaya et al. D13/182
D510,728 S * 10/2005 Celaya et al. D13/182
7,350,326 B2 * 4/2008 Hu 40/544

(Continued)

(21) Appl. No.: **29/474,434**

(22) Filed: **Sep. 18, 2014**

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **Des. 706,733**
Issued: **Jun. 10, 2014**
Appl. No.: **29/467,178**
Filed: **Sep. 16, 2013**

(30) **Foreign Application Priority Data**

Mar. 18, 2013 (JP) 2013-005942

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/182; D9/432; 428/690; D21/500;
D25/113
CPC G01J 1/44; G01J 1/46; G01J 1/42;
G01J 1/10; H03M 1/00; H03M 1/001; H03M
1/02; H03M 1/004; H03M 1/008; H03M
1/005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D138,413 S * 8/1944 Powers D9/430
3,497,750 A * 2/1970 Knochel et al. 313/503
D333,615 S * 3/1993 Zutler D3/294

OTHER PUBLICATIONS

Notice of Allowance mailed Jan. 21, 2014 in U.S. Appl. No. 29/467,178, 10 pages.

Primary Examiner — Phillip S Hyder

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57) **CLAIM**


The ornamental design for a signal conversion device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a signal conversion device showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a left side view elevation thereof; and,
FIG. 7 is a top, perspective view thereof.

1 Claim, 4 Drawing Sheets

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue; matter printed in italics indicates the additions made by reissue.



(56)

References Cited

U.S. PATENT DOCUMENTS

D633,450 S * 3/2011 Fujihara et al. D13/180
D633,451 S * 3/2011 Fujihara et al. D13/180
D637,165 S * 5/2011 Kuzuoka D13/180
D638,380 S * 5/2011 Kuzuoka D13/180
D642,996 S * 8/2011 Miyake D13/180
D658,602 S * 5/2012 Egawa et al. D13/180
D664,506 S * 7/2012 Kuzuoka D13/180
D664,937 S * 8/2012 Kuzuoka D13/180
D673,921 S * 1/2013 Ozawa D13/182
D673,922 S * 1/2013 Moriai et al. D13/182

D683,634 S * 6/2013 Hayakawa et al. D10/46
D684,124 S * 6/2013 Matsuhisa et al. D13/180
D684,125 S * 6/2013 Kawachi et al. D13/180
D684,126 S * 6/2013 Kawachi et al. D13/180
D688,637 S * 8/2013 Matsuhisa et al. D13/180
D690,277 S * 9/2013 Matsuhisa et al. D13/180
D694,200 S * 11/2013 Matsuhisa et al. D13/180
2001/0019245 A1 * 9/2001 Ohshita et al. 313/506
2005/0168143 A1 * 8/2005 Kum et al. 313/512
2006/0186520 A1 * 8/2006 Toba et al. 257/678
2008/0200041 A1 * 8/2008 Lin et al. 439/62
2009/0267526 A1 * 10/2009 Sung et al. 315/169.3
2011/0248627 A1 * 10/2011 Fukano et al. 313/504

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7