



US00RE46363E

(19) **United States**
(12) **Reissued Patent**
Moeller et al.

(10) **Patent Number:** **US RE46,363 E**
(45) **Date of Reissued Patent:** **Apr. 11, 2017**

(54) **DIAL-DOWN MECHANISM FOR WIND-UP PEN**

(71) Applicant: **Novo Nordisk A/S**, Bagsvaerd (DK)

(72) Inventors: **Claus Schmidt Moeller**, Fredensborg (DK); **Christian Peter Enggaard**, Vejby (DK); **Bo Radmer**, Hilleroed (DK); **Tom Hede Markussen**, Bagsvaerd (DK)

(73) Assignee: **Novo Nordisk A/S**, Bagsvaerd (DK)

(21) Appl. No.: **14/091,774**

(22) Filed: **Nov. 27, 2013**

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **7,686,786**
Issued: **Mar. 30, 2010**
Appl. No.: **11/665,486**
PCT Filed: **Oct. 20, 2005**
PCT No.: **PCT/EP2005/011285**
§ 371 (c)(1),
(2) Date: **Oct. 11, 2007**
PCT Pub. No.: **WO2006/045526**
PCT Pub. Date: **May 4, 2006**

U.S. Applications:

(62) Division of application No. 13/431,019, filed on Mar. 27, 2012, which is an application for the reissue of Pat. No. 7,686,786.

(Continued)

(30) **Foreign Application Priority Data**

Oct. 21, 2004 (EP) 04077900

(51) **Int. Cl.**

A61M 5/20 (2006.01)
A61M 5/145 (2006.01)
A61M 5/315 (2006.01)

(52) **U.S. Cl.**
CPC **A61M 5/14566** (2013.01); **A61M 5/3155** (2013.01); **A61M 5/31583** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC **A61M 5/14566**; **A61M 5/3155**; **A61M 5/31583**; **A61M 5/20**; **A61M 5/31535**;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

854,390 A 5/1907 Bridge
2,392,196 A 1/1946 Smith
(Continued)

FOREIGN PATENT DOCUMENTS

AU 595723 1/1988
AU 2003232576 A1 1/2004
(Continued)

OTHER PUBLICATIONS

Annersten, M. et al., Insulin Pens Dribble From the Tip of the Needle After Injection, *Practical Diabetes Int.*, vol. 17(4), pp. 109-111 (2000).

(Continued)


Primary Examiner — William Doerrler

(74) *Attorney, Agent, or Firm* — Wesley Nicolas


(57) **ABSTRACT**

The present invention relates to a dial-down mechanism for an injection device comprising a torsion spring for assisting injection of a dose of medicament from the injection device, the dial-down mechanism comprising dial-up cam arranged to receive and engage with a dial-up key, wherein the dial-up cam and the dial-up key are adapted to, upon rotation of a dose setting member in a first direction, cooperate to strain the torsion spring of the injection device, and a dial-down cam arranged to receive and engage with a dial-down key, wherein the dial-down cam and the dial-down key are

(Continued)



Amended



Amended

adapted to, upon rotation of the dose setting member in a second direction, cooperate to release the torsion spring of the injection device, the second rotation direction being opposite to the first rotation direction.

11 Claims, 5 Drawing Sheets

Related U.S. Application Data

- (60) Provisional application No. 60/626,270, filed on Nov. 9, 2004.
- (52) **U.S. Cl.**
CPC A61M 5/20 (2013.01); A61M 5/31535 (2013.01); A61M 5/31553 (2013.01); A61M 5/31586 (2013.01); A61M 5/31593 (2013.01); A61M 2005/202 (2013.01)
- (58) **Field of Classification Search**
CPC A61M 5/31586; A61M 5/31593; A61M 5/31553; A61M 2005/202
USPC 604/134, 135, 136, 131, 132, 133
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,956,563 A 10/1960 Sarnoff
 3,110,310 A 11/1963 Cislak
 3,115,135 A 12/1963 Sarnoff
 3,144,178 A 8/1964 Sarnoff et al.
 3,556,099 A 1/1971 Knight et al.
 3,729,003 A 4/1973 Hurschman
 3,880,162 A 4/1975 Simmons
 3,944,843 A 3/1976 Vaz Martins
 4,026,288 A 5/1977 Costa et al.
 4,231,368 A 11/1980 Becker
 4,275,727 A 6/1981 Keeri-Szanto
 4,277,227 A 7/1981 Jenkins
 4,298,000 A 11/1981 Thill et al.
 4,300,554 A 11/1981 Hessberg et al.
 4,313,439 A 2/1982 Babb et al.
 4,314,556 A 2/1982 Ma
 4,368,731 A 1/1983 Schramm
 RE31,315 E 7/1983 Jenkins et al.
 4,393,723 A 7/1983 Brand
 4,430,079 A 2/1984 Thill et al.
 4,465,478 A 8/1984 Sabelman et al.
 4,470,317 A 9/1984 Sabloewski et al.
 4,493,704 A 1/1985 Beard et al.
 4,498,904 A 2/1985 Turner et al.
 4,515,584 A 5/1985 Abe et al.
 4,568,335 A 2/1986 Updike et al.
 4,584,439 A 4/1986 Paddock
 4,585,439 A 4/1986 Michel
 4,634,431 A 1/1987 Whitney et al.
 4,676,122 A 6/1987 Szabo et al.
 4,749,109 A 6/1988 Kamen
 4,812,724 A 3/1989 Langer et al.
 4,833,379 A 5/1989 Kaibel et al.
 4,838,860 A 6/1989 Groshong et al.
 4,865,591 A 9/1989 Sams
 4,871,351 A 10/1989 Feingold
 4,883,472 A 11/1989 Michel
 4,893,291 A 1/1990 Bick et al.
 4,898,578 A 2/1990 Rubalcaba, Jr.
 4,919,596 A 4/1990 Slate et al.
 4,924,737 A 5/1990 Gummow
 4,936,833 A 6/1990 Sams
 4,950,246 A 8/1990 Muller
 4,973,318 A 11/1990 Holm et al.
 4,988,337 A 1/1991 Ito

4,994,033 A 2/1991 Shockey et al.
 4,998,922 A 3/1991 Kuracina et al.
 5,000,744 A 3/1991 Hoffman et al.
 5,002,537 A 3/1991 Hoffman et al.
 5,011,479 A 4/1991 Le et al.
 5,064,098 A 11/1991 Hutter, III et al.
 5,078,698 A 1/1992 Stiehl et al.
 5,104,380 A 4/1992 Holman et al.
 5,104,388 A 4/1992 Quackenbush
 5,112,317 A 5/1992 Michel
 5,113,869 A 5/1992 Nappholz et al.
 5,114,406 A 5/1992 Gabriel et al.
 5,122,317 A 6/1992 Chen et al.
 5,135,485 A 8/1992 Cohen et al.
 5,154,698 A 10/1992 Compagnucci et al.
 5,163,904 A 11/1992 Lampropoulos et al.
 5,176,646 A 1/1993 Kuroda
 5,207,752 A 5/1993 Sorenson et al.
 5,221,268 A 6/1993 Barton et al.
 5,226,342 A 7/1993 Panin
 5,226,895 A 7/1993 Harris
 5,226,896 A 7/1993 Harris
 5,244,461 A 9/1993 Derlien
 5,244,465 A 9/1993 Michel
 5,246,417 A 9/1993 Haak et al.
 5,257,987 A 11/1993 Athayde et al.
 5,271,527 A 12/1993 Haber et al.
 5,279,585 A 1/1994 Balkwill
 5,279,586 A 1/1994 Balkwill
 5,281,198 A 1/1994 Haber et al.
 5,284,480 A 2/1994 Porter et al.
 5,292,976 A 3/1994 Dessau et al.
 5,295,976 A 3/1994 Harris
 5,304,152 A 4/1994 Sams
 5,308,340 A 5/1994 Harris
 5,314,412 A 5/1994 Rex
 5,318,540 A 6/1994 Athayde et al.
 5,320,609 A 6/1994 Haber et al.
 5,331,954 A 7/1994 Rex et al.
 5,368,572 A 11/1994 Shirota
 5,370,629 A 12/1994 Michel et al.
 5,378,233 A 1/1995 Haber et al.
 5,383,856 A 1/1995 Bersin
 5,383,865 A 1/1995 Michel
 5,408,387 A 4/1995 Murase et al.
 5,440,976 A 8/1995 Giuliano et al.
 5,445,606 A 8/1995 Haak et al.
 5,447,150 A 9/1995 Bacon
 5,478,316 A 12/1995 Bitdinger et al.
 5,480,387 A 1/1996 Gabriel et al.
 5,492,534 A 2/1996 Athayde et al.
 5,496,286 A 3/1996 Stiehl et al.
 5,505,697 A 4/1996 McKinnon, Jr. et al.
 5,505,704 A 4/1996 Pawelka et al.
 5,514,097 A 5/1996 Knauer
 5,536,249 A 7/1996 Castellano et al.
 5,546,932 A 8/1996 Galli
 5,549,575 A 8/1996 Giambattista et al.
 5,573,729 A 11/1996 Belgardt et al.
 5,582,598 A 12/1996 Chanoch
 5,584,815 A 12/1996 Pawelka et al.
 5,591,136 A 1/1997 Gabriel
 5,593,390 A 1/1997 Castellano et al.
 5,599,314 A 2/1997 Neill
 5,611,783 A 3/1997 Mikkelsen
 5,611,784 A 3/1997 Barresi et al.
 5,626,566 A 5/1997 Petersen et al.
 5,628,309 A 5/1997 Brown
 5,637,095 A 6/1997 Nason et al.
 5,645,052 A 7/1997 Kersey
 5,662,612 A 9/1997 Niehoff
 5,674,204 A 10/1997 Chanoch
 5,679,111 A 10/1997 Hjertman et al.
 5,681,285 A 10/1997 Ford et al.
 5,685,864 A 11/1997 Shanley et al.
 5,688,251 A 11/1997 Chanoch
 5,709,662 A 1/1998 Olive et al.
 5,716,990 A 2/1998 Bagshawe et al.
 5,720,733 A 2/1998 Brown

(56)

References Cited

U.S. PATENT DOCUMENTS

5,725,508 A	3/1998	Chanoch et al.	6,514,230 B1	2/2003	Munk et al.
5,728,074 A	3/1998	Castellano et al.	6,537,251 B2	3/2003	Klitmose
5,728,559 A	3/1998	Nilsson et al.	6,547,755 B1	4/2003	Lippe et al.
5,741,211 A	4/1998	Renirie et al.	6,547,763 B2	4/2003	Steenfeldt-Jensen et al.
5,743,889 A	4/1998	Sams	6,547,764 B2	4/2003	Larsen et al.
5,755,692 A	5/1998	Manicom	6,562,011 B1	5/2003	Buch-Rasmussen et al.
5,782,633 A	7/1998	Muhlbauer	6,569,126 B1	5/2003	Poulsen et al.
5,807,334 A	9/1998	Hodosh et al.	6,582,404 B1	6/2003	Klitgaard et al.
5,814,022 A	9/1998	Antanavich et al.	6,585,698 B1	7/2003	Packman et al.
5,820,602 A	10/1998	Kovelman et al.	6,599,272 B1	7/2003	Hjertman et al.
5,823,998 A	10/1998	Yamagata	6,605,067 B1	8/2003	Larsen
5,827,232 A	10/1998	Chanoch et al.	6,613,019 B2	9/2003	Munk
5,830,194 A	11/1998	Anwar et al.	6,663,602 B2	12/2003	Moller
5,843,036 A	12/1998	Olive et al.	6,666,849 B1	12/2003	Marshall et al.
5,879,360 A	3/1999	Crankshaw	6,673,033 B1	1/2004	Sciulli et al.
5,879,630 A	3/1999	Lescouzeres et al.	6,692,472 B2	2/2004	Hansen et al.
5,882,718 A	3/1999	Pommer et al.	6,699,224 B2	3/2004	Kirchhofer et al.
5,898,028 A	4/1999	Jensen et al.	6,716,198 B2	4/2004	Larsen
5,921,966 A	7/1999	Bendek et al.	6,726,661 B2	4/2004	Munk et al.
5,928,201 A	7/1999	Poulsen et al.	6,752,798 B2	6/2004	McWethy et al.
5,933,671 A	8/1999	Stephany et al.	6,770,288 B2	8/2004	Duirs
5,938,642 A	8/1999	Burroughs et al.	6,796,970 B1	9/2004	Klitmose et al.
5,947,934 A	9/1999	Hansen et al.	6,852,404 B2	2/2005	Kuwajima et al.
5,951,530 A	9/1999	Steengaard et al.	6,887,238 B2	5/2005	Jahns et al.
5,954,689 A	9/1999	Poulsen	6,893,415 B2	5/2005	Madsen et al.
5,954,700 A	9/1999	Kovelman	6,899,698 B2	5/2005	Sams
5,957,889 A	9/1999	Poulsen et al.	6,899,699 B2	5/2005	Enggaard
5,961,496 A	10/1999	Nielsen et al.	6,945,961 B2	9/2005	Miller et al.
5,971,963 A	10/1999	Choi	7,008,399 B2	3/2006	Larsen et al.
5,980,491 A	11/1999	Hansen	7,080,936 B1	7/2006	Simpson
5,984,900 A	11/1999	Mikkelsen	7,090,662 B2	8/2006	Wimpenny et al.
5,989,221 A	11/1999	Hjertman	7,094,221 B2	8/2006	Veasey et al.
5,998,989 A	12/1999	Lohberg	7,104,972 B2	9/2006	Moller et al.
6,003,736 A	12/1999	Ljunggren	7,133,329 B2	11/2006	Skyggebjerg et al.
6,004,297 A	12/1999	Steenfeldt-Jensen et al.	7,175,055 B2	2/2007	Hansen et al.
6,010,485 A	1/2000	Buch-Rasmussen et al.	7,195,609 B2	3/2007	Huegli
6,019,745 A	2/2000	Gray	7,195,616 B2	3/2007	Diller et al.
6,033,376 A	3/2000	Rockley	7,241,278 B2	7/2007	Moller
6,033,377 A	3/2000	Rasmussen et al.	7,500,966 B2	3/2009	Hommann
6,036,675 A	3/2000	Thorne et al.	7,678,084 B2	3/2010	Judson et al.
6,048,336 A	4/2000	Gabriel	7,686,786 B2	3/2010	Moller et al.
6,074,372 A	6/2000	Hansen	7,704,238 B2	4/2010	Diller et al.
6,083,197 A	7/2000	Umbaugh	7,771,399 B2	8/2010	Burren et al.
6,086,567 A	7/2000	Kirchhofer et al.	8,048,037 B2	11/2011	Kohlbrener et al.
6,096,010 A	8/2000	Walters et al.	8,202,256 B2	6/2012	Moller
6,110,148 A	8/2000	Brown et al.	8,206,361 B2	6/2012	Moller
6,110,149 A	8/2000	Klitgaard et al.	8,267,899 B2	9/2012	Moller
6,129,080 A	10/2000	Pitcher et al.	8,870,831 B2	10/2014	Holmqvist et al.
6,146,361 A	11/2000	DiBiasi et al.	9,132,239 B2	9/2015	Moller et al.
6,159,161 A	12/2000	Hodosh	2001/0016571 A1	8/2001	Ohkubo et al.
6,161,364 A	12/2000	Kolberg	2001/0034506 A1	10/2001	Hirschman et al.
6,193,698 B1	2/2001	Kirchhofer et al.	2001/0053893 A1	12/2001	Larsen
6,221,046 B1	4/2001	Burroughs et al.	2002/0002326 A1	1/2002	Causey et al.
6,221,053 B1	4/2001	Walters et al.	2002/0002354 A1	1/2002	Vetter et al.
6,231,540 B1	5/2001	Smedegaard	2002/0007154 A1	1/2002	Hansen et al.
6,235,004 B1	5/2001	Steenfeldt-Jensen et al.	2002/0020654 A1	2/2002	Eilersen
6,245,046 B1	6/2001	Sibbitt	2002/0049415 A1	4/2002	Fukuda
6,248,090 B1	6/2001	Jensen et al.	2002/0052578 A1	5/2002	Moller
6,248,095 B1	6/2001	Giambattista et al.	2002/0077852 A1	6/2002	Ford et al.
6,258,062 B1	7/2001	Thielen et al.	2002/0107486 A1	8/2002	Munk
6,268,722 B1	7/2001	Kogure et al.	2002/0120235 A1	8/2002	Enggaard
6,269,340 B1	7/2001	Ford et al.	2002/0165500 A1	11/2002	Bechtold et al.
6,277,097 B1	8/2001	Mikkelsen et al.	2002/0173752 A1*	11/2002	Polzin 604/233
6,277,098 B1	8/2001	Klitmose et al.	2002/0188250 A1	12/2002	Landau et al.
6,281,225 B1	8/2001	Hearst et al.	2003/0009133 A1	1/2003	Ramey
6,283,941 B1	9/2001	Schoenfeld et al.	2003/0039679 A1	2/2003	Duirs
6,287,283 B1	9/2001	Ljunggreen et al.	2003/0040715 A1	2/2003	D'Antonio et al.
6,302,869 B1	10/2001	Klitgaard	2003/0050609 A1	3/2003	Sams
6,312,413 B1	11/2001	Jensen et al.	2003/0073954 A1	4/2003	Moberg et al.
6,340,357 B1	1/2002	Poulsen et al.	2003/0114800 A1	6/2003	Veasey et al.
6,364,860 B1	4/2002	Steck et al.	2003/0172924 A1	9/2003	Staniforth et al.
6,379,339 B1	4/2002	Klitgaard et al.	2003/0176871 A1	9/2003	Pavlov et al.
6,383,167 B2	5/2002	Kirchhofer et al.	2003/0216663 A1	11/2003	Jersey-Willuhn et al.
6,391,005 B1	5/2002	Lum et al.	2003/0233075 A1	12/2003	Huegli
6,419,661 B1	7/2002	Kuhr et al.	2004/0010204 A1	1/2004	Weber et al.
			2004/0024361 A1	2/2004	Fago et al.
			2004/0051368 A1	3/2004	Caputo et al.
			2004/0054326 A1	3/2004	Hommann et al.
			2004/0059299 A1	3/2004	Moller

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0097879 A1 5/2004 Woolston
 2004/0108339 A1 6/2004 Hansen et al.
 2004/0158304 A1 8/2004 Cory et al.
 2004/0171983 A1 9/2004 Sparks et al.
 2004/0186431 A1 9/2004 Graf et al.
 2004/0199117 A1 10/2004 Giambattista et al.
 2004/0207385 A1 10/2004 Gafner et al.
 2004/0210199 A1 10/2004 Atterbury et al.
 2004/0230157 A1 11/2004 Perry et al.
 2004/0236282 A1 11/2004 Braithwaite
 2004/0249348 A1 12/2004 Wimpenny et al.
 2004/0260247 A1 12/2004 Veasey et al.
 2004/0267207 A1 12/2004 Veasey et al.
 2004/0267208 A1 12/2004 Veasey et al.
 2005/0004529 A1 1/2005 Veasey et al.
 2005/0019400 A1 1/2005 Deveney et al.
 2005/0033244 A1 2/2005 Veasey et al.
 2005/0055011 A1 3/2005 Enggaard
 2005/0090782 A1* 4/2005 Marshall et al. 604/211
 2005/0197625 A1 9/2005 Haueter et al.
 2005/0205083 A1 9/2005 Staniforth et al.
 2005/0209570 A1 9/2005 Moller
 2005/0268915 A1 12/2005 Wassenaar et al.
 2006/0118612 A1 6/2006 Christoffersen et al.
 2006/0258988 A1 11/2006 Keitel et al.
 2006/0264838 A1 11/2006 Volckmann et al.
 2007/0093761 A1 4/2007 Veasey et al.
 2007/0167916 A1 7/2007 Lee et al.
 2007/0244445 A1 10/2007 Moller
 2007/0265568 A1 11/2007 Tsals et al.
 2008/0065026 A1 3/2008 Moller
 2008/0147005 A1 6/2008 Moller et al.
 2008/0221530 A1 9/2008 Glejbol et al.
 2008/0281275 A1 11/2008 Moller
 2008/0306445 A1 12/2008 Burren et al.
 2008/0312592 A1 12/2008 Barrow-Williams et al.
 2009/0043264 A1 2/2009 Glejbol et al.
 2009/0062748 A1 3/2009 Moller et al.
 2009/0209920 A1 8/2009 Moller et al.
 2011/0046565 A1 2/2011 Radmer et al.
 2011/0125100 A1 5/2011 Schwirtz et al.
 2012/0095410 A1 4/2012 Moller et al.
 2012/0209208 A1 8/2012 Stefanski
 2013/0204197 A1 8/2013 Bicknell et al.
 2013/0274676 A1 10/2013 Ekman et al.
 2013/0310739 A1 11/2013 Galbraith et al.
 2014/0350478 A1 11/2014 Hansen et al.
 2015/0148750 A1 5/2015 Pedersen et al.

FOREIGN PATENT DOCUMENTS

BR PI0613926 A2 2/2011
 CA 2359375 A1 7/2000
 CN 1214292 A 4/1999
 DE 3048135 A1 7/1982
 DE 3236374 A1 4/1984
 DE 3609555 A1 9/1987
 DE 3638984 A1 5/1988
 DE 3923079 A1 1/1991
 DE 4223958 A1 1/1993
 DE 4419235 A1 12/1995
 DE 19503230 A1 8/1996
 DE 29513214 U1 1/1997
 DE 19723647 C1 12/1998
 DE 19838760 A1 4/2000
 DE 29907880 U1 9/2000
 DE 10103287 A1 8/2001
 DE 20209051 U1 4/2003
 DE 10201875 C1 5/2003
 DE 10229122 A1 2/2004
 DE 10237258 A1 3/2004
 DE 20317377 U1 4/2005
 DE 102004046003 A1 3/2006
 DK 200100240 11/2001
 DK 2005/00116 U1 6/2005

EA 008160 4/2007
 EP 15617 9/1980
 EP 017318 A1 10/1980
 EP 0064858 A1 11/1982
 EP 295075 12/1988
 EP 327810 A2 8/1989
 EP 327910 8/1989
 EP 338806 10/1989
 EP 0362484 A2 4/1990
 EP 387854 9/1990
 EP 422482 4/1991
 EP 454331 10/1991
 EP 498737 8/1992
 EP 879610 8/1992
 EP 608343 4/1993
 EP 554995 A1 8/1993
 EP 554996 8/1993
 EP 594349 4/1994
 EP 615762 9/1994
 EP 0615762 A1 9/1994
 EP 513128 7/1995
 EP 0673482 9/1995
 EP 679440 A1 11/1995
 EP 702970 3/1996
 EP 0704225 A2 4/1996
 EP 0708179 A2 4/1996
 EP 897728 2/1999
 EP 897729 A2 2/1999
 EP 908273 4/1999
 EP 0937471 8/1999
 EP 0937472 8/1999
 EP 937476 8/1999
 EP 0937476 A2 8/1999
 EP 1003581 8/1999
 EP 956873 A2 11/1999
 EP 1351732 1/2001
 EP 1074273 2/2001
 EP 1095668 A1 5/2001
 EP 1216717 A1 6/2002
 EP 1216719 A1 6/2002
 EP 1000631 7/2002
 EP 0747391 3/2004
 EP 1462134 A1 9/2004
 EP 1541185 6/2005
 EP 1557163 7/2005
 EP 1557189 A1 7/2005
 EP 1568389 8/2005
 EP 1304129 11/2005
 EP 1610848 A1 1/2006
 EP 1645301 4/2006
 EP 1723977 11/2006
 EP 1728529 12/2006
 EP 1768725 A1 4/2007
 EP 1782853 5/2007
 EP 1819382 8/2007
 EP 1909871 A1 4/2008
 EP 1926514 A1 6/2008
 EP 2000161 12/2008
 EP 2019701 A1 2/2009
 EP 2373361 A1 10/2011
 FR 2583291 12/1986
 FR 2622457 5/1989
 FR 2697434 A1 5/1994
 FR 2740345 4/1997
 FR 2767479 2/1999
 FR 2857654 1/2005
 GB 574705 1/1946
 GB 664044 1/1952
 GB 2091107 7/1982
 GB 2153445 8/1985
 GB 2229497 9/1990
 GB 2309644 8/1997
 GB 0007071.4 3/2000
 IN 165367 3/1986
 JP 56-163486 12/1981
 JP 57-000033 1/1982
 JP 01-035671 A 2/1989
 JP 01-100495 4/1989
 JP 02071758 A 3/1990

(56)

References Cited

FOREIGN PATENT DOCUMENTS

JP 02-126184 5/1990
 JP 02-182267 7/1990
 JP 4-224764 8/1992
 JP 04256757 A 9/1992
 JP 4-507059 12/1992
 JP 05-337179 12/1993
 JP 06-055644 1/1994
 JP 06-034825 10/1994
 JP 06-296691 10/1994
 JP H07-500039 1/1995
 JP 7-502678 3/1995
 JP 09166474 6/1997
 JP 11511364 10/1999
 JP 3017167 11/1999
 JP 2000237308 9/2000
 JP 2002503122 1/2002
 JP 2003284777 10/2003
 JP 2004503303 A 2/2004
 JP 2004-516895 6/2004
 JP 2004533285 A 11/2004
 JP 2005536300 A 12/2005
 JP 2006250582 9/2006
 JP 2007-509662 4/2007
 JP 2008-528071 A 7/2008
 JP 2008-196696 A 8/2008
 JP 2010523183 A 7/2010
 JP 2011524212 A 9/2011
 PL EP 1804865 10/2005
 PL 208660 B1 5/2011
 PL EP 2373361 9/2012
 RU 2111019 5/1997
 RU 2091087 9/1997
 RU 2212254 9/2003
 RU 2254878 C2 6/2005
 SU 1528330 A3 12/1989
 WO 8502256 5/1985
 WO 8702895 A1 5/1987
 WO 8907463 8/1989
 WO 90/09202 8/1990
 WO 9110460 A1 7/1991
 WO 9110677 7/1991
 WO 91/14467 A1 10/1991
 WO 9301573 1/1993
 WO 9303780 3/1993
 WO 9307922 4/1993
 WO 9412228 6/1994
 WO 95/21645 A1 8/1995
 WO 9524233 9/1995
 WO 9607443 3/1996
 WO 9626754 9/1996
 WO 96/32973 10/1996
 WO 9638190 12/1996
 WO 9707841 3/1997
 WO 9710865 A1 3/1997
 WO 9730742 8/1997
 WO 9733638 9/1997
 WO 9734919 9/1997
 WO 9736626 10/1997
 WO 9810813 3/1998
 WO 9856436 12/1998
 WO 9856439 12/1998
 WO 9857688 12/1998
 WO 9907425 2/1999
 WO 9915214 4/1999
 WO 9916487 4/1999
 WO 9921598 5/1999
 WO 9938554 8/1999
 WO 9948546 9/1999
 WO 9965548 A1 12/1999
 WO 0015224 A1 3/2000
 WO 0037098 A1 6/2000
 WO 0037129 6/2000
 WO 00/51668 9/2000
 WO 01/10484 2/2001
 WO 01/19434 A1 3/2001

WO 0126710 4/2001
 WO 01/30425 5/2001
 WO 0172361 10/2001
 WO 0195959 A1 12/2001
 WO 0205876 1/2002
 WO 0224257 3/2002
 WO 02/050214 A2 6/2002
 WO 02/053214 7/2002
 WO WO 02/053214 A1 7/2002
 WO 02064196 8/2002
 WO 02/076535 10/2002
 WO 02/076537 10/2002
 WO 02076536 10/2002
 WO 02/092153 A2 11/2002
 WO 03/057285 A2 7/2003
 WO 03/057286 A1 7/2003
 WO 03057283 7/2003
 WO 03063680 8/2003
 WO 03080160 10/2003
 WO 03099357 12/2003
 WO 2004/002556 A1 1/2004
 WO 2004004825 1/2004
 WO 2004007002 A1 1/2004
 WO 2004/024218 3/2004
 WO 2004/028598 A1 4/2004
 WO 2006/045529 4/2004
 WO 2004035113 A2 4/2004
 WO 2004054644 A1 7/2004
 WO 2004/078240 9/2004
 WO 2004/078242 A2 9/2004
 WO 2004078239 A1 9/2004
 WO 2004078241 9/2004
 WO 2004080306 9/2004
 WO 2004084795 10/2004
 WO 2004/093940 A2 11/2004
 WO 2004095379 11/2004
 WO 2005018721 3/2005
 WO 2005037352 4/2005
 WO 2005/046770 5/2005
 WO 2005089835 9/2005
 WO 2005097233 10/2005
 WO 2005097240 10/2005
 WO 2005/102421 A1 11/2005
 WO 2006/003130 A1 1/2006
 WO 2006/026754 A2 3/2006
 WO 2006/037434 A1 4/2006
 WO 2006039930 A1 4/2006
 WO 2006040296 A2 4/2006
 WO 2006/045528 5/2006
 WO 2006045425 5/2006
 WO 2006045525 5/2006
 WO 2006045526 A1 5/2006
 WO 2006/069454 7/2006
 WO 2006076921 7/2006
 WO 2006116997 11/2006
 WO 2006/128794 12/2006
 WO 2007021195 A1 2/2007
 WO 2007/030957 3/2007
 WO 2007041843 4/2007
 WO 2007063342 A1 6/2007
 WO 2007104636 A1 9/2007
 WO 2007107558 A2 9/2007
 WO 2007107561 9/2007
 WO 2007/134954 11/2007
 WO 2008/003130 A1 1/2008
 WO 2008/031239 A1 3/2008
 WO 2008/037801 4/2008
 WO 2008057223 5/2008
 WO 2010046394 A1 4/2010
 WO 2010089418 A2 8/2010
 WO 2011025448 A1 3/2011
 WO 2011136718 A1 11/2011
 WO 2013/178372 A1 12/2013

OTHER PUBLICATIONS

Answer in *Novo Nordisk A/S v. Sanofi-Aventis U.S. LLC and Sanofi-Aventis* downloaded from Pacer on Feb. 29, 2008.

(56)

References Cited

OTHER PUBLICATIONS

Beckmann, Sensors, Memory, Circuits, Polyapply Newsletter, vol. 1(3), (2006).

Chia Kai Su et al, Process Biochemistry, 2006, vol. 41, Part 2, pp. 257-263.

Common Insulin Injection Challenges: <http://www.bd.com/us/diabetes/page.aspx?cat=7001&id=7265>.

Complaint in *Novo Nordisk A/S v. Sanofi-Aventis U.S. LLC and Sanofi-Aventis* downloaded from Pacer on Feb. 29, 2008.

Declaration of Benard Sams in *Novo Nordisk A/S v. Sanofi-Aventis U.S. LLC and Sanofi-Aventis* downloaded from Pacer on Feb. 29, 2008.

Dennison, Clive et al, Protein Expression and Purification, 1997, vol. 11, Part 2, pp. 149-161.

Fransson et al, Pharmaceutical Research, 1997, vol. 14, Part 5, pp. 606-612.

Gnanalingham, M.G. et al., Accuracy and Reproducibility of Low Dose Insulin Administration Using Pen-Injectors and Syringes, Downloaded From adc.bmj.com on Jan. 9, 2008.

International Search Report and Written Opinion issued in connection with counterpart PCT Application No. PCT/EP2006/061747, mailed Sep. 29, 2006.

Leonil et al, Enzyme and Microbiol Technology, 1994, vol. 16, Part 7, pp. 591-595.

Owen Mumford Product Range.

File history of U.S. Appl. No. 10/610,926 which is owned by the same assignee as U.S. Appl. No. 11/122,289 and U.S. Appl. No. 11/765,789.

Paule, B.J.A. et al, Protein Expression and Purification, 2004, vol. 34, Part 2, pp. 311-316.

Search Report issued in connection with counterpart Danish Application No. PA 2005 00588, mailed Feb. 13, 2006.

Search Report issued in connection with counterpart Danish Application No. PA 2005 00589, mailed Feb. 16, 2006.

Search Report Issued in Connection With PCT Appln. No. PCT/EP2007/052630, Mailed Nov. 12, 2007.

Search Report issued in connection with European Application No. 06005599.3, mailed Oct. 4, 2006.

Search Report issued in connection with PCT Application No. PCT/EP2007/052633, mailed Feb. 20, 2008.

Search Report Issued in Connection With European Appln No. 06005602.5, Mailed Oct. 16, 2006.

Trankler, Hans-Rolf, R. Oldenbourg, Verlag, Munchen, Wien, Taschenbuch Der Messtechnik, 1996.

Reissue U.S. Appl. No. 10/442,855 File History.

Reissue U.S. Appl. No. 10/960,900 File History.

Reissue U.S. Appl. No. 11/121,331 File History.

Reissue U.S. Appl. No. 11/640,610 File History.

May 17, 2002 Office Action in U.S. Appl. No. 09/768,760 and accompanying 892 and 1149 forms.

File history of U.S. Appl. No. 10/610,926, which is owned by the same assignee as U.S. Appl. No. 11/765,789.

Advisory Action mailed on Mar. 23, 2010 in U.S. Appl. No. 11/122,289 filed on May 4, 2005 by Moller et al.

Notice of Opposition by Owen Mumford (UK).

Notice of Opposition by Genentech (USA).

Notice of Opposition by Techpharma (CH) Including English Translation.

Opposition in Related European Patent Application EP 02711784.5 of Sep. 19, 2008.

Validity Opinion by the UK PTO.

Opinion of US District Court for the District of NJ in *Novo Nordisk A/S v. Sanofi-Aventis U.S. LLC and Sanofi-Aventis* Denying motion of a preliminary injunction entered Feb. 20, 2008.

Written Opinion issued in connection with counterpart PCT Application No. PCT/EP2006/061747, mailed Nov. 8, 2006.

Written Opinion issued in connection with counterpart PCT Application No. PCT/EP2006/061748, mailed Nov. 8, 2006.

Rose, Keith et al., Bioconjugate Chemistry, "Natural Peptides as Building Blocks for the Synthesis of Large Protein-Like Molecules With Hydrazone and Oxime Linkages", 1996, vol. 7, 2, pp. 552-556.

Yurkovetskiy, A. et al., Biomacromolecules., "Fully Degradable Hydrophilic Polyals for Protein Modification", 2005, vol. 6, 5, pp. 2648-2658.

International Search Report and Written Opinion issued in connection with counterpart PCT Application No. PCT/EP2006/061748 mailed Aug. 10, 2006.

* cited by examiner




Fig. 1A Amended




Fig. 1B Amended




Fig. 2A Amended




Fig. 2B Amended




Fig. 4 Amended




FIG. 5A Amended

FIG. 5B Amended

**DIAL-DOWN MECHANISM FOR WIND-UP
PEN**

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue; a claim printed with strikethrough indicates that the claim was canceled, disclaimed, or held invalid by a prior post-patent action or proceeding.

CROSS-REFERENCE TO RELATED
APPLICATIONS

[This application is a 35 U.S.C. § 371 national stage application of International Patent Application PCT/EP2005/011285 (published as WO 2006/045526), filed Oct. 20, 2005, which claimed priority of European Patent Application 04077900.1, filed Oct. 21, 2004; this application further claims priority under 35 U.S.C. § 119 of U.S. Provisional Application 60/626,270, filed Nov. 9, 2004.] *This application is a Divisional Reissue of U.S. application Ser. No. 13/431,019, filed Mar. 27, 2012, which is an Application for Reissue of U.S. Pat. No. 7,686,786, issued Mar. 30, 2010 (U.S. application Ser. No. 11/665,486, filed Oct. 11, 2007), which is a 35 U.S.C. §371 national stage application of International Patent Application PCT/EP2005/011285 (published as WO2006/045526), filed Oct. 20, 2005, which claimed priority of European Patent Application 04077900.1, filed Oct. 21, 2004; this application further claims priority under 35 U.S.C. §119 of U.S. Provisional Application 60/626,270, filed Nov. 9, 2004, incorporated herein by reference.*

FIELD OF THE INVENTION

The present invention relates to a dial-down mechanism for automatic wind-up pens. In particular, the present invention relates to integrated axial and radial dial-down mechanisms for wind-up pens.

BACKGROUND OF THE INVENTION

In known injection devices, such as wind-up pens, based on torsion springs, the use of dial-down mechanisms rely on that the user of the injection device applies a force to a rotatable dose setting member of the injection device. The force must be applied in order to axially withdraw the dose setting member a certain distance to release the dose setting member from a toothing mechanism or ratchet positioned within the body of the injection device. By releasing the dose setting member from this toothing mechanism the dose setting member can be reversed by rotation and set at a new and lower dose.

An example of a known wind-up pen applying a torsion spring may for example be found in U.S. Pat. No. 5,104,380. However, the pen suggested in U.S. Pat. No. 5,104,380 does not offer a dial-down mechanism. A dial-down mechanism is provided in WO 02/053214. However, the proposed solution in WO 02/053214 involves a linear spring.

It is a disadvantage of known torsion spring-based dial-down systems that the user must apply a force to withdraw the dose setting member a certain axial distance and, at the same time, adjust the angular position of the dose setting member. Especially for persons having reduced motoric

skills or reduced finger strength, such as children, elderly people or disabled people this is a rather complicated procedure.

US 2004/199117 discloses a medication delivery pen including an arrangement where incorrect dosage settings may be corrected by a user via a dial-back feature that enables the user to reset the dose amount without expelling medication and without having to dial a dose knob to an extended, reset position. The medication delivery pen of US 2004/199117 is a so-called manual pen where the injection of a medicament from the pen is driven by a force purely provided by the user of the pen. Thus, the injection of a medicament is not assisted by any resilient member, such as a spring, and the dial-down arrangement disclosed in US 2004/199117 is not arranged to maintain a resilient member in a given strained position.

It is an object of the present invention to provide a dial-down mechanism for automatic wind-up pens. Automatic wind-up pens are here to be understood as pens having a resilient member, such as a spring, to assist injecting a medicament from an injection device.

SUMMARY OF THE INVENTION

The above-mentioned object is complied with by providing, in a first aspect, a dial-down mechanism for an injection device comprising a torsion spring for assisting injection of a dose of medicament from the injection device, the dial-down mechanism comprising

dial-up cam arranged to receive and engage with a dial-up key, wherein the dial-up cam and the dial-up key are adapted to, upon rotation of a dose setting member in a first direction, cooperate to strain the torsion spring of the injection device, and

a dial-down cam arranged to receive and engage with a dial-down key, wherein the dial-down cam and the dial-down key are adapted to, upon rotation of the dose setting member in a second direction, cooperate to release the torsion spring of the injection device, the second rotation direction being opposite to the first rotation direction.

Generally speaking the dial-down mechanism may be implemented as a radial dial-down mechanism or as an axial dial-down mechanism. In the radial dial-down mechanism the dial-down key or keys are arranged to move in the radial direction of the mechanism. This may also be the radial direction of the injection device. In the axial dial-down mechanism, the dial-down key or keys are arranged to move in the axial direction of the injection device.

Also it should be noted that the dial-up key or keys, and the dial-down key or keys may be different keys—i.e. physically separated keys. However, it may also be that the dial-up and dial-down key is constituted by the same key. Thus, it may be that the mechanism according to the present invention comprises only a single key which is used for both dial-up and dial down.

The dial-up and dial-down cams may be arranged as openings or indentations in an outer surface part of a disc-shaped cam member. The cam member may, alternatively, also be shaped as a substantially cylindrical member. In particular, the dial-up and dial-down cams may be arranged in a substantially plane surface part of the cam member. This substantially plane surface part may be substantially perpendicular to an axial direction of the disc or cylindrical shaped cam member. The cam member may be a hollow construction, or alternatively, the cam member may be a solid construction.

3

In both the radial and the axial mechanism, the dial-up cam may form a curved track, such as part of a circular, elliptical or parabolic track. The dial-down cam may form part of a V-shaped track, or alternative, it may have a rectangular shape.

The dial-down mechanism may comprise a first and a second dial-up cam. Furthermore, the dial-down mechanism may comprise a first and a second dial-up key, wherein the first dial-up key may be adapted to engage and cooperate with the first dial-up cam, and wherein the second dial-up key may be adapted to engage and cooperate with the second dial-up cam.

The dial-down mechanism may further comprise a first and a second dial-down cam, and a first and a second dial-down key. The first dial-down key may be adapted to engage and cooperate with the first dial-down cam, whereas the second dial-down key may be adapted to engage and cooperate with the second dial-down cam.

It may also be that the dial-up and dial-down cams form part of regions of the same track. Furthermore, the dial-up and dial-down keys may be constituted by the same key, said key being adapted to engage and cooperate with dial-up and dial-down cams of the same track.

In the axial mechanism, the dial-up and dial-down cams may be arranged as cams having an axial component parallel to an axial direction of the injection device. The dial-up and dial-down cams may be arranged on an outer and curved surface part of a substantially cylindrical cam member. This substantially cylindrical cam member may be the dose setting member of the injection device, or it may be a separate component cooperating with the dose setting member of the injection device.

In the axial mechanism, the dial-up cam may be substantially parallel to an axial direction of the injection device. In order to be able to release an associated ratchet from a toothing the dial-down cam may form an angle, such as around 45 degrees, to the dial-up cam.

In a second aspect, the present invention relates to an axially arranged dial-down mechanism for an injection device, the dial-down mechanism comprising

a rotatable member adapted to be rotated when a dose to be injected from the injection device is set, the rotatable member comprising a dial-up cam and a dial-down cam, wherein the dial-up cam is adapted to receive and engage with a key of a ratchet of the injection device during dose setting during dial-up, and wherein the dial-down cam is adapted to receive and engage with the key during dial-down,

wherein the dial-up cam is substantially parallel to an axial direction of the injection device.

In this second aspect of the present invention the dial-up and dial-down cams may form part of regions of the same track. The dial-up and dial-down keys may be constituted by the same key, said key being adapted to engage and cooperate with dial-up and dial-down cams of the same track.

In a third aspect, the present invention relates to a medication delivery device, such as a handheld medication delivery device, comprising a dial-down mechanism according to the first aspect of the present invention.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will now be described in further details with reference to the accompanying figures, wherein

FIG. 1 shows the principle of a radial dial-up and dial-down mechanism where the keys on the flexible arm are used for both dial-up and dial-down,

4

[FIG. 2 shows] FIGS. 2A and 2B show a radial dial-up/dial down mechanism with separate keys for dial-up and dial-down, where FIG. 2A shows torsion spring 18 and disc 14 over ratchet 13 (not labeled) and adjacent to nut 10 (not labeled), and FIG. 2B also shows ratchet 13 adjacent nut 10.

FIG. 3 shows a radial dial-up/dial down mechanism with separate keys for dial-up and dial-down where the movements of the dial-down key is determined by a track in the nut,

FIG. 4 shows an injection device having an integrated radial dial-down mechanism, and

[FIG. 5 shows] FIGS. 5A and 5B show an injection device having an integrated axial dial-down mechanism, where FIG. 5A shows a cross-section of an injection device, and FIG. 5B shows a partial front or side elevation view of the same injection device.

While the invention is susceptible to various modifications and alternative forms, specific embodiments have been shown by way of example in the drawings and will be described in detail herein. It should be understood, however, that the invention is not intended to be limited to the particular forms disclosed. Rather, the invention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention as defined by the appended claims.

DETAILED DESCRIPTION OF THE INVENTION

The dial-down mechanism according to the present invention may be implemented as an axial or a radial mechanism. Both of these mechanisms may be integrated into an injection device, such as an injection pen.

A radial solution is shown in FIG. 1. FIG. 1a shows a rotatable inner part 2 biased against a fixed outer part 1. The biasing force is provided by a torsion spring (not shown) in the counter-clockwise direction. The inner part 2, which is rotatable around a center axis 6, has one or more flexible arms 3 adapted to engage with the edges 5 in the fixed outer part 1. FIG. 1b shows the arrangement of FIG. 1a with a rotatable disc 7 (hatched region) placed on top of the inner part 2 and outer part 1. The disc 7 has an opening 8. The edges defining the opening 8 constitute dial-up and dial-down cams. A pick-up key 4 attached to, or integrated with, the flexible arm 3 operates as a cam follower when the disc 7 is rotated relative to the outer part 1.

The system illustrated in FIG. 1 is operated in the following manner:

When a dose is to be set (dial-up), the inner part 2 is rotated in the clockwise direction whereby the flexible arm 3 will move from one edge 5 to the neighboring edge or edges—depending on the angle of rotation. The inner part 2 is driven by disc 7—thus, when disc 7 is rotated the inner part 2 rotates with it. During rotation in the clockwise direction, the pick-up key 4 moves in and out along the radial direction.

When the disc 7 is rotated in the counter clockwise direction (dial-down direction) the pick-up key 4, and thereby the flexible arm 3, is lifted out of its engaging position with the edge 5 of the outer part 1. When the arm 3 is fully disengaged from the edge 5 the inner part 2 may be rotated in the counter clockwise direction relative to the outer part 1. It is a characteristic of the system shown in FIG. 1 that the pick-up key 4 is used for both dial-up (increasing a dose) and dial-down (resetting or reducing a dose).

It should be noted that the directions of rotation could be reversed so that dial-up is achieved by rotating the inner

5

portion 2 in the counter clockwise direction. In such a configuration dial-down could be achieved by rotating disc 7 in the clockwise direction.

[FIG. 2 shows] FIGS. 2A and 2B show an exploded drawing of the radial embodiment of the dial-down mechanism according to the present invention. The main difference compared to the embodiment shown in FIG. 1 is that the embodiment of [FIG. 2] FIGS. 2A and 2B applies different pick-up keys for dial-up (pick-up key 11) and dial-down (pick-up key 12). The dial-up key 11 engages with track 15 of the disc 14, whereas dial-down key 12 engages with track 16 of the disc 14. Tracks 15 and 16 are formed as through-going openings or indentations in a planar surface of the disc 14. The dial-up tracks 15 take the form of curved tracks whereas the dial-down tracks 16 are V-shaped. An obvious alternative to the V-shape is a rectangular shape. It should be noted that the general idea is that the dial-up tracks 15 should be capable of transferring a momentum to a torsion spring 18. In the same manner, the dial-down tracks 16 should be capable of releasing the dial-down keys (and thereby release energy) in case the disc 14 is rotated just a few degrees relative to the nut 10.

The dial-down keys 12 are integrated with the flexible arms 19. These arms are fabricated of a resilient material such as for example plastic. The flexible arms 19 with integrated dial-down keys 12 form an integral part of the ratchet 13. Thus, the ratchet including arms and dial-down keys may preferably be fabricated of the same material, such as of plastic. In order to bias the dial-down keys 12 against the teeth 20 of the nut 10 a torsion spring 18 is arranged coaxially with the ratchet 13. An opening 21 is provided in the center part of the nut 10. The side wall of this opening is provided with threads 22 which are adapted to engage with a threaded outer surface of a piston rod (not shown).

FIG. 3 shows another radial embodiment according to the present invention. In this embodiment, the movement of the arm 26 is controlled by a track 23 in the nut 27. The track 23 is engaged by the track/cam follower 24 which precisely guides the dial-down key 28 from one tooth to the neighboring tooth during dial-down. In contrast to FIG. 2 the opening 25 in the center of the nut 27 is provided with a track follower 29. This track follower is adapted to engage with a track in the outer surface of a piston rod (not shown).

FIG. 4 shows an injection device having a radial dial-down mechanism according to the present invention. Among other components the injection device shown in FIG. 4 shows a dose setting member 30, a piston rod 31 having a threaded outer surface and a drive track arranged in the axial direction of the piston rod, a nut 32, a torsion spring 35, a drive member 33, the threaded portion 34 of the housing, a lease mechanism 36, a tothing mechanism 37, and ratchet 38.

A dose is set by rotating the dose setting member 30 and the nut 32 whereby the torsion spring 35 is strained. The dose setting member 30 is prevented from returning to its initial position due the tothing mechanism 37 positioned between the nut 32 and the drive member 33. In case the user wants to reduce a preset dose, the dose setting member 30 is simply rotated in the opposite direction. The interaction between ratchet 38 and nut 32 during dial-down is described in connection with FIG. 2.

[FIG. 5 shows] FIGS. 5A and 5B show an injection device having an axial dial-down mechanism according to the present invention. Among other components the injection device shown in FIG. [5] 5B comprising a dose setting member 40, an opening 41 defining dial-up and dial-down cam surfaces, a cam follower 42, a torsion spring 43, a

6

ratchet 44, and a piston rod 45. The general idea behind the axial dial-down mechanism is to use the torsion spring 43 to both drive and rotate the piston rod 45 and to ensure that the upper and lower parts of the tothing 48 remain together.

When a dose is to be set, the cam follower 42 engages with cam surface 46. As a result the torsion spring 43 is strained because the ratchet 44 is prevented from reversing due to the tothing 48. During dial-up the ratchet 44 will move up and down along cam surface 46 as the upper and lower parts of the tothing 48 rotate relative to each other. In case of dial-down the cam surface 47 will lift and thereby release the upper part of the tothing from the lower part of the tothing thereby the ratchet 44 is allowed to rotate an angle corresponding to one tooth.

The invention claimed is:

1. A dial-down mechanism for an injection device comprising a torsion spring (18) for assisting injection of a dose of medicament from the injection device, the dial-down mechanism comprising

dial-up cam (15) arranged to receive and engage with a dial-up key (11), wherein the dial-up cam (15) and the dial-up key (11) are adapted to, upon rotation of a dose setting member in a first direction, cooperate to strain the torsion spring (18) of the injection device, and a dial-down cam (16) arranged to receive and engage with a dial-down key (12), wherein the dial-down cam (16) and the dial-down key (12) are adapted to, upon rotation of the dose setting member in a second direction, cooperate to release the torsion spring (18) of the injection device, the second rotation direction being opposite to the first rotation direction, wherein the dial-up and dial-down cams form part of regions of the same track, further comprising an arm wherein the dial-up and dial-down keys are both located on the same arm, said keys being adapted to engage and cooperate with dial-up and dial-down cams of the same track.

2. A dial-down mechanism according to claim 1, wherein the dial-up cam (15) forms part of a curved track.

3. A dial-down mechanism according to claim 2, wherein the curved dial-up cam (15) forms part of a circular, elliptical or parabolic track.

4. A dial-down mechanism according to claim 1 comprising a first and a second dial-up cam.

5. A dial-down mechanism according to claim 4 comprising a first and a second dial-up key, wherein the first dial-up key is adapted to engage and cooperate with the first dial-up cam, and wherein the second dial-up key is adapted to engage and cooperate with the second dial-up cam.

6. A dial-down mechanism according to claim 1, wherein the dial-down cam (16) forms part of a V-shaped track.

7. A dial-down mechanism according to claim 1 comprising a first and a second dial-down cam.

8. A dial-down mechanism according to claim 7 comprising a first and a second dial-down key, wherein the first dial-down key is adapted to engage and cooperate with the first dial-down cam, and wherein the second dial-down key is adapted to engage and cooperate with the second dial-down cam.

9. A medication delivery device comprising a dial-down mechanism according to claim 1.

10. A medication delivery device according to claim 9, wherein the medication delivery device is a handheld medication injection pen.

11. A method for using a wind up injection pen, the method comprising the steps of

*rotating a first element in a first direction, the direction
being a dial up direction;
causing a second element to be rotated in the same
direction as the first element;
straining a torsional spring; 5
moving an arm that is in engagement with one edge to
a neighboring edge, wherein when the arm is
engaged with an edge it prevents the torsional spring
from unwinding;
rotating the first element in a second direction opposite 10
the first direction;
moving a pick-up key and radially lifting the arm out of
engagement with an edge and when the arm is fully
disengaged from an edge allowing the second rotat-
able element to rotate in the second direction and 15
allowing the strain on the spring to be decreased.*

* * * * *