



US00RE47918E

(19) **United States**  
(12) **Reissued Patent**  
**Wallace**

(10) **Patent Number: US RE47,918 E**  
(45) **Date of Reissued Patent: Mar. 31, 2020**

(54) **SYSTEM FOR TRACKING AND ANALYZING WELDING ACTIVITY**

(56) **References Cited**

(71) Applicant: **LINCOLN GLOBAL, INC.**, City of Industry, CA (US)

(72) Inventor: **Matthew Wayne Wallace**, South Windsor, CT (US)

(73) Assignee: **Lincoln Global, Inc.**, Santa Fe Springs, CA (US)

(21) Appl. No.: **14/589,317**

(22) Filed: **Jan. 5, 2015**

**Related U.S. Patent Documents**

Reissue of:

(64) Patent No.: **8,274,013**  
Issued: **Sep. 25, 2012**  
Appl. No.: **12/719,053**  
Filed: **Mar. 8, 2010**

U.S. Applications:

(63) Continuation of application No. 14/177,692, filed on Feb. 11, 2014, now Pat. No. Re. 45,398, which is an application for the reissue of Pat. No. 8,274,013.

(60) Provisional application No. 61/158,578, filed on Mar. 9, 2009.

(51) **Int. Cl.**  
**B23K 9/06** (2006.01)  
**B23K 9/095** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **B23K 9/0953** (2013.01)

(58) **Field of Classification Search**  
CPC ..... B23K 9/0953  
USPC ..... 219/137 R, 136, 124.34  
See application file for complete search history.

**U.S. PATENT DOCUMENTS**

317,063 A	5/1885	Wittenstrom
428,459 A	5/1890	Oopfin
483,428 A	9/1892	Goppin
1,159,119 A	11/1915	Springer
D140,630 S	3/1945	Garibay
D142,377 S	9/1945	Dunn
D152,049 S	12/1948	Welch

(Continued)

**FOREIGN PATENT DOCUMENTS**

CA	2698078	9/2011
CN	101193723 A	6/2008

(Continued)

**OTHER PUBLICATIONS**

International Search Report and Written Opinion from PCT/IB09/000605 dated Feb. 12, 2010.

(Continued)


*Primary Examiner* — William C Doerrler

(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold LLP

(57) **ABSTRACT**

A system and a method for tracking and analyzing welding activity. Dynamic spatial properties of a welding tool are sensed during a welding process producing a weld. The sensed dynamic spatial properties are tracked over time and the tracked dynamic spatial properties are captured as tracked data during the welding process. The tracked data is analyzed to determine performance characteristics of a welder performing the welding process and quality characteristics of a weld produced by the welding process. The performance characteristics and the quality characteristics may be subsequently reviewed.

**13 Claims, 6 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

2,681,969 A	6/1954	Burke	5,676,867 A	10/1997	Allen
D174,208 S	3/1955	Abidgaard	5,708,253 A	1/1998	Bloch et al.
2,728,838 A	12/1955	Barnes	5,710,405 A	1/1998	Solomon et al.
D176,942 S	2/1956	Cross	5,719,369 A	2/1998	White et al.
2,894,086 A	7/1959	Rizer	D392,534 S	3/1998	Degen
3,035,155 A	5/1962	Hawk	5,728,991 A	3/1998	Takada et al.
3,059,519 A	10/1962	Stanton	5,751,258 A	5/1998	Ferguson et al.
3,356,823 A	12/1967	Waters	D395,296 S	6/1998	Kaye et al.
3,555,239 A	1/1971	Kerth	D396,238 S	7/1998	Schmitt
3,621,177 A	11/1971	McPherson et al.	5,781,258 A	7/1998	Debral et al.
3,654,421 A	4/1972	Streetman et al.	5,823,785 A	10/1998	Matherne, Jr.
3,739,140 A	6/1973	Rotilio	5,835,077 A	11/1998	Dao et al.
3,866,011 A	2/1975	Cole et al.	5,835,277 A	11/1998	Hegg
3,867,769 A	2/1975	Schow et al.	5,845,053 A	12/1998	Watanabe
3,904,845 A	9/1975	Minkiewicz et al.	5,877,777 A	3/1999	Colwell
3,988,913 A	11/1976	Metcalf et al.	5,963,891 A	10/1999	Walker et al.
D243,459 S	2/1977	Bliss	6,008,470 A	12/1999	Zhang
4,024,371 A	5/1977	Drake	6,037,948 A	3/2000	Liepa
4,041,615 A	8/1977	Whitehill	6,049,059 A	4/2000	Kim
D247,421 S	3/1978	Driscoll	6,051,805 A	4/2000	Vaidya et al.
4,124,944 A	11/1978	Blair	6,114,645 A	9/2000	Burgess
4,132,014 A	1/1979	Schow	6,155,475 A	12/2000	Ekelof et al.
4,237,365 A	12/1980	Lambros et al.	6,155,928 A	12/2000	Burdick
4,280,041 A	7/1981	Kiessling et al.	6,179,619 B1	1/2001	Tanaka
4,280,042 A	7/1981	Berger	6,230,327 B1	5/2001	Briand et al.
4,280,137 A	7/1981	Ashida et al.	6,236,013 B1	5/2001	Delzenne
4,314,125 A	2/1982	Nakamura	6,236,017 B1	5/2001	Smarrt et al.
4,354,087 A	10/1982	Osterlitz	6,242,711 B1	6/2001	Cooper
4,359,622 A	11/1982	Dostoomian et al.	6,271,500 B1	8/2001	Hirayam et al.
4,375,026 A	2/1983	Kearney	6,330,938 B1	12/2001	Herve et al.
4,410,787 A	10/1983	Kremers	6,330,966 B1	12/2001	Eissfeller
4,429,266 A	1/1984	Traadt	6,331,848 B1	12/2001	Stove et al.
4,452,589 A	6/1984	Denison	D456,428 S	4/2002	Aronson et al.
D275,292 S	8/1984	Bouman	6,373,465 B2	4/2002	Jolly et al.
D277,761 S	2/1985	Korovin et al.	D456,828 S	5/2002	Aronson et al.
4,525,619 A	6/1985	Ide et al.	D461,383 S	8/2002	Blackburn
D280,329 S	8/1985	Bouman	6,441,342 B1	8/2002	Hsu
4,611,111 A	9/1986	Baheti et al.	6,445,964 B1	9/2002	White et al.
4,616,326 A	10/1986	Meier et al.	6,492,618 B1	12/2002	Flood et al.
4,629,860 A	12/1986	Linbom	6,506,997 B2	1/2003	Matsuyama
4,677,277 A	6/1987	Cook et al.	6,552,303 B1	4/2003	Blankenship et al.
4,680,014 A	7/1987	Paton et al.	6,560,029 B1	5/2003	Dobbie et al.
4,689,021 A	8/1987	Vasiliev et al.	6,563,489 B1	5/2003	Latypov et al.
4,707,582 A	11/1987	Beyer	6,568,846 B1	5/2003	Cote et al.
4,716,273 A	12/1987	Paton et al.	D475,726 S	6/2003	Suga et al.
D297,704 S	9/1988	Bulow	6,572,379 B1	6/2003	Sears et al.
4,867,685 A	9/1989	Brush et al.	6,583,386 B1 *	6/2003	Ivkovich ..... 219/130.01
4,877,940 A	10/1989	Bangs et al.	6,621,049 B2	9/2003	Suzuki
4,897,521 A	1/1990	Burr	6,624,388 B1	9/2003	Blankenship et al.
4,907,973 A	3/1990	Hon	D482,171 S	11/2003	Vui et al.
4,931,018 A	6/1990	Herbst et al.	6,647,288 B2	11/2003	Madill et al.
4,973,814 A *	11/1990	Kojima et al. .... 219/110	6,649,858 B2	11/2003	Wakeman
4,998,050 A	3/1991	Nishiyama et al.	6,655,645 B1	12/2003	Lu et al.
5,034,593 A	7/1991	Rice et al.	6,660,965 B2	12/2003	Simpson
5,061,841 A	10/1991	Richardson	6,697,701 B2	2/2004	Hillen et al.
5,089,914 A	2/1992	Prescott	6,697,770 B1	2/2004	Nagetgall
5,192,845 A	3/1993	Kirmsse et al.	6,703,585 B2	3/2004	Suzuki
5,206,472 A	4/1993	Myking et al.	6,708,385 B1	3/2004	Lemelson
5,266,930 A	11/1993	Ichikawa et al.	6,710,298 B2	3/2004	Eriksson
5,285,916 A	2/1994	Ross	6,710,299 B2	3/2004	Blankenship et al.
5,305,183 A	4/1994	Teynor	6,715,502 B1	4/2004	Rome et al.
5,320,538 A	6/1994	Baum	D490,347 S	5/2004	Meyers
5,337,611 A	8/1994	Fleming et al.	6,730,875 B2	5/2004	Hsu
5,360,156 A	11/1994	Ishizaka et al.	6,734,393 B1	5/2004	Friedl et al.
5,360,960 A	11/1994	Shirk	6,744,011 B1	6/2004	Hu et al.
5,370,071 A	12/1994	Ackermann	6,750,428 B2	6/2004	Okamoto et al.
D359,296 S	6/1995	Witherspoon	6,765,584 B1	7/2004	Wloka
5,424,634 A	6/1995	Goldfarb et al.	6,772,802 B2	8/2004	Few
5,436,638 A	7/1995	Bolas et al.	6,788,442 B1	9/2004	Potin et al.
5,464,957 A	11/1995	Kidwell	6,795,778 B2	9/2004	Dodge et al.
D365,583 S	12/1995	Viken	6,798,974 B1	9/2004	Nakano et al.
5,562,843 A	10/1996	Yasumoto	6,857,553 B1	2/2005	Hartman et al.
5,662,822 A	9/1997	Tada	6,858,817 B2	2/2005	Blankenship et al.
5,670,071 A	9/1997	Ueyama et al.	6,865,926 B2	3/2005	O'Brien et al.
5,676,503 A	10/1997	Lang	D504,449 S	4/2005	Butchko
			6,920,371 B2	7/2005	Hillen et al.
			6,940,037 B1	9/2005	Kovacevic et al.
			6,940,039 B2	9/2005	Blankepship et al.
			7,021,937 B2	4/2006	Simpson et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

7,024,342 B1	4/2006	Waite	2003/0025884 A1	2/2003	Hamana et al.
7,126,078 B2	10/2006	Demers et al.	2003/0069866 A1	4/2003	Ohno
7,132,617 B2	11/2006	Lee et al.	2003/0075534 A1*	4/2003	Okamoto et al. .... 219/125.1
7,170,032 B2	1/2007	Flood	2003/0106787 A1	6/2003	Santilli
7,194,447 B2	3/2007	Harvey et al.	2003/0111451 A1	6/2003	Blankenship et al.
7,247,814 B2	7/2007	Ott	2003/0172032 A1	9/2003	Choquet
D555,446 S	11/2007	Ibarrondo et al.	2003/0186199 A1	10/2003	McCool
7,315,241 B1	1/2008	Daily et al.	2003/0234885 A1	12/2003	Pilu
D561,973 S	2/2008	Kinsley et al.	2004/0020907 A1	2/2004	Zauner et al.
7,353,715 B2	4/2008	Myers	2004/0035990 A1	2/2004	Ackeret
7,363,137 B2	4/2008	Brant et al.	2004/0050824 A1	3/2004	Samler
7,375,304 B2	5/2008	Kainec et al.	2004/0088071 A1	5/2004	Kouno
7,381,923 B2	6/2008	Gordon et al.	2004/0140301 A1	7/2004	Blankenship et al.
7,414,595 B1	8/2008	Muffler	2004/0181382 A1	9/2004	Hu et al.
7,465,230 B2	12/2008	LeMay et al.	2004/0217096 A1	11/2004	Lipnevicius
7,478,108 B2	1/2009	Townsend et al.	2005/0007504 A1	1/2005	Ferguson
D587,975 S	3/2009	Aronson et al.	2005/0017152 A1	1/2005	Ferguson
7,516,022 B2	4/2009	Lee et al.	2005/0029326 A1	2/2005	Henrikson
7,580,821 B2	8/2009	Schirm	2005/0046584 A1	3/2005	Breed
D602,057 S	10/2009	Osicki	2005/0050168 A1	3/2005	Wen et al.
7,621,171 B2	11/2009	O'Brien	2005/0101767 A1	5/2005	Clapham et al.
D606,102 S	12/2009	Bender et al.	2005/0103766 A1	5/2005	Iizuka et al.
7,643,890 B1	1/2010	Hillen et al.	2005/0103767 A1	5/2005	Kainec et al.
7,687,741 B2	3/2010	Kainec et al.	2005/0109735 A1	5/2005	Flood
D614,217 S	4/2010	Peters et al.	2005/0128186 A1	6/2005	Shahoian et al.
D615,573 S	5/2010	Peters et al.	2005/0133488 A1	6/2005	Blankenship et al.
7,817,162 B2	10/2010	Bolick et al.	2005/0159840 A1	7/2005	Lin et al.
7,853,645 B2	12/2010	Brown	2005/0163364 A1	7/2005	Beck et al.
D631,074 S	1/2011	Peters et al.	2005/0189336 A1	9/2005	Ku
7,874,921 B2	1/2011	Baszucki et al.	2005/0199602 A1	9/2005	Kaddani et al.
7,970,172 B1	6/2011	Hendrickson	2005/0230573 A1	10/2005	Ligertwood
7,972,129 B2	7/2011	O'Donoghue	2005/0252897 A1	11/2005	Hsu
7,991,587 B2	8/2011	Ihn	2005/0275913 A1	12/2005	Vesely et al.
8,069,017 B2	11/2011	Hallquist	2005/0275914 A1	12/2005	Vesely et al.
8,224,881 B1	7/2012	Spear et al.	2006/0014130 A1	1/2006	Weinstein
8,248,324 B2	8/2012	Nangle	2006/0076321 A1	4/2006	Maev et al.
8,265,886 B2	9/2012	Bisiaux et al.	2006/0136183 A1	6/2006	Choquet
8,274,013 B2	9/2012	Wallace	2006/0142656 A1	6/2006	Malackowski et al.
8,287,522 B2	10/2012	Moses et al.	2006/0154226 A1	7/2006	Maxfield
8,316,462 B2	11/2012	Becker et al.	2006/0163227 A1	7/2006	Hillen et al.
8,363,048 B2	1/2013	Gering	2006/0163228 A1	7/2006	Daniel
8,365,603 B2	2/2013	Lesage et al.	2006/0166174 A1	7/2006	Rowe et al.
8,512,043 B2	8/2013	Choquet	2006/0169682 A1	8/2006	Kainec et al.
8,569,646 B2	10/2013	Daniel et al.	2006/0173619 A1	8/2006	Brant et al.
8,657,605 B2	2/2014	Wallace	2006/0189260 A1	8/2006	Sung
8,680,434 B2	3/2014	Stoger	2006/0207980 A1	9/2006	Jacovetty et al.
8,747,116 B2	6/2014	Zboray	2006/0213892 A1	9/2006	Ott
8,777,629 B2	7/2014	Kreindl et al.	2006/0214924 A1	9/2006	Kawamoto et al.
RE45,062 E	8/2014	Maguire, Jr.	2006/0226137 A1	10/2006	Huisman et al.
8,851,896 B2	10/2014	Wallace	2006/0252543 A1	11/2006	Van Noland et al.
8,860,760 B2	10/2014	Chen	2006/0258447 A1	11/2006	Baszucki et al.
RE45,398 E *	3/2015	Wallace ..... 219/137 R	2007/0034611 A1	2/2007	Drius et al.
8,992,226 B1	3/2015	Leach	2007/0038400 A1	2/2007	Lee et al.
9,011,154 B2	4/2015	Kindig	2007/0045488 A1	3/2007	Shin
9,293,056 B2	3/2016	Zboray	2007/0088536 A1	4/2007	Ishikawa
9,293,057 B2	3/2016	Zboray	2007/0112889 A1	5/2007	Cook et al.
9,318,026 B2	4/2016	Peters	2007/0198117 A1	8/2007	Wajihuddin
9,323,056 B2	4/2016	Williams	2007/0209586 A1	9/2007	Ebensberger et al.
9,761,153 B2	9/2017	Zboray et al.	2007/0211026 A1	9/2007	Ohta
9,767,712 B2	9/2017	Postlethwaite	2007/0221797 A1	9/2007	Thompson et al.
9,779,636 B2	10/2017	Zboray et al.	2007/0256503 A1	11/2007	Wong et al.
9,818,312 B2	11/2017	Zboray et al.	2007/0277611 A1	12/2007	Portzgen et al.
9,836,994 B2	12/2017	Kinding et al.	2007/0291035 A1	12/2007	Vesely et al.
9,911,359 B2	3/2018	Wallace	2008/0021311 A1	1/2008	Goldbach
9,911,360 B2	3/2018	Wallace	2008/0031774 A1	2/2008	Magnant et al.
9,928,755 B2	3/2018	Wallace et al.	2008/0038702 A1	2/2008	Choquet
2001/0045808 A1	11/2001	Hietmann et al.	2008/0061113 A9	3/2008	Seki et al.
2001/0052893 A1	12/2001	Jolly et al.	2008/0078811 A1	4/2008	Hillen et al.
2002/0032553 A1	3/2002	Simpson et al.	2008/0078812 A1	4/2008	Peters et al.
2002/0046999 A1	4/2002	Veikkolainen	2008/0117203 A1	5/2008	Gering
2002/0050984 A1	5/2002	Roberts	2008/0120075 A1	5/2008	Wloka
2002/0085843 A1	7/2002	Mann	2008/0128398 A1	6/2008	Schneider
2002/0175897 A1	11/2002	Pelosi	2008/0135533 A1	6/2008	Ertmer et al.
2003/0000931 A1	1/2003	Ueda	2008/0140815 A1	6/2008	Brant et al.
2003/0023592 A1	1/2003	Modica et al.	2008/0149686 A1	6/2008	Daniel et al.
			2008/0203075 A1	8/2008	Feldhausen et al.
			2008/0233550 A1	9/2008	Solomon
			2008/0303197 A1	12/2008	Paquette et al.
			2008/0314887 A1	12/2008	Stoger

# US RE47,918 E

(56)

## References Cited

### U.S. PATENT DOCUMENTS

2009/0015585	A1	1/2009	Klusza
2009/0021514	A1	1/2009	Klusza
2009/0045183	A1	2/2009	Artelsmair et al.
2009/0050612	A1	2/2009	Serruys
2009/0057286	A1	3/2009	Ihara
2009/0139968	A1*	6/2009	Hesse ..... B23K 26/04 219/121.63
2009/0152251	A1	6/2009	Dantinne et al.
2009/0173726	A1	7/2009	Davidson et al. ... B23K 9/0956 219/130.01
2009/0184098	A1	7/2009	Daniel et al.
2009/0200281	A1	8/2009	Hampton
2009/0200282	A1	8/2009	Hampton
2009/0231423	A1	9/2009	Becker
2009/0259444	A1	10/2009	Dolansky et al.
2009/0298024	A1	12/2009	Batzler et al.
2009/0325699	A1	12/2009	Delgiannidis
2010/0012017	A1	1/2010	Miller
2010/0012637	A1	1/2010	Jaeger
2010/0048273	A1	2/2010	Wallace et al.
2010/0062405	A1	3/2010	Zboray et al.
2010/0062406	A1	3/2010	Zboray et al.
2010/0096373	A1	4/2010	Hillen et al.
2010/0121472	A1	5/2010	Babu et al.
2010/0133247	A1*	6/2010	Mazumder et al. .... 219/121.83
2010/0133250	A1	6/2010	Sardy et al.
2010/0176107	A1	7/2010	Bong
2010/0201803	A1	8/2010	Melikian
2010/0224610	A1	9/2010	Wallace
2010/0276396	A1	11/2010	Cooper et al.
2010/0299101	A1	11/2010	Shimada et al.
2010/0307249	A1	12/2010	Lesage et al.
2011/0006047	A1	1/2011	Penrod et al.
2011/0060568	A1	3/2011	Goldfine et al.
2011/0091846	A1	4/2011	Kreindl et al.
2011/0114615	A1	5/2011	Daniel et al.
2011/0116076	A1	5/2011	Chanty et al.
2011/0117527	A1	5/2011	Conrardy et al.
2011/0122495	A1	5/2011	Togashi
2011/0183304	A1	7/2011	Wallace
2011/0187746	A1	8/2011	Suto
2011/0248864	A1	10/2011	Becker et al.
2011/0290765	A1	12/2011	Albrecht et al.
2011/0316516	A1	12/2011	Schiefermuller et al.
2012/0122062	A1	5/2012	Yang
2012/0189993	A1	7/2012	Kindig
2012/0291172	A1	11/2012	Wills et al.
2012/0298640	A1	11/2012	Conrardy et al.
2013/0026150	A1	1/2013	Chanty et al.
2013/0040270	A1	2/2013	Albrecht
2013/0049976	A1	2/2013	Maggiore
2013/0075380	A1	3/2013	Albrech et al.
2013/0182070	A1	7/2013	Peters et al.
2013/0183645	A1	7/2013	Wallace et al.
2013/0189657	A1	7/2013	Wallace et al.
2013/0189658	A1	7/2013	Peters et al.
2013/0209976	A1	8/2013	Postlethwaite et al.
2013/0230832	A1	9/2013	Peters et al.
2013/0231980	A1	9/2013	Elgart
2013/0327747	A1	12/2013	Dantinne
2014/0017642	A1	1/2014	Postelthwaite et al.
2014/0038143	A1	2/2014	Daniel et al.
2014/0065584	A1	3/2014	Wallace et al.
2014/0134579	A1	5/2014	Becker
2014/0134580	A1	5/2014	Becker
2014/0220522	A1	8/2014	Peters
2014/0263224	A1	9/2014	Becker
2014/0272835	A1	9/2014	Becker
2014/0272836	A1	9/2014	Becker
2014/0272837	A1	9/2014	Becker
2014/0272838	A1	9/2014	Becker
2014/0312020	A1	10/2014	Daniel
2014/0315167	A1	10/2014	Kreindl et al.
2014/0322684	A1	10/2014	Wallace et al.
2014/0346158	A1	11/2014	Matthews

2015/0056584	A1	2/2015	Boulware
2015/0056585	A1	2/2015	Boulware et al.
2015/0056586	A1	2/2015	Penrod et al.
2016/0125763	A1	5/2016	Becker
2016/0260261	A1	9/2016	Hsu

### FOREIGN PATENT DOCUMENTS

CN	10214178	7/2008
CN	101209512	7/2008
CN	201083660	7/2008
CN	101419755	4/2009
CN	101419755	A1 4/2009
CN	201229711	4/2009
CN	101571887	11/2009
CN	101587659	11/2009
CN	101587659	A 11/2009
CN	102165504	8/2011
CN	102171744	A 8/2011
CN	202684308	U 1/2013
CN	103871279	6/2014
CN	102014819	7/2014
CN	107316544	A 11/2017
DE	2833638	2/1980
DE	3046634	1/1984
DE	3244307	5/1984
DE	3522581	1/1987
DE	4037879	A1 6/1991
DE	19615069	10/1997
DE	19739720	10/1998
DE	19834205	A1 2/2000
DE	20009543	8/2001
DE	102005047204	4/2007
DE	102010038902	9/2012
DE	202012013151	2/2015
EP	108599	5/1984
EP	127299	12/1984
EP	145891	6/1985
EP	319623	6/1989
EP	0852986	A1 7/1998
EP	1527852	5/2005
EP	1905533	4/2008
ES	2274736	A1 5/2007
ES	2274736	3/2008
FR	1456780	3/1965
FR	2827066	1/2003
FR	2926660	7/2009
GB	1455972	11/1976
GB	1511608	5/1978
GB	2254172	9/1992
GB	2435838	A 9/2007
GB	2454232	6/2009
JP	478719	S 10/1972
JP	5098035	U 8/1975
JP	2224877	9/1990
JP	5329645	12/1993
JP	7047471	2/1995
JP	7232270	9/1995
JP	8132274	5/1996
JP	8150476	6/1996
JP	8505091	6/1996
JP	11104833	4/1999
JP	2000167666	6/2000
JP	2000237872	A 9/2000
JP	2001071140	3/2001
JP	2002278670	9/2002
JP	2002366021	A 12/2002
JP	2003200372	7/2003
JP	2003271048	A 9/2003
JP	2003326362	11/2003
JP	2006006604	1/2006
JP	2006175205	7/2006
JP	2006281270	10/2006
JP	2007290025	11/2007
JP	2009500178	1/2009
JP	2009160636	7/2009
JP	2010231792	10/2010
JP	2011528283	11/2011
JP	2012024867	2/2012

(56)

## References Cited

## FOREIGN PATENT DOCUMENTS

JP	2013091086	A	5/2013
KR	100876425		12/2008
KR	20090010693		1/2009
KR	20090010693	A	1/2009
KR	1020110068544		6/2011
RU	2008108601		11/2009
SU	1038963		8/1983
WO	WO9845078		10/1998
WO	0112376	A1	2/2001
WO	001009867		2/2001
WO	WO0143910		6/2001
WO	0158400	A1	8/2001
WO	2005102230	A1	11/2005
WO	2006034571	A1	4/2006
WO	WO2006034571		4/2006
WO	WO2007009131	A1	1/2007
WO	WO2007039278		4/2007
WO	2009120921		1/2009
WO	WO2009060231		5/2009
WO	WO2009149740		12/2009
WO	WO2010000003		1/2010
WO	2010020867		2/2010
WO	2010020870		2/2010
WO	2010044982		4/2010
WO	WO2010091493		8/2010
WO	2011045654		4/2011
WO	2011058433		5/2011
WO	WO2011067447		6/2011
WO	2011097035	A2	8/2011
WO	2011148258	A2	12/2011
WO	2012082105		6/2012
WO	2012137060	A1	10/2012
WO	WO2012143327		10/2012
WO	2013008235		1/2013
WO	WO2013014202		1/2013
WO	2013025672	A1	2/2013
WO	2013061518		5/2013
WO	2013114189		8/2013
WO	2013175079		11/2013
WO	2014007830		1/2014
WO	2014019045		2/2014
WO	2014020386		2/2014
WO	2014140722	A1	9/2014
WO	2016137578	A1	1/2016
WO	2014140721		9/2017

## OTHER PUBLICATIONS

International Search Report and Written Opinion from PCT/IB10/02913 dated Apr. 19, 2011.

ASME Definitions, Consumables, Welding Positions, dated Mar. 19, 2001. See <http://www.gowelding.com/wp/asme4.htm>.

Abbas, M., et al.; Code\_Aster; Introduction to Code\_Aster; User Manual; Booklet U1.0-: Introduction to Code\_Aster; Document: U1.02.00; Version 7.4; Jul. 22, 2005.

Bjorn G. Agren; Sensor Integration for Robotic Arc Welding; 1995; vol. 5604C of Dissertations Abstracts International p. 1123; Dissertation Abs Online (Dialog® File 35): © 2012 ProQuest Info& Learning; <http://dialogweb.com/cgi/dwclient?req=1331233317524>; one (1) p.; printed Mar. 8, 2012.

Abid, et al., "Numerical simulation to study the effect of tack welds and root gap on welding deformations and residual stresses of a pipe-flange joint" by M. Abid and M. Siddique, Faculty of Mechanical Engineering, GIK Institute of Engineering Sciences and Technology, Topi, NWFP, Pakistan. Available on-line Aug. 25, 2005.

"Penetration in Spot GTA Welds during Centrifugation," D.K. Aidun and S.A. Martin; Journal of Materials Engineering and Performance vol. 7(5) Oct. 1998—597.

Arc+ simulator; [http://www.123arc.com/en/depliant\\_ang.pdf](http://www.123arc.com/en/depliant_ang.pdf); 2000, 2 pgs.

ARS Electronica Linz GmbH, Fronius, 2 pages, May 18, 1997.

Asciencetutor.com, A division of Advanced Science and Automation Corp., VWL (Virtual Welding Lab), 2 pages, 2007.

16TH International Shop and Offshore Structures Congress: Aug. 20-25, 2006: Southampton, UK, vol. 2 Specialist Committee V.3 Fabrication Technology Committee Mandate: T Borzecki, G. Bruce, Y.S. Han, M. Heinemann, A Imakita, L. Josefson, W. Nie, D. Olson, F. Roland, and Y. Takeda.

CS Wave, A Virtual learning tool for welding motion, 10 pages, Mar. 14, 2008.

Choquet, Claude; "ARC+: Today's Virtual Reality Solution for Welders" Internet Page, Jan. 1, 2008.

Code Aster (Software) EDF (France), Oct. 2001.

Cooperative Research Program, Virtual Reality Welder Training, Summary Report SR 0512, 4 pages, Jul. 2005.

Desroches, X.; Code-Aster, Note of use for acclulations of welding; Instruction manual U2.03 booklet: Thermomechanical; Document: U2.03.05; Oct. 1, 2003.

Edison Welding Institute, E-Weld Predictor, 3 pages, 2008.

Eduwelding+, Weld Into the Fugure; Online Welding Seminar—A virtual training environment; 123arc.com; 4 pages, 2005.

Eduwelding+, Training Activities with arc+ simulator; Weld Into The Future, Online Welding Simulator—A virtual training environment; 123arc.com; 6 pages, May 2008.

FH Joanneum, Fronius—virtual welding, 2 pages, May 12, 2008.

The Fabricator, Virtual Welding, 4 pages, Mar. 2008.

Fast, K. et al., "Virtual Training for Welding", Mixed and Augmented Reality, 2004, ISMAR 2004, Third IEEE and CM International Symposium on Arlington, VA, Nov. 2-5, 2004.

Garcia-Ellende et al., "Defect Detection in Arc-Welding Processes by Means of the Line-to-Continuum Method and Feature Selection", [www.mdpi.com/journal/sensors](http://www.mdpi.com/journal/sensors); Sensors 2009, 9, 7753-7770; doi; 10.3390/s91007753.

Juan Vicenete Rosell Gonzales, "RV-Sold: simulator virtual para la formacion de soldadores"; Deformacion Metalica, Es. vol. 34, No. 301 Jan. 1, 2008.

Hillis and Steele, Jr.; "Data Parallel Algorithms", Communications of the ACM, Dec. 1986, vol. 29, No. 12, p. 1170.

"The influence of fluid flow phenomena on the laser beam welding process"; International Journal of Heat and Fluid Flow 23, dated 2002.

The Lincoln Electric Company, CheckPoint Production Monitoring brochure; four pages; [http://www.lincolnelectric.com/assets/en\\_US/products/literature/s232.pdf](http://www.lincolnelectric.com/assets/en_US/products/literature/s232.pdf); Publication S2.32; issue date Feb. 2012. The Lincoln Electric Company, Production Monitoring brochure, 4 pages, May 2009.

Eric Linholm, John Nickolls, Stuart Oberman, and John Montrym, "Nvidia Testla: A Unifired Graphics and Computing Architecture", IEEE Computer Society, 2008.

Mahrle, A., et al.; "The influence of fluid flow phenomena on the laser beam welding process" International Journal of Heat and Fluid Flow 23 (2002, No. 3, pp. 288.

Mavrikios D et al, A prototype virtual reality-based demonstrator for immersive and interactive simulation of welding processes, International Journal of Computer Integrated manufacturing, Taylor and Francis, Basingstoke, GB, vol. 19, No. 3, Apr. 1, 2006, pp. 294-300. Mechanisms and Mechanical Devices Source Book, Chironis, Neil Sclater; McGraw Hill; 2nd Addition, 1996.

Miller Electric Mgf Co.; MIG Welding System features weld monitoring software; NewsRoom 2010 (Dialog® File 992); © 2011 Dialog. 2010; <http://www.dialogweb.com/cgi/dwclient?reg=1331233430487>; three (3) pages; printed Mar. 8, 2012.

NSRP ASE, Low-Cost Virtual Reality Welder Training System, 1 Page, 2008.

N. A. Tech., P/NA.3 Process Modeling and Optimization, 11 pages, Jun. 4, 2008.

Virtual Reality Welder Trainer, Sessiion 5: Joining Technologies for Naval Applications: earliest date Jul. 14, 2006 (<http://weayback.archive.org>) by Nancy C. Porter, Edision Welding Institute; J. Allan Cote, General Dynamics Electric Boat; Timothy D. Gifford, VRSim, and Wim Lam, FCS Controls.

Porter, et al., Virtual Reality Training, Paper No. 2005-P19, 14 pages, 2005.

(56)

## References Cited

## OTHER PUBLICATIONS

Production Monitoring 2 brochure, four pages, The Lincoln Electric Company, May 2009.

Ratnam and Khalid: "Automatic classification of weld defects using simulated data and an MLP neural network." *Insight* vol. 49, No. 3; Mar. 2007.

Russel and Norvig, "Artificial Intelligence: A Modern Approach", Prentice-Hall (Copyright 1995).

"Design and Implementation of a Video Sensor for Closed Loop Control of Back Bead Weld Puddle Width," Robert Schoder, Massachusetts Institute of Technology, Dept. of Mechanical Engineering, May 27, 1983.

<http://www.sciencedirect.com/science/article/pii/S009457650000151X>.

Sim Welder, retrieved on Apr. 12, 2010 from: <http://www.simwelder.com>.

SIMFOR / CESOL, "RV-Sold" Welding Simulator, Technical and Functional Features, 20 page, no. date available.

Training in a virtual environment gives welding students a leg up, retrieved on Apr. 12, 2010 from: <http://www.thefabricator.com/article/arcwelding/virtually-welding>.

Wade, "Human uses of ultrasound: ancient and modern", *Ultrasonics* vol. 38, dated 2000.

Wang et al., "Numerical Analysis of Metal Transfer in Gas Metal Arc Welding," G. Wang, P.G. Huang, and Y.M. Zhang, Departments of Mechanical and Electrical Engineering, University of Kentucky, Dec. 10, 2001.

Wang et al., Study on welder training by means of haptic guidance and virtual reality for arc welding, 2006 IEEE International Conference on Robotics and Biomimetics, ROBIO 2006 ISBN-10: 1424405718, p. 954-958.

White et al., Virtual welder training, 2009 IEEE Virtual Reality Conference, p. 303, 2009.

*Edison Welding Institute, Inc. And Realweld Systems, Inc. -v- Lincoln Global, Inc.*; Complaint for Declaratory Judgement including Exhibits; Civil Action No. 2:12-cv-1040.

*Edison Welding Institute, Inc. and Realweld Systems, Inc. -v- Lincoln Global, Inc.*; Stipulated Extension of Time to Answer . . . Civil Action No. 2:12-cv-1040.

*Edison Welding Institute, Inc. and Realweld Systems, Inc. -v- Lincoln Global, Inc.*; Corporate Disclosure Statement; Civil Action No. 2:12-cv-1040.

*Edison Welding Institute, Inc. and Realweld Systems, Inc. -v- Lincoln Global, Inc.*; Notice of Appearance of Counsel; Civil Action No. 2:12-cv-1040.

*Edison Welding Institute, Inc. and Realweld Systems, Inc. -v- Lincoln Global, Inc.*; Unopposed Motion to Dismiss w/o Prejudice including Exhibits; Civil Action No. 2:12-cv-1040.

*Edison Welding Institute, Inc. and Realweld Systems, Inc. -v- Lincoln Global, Inc.*; Order Granting Motion; Civil Action No. 2:12-cv-1040.

Edison Welding Institute, Inc.; Docket; Civil Action No. 2:12-cv-1040.

Bender Shipbuilding and Repair Co. Virtual Welding-A Low Cost Virtual Reality Welding Training System. Proposal submitted pursuant to MSRP Advanced Shipbuilding Enterprise Research Announcement, Jan. 23, 2008. 28 pages, See also, [http://www.nsrp.org/6-Presentations/WD/020409 Virtual Welding Wilbur.pdf](http://www.nsrp.org/6-Presentations/WD/020409%20Virtual%20Welding%20Wilbur.pdf).

Porter, Nancy; Cote, Allan; Gifford, Timothy; and Lam, Wim. "Virtual Reality Welder Training." The American Welding Society Fabtech International/ AWS Welding Show, Session 5. 29 pages; allegedly Chicago 2005;.

Tschirner, Petra; Hillers, Bernd; and Graser, Axel "A Concept for the Application of Augmented Reality in Manual Gas Metal Arc Welding." Proceedings of the International Symposium on Mixed and Augmented Reality; 2 pages; 2002;.

Penrod, Matt. "New Welder Training Tools." EWI PowerPoint presentation; 16 pages allegedly 2008;.

Echtler, Florian; Sturm, Fabian; Kindermann, Kay; Klinker, Gudrun; Stilla, Joachim; Trilk, Jorn; and Najafi, Hesam. "The Intelligent

Welding Gun: Augmented Reality for Experimental Vehicle Construction." *Virtual and Augmented Reality Applications in Manufacturing*. Eds. Ong, S.K. And Nee, A.Y.C. Springer Verlag. 27 pages. 2003.

Fite-Georgel, Pierre. "Is there a Reality in Industrial Augmented Reality?" 10th IEEE International Symposium on Mixed and Augmented Reality (ISMAR). 10 pages, allegedly 2011.

Aiteanu, Dorian; and Graser, Axel. "Generation and Rendering of a Virtual Welding Seam in an Augmented Reality Training Environment." Proceedings of the Sixth IASTED International Conference on Visualization, Imaging and Image Processing, Aug. 28-30, 2006, 8 pages, allegedly Palma de Mallorca, Spain. Ed. J.J. Villaneuva. ACTA Press.

Hillers, B.; Graser, A. "Real time Arc-Welding Video Observation System." 62nd International Conference of IIW, Jul. 12-17, 2009, 5 pages, allegedly Singapore 2009.

Hillers, B.; Graser, A. "Direct welding arc observation without harsh flicker," 8 pages, allegedly Fabtech International and AWS welding show, 2007.

Advance Program of American Welding Society Programs and Events. Nov. 11-14, 2007. 31 pages. Chicago.

Terebes: examples from <http://www.terebes.uni-bremen.de>; 6 pages.

Sandor, Christian; Gudrun Klinker. "Paarti: Development of an Intelligent Welding Gun for BMW." PIA2003, 7 pages, Tokyo. 2003.

Arvika Forum Vorstellung Projekt PAARI. BMW Group Virtual Reality Center. 4 pages. Nuernberg. 2003.

Sandor, Christian; Klinker, Gudrun. "Lessons Learned in Designing Ubiquitous Augmented Reality User Interfaces." 21 pages, allegedly from Emerging Technologies of Augmented Reality: Interfaces Eds. Haller, M.; Billingham, M.; Thomas, B. Idea Group Inc. 2006.

Impact Welding: examples from current and archived website, trade shows, etc. See, e.g., <http://www.impactwelding.com>. 53 pages.

[http://www.nsrp.org/6-Presentations/WDVirtual\\_Welder.pdf](http://www.nsrp.org/6-Presentations/WDVirtual_Welder.pdf) (Virtual Reality Welder Training, Project No. S1051, Navy ManTech Program, Project Review for ShipTech 2005); 22 pages. Biloxi, MS. [https://app.aws.org/w/r/www/wj/2005/03/WJ\\_2005\\_03.pdf](https://app.aws.org/w/r/www/wj/2005/03/WJ_2005_03.pdf) (AWS Welding Journal, Mar. 2005 (see, e.g., p. 54)); 114 pages.

<https://app.aws.org/conferences/defense/live/index.html> (AWS Welding in the Defense Industry conference schedule, 2004); 12 pages. <https://app.aws.org/wj/2004/04/052/njc> (AWS Virtual Reality Program to Train Welders for Shipbuilding, workshop information, 2004); 7 pages.

[http://citeseerx.ist.psu.edu/viewdoc/download;jsessionid=E5B275EI72A9E2 D E2803B9 A5BCA3 E8F8?doi=10.1.1.134.8879&rep=rep1&type=pdf](http://citeseerx.ist.psu.edu/viewdoc/download;jsessionid=E5B275EI72A9E2D E2803B9 A5BCA3 E8F8?doi=10.1.1.134.8879&rep=rep1&type=pdf) (Virtual Reality Welder Training, Cooperative Research Program Summary report SR0512, Jul. 2005); 4 pages.

<https://app.aws.org/wj/2007/11/WJ200711.pdf> (AWS Welding Journal, Nov. 2007); 240 pages.

American Welding Society, "Vision for Welding Industry"; 41 pages.

Energetics, Inc. "Welding Technology Roadmap", Sep. 2000, 38 pages.

Aiteanu, Dorian; and Graser, Axel. "Computer-Aided Manual Welding Using an Augmented Reality Supervisor" Sheet Metal Welding Conference XII, Livonia, MI, May 9-12, 2006, 14 pages.

Hillers, Bernd; Aiteanu, Dorin and Graser, Axel "Augmented Reality—Helmet for the Manual Welding Process" Institute of Automation, University of Bremen, Germany; 21 pages.

Aiteanu, Dorin, Hillers, Bernd and Graser, Axel "A Step Forward in Manual Welding: Demonstration of Augmented Reality Helmet" Institute of Automation, University of Bremen, Germany, Proceedings of the Second IEEE and ACM International Symposium on Mixed and Augmented Reality; 2003; 2 pages.

ArcSentry Weld Quality Monitoring System; Native American Technologies allegedly 2002, 5 pages.

P/NA.3 Process Modelling and Optimization; Native American Technologies, allegedly 2002, 5 pages.

B. Hillers, D. Aiteanu, P. Tschirner, M. Park, A. Graser, B. Balazs, L. Schmidt, "Terebes: Welding Helmet with AR Capabilities", Institute of Automatic University Bremen; Institute of Industrial Engineering and Ergonomics, 10 pages, allegedly 2004.

(56)

## References Cited

## OTHER PUBLICATIONS

“Sheet Metal Welding Conference XII”, American Welding Society Detroit Section, May 2006, 11 pages.

Kenneth Fast, Timothy Gifford, Robert Yancey, “Virtual Training for Welding”, Proceedings of the Third IEEE and ACM International Symposium on Mixed and Augmented Reality (ISMAR 2004); 2 pages.

Claude Choquet, “ARC+®: Today’s Virtual Reality Solution for Welders” estimated Jan. 1, 2008, 6 pages.

ARC+ Welding Simulation presentation; 25 pages.

Chuansong Wu, “Microcomputer-based welder training simulator” Computers in Industry 20, 1992, 5 pages.

P. Tschirner et al., “Virtual and Augmented Reality for Quality Improvement of Manual Welds” National Institute of Standards and Technology, Jan. 2002, Publication 973, 24 pages.

Matt Phar, GPU Gems 2 Programming Techniques for High-Performance Graphics and General-Purpose Computation 2005, 12 pages.

Y. Wang et al., “Impingement of Filler Droplets and Weld Pool During Gas Metal Arc Welding Process” International Journal of Heat and Mass Transfer, Sep. 1999, 14 pages.

Larry Jeffus, “Welding Principles and Applications” Sixth Edition, 2008, 10 pages.

R.J. Renwick et al., “Experimental Investigation of GTA Weld Pool Oscillations” Welding Research—Supplement to the Welding Journal, Feb. 1983, 7 pages.

Dorin Aiteanu et al., “Generation and Rendering of a Virtual Welding Seam in an Augmented Reality Training Environment” Proceedings of the Sixth IASTED International Conference, Aug. 2006, 8 pages.

VRSim Inc. “About Us—History” [www.vrsim.net/history](http://www.vrsim.net/history), 2016, 1 page.

VRSim Powering Virtual Reality, [www.lincolnelectric.com/en-us/equipment/training-equipment/Pages/powering-by-vrsim.aspx](http://www.lincolnelectric.com/en-us/equipment/training-equipment/Pages/powering-by-vrsim.aspx), 2016, 1 page.

ARC+—Archived Press Release from WayBack Machine from Jan. 31, 2008-Apr. 22, 2013, Page, [https://web.archive.org/web/20121006041803/http://www.123certification.com/en/article\\_press/index.htm](https://web.archive.org/web/20121006041803/http://www.123certification.com/en/article_press/index.htm), Jan. 21, 2016, 3 pages.

Aidun, Daryush “Influence of Simulated High-g on the Weld Size of Al—Li Alloy” Elevator Sciece Ltd.; Jan. 2001; 4 pages.

ARC Simulation & Certification, Weld Into the Future, 4 pages, Est. Jan. 2005.

International Search Report for PCT/IB2015/000777, dated Dec. 15, 2016; 11 pages.

International Search Report for PCT/IB2015/000814 dated Dec. 15, 2016; 9 pages.

Exhibit B from Declaration of Morgan Lincoln in *Lincoln Electric Co. et al. v. Seabery Soluciones, S.L. et al.*, Case No. 1:15-cv-01575-DCN, dated Dec. 20, 2016, 5 pages.

Bryan E. Feldman, James F. O’Brien, Bryan M. Klingner, and Tolga G. Goktekin. Fluids in deforming meshes. In ACM Siggraph/Eurographics Symposium on Computer Animation 2005, Jul. 2005.

Adam W. Bargteil, Tolga G. Goktekin, James F. O’Brien, and John A. Strain. A semi-lagrangian contouring method for fluid simulation. ACM Transactions on Graphics, 25(1), Jan. 2006.

Adam W. Bargteil, Funshing Sin, Jonathan E. Michaels, Tolga G. Goktekin, and James F. O’Brien. A texture synthesis method for liquid animations. In Proceedings of the ACM Siggraph/Eurographics Symposium on Computer Animation, Sep. 2006.

Bryan M. Klingner, Bryan E. Feldman, Nuttapon Chentanez, and James F. O’Brien. Fluid animation with dynamic meshes. In Proceedings of ACM Siggraph 2006, pp. 820-825, Aug. 2006.

Nuttapon Chentanez, Tolga G. Goktekin, Bryan E. Feldman, and James F. O’Brien. Simultaneous coupling of fluids and deformable bodies. In ACM Siggraph/Eurographics Symposium on Computer Animation, pp. 83-89, Aug. 2006.

Nuttapon Chentanez, Bryan E. Feldman, François Labelle, James F. O’Brien, and Jonathan R. Shewchuk. Liquid simulation on

lattice-based tetrahedral meshes. In ACM Siggraph/Eurographics Symposium on Computer Animation 2007, pp. 219-228, Aug. 2007.

Pascal Clausen, Martin Wicke, Jonathan R. Shewchuk, and James F. O’Brien. Simulating liquids and solid-liquid interactions with lagrangian meshes. ACM Transactions on Graphics, 32(2):17:1-15, Apr. 2013. Presented at Siggraph 2013.

Kass, M., and Miller, G., “Rapid, Stable Fluid Dynamics for Computer Graphics,” Proceedings of Siggraph ’90, in Computer Graphics, vol. 24, No. 4, pp. 49-57, Sep. 1990.

Nathan Holmberg and Burkhard C. Wünsche Efficient modeling and rendering of turbulent water over natural terrain. In Proceedings of the 2nd international conference on Computer graphics and interactive techniques in Australasia and South East Asia (Graphite ’04), Jun. 2004.

James F. O’Brien and Jessica K Hodgins. “Dynamic Simulation of Splashing Fluids”. In Proceedings of Computer Animation 95, pp. 198-205, Apr. 1995.

Nils Thurey, Matthias Müller-Fischer, Simon Schirm, and Markus Gross. Real-time BreakingWaves for Shallow Water Simulations. In Proceedings of the 15th Pacific Conference on Computer Graphics and Applications (PG ’07). Oct. 2007.

Nick Foster, Ronald Fedkiw, Practical animation of liquids, Proceedings of the 28th annual conference on Computer graphics and interactive techniques, p. 23-30, Aug. 2001.

N. Rasmussen, D. Enright, D. Nguyen, S. Marino, N. Sumner, W. Geiger, S. Hoon, R. Fedkiw, Directable photorealistic liquids, Proceedings of the 2004 ACM Siggraph/Eurographics symposium on Computer animation, Aug. 27-29, 2004, Grenoble, France.

Bryan E Feldman, James F. O’Brien, and Okan Arikan. “Animating Suspended Particle Explosions”. In Proceedings of ACM Siggraph 2003, pp. 708-715, Aug. 2003.

Tolga G. Goktekin, Adam W. Bargteil, and James F. O’Brien. “A Method for Animating Viscoelastic Fluids”. ACM Transactions on Graphics (Proc. of ACM Siggraph 2004), 23(3):463-468, Aug. 2004.

Geoffrey Irving, Eran Guendelman, Frank Losasso, Ronald Fedkiw, Efficient simulation of large bodies of water by coupling two and three dimensional techniques, ACM Siggraph 2006 Papers, Jul. 30-Aug. 3, 2006, Boston, Massachusetts.

Bart Adams, Mark Pauly, Richard Keiser, Leonidas J. Guibas, Adaptively sampled particle fluids, ACM Siggraph 2007 papers, Aug. 5-9, 2007, San Diego, California.

Matthias Müller, David Charypar, Markus Gross, Particle-based fluid simulation for interactive applications, Proceedings of the 2003 ACM Siggraph/Eurographics symposium on Computer animation, Jul. 26-27, 2003, San Diego, California.

Premoze, S., Tasdizen, T., Bigler, J., Lefohn, A. E., and Whitaker, R. T. Particle-based simulation of fluids. Comput. Graph. Forum 22, 3, 401-410 Sep. 2003.

Office Action from U.S. Appl. No. 14/526,914 dated Feb. 3, 2017.

International Preliminary Report from PCT/IB2015/001084 dated Jan. 26, 2017.

Sun Yaoming; Application of Micro Computer in Robotic Technologies; Science and Technology Literature Press; Catalogue of New Books of Science and Technology; Sep. 1987, pp. 145-150—CN and English.

Kenneth Fast; Virtual Welding—A Low Cost Virtual Reality Welder system training system phase II; NSRP ASE Technology Investment Agreement; Feb. 29, 2012; pp. 1-54.

The Lincoln Electric Company, CheckPoint Operator’s Manual, 188 pages, issue date Aug. 2015.

Nick Foster, Dimitri Metaxas, Realistic animation of liquids, Graphical Models and Image Processing, v.58 n.5, p. 471-483, Sep. 1996.

International Search Report for PCT/IB2014/001796, dated Mar. 24, 2016; 8 pages.

International Search Report for PCT/IB2015/000161, dated Aug. 25, 2016; 9 pages.

Petition for Inter Partes Review of U.S. Pat. No. 8,747,116; IPR 2016-01568; Aug. 9, 2016; 75 pages.

Decision Termination Proceeding of U.S. Pat. No. 8,747,116; IPR 2016-01568; Nov. 15, 2016; 4 pages.

Decision Trial Denied IPR Proceeding of U.S. Pat. No. 8,747,116; IPR 2016-00749; Sep. 21, 2016; 21 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

Decision Denying Request for Rehearing of U.S. Pat. No. RE45398; IPR 2016-00840; Nov. 17, 2016; 10 pages.

Decision Trial Denied IPR Proceeding of U.S. Pat. No. 9,293,056; IPR 2016-00904; Nov. 3, 2016; 15 pages.

Decision Trial Denied IPR Proceeding of U.S. Pat. No. 9,293,057; IPR 2016-00905; Nov. 3, 2016; 21 pages.

Porter, Nancy C.; "Virtual Reality Welder Training," *Journal of Ship Production*, vol. 22, No. 3, Aug. 2006, pp. 126-138.

William Hoff, Khoi Nguyen, "Computer Vision Based Registration Techniques for Augmented Reality", Colorado School of Mines, Division of Engineering, Proceedings of Intellectual Robots and Computer Vision XV, pp. 538-548; SPIE vol. 2904, Nov. 18-22, 1996, Boston MA.

Final Written Decision dated Oct. 2, 2017, Case IPR 2016-00840, Patent RE45,398, *Seabery North America Inc.* (Petitioner) vs. *Lincoln Global, Inc.* (Patent Owner), pp. 1-65.

Catalina, Stefanescu, Sen, and Kaukler, "Interaction of Porosity with a Planar Solid/Liquid Interface" ("Catalina"), *Metallurgical and Materials Transactions*, vol. 35A, May 2004, pp. 1525-1538.

Swantec corporate web page downloaded Apr. 19, 2016. <http://www.swantec.com/technology/numerical-simulation/>.

Complaint for Patent Infringement in *Lincoln Electric Co. et al. v. Seabery Soluciones, S.L. et al.*, Case No. 1:15-cv-01575-DCN, docket No. 1, filed Aug. 10, 2015, in the U.S. District Court for the Northern District of Ohio; 81 pages.

Amended Answer to Complaint with Exhibit A for Patent Infringement filed by Seabery North America Inc. in *Lincoln Electric Co. et al. v. Seabery Soluciones, S.L. et al.*, Case No. 1:15-cv-01575-DCN, docket No. 44, filed Mar. 1, 2016, in the U.S. District Court for the Northern District of Ohio; 19 pages.

Amended Answer to Complaint with Exhibit A for Patent Infringement filed by Seabery Soluciones SI in *Lincoln Electric Co. et al. v. Seabery Soluciones, S.L. et al.*, Case No. 1:15-cv-01575-DCN, docket No. 45, filed Mar. 1, 2016, in the U.S. District Court for the Northern District of Ohio; 19 pages.

Reply to Amended Answer to Complaint for Patent Infringement filed by Lincoln Electric Company; Lincoln Global, Inc. in *Lincoln Electric Co. et al. v. Seabery Soluciones, S.L. et al.*, Case No. 1:15-cv-01575-DCN; docket No. 46, filed Mar. 22, 2016; 5 pages.

Answer for Patent Infringement filed by Lincoln Electric Company, Lincoln Global, Inc. in *Lincoln Electric Co. et al. v. Seabery Soluciones, S.L. et al.*, Case No. 1:15-cv-01575-DCN; docket No. 47, filed Mar. 22, 2016; 5 pages.

Petition for Inter Partes Review of U.S. Pat. No. 8,747,116; IPR 2016-00749; Apr. 7, 2016; 70 pages.

Petition for Inter Partes Review of U.S. Pat. No. RE45,398; IPR 2016-00840; Apr. 18, 2016; 71 pages.

Petition for Inter Partes Review of U.S. Pat. No. 9,293,056; IPR 2016-00904; May 9, 2016; 91 pages.

Petition for Inter Partes Review of U.S. Pat. No. 9,293,057; IPR 2016-00905; May 9, 2016; 87 pages.

Declaration of Dr. Michael Zyda, May 3, 2016, exhibit to IPR 2016-00749.

Declaration of Edward Bohnart, Apr. 27, 2016, exhibit to IPR 2016-00749.

Declaration of Dr. Michael Zyda, May 3, 2016, exhibit to IPR 2016-00905; 72 pages.

Declaration of Edward Bohnart, Apr. 27, 2016, exhibit to IPR 2016-00905; 23 pages.

Declaration of Dr. Michael Zyda, May 3, 2016, exhibit to IPR 2016-00904; 76 pages.

Declaration of Edward Bohnart, Apr. 27, 2016, exhibit to IPR 2016-00904; 22 pages.

Declaration of Axel Graeser, Apr. 17, 2016, exhibit to IPR 2016-00840; 88 pages.

SIMFOR / CESOL, "RV-SOLD" Welding Simulator, Technical and Functional Features, 20 pages, estimated Jan. 2010.

Teeravarunyou et al, "Computer Based Welding Training System," *International Journal of Industrial Engineering* (2009) 16(2): 116-125.

Antonelli et al, "A Semi-Automated Welding Station Exploiting Human-Robot Interaction," *Advanced Manufacturing Systems and Technology* (2011) pp. 249-260.

Praxair Technology Inc, "The RealWeld Trainer System: Real Weld Training Under Real Conditions" Brochure (2013) 2 pages.

United States Provisional Patent Application for "System for Characterizing Manual Welding Operations on Pipe and Other Curved Structures," Prov. U.S. Appl. No. 62/055,724, filed Sep. 26, 2014, 35 pages.

Lincoln Global, Inc., "VRTEX 360: Virtual Reality Arc Welding Trainer" Brochure (2015) 4 pages.

J.Y. (Yosh) Mantinband, Hillel Goldenberg, Llan Kleinberger, Paul Kleinberger, Autostereoscopic, field-sequential display with full freedom of movement OR Let the display were the shutter-glasses, 3ality (Israel) Ltd., 8 pages, 2002.

Kobayashi, Ishigame, and Kato, "Simulator of Manual Metal Arc Welding with Haptic Display" ("Kobayashi 2001"), Proc. of the 11th International Conf. on Artificial Reality and Telexistence (ICAT), Dec. 5-7, 2001, pp. 175-178, Tokyo, Japan.

Wahi, Maxwell, and Reaugh, "Finite-Difference Simulation of a Multi-Pass Pipe Weld" ("Wahi"), vol. L, paper 3/1, International Conference on Structural Mechanics in Reactor Technology, San Francisco, CA, Aug. 15-19, 1977.

Nuhan Onew Technology Co Ltd, "ONEW-360 Welding Training Simulator" [http://en.onewtech.com/\\_d276479751.htm](http://en.onewtech.com/_d276479751.htm) as accessed on Jul. 10, 2015, 12 pages.

The Lincoln Electric Company, "VRTEX Virtual Reality Arc Welding Trainer," <http://www.lincolnelectric.com/en-us/equipment/training-equipment/Pages/vrtex.aspx> as accessed on Jul. 10, 2015, 3 pages.

Miller Electric Mfg Co, "LiveArc: Welding Performance Management System" Owner's Manual, (Jul. 2014) 64 pages.

Miller Electric Mfg Co, "LiveArc Welding Performance Management System" Brochure, (Dec. 2014) 4 pages.

Kobayashi, Ishigame, and Kato, "Skill Training System of Manual Arc Welding by Means of Face-Shield-Like HMD and Virtual Electrode" ("Kobayashi 2003"), *Entertainment Computing*, vol. 112 of the International Federation for Information Processing (IFIP), Springer Science + Business Media, New York, copyright 2003, pp. 389-396.

G.E. Moore, "No exponential is forever: but 'Forever' can be delayed!," IEEE International Solid-State Circuits Conference, 2003. 19 pages.

"High Performance Computer Architectures\_ A Historical Perspective," downloaded May 5, 2016. <http://homepages.inf.ed.ac.uk/cgi/mi/comparch.pl?Paru/perf.html,Paru/perf-f.html,Paru/menu-76.html>; 3 pages.

Andreas Grahn, "Interactive Simulation of Contrast Fluid using Smoothed Particle Hydrodynamics," Jan. 1, 2008, Master's Thesis in Computing Science, Umeå University, Department of Computing Science, Umeå, Sweden; 69 pages.

Marcus Vesterlund, "Simulation and Rendering of a Viscous Fluid using Smoothed Particle Hydrodynamics," Dec. 3, 2004, Master's Thesis in Computing Science, Umeå University, Department of Computing Science, Umeå, Sweden; 46 pages.

M. Müller, et al., "Point Based Animation of Elastic, Plastic and Melting Objects," *Eurographics/ACM Siggraph Symposium on Computer Animation* (2004); 11 pages.

Andrew Nealen, "Point-Based Animation of Elastic, Plastic, and Melting Objects," *CG topics*, Feb. 2005; 2 pages.

D. Tonnesen, Modeling Liquids and Solids using Thermal Particles, Proceedings of Graphics Interface'91, pp. 255-262, Calgary, Alberta, 1991.

"CUDA Programming Guide Version 1.1," Nov. 29, 2007. 143 pages.

Webster's II new college dictionary, 3rd ed., Houghton Mifflin Co., copyright 2005, Boston, MA, p. 1271, definition of "wake." 3 pages.

Da Dalto L, et al. "CS Wave: Learning welding motion in a virtual environment" Published in Proceedings of the IIW International Conference, Jul. 10-11, 2008; 19 pages.



(56)

## References Cited

## OTHER PUBLICATIONS

CS Wave-Manual, "Virtual Welding Workbench User Manual 3.0" 2007; 25 pages.

Choquet, Claude. "ARC+®: Today's Virtual Reality Solution for Welders", Published in Proceedings of the IIW International Conference; Jul. 10-11, 2008; 19 pages.

Welding Handbook, Welding Science & Technology, American Welding Society, Ninth Ed., Copyright 2001. Appendix A "Terms and Definitions" 54 pages.

Virtual Welding: A Low Cost Virtual Reality Welder Training System, NSRP RA 07-01—BRP Oral Review Meeting in Charleston, SC at ATI, Mar. 2008; 6 pages.

Dorin Aiteanu "Virtual and Augmented Reality Supervisor for a New Welding Helmet" Dissertation Nov. 15, 2005; 154 pages.

"The Evolution of Computer Graphics," Tony Tamasi, NVIDIA, 2008; 36 pages.

ViziTech USA, retrieved on Mar. 27, 2014 from <http://vizitechusa.com/>, 2 pages.

Guu and Rokhlin, Technique for Simultaneous Real-Time Measurements of Weld Pool Surface Geometry and Arc Force, 10 pages, Dec. 1992.

S.B. Chen, L. Wu, Q. L. Wang and Y. C. Liu, Self-Learning Fuzzy Neural Networks and Computer Vision for Control of Pulsed GTAW, 9 pages, dated May 1997.

Patrick Rodjito, Position tracking and motion prediction using Fuzzy Logic, 81 pages, 2006, Colby College.

D'Huart, Deat, and Lium; Virtual Environment for Training, 6th International Conference, ITS 20002, 6 pages, Jun. 2002.

Konstantinos Nasios (Bsc), Improving Chemical Plant Safety Training Using Virtual Reality, Thesis submitted to the University of Nottingham for the Degree of Doctor of Philosophy, 313 pages, Dec. 2001.

ANSI/A WS D 10.11 MID 10. 11 :2007 Guide for Root Pass Welding of Pipe without Backing Edition: 3rd American Welding Society / Oct. 13, 2006/36 pages ISBN: 0871716445, 6 pages.

M. Jonsson, L. Karlsson, and L-E Lindgren, Simulation of Tack Welding Procedures in Butt Joint Welding of Plate Welding Research Supplement, Oct. 1985, 7 pages.

Isaac Brana Veiga, Simulation of a Work Cell in the IGRIP Program, dated 2006, 50 pages.

Balijepalli, A. and Kesavadas, Haptic Interfaces for Virtual Environment and Teleoperator Systems, Haptics 2003, 7-., Department of Mechanical & Aerospace Engineering, State University of New York at Buffalo, NY.

Johannes Hirche, Alexander Ehlert, Stefan Guthe, Michael Doggett, Hardware Accelerated Per-Pixel Displacement Mapping, 8 pages.

Yao et al., 'Development of a Robot System for Pipe Welding'. 2010 International Conference on Measuring Technology and Mechatronics Automation. Retrieved from the Internet: <http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=5460347&tag=1>; pp. 1109-1112, 4 pages.

Steve Mann, Raymond Chun Bing Lo, Kalin Ovtcharov, Shixiang Gu, David Dai, Calvin Ngan, Tao Ai, Realtime HDR (High Dynamic Range) Video for Eyetap Wearable Computers, FPGA-Based Seeing Aids, and Glasseyes (Eyetaps), 2012 25th IEEE Canadian Conference on Electrical and Computer Engineering (CCECE), pp. 1-6, 6 pages, Apr. 29, 2012.

Kyt Dotson, Augmented Reality Welding Helmet Prototypes How Awesome the Technology Can Get, Sep. 26, 2012, Retrieved from the Internet: URL:<http://siliconangle.com/blog/2012/09/26/augmented-reality-welding-helmet-prototypes-how-awesome-the-technology-can-get/>, 1 page, retrieved on Sep. 26, 2014.

Terrence O'Brien, "Google's Project Glass gets some more details", Jun. 27, 2012 (Jun. 27, 2012), Retrieved from the Internet: <http://www.engadget.com/2012/06/27/googles-project-glass-gets-some-more-details/>, 1 page, retrieved on Sep. 26, 2014.

William T. Reeves, "Particles Systems—A Technique for Modeling a Class of Fuzzy Objects", Computer Graphics 17:3 pp. 359-3761983.

Fletcher Yoder Opinion re RE45398 and U.S. Appl. No. 14/589,317; including appendices; Sep. 9, 2015; 1700 pages.

Screen Shot of CS Wave Exercise 135.FWPG Root Pass Level 1 [https://web.archive.org/web/20081128081858/http://wave\\_c-sfr/images/english/snap\\_evolution2.jpg](https://web.archive.org/web/20081128081858/http://wave_c-sfr/images/english/snap_evolution2.jpg); 1 page.

Screen Shot of CS Wave Control Centre V3.0.0 [https://web.archive.org/web/20081128081915/http://wave.c-s.fr/images/english/snap\\_evolution4.jpg](https://web.archive.org/web/20081128081915/http://wave.c-s.fr/images/english/snap_evolution4.jpg); 1 page.

Screen Shot of CS Wave Control Centre V3.0.0 [https://web.archive.org/web/20081128081817/http://wave.c-s.fr/images/english/snap\\_evolution6.jpg](https://web.archive.org/web/20081128081817/http://wave.c-s.fr/images/english/snap_evolution6.jpg); 1 page.

Da Dalto L, et al. "CS Wave a Virtual learning tool for the welding motion," Mar. 14, 2008; 10 pages.

Nordruch, Stefan, et al. "Visual Online Monitoring of PGMAW Without a Lighting Unit", Jan. 2005; 14 pages.

ChemWeb.com—Journal of Materials Engineering (printed Sep. 26, 2012) (01928041).

Heat and mass transfer in gas metal arc welding. Part 1: the arc by J. Hu, and Hi Tsai found in ScienceDirect, International Journal of Heat and Mass transfer 50 (2007) 833-846 Available on Line on Oct. 24, 2006 <http://web.mst.edu/~tsai/publications/Hu-IJHMT-2007-1-60.pdf>.

Texture Mapping by. Ian Graham, Carnegie Mellon University Class 15-462 Computer graphics, Lecture 10 dated Feb. 13, 2003. Nancy C. Porter, J. Allan Cote, Timothy D. Gifford, and Wim Lam, Virtual Reality Welder Training, dated Jul. 14, 2006.

European Examination Report for application No. 17001820.4, 4 pp., dated May 16, 2019.

Yizhong Wang, Younghua Chen, Zhongliang Nan, Yong Hu, Study on Welder Training by Means of Haptic Guidance and Virtual Reality for Arc Welding, 2006 IEEE International Conference on Robotics and Biomimetics, pp. 954-958, ROBIO 2006 ISBN-10:1424405718, Dec. 17-20, 2006, Kunming, China.

Nancy C. Porter, J. Allan Cote, Timothy D. Gifford, Wim Lan, Virtual Reality Welder Training, Paper No. 2005-P19, 2005, pp. 1-14.

Ascienetutor.Com, A Division of Advanced Science and Automation Corp., VWL (Virtual Welding Lab), 2007, 2 pages.

Edison Welding Institute, E-Weld Predictor, 3 pages, 2008, Columbus, OH.

Tim Heston, Virtually welding, The Fabricator, Mar. 2008, 4 pages. FMA Communications Inc., Rockford, IL, [www.thefabricator.com](http://www.thefabricator.com). NSRP ASE, Low-Cost Virtual Reality Welder Training System, 2008, 1 page.

Steven White, Mores Prachyabrued, Dhruva Baghi, Amit Aglawe, Dirk Reiners, Christoph Borst, Terry Chambers, Virtual Welder Trainer, IEEE Virtual Reality 2009, p. 303.

Nancy Porter, J. Allan Cote, Timothy Gifford, Virtual Reality Welder Training, CRP Cooperative Research Program, Summary Report SR 0512, Jul. 2005, 4 pages.

Weld Into the Future, Eduwelding+, Training Activities with arc+ simulator, 2005, 4 pages.

Claude Choquet, ARC+: Today's Virtual Reality Solution for Welders, 123 Certification In.,Montreal, Quebec, CA, May 2008, 6 pages.

Laurent Da Dalto, Dominique Steib, Daniel Mellet-d'Huart, Olivier Balet, CS WAVE A Virtual learning tool for the welding motion, <http://www.c-s.fr>, Mar. 14, 2008, 10 pages.

CS WAVE, The Virtual Welding Trainer, 6 pages, 2007.

Fronius—virtual welding, [www.fh-joanneum.at/ca/cn/yly/?lan=en](http://www.fh-joanneum.at/ca/cn/yly/?lan=en), 2 pages, May 12, 2008.

Fronius, ARS Electronica, 2 pages, May 18, 1997.

P/NA.3 Process Modelling and Optimization, [www.natech-inc.com/pna3/index.html](http://www.natech-inc.com/pna3/index.html), 11 pages, Jun. 4, 2008.

"RV-Sold" Welding Simulator Technical and Functional Features, SIMFOR, pp. 1-20, date unknown.

Juan Vicente Rosell, RV-Sold: Simulador virtual para la formacion de soldadores, Deformacion Metalica, Es. vol. 34, No. 301, 14 pages, Jan. 1, 2008.

Kenneth Fast, Timothy Gifford, Robert Yancy, Virtual Training for Welding, 3rd IEEE and ACM International symposium on Mixed and Augmented Reality (ISMAR 2004), 2 pages, 2004.

(56)

**References Cited**

OTHER PUBLICATIONS

D. Mavrikios, V. Karabatsou, D. Fragos, G. Chryssolouris, A proto-type virtual reality-0cased demonstrator for immersive and interactive simulation of welding processes, International Journal of Computer Integrated Manufacturing, 294-301, 2006.

PCT/IB2009/00605 International Search Report.

PCT/IB2009/00605 Written Opinion.

U.S. Appl. No. 29/399,980, filed Jul. 10, 2009, issued May 11, 2010 as D615,573.

U.S. Appl. No. 29/339,979, filed Jul. 10, 2009, issued Apr. 20, 2010 as D614,217.


U.S. Appl. No. 29/339,978, filed Jul. 10, 2009.

U.S. Appl. No. 12/504,870, filed Jul. 17, 2009 claiming priority to U.S. Appl. No. 61/090,794.


U.S. Appl. No. 12/501,263, filed Jul. 10, 2009 claiming priority to U.S. Appl. No. 61/090,794.

U.S. Appl. No. 12/501,257, filed Jul. 10, 2009 claiming priority to U.S. Appl. No. 61/090,764.

\* cited by examiner



**FIG. 1**  
**AMENDED**



**FIG. 2**  
**AMENDED**




Fig. 3




Fig. 4





Fig. 5

FIG. 6





## SYSTEM FOR TRACKING AND ANALYZING WELDING ACTIVITY

**Matter enclosed in heavy brackets [ ] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue; a claim printed with strikethrough indicates that the claim was canceled, disclaimed, or held invalid by a prior post-patent action or proceeding.**

*More than one reissue application has been filed for the reissue of U.S. Pat. No. 8,274,013. This application is for reissue of U.S. Pat. No. 8,274,013, and is a continuation reissue of application Ser. No. 14/177,692, which is an application for reissue of U.S. Pat. No. 8,274,013, which claims priority to and the benefit of U.S. provisional patent application No. 61/158,578 filed Mar. 9, 2009, and which is incorporated herein by reference in its entirety.*

This U.S. patent application claims priority to and the benefit of U.S. provisional patent application Ser. No. 61/158,578 which was filed on Mar. 9, 2009, and which is incorporated herein by reference in its entirety.

### TECHNICAL FIELD

Certain embodiments of the present invention pertain to systems for tracking and analyzing welding activity, and more particularly, to systems that capture weld data in real time (or near real time) for analysis and review. Additionally, the embodiments of the present invention provide a system for marking portions of a welded article by indicating possible discontinuities or flaws within the weld joint.

### BACKGROUND

In many applications, ascertaining the quality of weld joints is critical to the use and operation of a machine or structure incorporating a welded article. In some instances, x-raying or other nondestructive testing is needed to identify potential flaws within one or more welded joints. However, non-destructive testing can be cumbersome to use, and typically lags the welding process until the inspector arrives to complete the testing. Additionally, it may not be effective for use with all weld joint configurations. Moreover, non-destructive testing does not provide any information about how the weld was completed. In welding applications where identifying waste is vital to producing cost effective parts, non-destructive testing provides no insight into problems like overfill.

Further limitations and disadvantages of conventional, traditional, and proposed approaches will become apparent to one of skill in the art, through comparison of such approaches with the subject matter of the present application as set forth in the remainder of the present application with reference to the drawings.

### SUMMARY

The embodiments of the present invention pertain to a system for tracking and analyzing welding activity. The system may be used in conjunction with a welding power supply and includes a sensor array and logic processor-based technology that captures performance data (dynamic spatial properties) as the welder performs various welding activities. The system functions to evaluate the data via an

analysis engine for determining weld quality in real time (or near real time). The system also functions to store and replay data for review at a time subsequent to the welding activity thereby allowing other users of the system to review the performance activity of the welding process.

These and other novel features of the subject matter of the present application, as well as details of illustrated embodiments thereof, will be more fully understood from the following description and drawings.

### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a perspective view of a welder using an embodiment of a system for tracking and analyzing welding activity;

FIG. 2 is a schematic representation of an embodiment of the system of FIG. 1 for tracking and analyzing welding activity;

FIG. 3 is a schematic representation of an embodiment of the hardware and software of the system of FIGS. 1-2 for tracking and analyzing welding activity;

FIG. 4 is a flow diagram of an embodiment of the system of FIGS. 1-3 for tracking and analyzing welding activity;

FIG. 5 is a flowchart of an embodiment of a method for tracking and analyzing welding activity using the system of FIGS. 1-4; and

FIG. 6 illustrates an example embodiment of a graph, displayed on a display, showing tracked welding tool pitch angle versus time with respect to an upper pitch angle limit, a lower pitch angle limit, and an ideal pitch angle.

### DETAILED DESCRIPTION

FIG. 1 is a perspective view of a welder **10** using an embodiment of a system **100** for tracking and analyzing welding activity while performing a welding process with a welding system **200**. FIG. 2 is a schematic representation of an embodiment of the system **100** of FIG. 1 for tracking and analyzing welding activity. FIG. 3 is a schematic representation of an embodiment of the hardware **110**, **130** and software **120** of the system **100** of FIGS. 1-2 for tracking and analyzing welding activity. FIG. 4 is a flow diagram of an embodiment of the system **100** of FIGS. 1-3 for tracking and analyzing welding activity. FIG. 5 is a flowchart of an embodiment of a method **500** for tracking and analyzing welding activity using the system **100** of FIGS. 1-4.

Referring again to the drawings wherein the showings are for purposes of illustrating embodiments of the invention only and not for purposes of limiting the same, FIG. 1 shows a system **100** for tracking and analyzing manual processes requiring the dexterity of a human end user **10**. In particular, system **100** functions to capture performance data related to the use and handling of tools (e.g., welding tools). In one embodiment, the system **100** is used to track and analyze welding activity, which may be a manual welding process in any of its forms including but not limited to: arc welding, laser welding, brazing, soldering, oxyacetylene and gas welding, and the like. For illustrative purposes, the embodiments of the present invention will be described in the context of arc welding. However, persons of ordinary skill in the art will understand its application to other manual processes. In accordance with alternative embodiments of the present invention, the manual welder **10** may be replaced with a robotic welder. As such, the performance of the robotic welder and resultant weld quality may be determined in a similar manner.

In one embodiment, the system **100** tracks movement or motion (i.e., position and orientation over time) of a welding tool **230**, which may be, for example, an electrode holder or a welding torch. Accordingly, the system **100** is used in conjunction with a welding system **200** including a welding power supply **210**, a welding torch **230**, and welding cables **240**, along with other welding equipment and accessories. As a welder **10**, i.e. end user **10**, performs welding activity in accordance with a welding process, the system **100** functions to capture performance data from real world welding activity as sensed by sensors **160**, **165** (see FIG. 2) which are discussed in more detail later herein.

In accordance with an embodiment of the present invention, the system **100** for tracking and analyzing welding activity includes the capability to automatically sense dynamic spatial properties (e.g., positions, orientations, and movements) of a welding tool **230** during a manual welding process producing a weld **16** (e.g., a weld joint). The system **100** further includes the capability to automatically track the sensed dynamic spatial properties of the welding tool **230** over time and automatically capture (e.g., electronically capture) the tracked dynamic spatial properties of the welding tool **230** during the manual welding process.

The system **100** also includes the capability to automatically analyze the tracked data to determine performance characteristics of a welder **10** performing the manual welding process and quality characteristics of a weld **16** produced by the welding process. The system **100** allows for the performance characteristics of the welder **10** and the quality characteristics of the weld to be reviewed. The performance characteristics of a welder **10** may include, for example, a weld joint trajectory, a travel speed of the welding tool **230**, welding tool pitch and roll angles, an electrode distance to a center weld joint, an electrode trajectory, and a weld time. The quality characteristics of a weld produced by the welding process may include, for example, discontinuities and flaws within certain regions of a weld produced by the welding process.

The system **100** further allows a user (e.g., a welder **10**) to locally interact with the system **100**. In accordance with another embodiment of the present invention, the system **100** allows a remotely located user to remotely interact with the system **100**. In either scenario, the system **100** may automatically authorize access to a user of the system **100**, assuming such authorization is warranted.

In accordance with an embodiment of the present invention, the system **100** for tracking and analyzing welding activity includes a processor based computing device **110** configured to track and analyze dynamic spatial properties (e.g., positions, orientations, and movements) of a welding tool **230** over time during a manual welding process producing a weld **16**. The system **100** further includes at least one sensor array **160**, **165** operatively interfacing to the processor based computing device **110** (wired or wirelessly) and configured to sense the dynamic spatial properties of a welding tool **230** during a manual welding process producing a weld **16**. The system **100** also includes at least one user interface operatively interfacing to the processor based computing device **110**. The user interface may include a graphical user interface **135** and/or a display device (e.g., a display **130** or a welding display helmet **180** where a display is integrated into a welding helmet as illustrated in FIG. 2). The system **100** may further include a network interface configured to interface the processor based computing device **110** to a communication network **300** (e.g., the internet).

In accordance with an embodiment of the present invention, a method **500** (see FIG. 5) for tracking and analyzing welding activity includes, in step **510**, setting up a manual welding process, and, in step **520**, sensing dynamic spatial properties (e.g., positions, orientations, and movements) of a welding tool **230** during a manual welding process producing a weld using at least one sensor (e.g., sensor arrays **160** and **165**). In step **530**, the method includes tracking the sensed dynamic spatial properties over time during the manual welding process using a real time tracking module **121** (see FIG. 4). The method also includes, in step **540**, capturing the tracked dynamic spatial properties as tracked data during the manual welding process using a computer based (e.g., electronic) memory device (e.g., a portion of the hardware **150** and software **120** of the processor based computing device **110**). The method further includes, in step **550**, analyzing the tracked data to determine performance characteristics of a welder **10** performing the manual welding process and/or quality characteristics of a weld produced by the welding process using a computer based analysis engine **122**. In step **560**, at least one of the performance characteristics and the quality characteristics are reviewed using a display device (e.g., display device **130**). Alternatively, a visualization module or a testing module may be used in place of the display device **130**, as are well known in the art.

The method **500** may initially include selecting welding set up parameters for the welding process via a user interface **135** as part of step **510**. The method may also include outputting the performance characteristics of the welder **10** and/or the quality characteristics of a weld to a remote location and remotely viewing the performance characteristics and/or the quality characteristics via a communication network **300** (see FIG. 3).

The system **100** for tracking and analyzing welding activity comprises hardware and software components, in accordance with an embodiment of the present invention. In one embodiment, the system **100** incorporates electronic hardware. More specifically, system **100** may be constructed, at least in part, from electronic hardware **150** (see FIG. 4) of the processor based computing device **110** operable to execute programmed algorithms, also referred to herein as software **120** or a computer program product. The processor based computing device **110** may employ one or more logic processors capable of being programmed, an example of which may include one or more microprocessors. However, other types of programmable circuitry may be used without departing from the intended scope of coverage of the embodiments of the present invention. In one embodiment, the processor based computing device **110** is operatively disposed as a microcomputer in any of various configurations including but not limited to: a laptop computer, a desktop computer, a work station, a server or the like. Alternatively, mini-computers or main frame computers may serve as the platform for implementing the system **100** for tracking and analyzing welding activity. Moreover, handheld or mobile processor based computing devices may be used to execute programmable code for tracking and analyzing performance data.

Other embodiments are contemplated wherein the system **100** is incorporated into the welding system **200**. More specifically, the components comprising the system **100** may be integrated into the welding power supply **210** and/or weld torch **230**. For example, the processor based computing device **110** may be received internal to the housing of the welding power supply **210** and may share a common power supply with other systems located therein. Additionally,

5

sensors **160**, **165**, used to sense the weld torch **230** dynamic spatial properties, may be integrated into the weld torch handle.

The system **100** may communicate with and be used in conjunction with other similarly or dissimilarly constructed systems. Input to and output from the system **100**, termed I/O, may be facilitated by networking hardware and software including wireless as well as hard wired (directly connected) network interface devices. Communication to and from the system **100** may be accomplished remotely as through a network **300** (see FIG. 3), such as, for example, a wide area network (WAN) or the Internet, or through a local area network (LAN) via network hubs, repeaters, or by any means chosen with sound engineering judgment. In this manner, information may be transmitted between systems as is useful for analyzing, and/or re-constructing and displaying performance and quality data.

In one embodiment, remote communications are used to provide virtual instruction by personnel, i.e. remote or offsite users, not located at the welding site. Reconstruction of the welding process is accomplished via networking. Data representing a particular weld may be sent to another similar or dissimilar system **100** capable of displaying the weld data (see FIG. 3). It should be noted that the transmitted data is sufficiently detailed for allowing remote user(s) to analyze the welder's performance and the resultant weld quality. Data sent to a remote system **100** may be used to generate a virtual welding environment thereby recreating the welding process as viewed by offsite users as discussed later herein. Still, any way of communicating performance data to another entity remotely located from the welding site may be used without departing from the intended scope of coverage of the embodiments of the subject invention.

The processor based computing device **110** further includes support circuitry including electronic memory devices, along with other peripheral support circuitry that facilitate operation of the one or more logic processor(s), in accordance with an embodiment of the present invention. Additionally, the processor based computing device **110** may include data storage, examples of which include hard disk drives, optical storage devices and/or flash memory for the storage and retrieval of data. Still any type of support circuitry may be used with the one or more logic processors as chosen with sound engineering judgment. Accordingly, the processor based computing device **110** may be programmable and operable to execute coded instructions in a high or low level programming language. It should be noted that any form of programming or type of programming language may be used to code algorithms as executed by the system **100**.

With reference now to FIGS. 1-4, the system **100** is accessible by the end user **10** via a display screen **130** operatively connected to the processor based computing device **110**. Software **120** installed onto the system **100** directs the end user's **10** interaction with the system **100** by displaying instructions and/or menu options on, for example, the display screen **130** via one or more graphical user interfaces (GUI) **135**. Interaction with the system **100** includes functions relating to, for example: part set up (weld joint set up), welding activity analysis, weld activity playback, real time tracking, as well as administrative activity for managing the captured data. Still other functions may be chosen as are appropriate for use with the embodiments of the present invention. System navigation screens, i.e. menu screens, may be included to assist the end user **10** in traversing through the system functions. It is noted that as the system **100** is used for training and analysis, security

6

may be incorporated into the GUI(s) **135** that allow restricted access to various groups of end users **10**. Password security, biometrics, work card arrangement or other security measures may be used to ensure that system access is given only to authorized users as determined by an administrator or administrative user. It will be appreciated that the end user **10** may be the same or a different person than that of the administrative user.

In one embodiment, the system **100** functions to capture performance data of the end user **10** for manual activity as related to the use of tools or hand held devices. In the accompanying figures, welding, and more specifically, arc welding is illustrated as performed by the end user **10** on a weldment **15** (e.g., a weld coupon). The welding activity is recorded by the system **100** in real time or near-real time for tracking and analysis purposes mentioned above by a real time tracking module **121** and an analysis module **122**, respectively (see FIG. 4). By recorded it is meant that the system **10** captures data related to a particular welding process for determining the quality of the weld joint or weld joints. The types of performance data that may be captured include, but are not limited to, for example: weld joint configuration or weld joint trajectory, weld speed, welding torch pitch and roll angles, electrode distance to the center weld joint, wire feed speed, electrode trajectory, weld time, and time and date data. Other types of data may also be captured and/or entered into the system **100** including: weldment materials, electrode materials, user name, project ID number, and the like. Still, any type and quantity of information may be captured and/or entered into the system **100** as is suitable for tracking, analyzing and managing weld performance data. In this manner, detailed information about how the welding process for a particular weld joint was performed may be captured and reconstructed for review and analysis in an analysis record **124**.

The data captured and entered into the system **100** is used to determine the quality of the real world weld joint. Persons of ordinary skill in the art will understand that a weld joint may be analyzed by various processes including destructive and non-destructive methods, examples of which include sawing/cutting or x-raying of the weld joint respectively. In prior art methods such as these, trained or experienced weld personnel can determine the quality of a weld performed on a weld joint. Of course, destructive testing renders the weldment unusable and thus can only be used for a sampling or a subset of welded parts. While non-destructive testing, like x-raying, do not destroy the welded article, these methods can be cumbersome to use and the equipment expensive to purchase. Moreover, some weld joints cannot be appropriately x-rayed, i.e. completely or thoroughly x-rayed. By way of contrast, system **100** captures performance data during the welding process that can be used to determine the quality of the welded joint. More specifically, system **100** is used to identify potential discontinuities and flaws within specific regions of a weld joint. The captured data may be analyzed by an experienced welder or trained professional (e.g., a trainer **123**, see FIG. 4), or in an alternative by the system **100** using the analysis module **122** for identifying areas within the weld joint that may be flawed. In one example, torch position and orientation along with travel speed and other critical parameters are analyzed as a whole to predict which areas along the weld joint, if any, are deficient. It will be understood that quality is achieved during the welding process when the operator **10** keeps the weld torch **230** within acceptable operational ranges. Accordingly, the performance data may be analyzed against

known good parameters for achieving weld quality for a particular weld joint configuration.

FIG. 6 illustrates an example embodiment of a graph 600, displayed on the display 130, showing tracked welding tool pitch angle 640 versus time with respect to an upper pitch angle limit 610, a lower pitch angle limit 620, and an ideal pitch angle 630. The upper and lower limits 610 and 620 define a range of acceptability between them. Different limits may be predefined for different types of users such as, for example, welding novices, welding experts, and persons at a trade show. The analysis engine 122 may provide a scoring capability, in accordance with an embodiment of the present invention, where a numeric score is provided based on how close to optimum (ideal) a user is for a particular tracked parameter, and depending on the determined level of discontinuities or defects determined to be present in the weld.

Performance data may be stored electronically in a database 140 (see FIG. 3) and managed by a database manager in a manner suitable for indexing and retrieving selected sets or subsets of data. In one embodiment, the data is retrieved and presented to an analyzing user (e.g., a trainer 123) for determining the weld quality of a particular weld joint. The data may be presented in tabular form for analysis by the analyzing user. Pictures, graphs, and or other symbol data may also be presented as is helpful to the analyzing user in determining weld quality. In an alternative embodiment, the performance data may be presented to the analyzing user in a virtual reality setting, whereby the real world welding process is simulated using real world data as captured by the system 100. An example of such a virtual reality setting is discussed in U.S. patent application Ser. No. 12/501,257 filed on Jul. 10, 2009. In this way, the weld joint and corresponding welding process may be reconstructed for review and analysis. Accordingly, the system 100 may be used to archive real data as it relates to a particular welded article. Still, it will be construed that any manner of representing captured data or reconstructing the welding process for the analyzing user may be used as is appropriate for determining weld quality.

In another embodiment, data captured and stored in the database 140 is analyzed by an analyzing module 122 (a.k.a., an analysis engine) of the system 100. The analyzing module 122 may comprise a computer program product executed by the processor based computing device 110. The computer program product may use artificial intelligence. In one particular embodiment, an expert system may be programmed with data derived from a knowledge expert and stored within an inference engine for independently analyzing and identifying flaws within the weld joint. By independently, it is meant that the analyzing module 122 functions independently from the analyzing user to determine weld quality. The expert system may be ruled-based and/or may incorporate fuzzy logic to analyze the weld joint. In this manner, areas along the weld joint may be identified as defective, or potentially defective, and marked for subsequent review by an analyzing user. Determining weld quality and/or problem areas within the weld joint may be accomplished by heuristic methods. As the system 100 analyzes welding processes of the various end users over repeated analyzing cycles, additional knowledge may be gained by the system 100 for determining weld quality.

A neural network or networks may be incorporated into the analysis engine 122 of the system 100 for analyzing data to determine weld quality, weld efficiency and/or weld flaws or problems. Neural networks may comprise software programming that simulates decision making capabilities. In

one embodiment, the neural network(s) may process data captured by the system 100 making decisions based on weighted factors. It is noted that the neural network(s) may be trained to recognize problems that may arise from the weld torch position and movement, as well as other critical welding factors. Therefore, as data from the welding process is captured and stored, the system 100 may analyze the data for identifying the quality of the weld joint. Additionally, the system 100 may provide an output device 170 (see FIG. 4) that outputs indications of potential flaws in the weld such as, for example, porosity, weld overfill, and the like.

In capturing performance data, the system 100 incorporates a series of sensors, also referred to as sensor arrays 160, 165 (see FIG. 2). The sensor arrays 160, 165 include emitters and receivers positioned at various locations in proximity to the weldment 15, and more specifically, in proximity to the weld joint 16 for determining the position and orientation of the weld torch 230 in real time (or near real time). In one embodiment, the sensor arrays 160, 165 include acoustical sensor elements. It is noted that the acoustical sensor elements may use waves in the sub-sonic and/or ultra-sonic range. Alternate embodiments are contemplated that use optical sensor elements, infrared sensor elements, laser sensor elements, magnetic sensor elements, or electromagnetic (radio frequency) sensor elements. In this manner, the sensor emitter elements emit waves of energy in any of various forms that are picked up by the sensor receiver elements. To compensate for noise introduced by the welding process, the system 100 may also include bandwidth suppressors, which may be implemented in the form of software and/or electronic circuitry. The bandwidth suppressors are used to condition the sensor signals to penetrate interference caused by the welding arc. Additionally, the system 100 may further incorporate inertial sensors, which may include one or more accelerometers. In this manner, data relating to position, orientation, velocity, and acceleration may be required to ascertain the movements (i.e., motion) of the weld torch 230.

In one embodiment, part of the sensor arrays 160, 165 are received by the weld torch 230. That is to say that a portion of the sensors or sensor elements are affixed with respect to the body of the weld torch 230 (see sensor array [160] 165 of FIG. 2). In other embodiments, sensors and/or sensor elements may be affixed to a portion of the article being welded (see sensor array [165] 160 of FIG. 2). Still any manner of positioning and connecting the sensor elements may be chosen as is appropriate for tracking welding activity.

As an example of sensing and tracking a welding tool 230, in accordance with an embodiment of the present invention, a magnetic sensing capability may be provided. For example, the receiver sensor array 165 may be a magnetic sensor that is mounted on the welding tool 230, and the emitter sensor array 160 may take the form of a magnetic source. The magnetic source 160 may be mounted in a predefined fixed position and orientation with respect to the weldment 15. The magnetic source 160 creates a magnetic field around itself, including the space encompassing the welding tool 230 during use and establishes a 3D spatial frame of reference. The magnetic sensor 165 is provided which is capable of sensing the magnetic field produced by the magnetic source. The magnetic sensor 165 is attached to the welding tool 230 and is operatively connected to the processor based computing device 110 via, for example, a cable, or wirelessly. The magnetic sensor 165 includes an array of three induction coils orthogonally aligned along three spatial directions. The induction coils of the magnetic

sensor 165 each measure the strength of the magnetic field in each of the three directions and provide that information to the real time tracking module 121 of the processor based computing device 110. As a result, the system 100 is able to know where the welding tool 230 is in space with respect to the 3D spatial frame of reference established by the magnetic field produced by the magnetic source 160. In accordance with other embodiments of the present invention, two or more magnetic sensors may be mounted on or within the welding tool 230 to provide a more accurate representation of the position and orientation of the welding tool 230, for example. Care is to be taken in establishing the magnetic 3D spatial frame of reference such that the weldment 15, the tool 230, and any other portions of the welding environment do not substantially distort the magnetic field created by the magnetic source 160. As an alternative, such distortions may be corrected for or calibrated out as part of a welding environment set up procedure. Other non-magnetic technologies (e.g., acoustic, optical, electromagnetic, inertial, etc.) may be used, as previously discussed herein, to avoid such distortions, as are well known in the art.

With reference to all of the figures, operation of the system 100 will now be described in accordance with an embodiment of the present invention. The end user 10 activates the system 100 and enters his or her user name via the user interface 135. Once authorized access has been gained, the end user 10 traverses the menu system as prompted by the computer program product 120 via the GUI 135. The system 100 instructs the end user 10 to initiate set up of the welding article 15, which includes entering information about the weldment materials and/or welding process being used. Entering such information may include, for example, selecting a language, entering a user name, selecting a weld coupon type, selecting a welding process and associated axial spray, pulse, or short arc methods, selecting a gas type and flow rate, selecting a type of stick electrode, and selecting a type of flux cored wire.

In one embodiment, the end user enters the starting and ending points of the weld joint 16. This allows the system 100, via the real time tracking module 121, to determine when to start and stop recording the tracked information. Intermediate points are subsequently entered for interpolating the weld joint trajectory as calculated by the system 100. Additionally, sensor emitters and/or receivers 160, 165 are placed proximate to the weld joint at locations suitable for gathering data in a manner consistent with that described herein. After set up is completed, system tracking is initiated and the end user 10 is prompted to begin the welding procedure. As the end user 10 completes the weld, the system 100 gathers performance data including the speed, position and orientation of the weld torch 230 for analysis by the system 100 in determining welder performance characteristics and weld quality characteristics as previously described herein.

In summary, a system and a method for tracking and analyzing welding activity is disclosed. Dynamic spatial properties of a welding tool are sensed during a welding process producing a weld. The sensed dynamic spatial properties are tracked over time and the tracked dynamic spatial properties are captured as tracked data during the welding process. The tracked data is analyzed to determine performance characteristics of a welder performing the welding process and quality characteristics of a weld produced by the welding process. The performance characteristics and the quality characteristics may be subsequently reviewed.

While the claimed subject matter of the present application has been described with reference to certain embodiments, it will be understood by those skilled in the art that various changes may be made and equivalents may be substituted without departing from the scope of the claimed subject matter. In addition, many modifications may be made to adapt a particular situation or material to the teachings of the claimed subject matter without departing from its scope. Therefore, it is intended that the claimed subject matter not be limited to the particular embodiment disclosed, but that the claimed subject matter will include all embodiments falling within the scope of the appended claims.

What is claimed is:

[1. A system for tracking and analyzing welding activity, said system comprising:

means for automatically sensing dynamic spatial properties of a welding tool during a welding process producing a weld;

means for automatically tracking said sensed dynamic spatial properties over time during said welding process;

means for automatically capturing said tracked dynamic spatial properties as tracked data during said welding process; and

means for automatically analyzing said tracked data to determine at least one of performance characteristics of a welder performing said welding process and quality characteristics of a weld produced by said welding process.]

[2. The system of claim 1 further comprising means for reviewing said performance characteristics of a welder performing said welding process.]

[3. The system of claim 1 further comprising means for reviewing said quality characteristics of a weld produced by said welding process.]

[4. The system of claim 1 further comprising means for a user to locally interact with said system.]

[5. The system of claim 1 further comprising means for a user to remotely interact with said system.]

[6. The system of claim 1 further comprising means for automatically authorizing access to a user of said system.]

[7. The system of claim 1 wherein said performance characteristics of a welder include at least one of a weld joint trajectory, a travel speed of said welding tool, welding tool pitch and roll angles, an electrode distance to a center weld joint, an electrode trajectory, and a weld time.]

[8. The system of claim 1 wherein said quality characteristics of a weld produced by said welding process include at least one of discontinuities and flaws within regions of a weld produced by said welding process.]

[9. A system for tracking and analyzing welding activity, said system comprising:

at least one sensor array configured to sense dynamic spatial properties of a welding tool during a welding process producing a weld;

a processor based computing device operatively interfacing to said at least one sensor array and configured to track and analyze said dynamic spatial properties of a welding tool over time during a welding process producing a weld; and

at least one user interface operatively interfacing to said processor based computing device.]

[10. The system of claim 9 wherein said at least one user interface includes a graphical user interface.]

[11. The system of claim 9 wherein said at least one user interface includes a display device.]

## 11

[12. The system of claim 9 further comprising a network interface configured to interface said processor based computing device to an external communication network.]

[13. The system of claim 9 wherein said at least one sensor array includes at least one of acoustical sensor elements, optical sensor elements, magnetic sensor elements, and electromagnetic sensor elements.]

[14. A method for tracking and analyzing welding activity, said method comprising:

sensing dynamic spatial properties of a welding tool during a welding process producing a weld using at least one sensor;

tracking said sensed dynamic spatial properties over time during said welding process using a real time tracking module;

capturing said tracked dynamic spatial properties as tracked data during said welding process using a computer based memory device; and

analyzing said tracked data to determine at least one of performance characteristics of a welder performing said welding process and quality characteristics of a weld produced by said welding process using a computer based analysis engine.]

[15. The method of claim 14 further comprising outputting said performance characteristics of a welder performing said welding process to at least one of a display device, a visualization module, and a testing module for review.]

[16. The method of claim 14 further comprising outputting said quality characteristics of a weld produced by said welding process to at least one of a display device, a visualization module, and a testing module for review.]

[17. The method of claim 14 further comprising selecting welding set up parameters for said welding process via a user interface.]

[18. The method of claim 14 further comprising remotely reviewing at least one of said performance characteristics of a welder performing said welding process and said quality characteristics of a weld produced by said welding process, via a communication network.]

[19. The method of claim 14 wherein said performance characteristics of a welder include at least one of a weld joint trajectory, a travel speed of said welding tool, welding tool pitch and roll angles, an electrode distance to a center weld joint, an electrode trajectory, and a weld time.]

[20. The method of claim 14 wherein said quality characteristics of a weld produced by said welding process include at least one of discontinuities and flaws within regions of a weld produced by said welding process.]

21. A system for tracking welding activity, said system comprising:

*an optical tracking system comprising an optical sensor and configured to track at least one of a position, a movement, and an orientation of a welding tool during a manual welding process producing a real world weld;*

*a processor based computing system operatively connected to said optical tracking system and configured to analyze data related to said welding process and determine an area along the real world weld that is defective or potentially defective based on said at least one of a position, a movement, and an orientation of said welding tool, said processor based computing system identifying said area for subsequent review by a user; and a graphical display to display information related to weld quality,*

*wherein said processor based computing system is configured to record information related to a welder's identity and performance, and*

## 12

*wherein said processor based computing system is configured to record information corresponding to said at least one of a position, a movement, and an orientation of said welding tool in an analysis record.*

22. A system for tracking welding activity, said system comprising:

*at least one optical sensor array configured to sense spatial properties of a welding tool during a manual welding process producing a real world weld;*

*a computer operatively connected to said at least one sensor array to determine at least one parameter of said welding tool, said computer configured to analyze data related to said welding process and determine an area along the real world weld that is defective based on said sensed spatial properties, said computer identifying said area for subsequent review by a user; and a user interface to display information related to weld quality,*

*wherein said computer is configured to record information related to a welder's identity and performance, and*

*wherein said computer is configured to record information corresponding to said at least one parameter in an analysis record.*

23. A system for tracking welding activity, said system comprising:

*an optical tracking system comprising an optical sensor and configured to track at least one of a position, a movement, and an orientation of a welding tool during a manual welding process producing a real world weld;*

*a computer operatively connected to said optical tracking system, said computer configured to determine at least one parameter of said welding tool; and a graphical display to display a graph having information related to weld quality,*

*wherein said computer is configured to record information related to a welder's performance based on at least said at least one parameter, said computer configured to analyze data related to said welding process and determine an area along the real world weld that is potentially defective based on said at least one of a position, a movement, and an orientation of said welding tool, said computer identifying said area for subsequent review by a user,*

*wherein said computer records information related to at least one of weldment materials, electrode materials, user name, and project ID number, and*

*wherein said computer records information corresponding to said at least one parameter in an analysis record.*

24. A system for tracking and analyzing welding activity, said system comprising:

*a welding tool configured to create a real world weld during a manual welding operation;*

*an optical sensor array comprising at least one optical sensor, said optical sensor array configured to sense spatial properties of said welding tool during said welding operation;*

*a processor based computing device operatively connected to said sensor array and configured to receive information from said sensor array related to said sensed spatial properties, said processor based computing device configured to analyze data related to said welding process, said analyzing including determining a plurality of performance parameters for said welding operation, and where said processor based computing device determines at least one location of said real world weld which contains a defect based on said*

13

sensed spatial properties, said processor based computing device identifying said at least one location for subsequent review by a user; and  
 a user interface operatively connected to said processor based computing device, said user interface configured to graphically display said plurality of performance parameters and display information relating to said at least one location.

25. The system of claim 24, wherein said determination of said defect is based on heuristic methods.

26. The system of claim 24 wherein said plurality of performance parameters includes at least one of a weld speed, welding tool pitch angle, welding tool roll angle, and an electrode distance to a center weld joint.

27. The system of claim 24, wherein said spatial properties comprise at least one of a position, an orientation, and a movement of said welding tool.

14

28. The system of claim 24, wherein said welding tool comprises a portion of said optical sensor array.

29. The system of claim 24, wherein said processor based computing device is configured to record information related to a welder's performance.

30. The system of claim 29, wherein said information includes information corresponding to said welder's identity.

31. The system of claim 24, wherein said analyzing further includes comparing at least one of said plurality of performance parameters to known good parameters for a particular weld joint configuration.

32. The system of claim 24, wherein said determining of said defect is performed by an expert system.

33. The system of claim 32, wherein said expert system is a rule-based system.

\* \* \* \* \*