



US00RE48883E

(19) **United States**
(12) **Reissued Patent**
Roosen et al.

(10) **Patent Number: US RE48,883 E**
(45) **Date of Reissued Patent: Jan. 11, 2022**

(54) **LUGGAGE SHELL WITH SURFACE CONFIGURATION**

Primary Examiner — Philip S Hyder
(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(71) Applicant: **HS New Travel GmbH**, Berlin (DE)

(72) Inventors: **Jan Roosen**, Berlin (DE); **Max Koriath**, Berlin (DE)

(57) **CLAIM**

(73) Assignee: **HS New Travel GmbH**, Berlin (DE)

The ornamental design for a luggage shell with surface configuration, as shown and described.

(21) Appl. No.: **29/776,898**

(22) Filed: **Apr. 1, 2021**

DESCRIPTION

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **Des. 889,837**
Issued: **Jul. 14, 2020**
Appl. No.: **29/664,241**
Filed: **Sep. 24, 2018**

This application is an application for reissue of U.S. Design Pat. No. D. 889,837, which issued on Jul. 14, 2020, from U.S. Design application Ser. No. 29/664,241, which was filed on September 24, 2018, and claims the benefit of EUIPO Community Design No. 004952505-0011, filed Mar. 22, 2018, and EUIPO Community Design No. 004952505-0012, filed Mar. 22, 2018. The disclosure of the above applications is incorporated herein by reference.

(30) **Foreign Application Priority Data**

Mar. 22, 2018 (EP) 004952505-0011
Mar. 22, 2018 (EP) 004952505-0012

FIG. 1 is a perspective view of the luggage shell with surface configuration in a first environment showing a representative luggage shell in broken lines;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a perspective view of the luggage shell with surface configuration in a second environment showing a representative piece of luggage in broken lines;
FIG. 7 is a front view thereof;
FIG. 8 is a rear view thereof;
FIG. 9 is a right side view thereof; and
FIG. 10 is a left side view thereof.

(51) **LOC (13) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/318**

(58) **Field of Classification Search**
USPC D3/318, 273, 279, 285, 289
CPC A45C 2005/032; A45C 2005/035; A45C 5/03; A45C 3/02; A45C 5/14; A45C 13/36; A45C 5/00

See application file for complete search history.

The broken lines showing luggage are for the purposes of illustrating environment and forms no part of the claimed design.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D587,902 S * 3/2009 Yoneno D3/279
D613,054 S * 4/2010 Morszeck D3/205
D679,495 S * 4/2013 Dolce D3/243
D711,104 S * 8/2014 Lai D3/279
D711,646 S * 8/2014 Ke D3/279
D711,649 S * 8/2014 Chen D3/279
D720,928 S * 1/2015 Roncato D3/279

(Continued)

1 Claim, 10 Drawing Sheets

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue; matter printed in italics indicates the additions made by reissue.



(56)

References Cited

U.S. PATENT DOCUMENTS

D722,771	S *	2/2015	Wu	D3/279
D732,823	S *	6/2015	Baron	D3/276
D740,558	S *	10/2015	Liao	D3/279
D755,518	S *	5/2016	Sijmons	D3/279
D767,270	S *	9/2016	Maier	D3/243
D768,985	S *	10/2016	Morszeck	D3/279
D793,727	S *	8/2017	Brundl	D3/279
D798,046	S *	9/2017	Michele	D3/232
D801,047	S *	10/2017	Bhatnagar	D3/279
D803,554	S *	11/2017	Maier	D3/243
D803,555	S *	11/2017	Maier	D3/243
D816,335	S *	5/2018	Chen	D3/273
D816,336	S *	5/2018	Morszeck	D3/279
D817,638	S *	5/2018	Salander	D3/279
D818,706	S *	5/2018	Maier	D3/232
D836,909	S *	1/2019	Karl	D3/279
D852,498	S *	7/2019	Sassi	D3/243
D871,073	S *	12/2019	Schaepers	D3/318
D874,139	S *	2/2020	Rubio	D3/279
2011/0186396	A1 *	8/2011	Sheikh	A45C 13/10 190/111
2016/0051022	A1 *	2/2016	Morszeck	A45C 5/02 190/18 A
2017/0290401	A1 *	10/2017	Bhatnagar	A45C 5/14

* cited by examiner




Fig. 1




Fig. 2
(Amended)




Fig. 3
(Amended)




Fig. 4
(Amended)




Fig. 5
(Amended)



Fig. 6
(Amended)




Fig. 7
(Amended)




Fig. 8
(Amended)




Fig. 9
(Amended)




Fig. 10
(Amended)