



US00RE50138E

(19) **United States**
(12) **Reissued Patent**
Jacoby et al.

(10) **Patent Number: US RE50,138 E**
(45) **Date of Reissued Patent: Sep. 24, 2024**

(54) **CONTROL DEVICE**

H01H 9/02; H01H 9/16; H01H 9/161;
H01H 9/165; H01H 9/181; H01H 9/182;
H01H 2009/187

(71) Applicant: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

See application file for complete search history.

(72) Inventors: **Elliot G. Jacoby**, Glenside, PA (US);
Jason C. Killo, Emmaus, PA (US);
Brad Michael Kreschollek, Bethlehem,
PA (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,316,256 A 2/1982 Hendricks et al.
4,780,573 A 10/1988 Own
(Continued)

(73) Assignee: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

OTHER PUBLICATIONS

(21) Appl. No.: **29/895,112**

BTicino Spa, Matix Brochure, May 2009, 16 pages.
(Continued)

(22) Filed: **Jun. 16, 2023**

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **Des. 807,763**
Issued: **Jan. 16, 2018**
Appl. No.: **29/578,733**
Filed: **Sep. 23, 2016**

Primary Examiner — Philip S Hyder

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw
Group, LLC

U.S. Applications:

(63) Continuation of application No. 29/827,327, filed on
Feb. 18, 2022, now Pat. No. Re. 49,554, which is a
continuation of application No. 29/695,315, filed on
Jun. 18, 2019, now Pat. No. Re. 48,936, which is an
application for the reissue of Pat. No. Des. 807,763,
which is a continuation of application No.
(Continued)

(57) **CLAIM**

We claim the ornamental design for a control device, as
shown and described.

DESCRIPTION

(51) **LOC (14) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/50**; D13/162.1; D13/164
CPC **F24F 11/52** (2018.01)

(58) **Field of Classification Search**
USPC D13/162.1, 164; D10/49, 50
CPC . F23N 5/20; F23N 5/203; F23N 5/206; F23N
2025/12; F23N 2041/02; F24F 11/00;
F24F 11/001; F24F 11/0009; F24F
11/0012; F24F 2011/0057; F24F
2011/0073; F24F 2011/0091; G05D
23/1917; H05B 37/02; H05B 37/0245;

FIG. 1 is a perspective view of a control device showing our
new design.

FIG. 2 is a front view thereof.

FIG. 3 a left side view thereof.

FIG. 4 is a right side view thereof.


FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

The rear [views] view forms no part of the design and is
omitted. The portions of the drawings appearing in broken
lines are for environment only and do not form part of the
claimed design.

1 Claim, 4 Drawing Sheets

**Matter enclosed in heavy brackets [] appears in the
original patent but forms no part of this reissue; matter
printed in italics indicates the additions made by reissue.**



Related U.S. Application Data

29/515,922, filed on Jan. 28, 2015, now Pat. No. Des. 769,829.

(56)

References Cited

U.S. PATENT DOCUMENTS

D309,268 S 7/1990 Wada et al.
 D310,340 S 9/1990 Wada et al.
 D316,681 S * 5/1991 Takasuna D10/49
 D320,410 S 10/1991 Gotham
 D364,350 S 11/1995 Pasquarette et al.
 D364,573 S 11/1995 Pearsall
 6,260,765 B1 7/2001 Natale et al.
 D453,742 S 2/2002 Butler et al.
 D466,090 S 11/2002 Bennett et al.
 D547,273 S 7/2007 Mierta et al.
 D549,710 S 8/2007 Hyncecek et al.
 D588,035 S 3/2009 Schmalz et al.
 7,566,996 B2 7/2009 Altonen et al.
 D623,606 S * 9/2010 Nakai D13/168
 D633,448 S 3/2011 Biery et al.
 D642,992 S * 8/2011 Sasaki D13/164
 D646,185 S * 10/2011 Edgar D10/50
 D649,123 S 11/2011 Jacoby et al.
 D649,124 S 11/2011 Jacoby et al.
 D649,520 S 11/2011 Jacoby et al.
 D666,927 S * 9/2012 Krumpe D10/50
 D678,223 S 3/2013 Wisniewski et al.
 D686,167 S 7/2013 Wisniewski et al.
 8,525,372 B2 9/2013 Huang
 D690,661 S * 10/2013 Wisniewski D13/162
 D694,195 S * 11/2013 Gammon D13/162
 D706,729 S 6/2014 Joshi et al.
 D706,731 S 6/2014 Altonen et al.
 D706,732 S 6/2014 Altonen et al.
 D707,186 S 6/2014 Sloan
 D707,191 S 6/2014 Altonen et al.
 D714,234 S 9/2014 Altonen et al.
 D717,742 S 11/2014 Larkin et al.
 D720,306 S 12/2014 Altonen et al.

8,978,994 B2 3/2015 Moore et al.
 D734,277 S 7/2015 Jacoby et al.
 D737,154 S 8/2015 Jacoby et al.
 9,119,240 B2 8/2015 Nagazoe
 D738,229 S * 9/2015 Jiang D10/50
 D738,753 S * 9/2015 Edgar D10/50
 9,124,130 B2 9/2015 Altonen et al.
 9,157,647 B2 10/2015 Leen et al.
 9,167,666 B1 10/2015 Billheimer et al.
 D742,335 S * 11/2015 Yamaguchi D10/49
 D750,981 S * 3/2016 Jacoby D10/50
 D768,582 S 10/2016 Jacoby et al.
 D770,393 S 11/2016 Jacoby et al.
 D775,975 S * 1/2017 Jacoby D10/50
 D775,976 S * 1/2017 Jacoby D10/50
 D780,699 S 3/2017 Zhang
 D784,168 S * 4/2017 Jacoby D10/50
 D797,684 S 9/2017 Poulheim et al.
 D809,943 S 2/2018 Jacoby et al.
 D834,535 S 11/2018 Poulheim et al.
 D835,051 S 12/2018 Poulheim et al.
 2011/0253516 A1 10/2011 Figueroa et al.
 2012/0091213 A1 4/2012 Altonen et al.
 2013/0285472 A1 10/2013 Bull
 2014/0184418 A1 7/2014 Maeda et al.
 2014/0268630 A1 9/2014 Samuels
 2015/0076991 A1 3/2015 Yamamoto et al.
 2015/0316285 A1 11/2015 Clifton et al.

OTHER PUBLICATIONS

Dynalite Intelligent Light Pty Ltd., Light News, Aug. 2005, 8 pages, issue 2.
 Design U.S. Appl. No. 29/502,412, filed Sep. 16, 2014. (Unpublished).
 Design U.S. Appl. No. 29/515,919, filed Jan. 28, 2015. (Unpublished).
 Design U.S. Appl. No. 29/515,921, filed Jan. 28, 2015. (Unpublished).
 Design U.S. Appl. No. 29/515,924, filed Jan. 28, 2015. (Unpublished).

* cited by examiner




FIG. 1 Amended




FIG. 2 Amended




FIG. 3 Amended




FIG. 4 Amended




FIG. 5 Amended




FIG. 6 Amended