

[54] LIGHT-INTENSITY CONTROL CONTACT SWITCH

[75] Inventor: Takehiko Matsuda, Matsudo, Japan

[73] Assignee: Toyostar Corporation, Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 12,511

[22] Filed: Feb. 15, 1979

[30] Foreign Application Priority Data

Sep. 30, 1978 [JP] Japan ..... 53/41770

[51] Int. Cl. .... D13-03

[52] U.S. Cl. .... D13/38

[58] Field of Search ..... D13/32, 38, 35; 200/5 R, 5 A, 5 D, 6 R, 6 A, 155 R, 159 R, 293, 299, 302, 303, 159 B

[56] References Cited

U.S. PATENT DOCUMENTS

|            |        |           |       |         |
|------------|--------|-----------|-------|---------|
| D. 227,577 | 7/1973 | Mayo      | ..... | D13/32  |
| 3,144,539  | 8/1964 | Morse     | ..... | 200/302 |
| 3,586,811  | 6/1971 | Amis, Jr. | ..... | 200/302 |

Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Frishauf, Holtz, Goodman and Woodward

[57] CLAIM

The ornamental design for a light-intensity control contact switch, or the like, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light-intensity control contact switch or the like showing my new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; and FIG. 6 is a right side view thereof the left side being a mirror image.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

