

[54] SHARP MEDICAL INSTRUMENT DISPOSABLE CONTAINER

[75] Inventors: Thomas W. Heubel, Chesterfield, Mo.; Rodney L. Laible; Daniel R. Brown, both of Omaha, Nebr.

[73] Assignee: Sherwood Medical Company, St. Louis, Mo.

[**] Term: 14 Years

[21] Appl. No.: 896,355

[22] Filed: Aug. 13, 1986

[52] U.S. Cl. D24/8; D24/56

[58] Field of Search D24/29, 25, 8, 56, 51; 206/366, 380, 56, 63.5; 215/274; D9/303

[56] References Cited

U.S. PATENT DOCUMENTS

D. 265,125	6/1982	Jordan	D24/29
D. 265,684	8/1982	Christoffel et al.	D24/30 X
2,034,006	3/1936	Smith	206/63.5
3,381,814	5/1968	Benfield	206/635
3,556,293	1/1971	Schlueter	206/56
3,765,574	10/1973	Urquiza	222/183
4,315,592	2/1982	Smith	206/366 X
4,351,434	9/1982	Elisha	206/366
4,452,358	6/1984	Simpson	206/366
4,454,944	6/1984	Shillington	206/366
4,466,538	8/1984	Gianni	206/366
4,488,643	12/1984	Pepper	206/380 X
4,494,652	1/1985	Nelson et al.	206/366
4,502,606	3/1985	Shillington	215/274
4,520,926	6/1985	Nelson	206/366
4,674,676	6/1987	Sandel et al.	206/366 X

OTHER PUBLICATIONS

SharpsGard 1000 TM Brochure—Winfield Corp., San Diego, Calif.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Stella M. Reid




Attorney, Agent, or Firm—Stanley N. Garber; Andrew J. Beck; Charles Smith, Jr.

[57] CLAIM

The ornamental design for a sharp medical instrument disposable container, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a sharp medical instrument disposable container showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a back elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a perspective view of the container with the cover removed; FIG. 8 is a top plan view of a second embodiment of the container shown in FIG. 1; FIG. 9 is a front elevational view thereof; FIG. 10 is a back elevational view thereof; FIG. 11 is a left side elevational view thereof; FIG. 12 is a right side elevational view thereof; FIG. 13 is a bottom plan view thereof; FIG. 14 is a perspective view of the container of FIG. 8, with the cover removed; FIG. 15 is a top plan view of a third embodiment of the container shown in FIG. 1; FIG. 16 is a front elevational view thereof; FIG. 17 is a back elevational view thereof; FIG. 18 is a left side perspective view thereof; FIG. 19 is a right side elevational view thereof; FIG. 20 is a bottom plan view thereof; FIG. 21 is a perspective view of the container of FIG. 15 with the cover removed; FIG. 22 is a top plan view of the upper cover portion of the container shown in the first, second and third embodiments; FIG. 23 is a top plan view of the upper cover portion of FIG. 22 but with a cap shifted from a carrier position to a position closing the entrance to the container; FIG. 24 is a top plan view of the cap of FIG. 22 by itself; and FIG. 25 is a top plan view of the upper cover portion of the container without the cap of FIG. 24.






Fig. 2




Fig. 5




Fig. 4




Fig. 1




Fig. 3




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25