

[54] ULTRASONIC DISTANCE ESTIMATOR

[75] Inventor: Ram Shalvi, Hong Kong, Hong Kong

[73] Assignee: Solar Wide Industrial Limited, Kowloon, Hong Kong

[*] Notice: The portion of the term of this patent subsequent to Apr. 30, 2005 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 366,024

[22] Filed: Jun. 14, 1989

[30] Foreign Application Priority Data

Jun. 1, 1989 [GB] United Kingdom 1059927

[52] U.S. Cl. D10/70

[58] Field of Search D10/61, 70, 72; 33/700, 33/701, 706, 707, 709, 713-716, 719, 773, 779-782, 1 P; 73/570, 572-584, 586, 587-596, 600, 607, 609-648, 649, 651, 653, 655; 367/910, 900, 118, 87, 157, 106, 108, 97-99

[56] References Cited

U.S. PATENT DOCUMENTS

T101,001 9/1981 Shipp et al. D10/70
4,281,404 7/1981 Morrow, Jr. et al. 367/108
4,910,717 3/1990 Terry 367/910 X

OTHER PUBLICATIONS

Hardware Age, 4/87, p. 101, Digitape.
Hardware Age, 7/87, p. 309, Sonin 60, 150, 250.
Hardware Age, 7/87, p. 322, Electronic Measurer.

Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Darby & Darby

[57] CLAIM

The ornamental design for an ultrasonic distance estimator, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right-side perspective view of an ultrasonic distance estimator showing my new design;

FIG. 2 is a top plan view;


FIG. 3 is a bottom plan view;

FIG. 4 is a right side elevational view;

FIG. 5 is a left side elevational view;

FIG. 6 is a front elevational view; and

FIG. 7 is a rear elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7