



US00D324686S

# United States Patent [19]

Strohbeen

[11] Patent Number: **Des. 324,686**

[45] Date of Patent: **\*\* Mar. 17, 1992**

[54] **LOUDSPEAKER**

[76] Inventor: **John Strohbeen**, 160 Bergen St., Brooklyn, N.Y. 11217

[\*\*] Term: **14 Years**

[21] Appl. No.: **458,814**

[22] Filed: **Dec. 29, 1989**

[52] U.S. Cl. .... **D14/214; D14/210**

[58] Field of Search ..... **D14/204, 207-216, D14/219-224; 181/144, 148, 150, 157, 199; 381/86-88, 90, 158, 203**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 227,478	6/1973	Ekdahl et al. ....	D14/212
D. 229,066	11/1973	Ekdahl et al. ....	D14/213
D. 302,817	8/1989	Macaulay ....	D14/210
3,404,195	4/1974	Everitt et al. ....	181/148

**OTHER PUBLICATIONS**

Stereo Review, Sep. 1987, p. 12, bottom—B & W Concept 90 CM2 speakers.

Stereo Review, Feb. 1989, p. 46, Bose 10.2 Series II speaker system.

*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Amster, Rothstein & Ebenstein

[57] **CLAIM**

The ornamental design for a loudspeaker, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and left side isometric view of a loudspeaker showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top, front and left side isometric view of a second embodiment of the loudspeaker illustrated in FIG. 1;

FIG. 6 is a top plan view of the embodiment disclosed in FIG. 5;

FIG. 7 is a left side elevational view of the embodiment disclosed in FIG. 5;

FIG. 8 is a right side elevational view of the embodiment disclosed in FIG. 5;



FIG. 9 is a top, front and left side isometric view of a third embodiment of the loudspeaker illustrated in FIG. 1;

FIG. 10 is a top plan view of the embodiment disclosed in FIG. 9;

FIG. 11 is a left side elevational view of the embodiment disclosed in FIG. 9; and

FIG. 12 is a right side elevational view of the embodiment disclosed in FIG. 9.

The rear and bottom of the loudspeaker of the three embodiments are plane and unornamented.






FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5

FIG. 8







FIG. 7

FIG. 6







FIG. 9

FIG. 12






FIG. 11

FIG. 10

