



US00D325176S

United States Patent [19]

[11] Patent Number: **Des. 325,176**

Hashimoto et al.

[45] Date of Patent: **** Apr. 7, 1992**

[54] **SPECTRO PHOTOMETER**

[75] Inventors: **Kazunori Hashimoto, Tachikawa; Kazuki Torai, Kokubunji; Sadao Minakawa, Mito; Hitoshi Komatsu, Ibaraki, all of Japan**

[73] Assignee: **Hitachi, Ltd., Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **390,339**

[22] Filed: **Aug. 7, 1989**

[52] U.S. Cl. **D10/46**

[58] Field of Search **D10/46, 75; 250/225, 250/352, 428; 356/319, 325, 326**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 307,398 4/1990 Umemoto et al. D10/46
- 3,742,196 6/1973 Durkos et al. 356/319 X
- 4,293,222 10/1981 Caruso et al. 356/319
- 4,304,490 12/1981 Murakoshi et al. 356/319

Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Antonelli, Terry, Stout & Kraus

[57] **CLAIM**

The ornamental design for a spectro photometer, as shown.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a spectro photometer showing our new design; FIG. 2 is a front elevational view; FIG. 3 is a rear elevational view; FIG. 4 is a top plan view; FIG. 5 is a right side elevational view; FIG. 6 is a left side elevational view; FIG. 7 is a bottom plan view; and, FIG. 8 is a top, front and right side perspective view thereof with the cover shown in open position, the broken line showing of a display, a typewriter and a keyboard are environmental only and forms no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

