



US00D329436S

# United States Patent [19]

[11] Patent Number: **Des. 329,436**

Saito

[45] Date of Patent: **\*\* Sep. 15, 1992**

[54] **LEAD WIRE POWER CUTTER**

[75] Inventor: **Masayuki Saito**, Maizuru, Japan  
[73] Assignee: **Nitto Seiko Co., Ltd.**, Ayabe, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **413,655**

[22] Filed: **Sep. 27, 1989**

[30] **Foreign Application Priority Data**

Jul. 17, 1989 [JP] Japan ..... 1-26541

[52] U.S. Cl. .... **D15/127**

[58] Field of Search ..... **D15/127; 140/123.6,**  
140/139, 140, 16, 37

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

3,793,917 2/1974 Flowers et al. .... 83/580 X  
4,793,385 12/1988 Dyer et al. .... 140/123.6

*Primary Examiner*—Donald P. Walsh  
*Assistant Examiner*—Antoine D. Davis  
*Attorney, Agent, or Firm*—Armstrong & Kubovcik

[57] **CLAIM**

The ornamental design for a lead wire power cutter, as shown and described.

**DESCRIPTION**

FIG. 1 is a left side elevational view of a lead wire power cutter showing my new design; FIG. 2 is a right side elevational view; FIG. 3 is a rear elevational view; FIG. 4 is a front elevational view; FIG. 5 is a top plan view; FIG. 6 is a bottom plan view; FIG. 7 is a left side elevational view of a second embodiment of FIGS. 1-6 showing my new design; FIG. 8 is a right side elevational view of FIG. 7; and, FIG. 9 is a perspective view of FIG. 8 thereof.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7





Fig. 8






Fig. 9