



US00D346580S

United States Patent [19]

Tattari

[11] Patent Number: Des. 346,580

[45] Date of Patent: ** May 3, 1994

[54] BATTERY FOR A HAND TELEPHONE

[75] Inventor: Jouko Tattari, Salo, Finland

[73] Assignee: Nokia Mobile Phones, Ltd., Salo, Finland

[**] Term: 14 Years

[21] Appl. No.: 859,546

[22] Filed: Mar. 26, 1992

[30] Foreign Application Priority Data

Sep. 27, 1991 [FI] Finland 783/91

[52] U.S. Cl. D13/103; D14/240

[58] Field of Search 379/428, 433, 58, 441;
429/99; D13/103, 104, 107, 108, 109; D14/140,
137, 138, 240

[56] References Cited

U.S. PATENT DOCUMENTS

D. 243,617 3/1977 Kaye D13/103
D. 279,286 6/1985 Smith D14/240
D. 295,511 3/1988 Scheid et al. D14/138 X

D. 305,717 1/1990 Soren et al. D14/138 X
D. 328,888 8/1992 Zhu D13/103
D. 329,040 9/1992 Seki et al. D13/103
D. 331,566 12/1992 Seymour D13/103
D. 332,785 1/1993 Nagele et al. D14/138

Primary Examiner—Alan P. Douglas

Assistant Examiner—Jeffrey Asch


Attorney, Agent, or Firm—Seed and Berry

[57] CLAIM

The ornamental design for a battery for a hand telephone, as shown and described.

DESCRIPTION

FIG. 1 is a rear isometric view of a battery for a hand telephone showing my new design;
FIG. 2 is a front isometric view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8