



US00D357166S

United States Patent [19]
Concari

[11] **Patent Number: Des. 357,166**
[45] **Date of Patent: ** Apr. 11, 1995**

[54] **HANDLE FOR A FOLDING SAW**

[75] **Inventor: Gabriel E. Concari, Madison, Wis.**

[73] **Assignee: Fiskars Inc., Wausau, Wis.**

[**] **Term: 14 Years**

[21] **Appl. No.: 14,815**

[22] **Filed: Oct. 29, 1993**

[52] **U.S. Cl. D8/107; D8/97;
D8/99**

[58] **Field of Search D8/99, 107, 14, 95,
D8/96, 97; D22/118; 30/166.3, 155, 514, 509**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 256,983	9/1980	Fogle	D8/99
D. 280,287	8/1985	Collins	D8/89
D. 298,211	10/1988	Coburn	D8/99
D. 299,413	1/1989	DeCarolis	D8/107
D. 306,817	3/1990	McMorrough	D8/107
D. 307,383	4/1990	Huang	D8/107
D. 307,702	5/1990	Hsu	D8/107
4,170,061	10/1979	Henry	30/160
4,411,068	10/1983	Theodorides	30/517
4,716,653	1/1988	Skyba	30/155
4,805,303	2/1989	Gibbs	30/155

OTHER PUBLICATIONS

Wallace ®-1993 Garden Tools Catalog, p. 11.
Wallace ®-1994 Lawn & Garden Products, pp. 12-13.

Primary Examiner—Prabhakar Deshmukh
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Foley & Lardner


[57] **CLAIM**

The ornamental design for a handle for a folding saw, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the handle for a folding saw showing my new design;
 FIG. 2 is a left side elevational view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a front elevational view of a first modified embodiment of the handle for a folding saw;
 FIG. 9 is a front elevational view of a second modified embodiment of the handle for a folding saw;
 FIG. 10 is a partial sectional view taken along line 10—10 of FIG. 9;
 FIG. 11 is a perspective view of the first modified embodiment;
 FIG. 12 is a left side elevational view of the first modified embodiment;
 FIG. 13 is a right side elevational view of the first modified embodiment;
 FIG. 14 is a rear elevational view of the first modified embodiment;
 FIG. 15 is the top plan view of the first modified embodiment;
 FIG. 16 is a bottom plan view of the first modified embodiment;
 FIG. 17 is a perspective view of the second modified embodiment;
 FIG. 18 is a left side elevational view of the second modified embodiment;
 FIG. 19 is a right side elevational view of the second modified embodiment;
 FIG. 20 is a rear elevational view of the second modified embodiment;
 FIG. 21 is a top plan view of the second modified embodiment; and,
 FIG. 22 is a bottom plan view of the second modified embodiment.

The broken line showing of the saw blade is for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

10 10



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22