



US00D357740S

United States Patent [19]

[11] Patent Number: **Des. 357,740**

Kennemore

[45] Date of Patent: **** Apr. 25, 1995**

[54] **LATERAL SURGICAL PATIENT SUPPORT CUSHION**

[75] Inventor: **Douglas E. Kennemore**, Greenville, S.C.

[73] Assignee: **Span-America Medical Systems, Inc.**, Greenville, S.C.

[**] Term: **14 Years**

[21] Appl. No.: **18,025**

[22] Filed: **Jan. 27, 1994**

[52] U.S. Cl. **D24/183**

[58] Field of Search **D24/184, 183; 5/630, 5/633, 652, 653, 643, 448; D6/601, 595, 596**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 247,209	2/1978	Woog	D6/596
D. 301,166	5/1989	Miklja	D24/183
D. 307,687	5/1990	Raburn	.	
D. 307,688	5/1990	Schaefer	.	
D. 307,689	5/1990	Schaefer	.	
D. 307,690	5/1990	Raburn	.	
D. 322,907	1/1992	Raburn	.	
D. 326,976	6/1992	Wickis, Jr. et al.	.	
D. 328,349	7/1992	Waldrop	D24/183
D. 336,400	6/1993	Mitchell et al.	.	
3,931,654	1/1976	Spann	.	
3,938,205	2/1976	Spann	.	
4,135,504	1/1979	Spann	.	
4,185,813	1/1980	Spann	.	
4,210,317	7/1980	Spann et al.	.	

4,214,326	7/1980	Spann	.	
4,471,952	9/1984	Spann	.	
4,603,445	8/1986	Spann	.	
4,665,573	5/1987	Fiore	5/448
4,726,087	2/1988	Schaefer et al.	.	
4,832,007	5/1989	Davis, Jr. et al.	.	
4,862,538	9/1989	Spann et al.	.	
5,014,375	5/1991	Coonrad et al.	.	

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Dority & Manning

[57] **CLAIM**

The ornamental design of a lateral surgical patient support cushion, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a lateral surgical patient support cushion embodying the design of the present invention;

FIG. 2 is a right side elevational view thereof, the left side elevational view being identical thereto;

FIG. 3 is a back elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a perspective view thereof; and,

FIG. 7 is a perspective view of a second embodiment of FIG. 1 the only difference residing in the transverse notch area.

The use of stippling is intended to represent that the design is constructed primarily of foam or a like resilient material and does not form a surface feature of the design.






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7