



US00D360144S

**United States Patent** [19]  
**Omuro**

[11] **Patent Number: Des. 360,144**  
[45] **Date of Patent: \*\* Jul. 11, 1995**

[54] **ELECTRONIC METRONOME**  
[75] **Inventor: Makoto Omuro, Nagano, Japan**  
[73] **Assignee: Seiko Epson Corporation, Tokyo, Japan**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 20,002**  
[22] **Filed: Mar. 16, 1994**

D. 304,691 11/1989 Kubo ..... D10/2 X  
D. 315,518 3/1991 Saito ..... D10/43  
D. 319,791 9/1991 Saito ..... D10/43  
D. 325,913 5/1992 Takahashi ..... D14/191  
D. 344,728 3/1994 Nishimoto ..... D14/191  
D. 351,800 10/1994 Liao ..... D10/43


*Primary Examiner*—Nelson C. Noltje  
*Attorney, Agent, or Firm*—Stroock & Stroock & Lavan

[30] **Foreign Application Priority Data**  
Sep. 16, 1993 [JP] Japan ..... 4-28018  
[52] **U.S. Cl.** ..... **D10/43; D10/15**  
[58] **Field of Search** ..... **D10/1-40,**  
**D10/43, 122-132; D14/191; 368/10, 82-84,**  
**239-242, 285; 84/484**


[57] **CLAIM**  
The ornamental design for an electronic metronome, as shown.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 216,726 3/1970 Veech ..... D10/43

**DESCRIPTION**  
FIG. 1 is a perspective view of the electronic metronome in accordance with my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a rear elevational view thereof; and,  
FIG. 7 is a bottom plan view thereof.



*FIG. 1*






FIG. 2

FIG. 3





FIG. 4



*FIG. 6*



*FIG. 7*



*FIG. 8*

