



US00D364117S

United States Patent [19]
Weder et al.

[11] **Patent Number:** **Des. 364,117**
[45] **Date of Patent:** ****Nov. 14, 1995**

[54] **FLOWER POT COVER**
[75] Inventors: **Donald E. Weder; Joseph G. Straeter,**
both of Highland, Ill.
[73] Assignee: **Highland Supply Corporation,**
Highland, Ill.
[**] Term: **14 Years**
[21] Appl. No.: **675**
[22] Filed: **Oct. 20, 1992**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 781,453, Oct. 21, 1991, Pat.
No. Des. 348,634, which is a continuation-in-part of Ser. No.
617,454, Nov. 21, 1990, abandoned, and a continuation-in-
part of Ser. No. 411,249, Sep. 22, 1989, Pat. No. Des.
358,113, and a continuation-in-part of Ser. No. 411,247, Sep.
22, 1989, and a continuation-in-part of Ser. No. 411,245,
Sep. 22, 1989.
[52] **U.S. Cl.** **D11/164; D14/152**
[58] **Field of Search** **D11/143, 149,**
D11/152-156, 164, 89, 90; 47/66, 72; 206/423;
215/100.5; 227/1.5 R, 1.5 B, 4.5, 87.01,
922, 930, 108, 108.1, 109, 110; 428/27,
35.1, 24, 542.6; D9/346, 428-431; D27/102,
133; D26/128-136; D19/96; D7/540, 584,
586, 587, 354

References Cited

U.S. PATENT DOCUMENTS

D. 239,192	3/1976	Wiles et al.	D35/3 A
D. 254,659	4/1980	Karotseris	D11/143
D. 313,574	1/1991	Weder et al.	D11/164
D. 322,403	12/1991	Eaton	D9/429
D. 324,659	3/1992	Stehouwer	D11/164
D. 336,041	6/1993	Zama	D9/429
D. 348,634	7/1994	Weder et al.	D11/164
1,951,642	8/1932	Augustin et al.	47/32
3,253,768	5/1966	Gjesdal	D9/431 X
3,443,741	5/1969	Stockdale	D9/431 X
4,043,077	8/1977	Stonehocker	47/36
4,712,725	12/1987	Moore	229/8
5,076,011	12/1991	Stehouwer	47/72

FOREIGN PATENT DOCUMENTS

2489126 3/1982 France .
2603159 4/1988 France .

OTHER PUBLICATIONS

Exhibit A—Speed Cover® Brochure—The Simple Solution
..., ©1989.

Primary Examiner—Martie Thompson
Assistant Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Dunlap & Coddling

[57] **CLAIM**

The ornamental design for a flower pot cover, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of our new flower pot cover
design;
FIG. 2 is a side elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a side elevational view of the design of FIG. 1, the
only difference being in the horizontal angle of the skirt;
FIG. 6 is a side elevational view of the design of FIG. 1, the
only difference being in the near vertical angle of the skirt;
FIG. 7 is a side elevational view of the design of FIG. 1, the
only difference being in the downward angle of the skirt;
FIG. 8 is a side elevational view of a second embodiment of
the design of FIG. 1, the only difference being in the height
of the base;
FIG. 9 is a side elevational view of a third embodiment of
the design of FIG. 1, the only difference being in the height
of the base;
FIG. 10 is a side elevational view of a fourth embodiment of
the design of FIG. 1, the only difference being in the size of
the skirt;
FIG. 11 is a side elevational view of a fifth embodiment of
the design of FIG. 1, the only difference being in the size of
the skirt;
FIG. 12 is a perspective view of a sixth embodiment of our
new flower pot cover design;
FIG. 13 is a side elevational view thereof;

(Description continued on next page.)





FIG. 14 is a top plan view thereof;
 FIG. 15 is a bottom plan view thereof;
 FIG. 16 is a side elevational view of the design of FIG. 12, the only difference being in the horizontal angle of the skirt;
 FIG. 17 is a side elevational view of the design of FIG. 12, the only difference being in the near vertical angle of the skirt;
 FIG. 18 is a side elevational view of the design of FIG. 12, the only difference being in the downward angle of the skirt;
 FIG. 19 is a side elevational view of a seventh embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 20 is a side elevational view of an eighth embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 21 is a side elevational view of a ninth embodiment of the flower pot cover design, the only difference being in the size of the skirt;
 FIG. 22 is a side elevational view of a tenth embodiment of the flower pot cover design, the only difference being in the size of the skirt;
 FIG. 23 is a perspective view of an eleventh embodiment of our new flower pot cover design;
 FIG. 24 is a side elevational view thereof;
 FIG. 25 is a top plan view thereof;
 FIG. 26 is a bottom plan view thereof;
 FIG. 27 is a side elevational view of the design of FIG. 23, the only difference being in the horizontal angle of the skirt;
 FIG. 28 is a side elevational view of the design of FIG. 23, the only difference being in the near vertical angle of the skirt;
 FIG. 29 is a side elevational view of the design of FIG. 23, the only difference being in the downward angle of the skirt;
 FIG. 30 is a side elevational view of a twelfth embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 31 is a side elevational view of an thirteenth embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 32 is a side elevational view of a fourteenth embodiment of the flower pot cover design, the only difference being in the size of the skirt;
 FIG. 33 is a side elevational view of a fifteenth embodiment of the flower pot cover design, the only difference being in the size of the skirt;
 FIG. 34 is a perspective view of an sixteenth embodiment of our new flower pot cover design;
 FIG. 35 is a side elevational view thereof;
 FIG. 36 is a top plan view thereof;
 FIG. 37 is a bottom plan view thereof;
 FIG. 38 is a side elevational view of the design of FIG. 34, the only difference being in the horizontal angle of the skirt;
 FIG. 39 is a side elevational view of the design of FIG. 34, the only difference being in the near vertical angle of the skirt;
 FIG. 40 is a side elevational view of the design of FIG. 34, the only difference being in the downward angle of the skirt;
 FIG. 41 is a side elevational view of a seventeenth embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 42 is a side elevational view of an eighteenth embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 43 is a side elevational view of a nineteenth embodiment of the flower pot cover design, the only difference

being in the size of the skirt;
 FIG. 44 is a side elevational view of a twentieth embodiment of the flower pot cover design, the only difference being in the size of the skirt;
 FIG. 45 is a perspective view of an twenty-first embodiment of our new flower pot cover design;
 FIG. 46 is a side elevational view thereof;
 FIG. 47 is a top plan view thereof;
 FIG. 48 is a bottom plan view thereof;
 FIG. 49 is a side elevational view of the design of FIG. 45, the only difference being in the horizontal angle of the skirt;
 FIG. 50 is a side elevational view of the design of FIG. 45, the only difference being in the near vertical angle of the skirt;
 FIG. 51 is a side elevational view of the design of FIG. 45, the only difference being in the downward angle of the skirt;
 FIG. 52 is a side elevational view of a twenty-second embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 53 is a side elevational view of an twenty-third embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 54 is a side elevational view of a twenty-fourth embodiment of the flower pot cover design, the only difference being in the size of the skirt;
 FIG. 55 is a side elevational view of a twenty-fifth embodiment of the flower pot cover design, the only difference being in the size of the skirt;
 FIG. 56 is a perspective view of an twenty-sixth embodiment of our new flower pot cover design;
 FIG. 57 is a side elevational view thereof;
 FIG. 58 is a top plan view thereof;
 FIG. 59 is a bottom plan view thereof;
 FIG. 60 is a side elevational view of the design of FIG. 56, the only difference being in the horizontal angle of the skirt;
 FIG. 61 is a side elevational view of the design of FIG. 56, the only difference being in the near vertical angle of the skirt;
 FIG. 62 is a side elevational view of the design of FIG. 56, the only difference being in the downward angle of the skirt;
 FIG. 63 is a side elevational view of a twenty-seventh embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 64 is a side elevational view of an twenty-eighth embodiment of the flower pot cover design, the only difference being in the height of the base;
 FIG. 65 is a side elevational view of a twenty-ninth embodiment of the flower pot cover design, the only difference being in the size of the skirt;
 FIG. 66 is a side elevational view of a thirtieth embodiment of the flower pot cover design, the only difference being in the size of the skirt;
 FIG. 67 is a perspective view of an thirty-first embodiment of our new flower pot cover design;
 FIG. 68 is a side elevational view thereof;
 FIG. 69 is a top view thereof;
 FIG. 70 is a bottom plan view thereof;
 FIG. 71 is a side elevational view of FIG. 67, the only difference being in the horizontal angle by the design of the skirt;
 FIG. 72 is a side elevational view of the design of FIG. 67, the only difference being in the near vertical angle of the skirt;
 FIG. 73 is a side elevational view of the design of FIG. 67, the only difference being in the downward angle of the skirt;

FIG. 74 is a side elevational view of a thirty-second embodiment of the flower pot cover design, the only difference being in the height of the base;

FIG. 75 is a side elevational view of an thirty-third embodiment of the flower pot cover design, the only difference being in the height of the base;

FIG. 76 is a side elevational view of a thirty-fourth embodiment of the flower pot cover design, the only difference being in the size of the skirt;

FIG. 77 is a side elevational view of a thirty-fifth embodiment of the flower pot cover design, the only difference being in the size of the skirt;

FIG. 78 is a perspective view of an thirty-sixth embodiment of our new flower pot cover design;

FIG. 79 is a side elevational view thereof;

FIG. 80 is a top plan view thereof;

FIG. 81 is a bottom plan view thereof;

FIG. 82 is a side elevational view of the design of FIG. 78, the only difference being in the horizontal angle of the skirt;

FIG. 83 is a side elevational view of the design of FIG. 78,

the only difference being in the near vertical angle of the skirt;

FIG. 84 is a side elevational view of the design of FIG. 78, the only difference in the downward angle of the skirt;

FIG. 85 is a side elevational view of a thirty-seventh embodiment of the flower pot cover design, the only difference being in the height of the base;

FIG. 86 is a side elevational view of an thirty-eight embodiment of the flower pot cover design, the only difference being in the height of the base;

FIG. 87 is a side elevational view of a thirty-ninth embodiment of the flower pot cover design, the only difference being in the size of the skirt; and,

FIG. 88 is a side elevational view of a fortieth embodiment of the flower pot cover design, the only difference being in the size of the skirt.

The flower pot cover has no substantial thickness.

1 Claim, 16 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 2




FIG. 3




FIG. 4




FIG. 10




FIG. 11




FIG. 13




FIG. 12




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56











FIG. 57






FIG. 54




FIG. 55




FIG. 56




FIG. 58




FIG. 57




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29

