



US00D368451S

United States Patent [19]

[11] Patent Number: **Des. 368,451**

Wallet et al.

[45] Date of Patent: ****Apr. 2, 1996**

[54] TIRE TREAD

[75] Inventors: **Bill J. Wallet**, Marshallville; **John J. Regallis**, Akron; **Bradley J. Wurst**, Norton, all of Ohio

[73] Assignee: **Bridgestone/Firestone, Inc.**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **29,483**

[22] Filed: **Oct. 6, 1994**

[52] U.S. Cl. **D12/147**

[58] Field of Search D12/145-151;
152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 297,001	8/1988	Messer	D12/147
D. 316,388	4/1991	Wallet et al.	D12/147
D. 317,740	6/1991	Takehara	D12/146
D. 324,011	2/1992	Messer	D12/147
D. 328,267	7/1992	Constant	D12/146
D. 332,074	12/1992	Kobayashi	D12/147
D. 332,933	2/1993	Tsuda et al.	D12/147
D. 333,288	2/1993	Rogers et al.	D12/146
D. 339,776	9/1993	Hayakawa et al.	D12/147
D. 342,047	12/1993	Takehashi	D12/146
D. 343,375	1/1994	Himuro et al.	D12/147
D. 344,052	2/1994	Attinello et al.	D12/147
D. 349,672	8/1994	Seimiya et al.	D12/147
D. 349,673	8/1994	Seimiya et al.	D12/147
D. 354,028	1/1995	Hutz	D12/146
3,645,313	2/1972	Roberts et al.	152/209 R
3,949,797	4/1976	Mirtain et al.	152/209 R
5,135,038	8/1992	Graas et al.	152/209 R

OTHER PUBLICATIONS

1993 Tread Design Guide, p. 48, Michelin MX4 Tire, second row down from top and second tire in from left side of page. Tire Review, Jun. 1993, p. 12, TBC Grand Spirit Aqua Flow Tire, top center of page.

1994 Tread Design Guide, p. 30, Hallmark Aqua Guard Tire, third row down from top, center of page.

1994 Tread Design Guide, p. 35, Kleber C601H/C701H Tire, bottom center of page.

1994 Tread Design Guide, p. 36, Kleber C2T/C4T Tire, top center of page, and Laraine Hydro Plus Tire, third row down from top, right side of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Carmen S. Santa Maria

[57] CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a right side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being substantially the same as that shown;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof, the opposite side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

The broken line showing of the tire sidewall in the drawing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4