



US00D395140S

United States Patent [19]
O'Rourke

[11] **Patent Number: Des. 395,140**

[45] **Date of Patent: **Jun. 16, 1998**

[54] **FURCAL LAMPHOLDER SUPPORT FOR USE ON TRACK**

[75] **Inventor: John J. O'Rourke, Downers Grove, Ill.**

[73] **Assignee: Juno Lighting, Inc., Des Plaines, Ill.**

[**] **Term: 14 Years**

[21] **Appl. No.: 67,547**

[22] **Filed: Mar. 11, 1997**

[51] **LOC (6) Cl. 26-99**

[52] **U.S. Cl. D26/140; D26/63**

[58] **Field of Search D26/61, 63, 65; 362/269, 275, 287, 418, 419, 427; 248/281.11, 282.1, 323, 324**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 345,616 3/1994 Lin D26/63
D. 370,080 5/1996 Stultz D26/63

OTHER PUBLICATIONS

Elko Lighting catalog, p. 13, Yoke for adjustable spot lamp, Aug. 1995.

Interior Lighting Systems for Display and Working Areas catalog, Gabbiano lighting section spotlights, 1994.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Anthony S. Zummer

[57] **CLAIM**

The ornamental design for a furcal lampholder support for use on track, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of a furcal lampholder support for use on track showing my design with; a lampholder, a cord, an adapter and a track shown in phantom;

FIG. 2 is a front elevational view of the furcal lampholder support for use on track shown in FIG. 1;

FIG. 3 is a right side elevational view of the furcal lampholder support for use on track shown in FIG. 1;



FIG. 4 is a rear elevational view of the furcal lampholder support for use on track shown in FIG. 1;

FIG. 5 is a top view of the furcal lampholder support for use on track shown in FIG. 1; and,

FIG. 6 is a bottom view of the furcal lampholder support for use on track shown in FIG. 1.

The phantom lines are shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 2




FIG. 1




FIG. 4




FIG. 3

FIG. 6




FIG. 5

