



US00D411986S

**United States Patent** [19]  
**Sekine**

[11] **Patent Number: Des. 411,986**  
[45] **Date of Patent: \*\* Jul. 13, 1999**

[54] **DATA INPUT/OUTPUT TERMINAL FOR COMPUTER**

D. 376,351 12/1996 Matsumoto ..... D14/100  
5,555,157 9/1996 Moller et al. .... 361/683

[75] Inventor: **Tetsuya Sekine**, Yokohama, Japan

*Primary Examiner*—Freda Nunn  
*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/093,250**

The ornamental design for a data input/output terminal for computer, as shown and described.

[22] Filed: **Sep. 8, 1998**

**DESCRIPTION**

[30] **Foreign Application Priority Data**

May 12, 1998 [JP] Japan ..... 10-13379

FIG. 1 is a front view of a data input/output terminal for computer showing my new design;

[51] **LOC (6) Cl.** ..... **14-02**

FIG. 2 is a rear view thereof;

[52] **U.S. Cl.** ..... **D14/100**

FIG. 3 is a top plan view thereof;

[58] **Field of Search** ..... D14/100, 106,  
D14/115; D18/1, 2, 7; 345/156, 168, 169,  
172, 173, 87; 364/708.1; 349/12, 1; 361/680-685

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,


FIG. 7 is a perspective view thereof.

[56] **References Cited**


**U.S. PATENT DOCUMENTS**

D. 357,000 4/1995 Takahashi ..... D14/100


**1 Claim, 5 Drawing Sheets**



*FIG. 1*



*FIG. 2*



*FIG. 3*




FIG. 4






FIG. 5





FIG. 6






FIG. 7