



US00D430829S

# United States Patent [19]

Ratliff, Jr. et al.

[11] Patent Number: Des. 430,829

[45] Date of Patent: \*\* Sep. 12, 2000

[54] TIRE TREAD

[75] Inventors: **Billy Joe Ratliff, Jr.**, Akron; **Craig David Miller**, Norton; **John Kevin Clark**, Copley; **Samuel Patrick Landers**, Uniontown, all of Ohio

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/112,287**

[22] Filed: **Oct. 12, 1999**

[51] LOC (7) Cl. .... **12-15**

[52] U.S. Cl. .... **D12/147**

[58] Field of Search ..... D12/138-152;  
152/209.1, 209.8, 209.9, 209.11, 209.13,  
209.28, 900, 901, 902, 903

- D. 384,609 10/1997 Gillard et al. .
- D. 384,618 10/1997 Guspodin et al. .
- D. 386,454 11/1997 Guspodin .
- D. 386,726 11/1997 Attinello et al. .
- D. 388,375 12/1997 Harpes et al. .
- D. 390,517 2/1998 Guspodin et al. .
- D. 390,816 2/1998 Lassan et al. .
- D. 390,820 2/1998 Guspodin et al. .
- D. 398,890 9/1998 Harpes et al. .
- D. 400,138 10/1998 Blankenship .
- D. 400,831 11/1998 Blankenship et al. .
- D. 405,035 2/1999 Graas ..... D12/147
- D. 405,732 2/1999 Johenning et al. .... D12/147
- D. 409,123 5/1999 Heinen et al. .... D12/151
- D. 409,532 5/1999 Heinen .
- D. 409,535 5/1999 Attinello ..... D12/147
- D. 410,600 6/1999 Matsuda .
- D. 420,946 2/2000 Ratliff, Jr. .... D12/141
- 4,796,683 1/1989 Kawabata et al. .

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 279,365 6/1985 Takahara .
- D. 283,501 4/1986 Hitzky .
- D. 284,562 7/1986 Kojima et al. .
- D. 286,274 10/1986 Davis et al. .
- D. 290,826 7/1987 Nakaseko .
- D. 296,544 7/1988 Matsushita et al. .
- D. 304,917 12/1989 Hinrichsen .
- D. 311,366 10/1990 Kuroda .
- D. 313,212 12/1990 Hamada et al. .
- D. 313,781 1/1991 Kuroda .
- D. 315,127 3/1991 White et al. .
- D. 317,741 6/1991 Kuroda .
- D. 328,268 7/1992 Constant .
- D. 329,627 9/1992 Attinello et al. .... D12/151
- D. 338,179 8/1993 Miller et al. .
- D. 344,918 3/1994 Graas ..... D12/147
- D. 364,367 11/1995 Klepper et al. .
- D. 367,445 2/1996 Attinello et al. .
- D. 368,450 4/1996 Lassan et al. .
- D. 370,443 6/1996 Lassan et al. .
- D. 379,166 5/1997 Aikawa et al. .
- D. 380,426 7/1997 Johenning et al. .... D12/147
- D. 383,101 9/1997 Aikawa et al. .
- D. 384,606 10/1997 McKisson .

**FOREIGN PATENT DOCUMENTS**

93-0557 9/1993 Sweden .

**OTHER PUBLICATIONS**

Sigma Grand Spirit Aqua Flow GTX Tire, 1998 Tread Design Guide, p. 66. 3/3, Jan. 1998.

*Primary Examiner*—Robert M. Spear  
*Attorney, Agent, or Firm*—T P Lewandowski

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof, the opposite side elevational view being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary perspective view.

In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.



**1 Claim, 4 Drawing Sheets**




FIG-1




FIG-2




FIG-3




FIG-4