



US00D449041B1

(12) **United States Design Patent**
Koike

(10) **Patent No.:** **US D449,041 S**

(45) **Date of Patent:** **** Oct. 9, 2001**

(54) **WIRELESS MICROPHONE**

(75) Inventor: **Yukinaga Koike**, Nagano (JP)

(73) Assignee: **Circuit Design, Inc.**, Nagano (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/125,140**

(22) Filed: **Jun. 19, 2000**

(30) **Foreign Application Priority Data**

Dec. 27, 1999 (JP) 11-35652

(51) **LOC (7) Cl.** **14-01**

(52) **U.S. Cl.** **D14/228**

(58) **Field of Search** D14/206, 223,
D14/225-229; 181/158, 242; 381/26, 92,
95, 122, 369

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 277,852 * 3/1985 Watson D14/228
- D. 295,224 * 4/1988 Miyamoto D14/228 X
- D. 302,819 * 8/1989 Kubota D14/228
- D. 324,049 * 2/1992 Endo D14/228
- 4,817,153 * 3/1989 Fernandez 381/26

* cited by examiner

Primary Examiner—Nanda Bondade

(74) *Attorney, Agent, or Firm*—Townsend and Townsend and Crew LLP

(57) **CLAIM**

The ornamental design for a wireless microphone, as shown and described.

DESCRIPTION

The article to which the design is applied is a wireless microphone comprising a microphone and a wireless transmitter which is detachable from the microphone.

The present design is characterized by “a sense of duty” in appearance of the microphone with the wireless transmitter. No wire for transmitting radio waves is drawn out from the transmitter.

FIG. 1 is a perspective view of a wireless microphone showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






Fig. 1

Fig. 2





Fig. 3




Fig. 4

Fig. 5




Fig. 6





Fig. 7