



US00D450584B1

(12) **United States Design Patent**  
**Schmit et al.**

(10) **Patent No.: US D450,584 S**

(45) **Date of Patent: \*\* \*Nov. 20, 2001**

(54) **THREE CLOSURE DISPENSING CAP FOR A CONTAINER**

(75) **Inventors: Michael R. Schmit**, Deephaven, MN (US); **James F. Kick**, Chesterfield, MO (US); **J. Mark Morrow**, Camden, SC (US)

(73) **Assignee: Sonoco Products Company**, Hartsville, SC (US)

(\*\*) **Term: 14 Years**

(21) **Appl. No.: 29/133,459**

(22) **Filed: Dec. 1, 2000**

(51) **LOC (7) Cl. .... 09-07**

(52) **U.S. Cl. .... D9/447; D7/596; D9/447**

(58) **Field of Search .... D9/435, 438, 447, D9/449, 454; D7/300.1, 591, 596, 629, 630; 215/235, 237; 220/259, 339; 222/546, 480, 565, 566**

5,601,213	*	2/1997	Daniello .....	222/456
5,697,533		12/1997	Shahbazian .....	222/480
5,706,981		1/1998	Nobakht .....	222/132
5,799,838		9/1998	Miller .....	222/480
5,897,036		4/1999	DeCoster et al. ....	222/480

**FOREIGN PATENT DOCUMENTS**

2 135 981 A 9/1984 (GB) .

**OTHER PUBLICATIONS**

Two photographs of two closure lid, 1993.

\* cited by examiner

*Primary Examiner*—Cathron C. Brooks

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a three closure dispensing cap for a container, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a dispensing cap showing a first embodiment of my new design, shown with the closures in the closed position;

FIG. 2 is a top plan view of the dispensing cap of FIG. 1; FIG. 3 is a perspective view of the dispensing cap of FIG. 1 shown with the closures in an open position;

FIG. 4 is a perspective view of a dispensing cap showing a second embodiment of my new design, shown with the closures in the closed position;

FIG. 5 is a top plan view of the dispensing cap of FIG. 4; and,

FIG. 6 is a perspective view of the dispensing cap of FIG. 4.


The broken line showing of the array of circles in the rectangular closure in FIGS. 1–3, the circles underneath the rectangular closure in FIG. 3, and the remainder of the container body is for illustrative purposes only and forms no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 249,642	*	9/1978	Ames .....	D9/447
D. 291,411	*	8/1987	Crawford .....	D9/440
D. 291,536	*	8/1987	Crawford et al. ....	D9/440
D. 339,065	*	9/1993	Forsyth et al. ....	D9/447
D. 385,791	*	11/1997	Forsyth et al. ....	D9/447
D. 405,011	*	2/1999	DeCoster et al. ....	D9/447
3,018,931		1/1962	Westgate .....	222/480
3,057,525		10/1962	Malachick .....	222/482
3,140,019		7/1964	Barr .....	222/480
4,106,672		8/1978	Tecco et al. ....	222/151
4,541,541		9/1985	Hickman et al. ....	220/253
4,658,980		4/1987	Lindstrom .....	220/214
4,693,399		9/1987	Hickman et al. ....	220/339
4,714,181		12/1987	Kozlowski et al. ....	222/480
4,792,054		12/1988	Weidman .....	222/23
4,936,494		6/1990	Weidman .....	222/480
5,330,082		7/1994	Forsyth .....	222/480
5,339,993		8/1994	Groya et al. ....	222/153
5,407,107		4/1995	Smith .....	222/548
5,507,419		4/1996	Martin et al. ....	480/222

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6