



US00D451015B1

(12) **United States Design Patent**
Otto

(10) **Patent No.:** **US D451,015 S**

(45) **Date of Patent:** **** *Nov. 27, 2001**

| | | | | |
|--|------------|---------|------|--------|
| (54) BATTERY PACKAGE | 2035854 | 3/1994 | (DE) | 9/5.05 |
| | 521914- | | | |
| (75) Inventor: Andrew J. Otto , San Francisco, CA (US) | 521921 | 11/1998 | (FR) | 9/5 |
| | 2004983 | 12/1990 | (GB) | 9/3.06 |
| | 2076091 | 1/1999 | (GB) | 9/5.05 |
| | 973235 | 1/1996 | (JP) | . |
| (73) Assignee: Eveready Battery Company, Inc. , St. Louis, MO (US) | DM/048 155 | 5/1999 | (WO) | . |

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/117,109**

(22) Filed: **Jan. 14, 2000**

(51) **LOC (7) Cl.** **09-03**

(52) **U.S. Cl.** **D9/415**

(58) **Field of Search** D9/415, 418, 414,
D9/337; 206/461-471, 806, 703-705, 769-781

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|--------------------|-------|-----------|
| D. 239,436 | * | 4/1976 | Williams | | D9/415 |
| D. 340,861 | | 11/1993 | Abelson | | D9/415 |
| D. 354,910 | | 1/1995 | Weatherford et al. | | D9/415 |
| D. 371,512 | * | 7/1996 | Morita | | D9/415 |
| D. 385,488 | * | 10/1997 | Smith et al. | | D9/415 |
| D. 422,210 | * | 4/2000 | Sturkie et al. | | D9/415 |
| D. 429,634 | * | 8/2000 | Pirro | | D9/415 |
| D. 430,016 | * | 8/2000 | Pirro et al. | | D9/415 |
| 3,288,280 | * | 11/1966 | Bostrom | | 206/461 |
| 3,757,937 | * | 9/1973 | Weinstein | | 206/461 |
| 4,549,658 | * | 10/1985 | Sfikas | | 206/461 |
| 4,723,656 | * | 2/1988 | Kiernan et al. | | 206/705 |
| 5,188,231 | * | 2/1993 | Kivell et al. | | 206/705 |
| 5,484,631 | * | 1/1996 | Hoh | | 206/461 |
| 5,819,939 | * | 10/1998 | Boyer | | 206/806 X |
| 5,899,333 | * | 5/1999 | Williams et al. | | 206/705 |

FOREIGN PATENT DOCUMENTS

83658 4/1998 (CA) .

OTHER PUBLICATIONS

Techform Inc, Nov. 1982.*

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(57) **CLAIM**

I claim the ornamental design for a battery package, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery package showing the new design;

FIG. 2 is a front elevational view of FIG. 1;

FIG. 3 is a right side elevational view of FIG. 1;

FIG. 4 is a left side elevational view of FIG. 1;

FIG. 5 is a back elevational view of FIG. 1;

FIG. 6 is a top plan view of FIG. 1;

FIG. 7 is a bottom view of FIG. 1;

FIG. 8 is a perspective view of a second embodiment of FIG. 1;

FIG. 9 is a front elevational view of FIG. 8;

FIG. 10 is a right side elevational view of FIG. 8;

FIG. 11 is a left side elevational view of FIG. 8;


FIG. 12 is a back elevational view of FIG. 8;

FIG. 13 is a top plan view of FIG. 8; and,

FIG. 14 is a bottom view of FIG. 8.

The broken lines showing of blister and eyelet is for illustrative purpose only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1



Fig. 3



Fig. 4




Fig. 2




Fig. 5




Fig. 6




Fig. 7




Fig. 8



Fig. 10



Fig. 11




Fig. 9




Fig. 12




Fig. 13




Fig. 14