



US00D472874S

(12) **United States Design Patent**
Regallis et al.

(10) **Patent No.:** **US D472,874 S**

(45) **Date of Patent:** **** Apr. 8, 2003**

(54) **TIRE TREAD**

(75) Inventors: **John J. Regallis**, Akron, OH (US);
Richard J. Wright, Wadsworth, OH
(US); **Richard W. Gillmore**, Fairview
Park, OH (US); **Naota Yamagishi**,
Copley, OH (US); **Francis J. Byrne**,
Medina, OH (US)

(73) Assignee: **Bridgestone/Firestone North
American Tire, LLC**, Nashville, TN
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/163,099**

(22) Filed: **Jun. 26, 2002**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/588**

(58) **Field of Search** D12/551, 553,
D12/555, 556, 586, 588, 590, 591, 600;
152/209.1, 209.9, 209.13, 209.25, 209.28

(56) **References Cited**

U.S. PATENT DOCUMENTS

D301,133 S	*	5/1989	Tsuda et al.	D12/588
D301,855 S		6/1989	Ono	
D379,790 S		6/1997	Guspodin et al.	
D380,717 S		7/1997	Rohweder et al.	
D381,302 S		7/1997	Rohweder et al.	
D383,423 S	*	9/1997	Galante et al.	D12/588
D399,800 S		10/1998	Himuro et al.	
D407,679 S		4/1999	Weber et al.	
D414,447 S		9/1999	Weber et al.	
D415,451 S	*	10/1999	Weber et al.	D12/586
D419,115 S		1/2000	Weber et al.	
D421,582 S		3/2000	Dumigan et al.	
D421,731 S		3/2000	Weber et al.	
D422,246 S		4/2000	Fierro et al.	
D426,178 S		6/2000	Weber et al.	

D427,551 S		7/2000	Weber	
D436,900 S		1/2001	Buresh et al.	
D437,264 S		2/2001	Lassan et al.	
D440,529 S		4/2001	Lassan et al.	
D442,526 S	*	5/2001	Lassan et al.	D12/586
D444,431 S		7/2001	Graas	
D450,019 S		11/2001	Himuro et al.	
D458,583 S	*	6/2002	Villamizar	D12/590
D458,897 S		6/2002	Weber et al.	

OTHER PUBLICATIONS

Big O Legacy Tour Plus Tire, 2000 Tread Design Guide, Jan. 2000, p. 15. 4/1.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Michael Sand; John M Vasuta


(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view of the right side thereof, the opposite side being identical thereto; FIG. 4 is an enlarged fragmentary side perspective view thereof; and, FIG. 5 is an enlarged fragmentary front plan view thereof. The broken lines defining the tire sidewall and inner bead and the peripheral boundary between the tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5