



US00D473535S

(12) **United States Design Patent**
Ishii

(10) **Patent No.:** **US D473,535 S**

(45) **Date of Patent:** **** Apr. 22, 2003**

(54) **IC RECORDER**

D445,776 S 7/2001 Ishii et al.
6,311,092 B1 * 10/2001 Yamada 700/94
D450,309 S 11/2001 Ishii et al.

(75) Inventor: **Daisuke Ishii**, Tokyo (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(**) Term: **14 Years**

* cited by examiner

Primary Examiner—Nanda Bondade
(74) *Attorney, Agent, or Firm*—Rader, Fishman & Grauer
PLLC

(21) Appl. No.: **29/158,752**

(22) Filed: **Apr. 10, 2002**

(51) **LOC (7) Cl.** **14-01**

(52) **U.S. Cl.** **D14/167**

(58) **Field of Search** D14/160-165,
D14/167-168, 188-189, 192-198, 217-218,
299; 379/412; 381/61; 455/344, 347-350,
412; 369/31, 63

(57) **CLAIM**

The ornamental design for an IC recorder, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of an IC recorder showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D426,223 S * 6/2000 Nomura D14/167
D427,176 S 6/2000 Obata
D436,941 S 1/2001 Kataoka
D438,857 S 3/2001 Ishii

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7