



US00D474680S

(12) **United States Design Patent**  
**Ling et al.**

(10) **Patent No.: US D474,680 S**

(45) **Date of Patent: \*\* May 20, 2003**

(54) **PACKAGE FOR ABSORBENT ARTICLES**

(75) Inventors: **Lu Ling**, Beijing (CN); **Alison B. Kolterjohn**, Neenah, WI (US); **Brian G. Twitchell**, Neenah, WI (US); **Dawn M. Huffman**, Neenah, WI (US); **James D. McManus**, Appleton, WI (US); **Hao Xueen**, Beijing (CN); **Dennis P. Laska**, Winneconne, WI (US); **Paul M. Simons**, Appleton, WI (US); **Ann M. Nichols**, Appleton, WI (US)

(73) Assignee: **Kimberly-Clark Worldwide, Inc.**, Neenah, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/140,508**

(22) Filed: **Apr. 19, 2001**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/132,753, filed on Nov. 15, 2000.

(51) **LOC (7) Cl. .... 09-05**

(52) **U.S. Cl. .... D9/305**

(58) **Field of Search** ..... D5/32; D9/302, D9/305, 337; D28/4-6, 8.1, 8.2; 206/204; 383/94, 102-103, 106, 906; 428/35, 121, 131, 35.4, 35.5, 35.7

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

- 900,751 A 10/1908 Lockwood
- 1,750,375 A 3/1930 Vinciguera
- 2,305,402 A 12/1942 Avery et al.
- 2,573,309 A 10/1951 Chipkevich
- 2,603,266 A 7/1952 Carroll
- 2,750,033 A 6/1956 Pickens
- 3,062,371 A 11/1962 Patience
- 3,070,280 A 12/1962 Richmond
- 3,160,273 A 12/1964 Reuther et al.
- 3,310,225 A 3/1967 Hoblit
- 3,314,464 A 4/1967 Veilleux

- 3,320,863 A 5/1967 Ells et al.
- 3,338,019 A 8/1967 Trewella et al.
- 3,420,433 A 1/1969 Bostwick
- 3,557,853 A 1/1971 Jones
- 3,670,876 A 6/1972 Davis
- 3,674,195 A 7/1972 Stone
- 3,982,687 A 9/1976 Auer et al.
- 3,990,872 A \* 11/1976 Cullen ..... 383/102
- 4,131,195 A 12/1978 Worrell, Sr.
- 4,192,420 A 3/1980 Worrell, Sr. et al.
- 4,276,982 A 7/1981 Sibrava et al.
- 4,286,639 A 9/1981 Murphy
- 4,441,613 A 4/1984 Hain et al.
- 4,502,599 A 3/1985 Perecman
- 4,550,855 A 11/1985 Harrison
- 4,556,146 A 12/1985 Swanson et al.
- 4,679,693 A 7/1987 Forman
- 4,713,839 A 12/1987 Peppiatt
- 4,739,879 A 4/1988 Nakamura
- 4,743,245 A 5/1988 Lassen et al.
- 4,785,940 A 11/1988 Wilson
- 4,786,190 A 11/1988 Van Erden et al.
- 4,838,327 A 6/1989 Ambler et al.
- 4,917,675 A 4/1990 Taylor et al.
- 4,934,535 A 6/1990 Muckenfuhs et al.
- 4,948,028 A 8/1990 Vollowitz
- 4,979,613 A 12/1990 McLaughlin et al.
- 5,046,620 A 9/1991 Barabino
- 5,076,465 A 12/1991 Lawson
- 5,242,057 A 9/1993 Cook et al.
- 5,261,531 A 11/1993 Nieves
- 5,391,136 A 2/1995 Makowka
- 5,413,568 A 5/1995 Roach et al.
- D360,577 S \* 7/1995 van Loo ..... D9/305
- 5,476,323 A 12/1995 Gold
- D365,981 S \* 1/1996 Sullivan ..... D9/305
- 5,569,230 A 10/1996 Fisher et al.
- 5,579,916 A 12/1996 Manko
- 5,639,523 A 6/1997 Ellis
- 5,655,842 A \* 8/1997 Hagino ..... 426/118
- 5,954,201 A 9/1999 Finch et al.
- 5,996,797 A 12/1999 Flaig
- 6,039,175 A 3/2000 Wright
- 6,041,928 A 3/2000 Jousinen et al.
- 6,059,100 A 5/2000 Jones
- 6,115,997 A 9/2000 Burrow et al.
- 6,126,009 A 10/2000 Shiffler et al.
- 6,168,022 B1 1/2001 Ward et al.
- 6,257,473 B1 7/2001 Ringelstetter
- 6,338,572 B1 1/2002 Schneck

**FOREIGN PATENT DOCUMENTS**

CA 2109782 A1 5/1995



|    |                |         |
|----|----------------|---------|
| DE | 39 23 289 A1   | 10/1990 |
| GB | 83 19 608.0    | 12/1984 |
| WO | WO 98/57610 A1 | 12/1998 |
| WO | WO 02/08087 A2 | 1/2002  |

\* cited by examiner

*Primary Examiner*—Nanda Bondade  
 (74) *Attorney, Agent, or Firm*—Senniger, Powers, Leavitt & Roedel

(57) **CLAIM**

The ornamental design for a package for absorbent articles, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective of a package for absorbent articles of a first embodiment of the present invention;  
 FIG. 2 is a front elevation of the package of the first embodiment;  
 FIG. 3 is a rear elevation of the package of the first embodiment;  
 FIG. 4 is a left side elevation of the package of the first embodiment;  
 FIG. 5 is a right side elevation of the package of the first embodiment;  
 FIG. 6 is a top plan of the package of the first embodiment;  
 FIG. 7 is a bottom plan of the package of the first embodiment;  
 FIG. 8 is a front elevation of the package of the first embodiment shown with a flap in an open position;  
 FIG. 9 is a perspective view of a package of a second embodiment of FIG. 1;  
 FIG. 10 is a front elevation of the package of the second embodiment;  
 FIG. 11 is a rear elevation of the package of the second embodiment;  
 FIG. 12 is a left side elevation of the package of the second embodiment;  
 FIG. 13 is a right side elevation of the package of the second embodiment;  
 FIG. 14 is a top plan of the package of the second embodiment;  
 FIG. 15 is a bottom plan of the package of the second embodiment;  
 FIG. 16 is a front elevation of the package of the second embodiment shown with a flap in an open position;  
 FIG. 17 is a perspective view of a package of a third embodiment of FIG. 1;  
 FIG. 18 is a front elevation of the package of the third embodiment;  
 FIG. 19 is a rear elevation of the package of the third embodiment;  
 FIG. 20 is a left side elevation of the package of the third embodiment;  
 FIG. 21 is a right side elevation of the package of the third embodiment;  
 FIG. 22 is a top plan of the package of the third embodiment;  
 FIG. 23 is a bottom plan of the package of the third embodiment;  
 FIG. 24 is a front elevation of the package of the third embodiment shown with a flap in an open position;  
 FIG. 25 is a perspective view of a package of a fourth embodiment of FIG. 1, which is identical to the package of the third embodiment, but includes a pattern printed thereon;  
 FIG. 26 is a perspective view of a package of a fifth embodiment of FIG. 1;  
 FIG. 27 is a front elevation of the package of the fifth embodiment;

FIG. 28 is a rear elevation of the package of the fifth embodiment;  
 FIG. 29 is a left side elevation of the package of the fifth embodiment;  
 FIG. 30 is a right side elevation of the package of the fifth embodiment;  
 FIG. 31 is a top plan of the package of the fifth embodiment;  
 FIG. 32 is a bottom plan of the package of the fifth embodiment;  
 FIG. 33 is a front elevation of the package of the fifth embodiment shown with a flap in an open position;  
 FIG. 34 is a perspective view of a package of a sixth embodiment of FIG. 1, which is identical to the package of the fifth embodiment, but includes a pattern printed thereon;  
 FIG. 35 is a perspective view of a package of a seventh embodiment of FIG. 1;  
 FIG. 36 is a front elevation of the package of the seventh embodiment;  
 FIG. 37 is a rear elevation of the package of the seventh embodiment;  
 FIG. 38 is a left side elevation of the package of the seventh embodiment;  
 FIG. 39 is a right side elevation of the package of the seventh embodiment;  
 FIG. 40 is a top plan of the package of the seventh embodiment;  
 FIG. 41 is a bottom plan of the package of the seventh embodiment;  
 FIG. 42 is a front elevation of the package of the seventh embodiment shown with a flap in an open position;  
 FIG. 43 is a perspective view of a package of a eighth embodiment of FIG. 1, which is identical to the package of the seventh embodiment, but includes a pattern printed thereon;  
 FIG. 44 is a perspective view of a package of a ninth embodiment of FIG. 1;  
 FIG. 45 is a front elevation of the package of the ninth embodiment;  
 FIG. 46 is a rear elevation of the package of the ninth embodiment;  
 FIG. 47 is a left side elevation of the package of the ninth embodiment;  
 FIG. 48 is a right side elevation of the package of the ninth embodiment;  
 FIG. 49 is a top plan of the package of the ninth embodiment;  
 FIG. 50 is a bottom plan of the package of the ninth embodiment;  
 FIG. 51 is a front elevation of the package of the ninth embodiment shown with a flap in an open position;  
 FIG. 52 is a perspective view of a package of a tenth embodiment of FIG. 1, which is identical to the package of the ninth embodiment, but includes a pattern printed thereon;  
 FIG. 53 is a perspective view of a package of a eleventh embodiment of FIG. 1;  
 FIG. 54 is a front elevation of the package of the eleventh embodiment;  
 FIG. 55 is a rear elevation of the package of the eleventh embodiment;  
 FIG. 56 is a left side elevation of the package of the eleventh embodiment;  
 FIG. 57 is a right side elevation of the package of the eleventh embodiment;  
 FIG. 58 is a top plan of the package of the eleventh embodiment;  
 FIG. 59 is a bottom plan of the package of the eleventh embodiment;

FIG. **60** is a front elevation of the package of the eleventh embodiment shown with a flap in an open position; and, FIG. **61** is a perspective view of a package of a twelfth embodiment of FIG. **1**, which is identical to the package of the eleventh embodiment, but includes a pattern printed thereon.

The broken line shown is for illustrative purposes only and forms no part of the claimed design.

The features shown in phantom form no part of the design.

**1 Claim, 47 Drawing Sheets**

FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 13




FIG. 12




FIG. 14




FIG. 15




FIG. 16



FIG. 17






FIG. 18



FIG. 19



FIG. 21




FIG. 20




FIG. 22




FIG. 23




FIG. 24




FIG. 25



FIG. 26



FIG. 27






FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36



FIG. 37






FIG. 39




FIG. 38




FIG. 40




FIG. 41




FIG. 42




FIG. 43



FIG. 44



FIG. 45




FIG. 46




FIG. 48




FIG. 47






FIG. 49




FIG. 50




FIG. 51




FIG. 52



FIG. 53




FIG. 54



FIG. 55




FIG. 57




FIG. 56




FIG. 58




FIG. 59






FIG. 60




FIG. 61

