



US00D488441S

(12) **United States Design Patent**  
**Ogawa et al.**

(10) **Patent No.:** **US D488,441 S**

(45) **Date of Patent:** **\*\* Apr. 13, 2004**

(54) **ELECTRIC SOURCE SUPPLY MACHINE**

(75) Inventors: **Tadahiko Ogawa**, Kyoto-fu (JP);  
**Koyuru Nakano**, Kyoto-fu (JP)

(73) Assignee: **Omron Corporation**, Kyoto (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/161,788**

(22) Filed: **Jun. 5, 2002**

(30) **Foreign Application Priority Data**

Feb. 5, 2002 (JP) ..... 2002-002642

(51) **LOC (7) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/110**

(58) **Field of Search** ..... D13/110, 123,  
D13/158, 162; 307/66, 150; 335/132; 336/90,  
98, 105; 361/679, 690, 710, 730, 836; 363/15,  
146

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D281,315 S	*	11/1985	Kjeld	.....	D13/184
D297,829 S	*	9/1988	Burgher et al.	.....	D13/110
4,956,745 A	*	9/1990	Burgher et al.	.....	361/690
D339,101 S	*	9/1993	Delamoreaux et al.	....	D13/110
D376,347 S	*	12/1996	Mousa	.....	D13/110
D410,624 S	*	6/1999	Loh	.....	D13/110
D456,782 S	*	5/2002	Nagai et al.	.....	D13/162

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

*Assistant Examiner*—Selina Sikder

(74) *Attorney, Agent, or Firm*—Dickstein Shapiro Morin & Oshinsky LLP

(57) **CLAIM**

The ornamental design for an electric source supply machine, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view showing our new design for an electric source supply machine;

FIG. 2 is a rear view of the electric source supply machine of FIG. 1;

FIG. 3 is a top side view of the electric source supply machine of FIG. 1;

FIG. 4 is a bottom view of the electric source supply machine of FIG. 1;

FIG. 5 is a right view of the electric source supply machine of FIG. 1;

FIG. 6 is a left view of the electric source supply machine of FIG. 1;

FIG. 7 is a first perspective view of the electric source supply machine of FIG. 1;

FIG. 8 is a second perspective view of the electric source supply machine of FIG. 1;

FIG. 9 is a front view of the electric source supply machine of FIG. 1 with the terminal cover removed;

FIG. 10 is a top view of the electric source supply machine of FIG. 1 with the terminal cover removed;

FIG. 11 is a bottom view of the electric source supply machine of FIG. 1 with the terminal cover removed; and,

FIG. 12 is a left view of the electric source supply machine of FIG. 1 with the terminal cover removed.

The broken lines represent environmental structure which is not a part of the claimed design.

**1 Claim, 7 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12

