



US00D489624S

(12) **United States Design Patent**
Beachum et al.

(10) **Patent No.:** **US D489,624 S**

(45) **Date of Patent:** **** May 11, 2004**

(54) **BOTTLE**

(75) Inventors: **Chad Beachum**, Allendale, MI (US);
Charles Curtiss, Long Island City, NY
(US); **Nicholas Latorre**, Spring Lake,
MI (US); **Stuart M. Leslie**, Larchmont,
NY (US)

(73) Assignee: **Gerber Products Company**,
Reedsburg, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/175,924**

(22) Filed: **Feb. 12, 2003**

Related U.S. Application Data

(62) Division of application No. 29/151,970, filed on Dec. 12,
2001.

(51) **LOC (7) Cl.** **09-01**

(52) **U.S. Cl.** **D9/529; D9/542; D9/558**

(58) **Field of Search** D9/529, 530, 541-543,
D9/549, 557-558, 300, 521, 574-575; 215/382-384,
396, 398, 400, 371, 375; 220/660, 375;
D28/7

(56) **References Cited**

U.S. PATENT DOCUMENTS

D47,909 S	10/1915	Bradford	D9/503
D152,744 S	2/1949	Rosenthal	D44/21
D156,219 S	11/1949	Deskey	D58/6
D168,344 S	12/1952	Goldman	D2/3
D182,540 S	4/1958	Soubier	D58/8
3,252,492 A	5/1966	Marchant	150/0.5
D249,228 S	9/1978	Schacher et al.	D9/44
4,727,999 A	3/1988	Gach	215/232
D323,780 S	2/1992	Addante	D9/371
D324,998 S	3/1992	Klapwald	D9/403
5,105,989 A	4/1992	Gutkowski	222/182
5,123,561 A	6/1992	Gross	220/254
D349,045 S	7/1994	Schmitt	D9/300
D349,858 S	8/1994	Lonczak et al.	D9/558

D356,248 S	3/1995	Wilkinson	D9/300
D356,949 S	4/1995	Mueller et al.	D9/440
5,497,906 A	3/1996	Dubach	222/23
D372,198 S	7/1996	Lathrop et al.	D9/558
D379,931 S	6/1997	Crawford	D9/540
D380,159 S	6/1997	Lathrop et al.	D9/558
D385,195 S	10/1997	Corwin et al.	D9/542
D389,744 S	1/1998	Noe et al.	D9/542
D394,812 S	6/1998	Crawford	D9/543
D396,611 S	8/1998	Huang	D7/679
5,788,108 A	8/1998	Rohr	220/331

(List continued on next page.)

Primary Examiner—Ted Shooman

Assistant Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath
LLP

(57) **CLAIM**

The ornamental design of a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view as seen from above of a
bottle of our new design.

FIG. 2 is a front elevation of the bottle of FIG. 1.

FIG. 3 is a rear elevation of the bottle of FIG. 1.

FIG. 4 is a side elevation of the bottle of FIG. 1, the opposite
side elevation being identical,

FIG. 5 is a top plan view of the bottle of FIG. 1.

FIG. 6 is a bottom plan view of the bottle of FIG. 1.

FIG. 7 is a front isometric view as seen from above of a
second embodiment of a bottle of our new design;

FIG. 8 is a front elevation of the bottle of FIG. 7.

FIG. 9 is a rear elevation of the bottle of FIG. 7.


FIG. 10 is a side elevation of the bottle of FIG. 7, the
opposite side elevation being.

FIG. 11 is a top plan view of the bottle of FIG. 7; and,

FIG. 12 is a bottom plan view of the bottle of FIG. 7.

The broken line showing of a cap in FIGS. 1-5 & 7-11 is for
illustrative purposes only and forms no part of the claimed
design.

1 Claim, 6 Drawing Sheets



US D489,624 S

Page 2

U.S. PATENT DOCUMENTS

D398,236 S	9/1998	Huang	D9/502	D419,059 S	1/2000	Charriez et al.	D9/314
D398,535 S	9/1998	Henderson et al.	D9/542	6,039,197 A	3/2000	Braun	215/228
D398,536 S	9/1998	Chan et al.	D9/542	D422,220 S	4/2000	Feen	D9/542
D398,537 S	9/1998	Henderson et al.	D9/542	D425,797 S	5/2000	Crawford	D9/543
D399,604 S	10/1998	Wolff	D28/64	D426,158 S	6/2000	Flurer et al.	D9/449
D401,507 S	11/1998	Gonda et al.	D9/529	D426,772 S	6/2000	Kahl	D9/449
D403,242 S	12/1998	Edwards	D9/529	D436,317 S	1/2001	Jones et al.	D9/558
D405,373 S	2/1999	Crawford	D9/543	D438,459 S	3/2001	Holthaus	D9/338
D405,697 S	2/1999	Gelinas	D9/520	D439,165 S	3/2001	Erckelbout et al.	D9/520
D407,304 S	3/1999	Crawford	D9/542	D439,843 S	4/2001	Dalmau	D9/515
D408,741 S	4/1999	Mohary et al.	D9/543	D440,500 S	4/2001	Murphy et al.	D9/542
D412,118 S	7/1999	Rodea	D9/502	D440,870 S	4/2001	Gonda et al.	D9/337
D413,267 S	8/1999	Mohary	D9/543	D441,299 S	5/2001	McAllister	D9/558
D414,118 S	9/1999	Crawford	D9/543	D442,436 S	5/2001	Kleckauskas et al.	D7/511
D415,688 S	10/1999	Crawford	D9/543	D446,121 S	8/2001	Maddy	D9/545 X
D417,850 S	12/1999	Miller	D9/542	D447,697 S	9/2001	Schultz et al.	D9/542




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 9




FIG. 8




FIG. 10




FIG. 11




FIG. 12

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 489,624 S
DATED : May 11, 2004
INVENTOR(S) : Beachum et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [75], Inventor, change "**Nicholas Latorre**" to -- **Nickolas Latorre** --.

Signed and Sealed this

Third Day of January, 2006

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office