



US00D499035S

(12) **United States Design Patent**
Cook et al.

(10) **Patent No.:** **US D499,035 S**

(45) **Date of Patent:** **** Nov. 30, 2004**

(54) **DETECTION APPARATUS**

D424,956 S * 5/2000 von Buelow et al. D10/81
D446,306 S * 8/2001 Ochi et al. D24/186
D459,813 S * 7/2002 Ramsey, III D24/186

(75) Inventors: **Richard Cook**, Derwood, MD (US);
Charles Quentin Davis, Frederick, MD
(US); **David Robert DeLalio**, Olney,
MD (US); **Pankaj Oberoi**, Rockville,
MD (US); **Hans Biebuyck**, Rockville,
MD (US); **Rober Krikor Matikyan**,
Rockville, MD (US); **Neil S. Rothman**,
Baltimore, MD (US); **Christopher W.**
Glupker, Van Nuys, CA (US); **Lance**
Hussey, Simi Valley, CA (US); **Ravi K.**
Sawhney, Calabasas, CA (US)

* cited by examiner

Primary Examiner—Antoine D. Davis
(74) *Attorney, Agent, or Firm*—Finnegan, Henderson,
Farabow, Garrett & Dunner, L.L.P.

(57) **CLAIM**

The ornamental design for a detection apparatus, as shown
and described.

(73) Assignee: **BioVeris Corporation**, Gaithersburg,
MD (US)

DESCRIPTION

(**) Term: **14 Years**

FIG. 1 is a front perspective view showing the new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a side elevation view thereof, the side opposite that
shown in FIG. 4 being the mirror image thereof; and,
FIG. 5 is a top plan view thereof.

(21) Appl. No.: **29/180,894**

(22) Filed: **May 1, 2003**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/81; D24/234**

(58) **Field of Search** D10/81; D24/186,
D24/234; 422/104, 56, 58, 61, 102, 43,
46, 48, 100, 63-68

No bottom plan view is provided since the bottom is
unadorned.


The portions of the drawings in dashed lines form no part of
the claimed invention.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D381,749 S * 7/1997 Lawrence et al. D24/169

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5